


5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5320MHz\_TX




EUT\_Z\_2TX  
Setting 14  
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.65122G	60.21	74.00	-13.79	42.77	3	Vertical	14	2.31	-	39.60	10.38	32.54
AV	10.65239G	48.11	54.00	-5.89	30.68	3	Vertical	14	2.31	-	39.59	10.38	32.54
PK	15.97038G	60.85	74.00	-13.15	43.26	3	Vertical	86	2.94	-	37.16	12.79	32.36
AV	15.94536G	48.81	54.00	-5.19	31.17	3	Vertical	86	2.94	-	37.22	12.77	32.35

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5320MHz\_TX




EUT\_Z\_2TX  
Setting 14  
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64597G	60.15	74.00	-13.85	42.71	3	Horizontal	279	1.55	-	39.60	10.38	32.54
AV	10.64681G	48.07	54.00	-5.93	30.63	3	Horizontal	279	1.55	-	39.60	10.38	32.54
PK	15.96879G	60.71	74.00	-13.29	43.12	3	Horizontal	108	2.49	-	37.16	12.79	32.36
AV	15.95238G	48.83	54.00	-5.17	31.20	3	Horizontal	108	2.49	-	37.20	12.78	32.35

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5500MHz\_TX




EUT\_Z\_2TX  
Setting 13  
01-K-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4515G	63.94	74.00	-10.06	57.85	3	Vertical	70	1.80	-	33.31	6.15	33.37
AV	5.4596G	51.53	54.00	-2.47	45.40	3	Vertical	70	1.80	-	33.36	6.15	33.38
PK	5.4695G	64.59	68.20	-3.61	58.40	3	Vertical	70	1.80	-	33.42	6.15	33.38
PK	5.4966G	111.47	Inf	-Inf	105.11	3	Vertical	70	1.80	-	33.58	6.17	33.39
AV	5.4993G	100.10	Inf	-Inf	93.72	3	Vertical	70	1.80	-	33.60	6.17	33.39

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5500MHz\_TX




EUT\_Z\_2TX  
Setting 13  
01-K-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4589G	65.21	74.00	-8.79	59.09	3	Horizontal	360	1.80	-	33.35	6.15	33.38
AV	5.4599G	53.26	54.00	-0.74	47.13	3	Horizontal	360	1.80	-	33.36	6.15	33.38
PK	5.4649G	67.90	68.20	-0.30	61.74	3	Horizontal	360	1.80	-	33.39	6.15	33.38
PK	5.5003G	115.55	Inf	-Inf	109.17	3	Horizontal	360	1.80	-	33.60	6.17	33.39
AV	5.5005G	104.48	Inf	-Inf	98.10	3	Horizontal	360	1.80	-	33.60	6.17	33.39

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5500MHz\_TX




EUT\_Z\_2TX  
Setting 12  
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99772G	60.05	74.00	-13.95	42.01	3	Vertical	289	1.12	-	40.01	10.57	32.54
AV	11.00849G	47.95	54.00	-6.05	29.94	3	Vertical	289	1.12	-	39.98	10.57	32.54

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5500MHz\_TX




EUT\_Z\_2TX  
Setting 12  
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.98806G	59.98	74.00	-14.02	41.91	3	Horizontal	141	1.32	-	40.05	10.56	32.54
AV	10.98845G	47.94	54.00	-6.06	29.87	3	Horizontal	141	1.32	-	40.05	10.56	32.54

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5580MHz\_TX




EUT\_Z\_2TX  
Setting 22  
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4536G	62.27	74.00	-11.73	55.99	3	Vertical	314	1.80	-	31.71	7.41	32.84
AV	5.4588G	49.16	54.00	-4.84	42.85	3	Vertical	314	1.80	-	31.74	7.41	32.84
PK	5.4684G	62.38	68.20	-5.82	56.03	3	Vertical	314	1.80	-	31.77	7.42	32.84
PK	5.5808G	118.05	Inf	-Inf	111.66	3	Vertical	314	1.80	-	31.74	7.51	32.86
AV	5.5808G	107.17	Inf	-Inf	100.78	3	Vertical	314	1.80	-	31.74	7.51	32.86
PK	5.728G	63.67	68.20	-4.53	56.96	3	Vertical	314	1.80	-	32.06	7.56	32.91

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5580MHz\_TX




EUT\_Z\_2TX  
Setting 22  
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.448G	69.12	74.00	-4.88	62.86	3	Horizontal	360	1.80	-	31.69	7.41	32.84
PK	5.468G	67.20	68.20	-1.00	60.85	3	Horizontal	360	1.80	-	31.77	7.42	32.84
AV	5.46G	51.53	54.00	-2.47	45.21	3	Horizontal	360	1.80	-	31.74	7.42	32.84
PK	5.5828G	122.75	Inf	-Inf	116.37	3	Horizontal	360	1.80	-	31.73	7.51	32.86
AV	5.5808G	112.08	Inf	-Inf	105.69	3	Horizontal	360	1.80	-	31.74	7.51	32.86
PK	5.738G	63.70	68.20	-4.50	56.97	3	Horizontal	360	1.80	-	32.08	7.56	32.91



5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5580MHz\_TX




EUT\_Z\_2TX  
Setting 22  
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14848G	59.40	74.00	-14.60	41.67	3	Vertical	310	1.39	-	39.61	10.65	32.53
AV	11.1714G	47.53	54.00	-6.47	29.80	3	Vertical	310	1.39	-	39.60	10.66	32.53

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5580MHz\_TX




EUT\_Z\_2TX  
Setting 22  
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1609G	59.87	74.00	-14.13	42.14	3	Horizontal	34	1.00	-	39.60	10.66	32.53
AV	11.17497G	47.60	54.00	-6.40	29.86	3	Horizontal	34	1.00	-	39.60	10.67	32.53

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5700MHz\_TX




EUT\_Z\_2TX  
Setting 13  
01-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6986G	111.21	Inf	-Inf	104.57	3	Vertical	51	1.00	-	31.99	7.55	32.90
AV	5.701G	100.79	Inf	-Inf	94.14	3	Vertical	51	1.00	-	32.00	7.55	32.90
PK	5.7254G	64.43	68.20	-3.77	57.73	3	Vertical	51	1.00	-	32.05	7.56	32.91

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5700MHz\_TX




EUT\_Z\_2TX  
Setting 13  
01-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6956G	113.52	Inf	-Inf	106.89	3	Horizontal	358	3.00	-	31.98	7.55	32.90
AV	5.7006G	103.43	Inf	-Inf	96.78	3	Horizontal	358	3.00	-	32.00	7.55	32.90
PK	5.7284G	67.58	68.20	-0.62	60.87	3	Horizontal	358	3.00	-	32.06	7.56	32.91

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5700MHz\_TX




EUT\_Z\_2TX  
Setting 13  
01-R-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.4117G	60.87	74.00	-13.13	42.61	3	Vertical	6	2.03	-	39.98	10.80	32.52			
AV	11.39277G	48.91	54.00	-5.09	30.65	3	Vertical	6	2.03	-	39.99	10.79	32.52			

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5700MHz\_TX




EUT\_Z\_2TX  
Setting 13  
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40339G	61.19	74.00	-12.81	42.93	3	Horizontal	273	2.92	-	39.99	10.79	32.52
AV	11.39775G	48.94	54.00	-5.06	30.67	3	Horizontal	273	2.92	-	40.00	10.79	32.52

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 22  
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7188G	116.15	Inf	-Inf	109.45	3	Vertical	109	1.80	-	32.04	7.56	32.90
AV	5.7208G	105.40	Inf	-Inf	98.71	3	Vertical	109	1.80	-	32.04	7.56	32.91
PK	5.8776G	62.98	68.20	-5.22	56.01	3	Vertical	109	1.80	-	32.31	7.62	32.96

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 22  
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7152G	113.73	Inf	-Inf	107.05	3	Horizontal	358	1.80	-	32.03	7.55	32.90
AV	5.7204G	103.24	Inf	-Inf	96.54	3	Horizontal	358	1.80	-	32.04	7.56	32.90
PK	5.8504G	62.65	68.20	-5.55	55.79	3	Horizontal	358	1.80	-	32.20	7.61	32.95



5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 22  
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43547G	60.12	74.00	-13.88	41.90	3	Vertical	112	1.05	-	39.93	10.81	32.52
AV	11.42812G	48.27	54.00	-5.73	30.04	3	Vertical	112	1.05	-	39.94	10.81	32.52

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 22  
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42659G	60.47	74.00	-13.53	42.24	3	Horizontal	292	2.63	-	39.95	10.80	32.52
AV	11.4268G	48.30	54.00	-5.70	30.07	3	Horizontal	292	2.63	-	39.95	10.80	32.52

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5745MHz\_TX




EUT\_Z\_2TX  
 Setting 21.5  
 01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6395G	60.94	68.20	-7.26	54.51	3	Vertical	314	1.80	-	31.78	7.53	32.88
PK	5.7395G	114.65	Inf	-Inf	107.92	3	Vertical	314	1.80	-	32.08	7.56	32.91
AV	5.744G	104.35	Inf	-Inf	97.61	3	Vertical	314	1.80	-	32.09	7.56	32.91
PK	5.9515G	62.31	68.20	-5.89	55.23	3	Vertical	314	1.80	-	32.40	7.66	32.98

5.725-5.85GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5745MHz\_TX




EUT\_Z\_2TX  
 Setting 21.5  
 01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	64.65	68.20	-3.55	58.21	3	Horizontal	360	1.80	-	31.79	7.53	32.88
PK	5.7445G	121.47	Inf	-Inf	114.73	3	Horizontal	360	1.80	-	32.09	7.56	32.91
AV	5.744G	110.50	Inf	-Inf	103.76	3	Horizontal	360	1.80	-	32.09	7.56	32.91
PK	5.9725G	61.77	68.20	-6.43	54.64	3	Horizontal	360	1.80	-	32.45	7.67	32.99

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5745MHz\_TX




EUT\_Z\_2TX  
Setting 21.5  
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50164G	60.54	74.00	-13.46	42.11	3	Vertical	195	2.27	-	40.10	10.85	32.52
AV	11.50017G	48.14	54.00	-5.86	29.71	3	Vertical	195	2.27	-	40.10	10.85	32.52

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5745MHz\_TX




EUTZ\_2TX  
 Setting 21.5  
 01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49945G	60.67	74.00	-13.33	42.25	3	Horizontal	51	1.63	-	40.10	10.84	32.52
AV	11.49951G	48.20	54.00	-5.80	29.78	3	Horizontal	51	1.63	-	40.10	10.84	32.52

5.725-5.85GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5785MHz\_TX




EUT\_Z\_2TX  
Setting 22  
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.628G	60.48	68.20	-7.72	54.06	3	Vertical	319	1.01	-	31.76	7.53	32.87
PK	5.7845G	115.09	Inf	-Inf	108.27	3	Vertical	319	1.01	-	32.17	7.58	32.93
AV	5.7845G	105.55	Inf	-Inf	98.73	3	Vertical	319	1.01	-	32.17	7.58	32.93
PK	5.9305G	62.31	68.20	-5.89	55.24	3	Vertical	319	1.01	-	32.40	7.65	32.98

5.725-5.85GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5785MHz\_TX




EUT\_Z\_2TX  
Setting 22  
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	63.33	68.20	-4.87	56.89	3	Horizontal	360	3.00	-	31.79	7.53	32.88
PK	5.7865G	120.65	Inf	-Inf	113.83	3	Horizontal	360	3.00	-	32.17	7.58	32.93
AV	5.784G	111.18	Inf	-Inf	104.36	3	Horizontal	360	3.00	-	32.17	7.58	32.93
PK	5.9385G	62.93	68.20	-5.27	55.86	3	Horizontal	360	3.00	-	32.40	7.65	32.98



5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5785MHz\_TX




EUT\_Z\_2TX  
Setting 22  
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56601G	60.72	74.00	-13.28	42.38	3	Vertical	353	1.04	-	39.97	10.88	32.51
AV	11.58077G	48.39	54.00	-5.61	30.07	3	Vertical	353	1.04	-	39.94	10.89	32.51

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5785MHz\_TX




EUT\_Z\_2TX  
Setting 22  
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5811G	60.53	74.00	-13.47	42.21	3	Horizontal	121	1.82	-	39.94	10.89	32.51
AV	11.58008G	48.39	54.00	-5.61	30.07	3	Horizontal	121	1.82	-	39.94	10.89	32.51

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5825MHz\_TX




EUT\_Z\_2TX  
Setting 22  
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.602G	59.72	68.20	-8.48	53.36	3	Vertical	321	1.02	-	31.70	7.52	32.86
PK	5.8225G	115.51	Inf	-Inf	108.66	3	Vertical	321	1.02	-	32.20	7.59	32.94
AV	5.827G	104.58	Inf	-Inf	97.73	3	Vertical	321	1.02	-	32.20	7.59	32.94
PK	5.927G	61.59	68.20	-6.61	54.53	3	Vertical	321	1.02	-	32.40	7.64	32.98

5.725-5.85GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5825MHz\_TX




EUT\_Z\_2TX  
Setting 22  
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6235G	59.79	68.20	-8.41	53.38	3	Horizontal	360	3.00	-	31.75	7.53	32.87
PK	5.823G	119.26	Inf	-Inf	112.41	3	Horizontal	360	3.00	-	32.20	7.59	32.94
AV	5.8255G	109.26	Inf	-Inf	102.41	3	Horizontal	360	3.00	-	32.20	7.59	32.94
PK	5.925G	63.77	68.20	-4.43	56.70	3	Horizontal	360	3.00	-	32.40	7.64	32.97

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5825MHz\_TX




EUT\_Z\_2TX  
Setting 22  
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65105G	61.22	74.00	-12.78	43.09	3	Vertical	110	1.80	-	39.70	10.93	32.50
AV	11.65069G	48.68	54.00	-5.32	30.55	3	Vertical	110	1.80	-	39.70	10.93	32.50

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5825MHz\_TX




EUT\_Z\_2TX  
Setting 22  
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65519G	61.25	74.00	-12.75	43.13	3	Horizontal	0	1.31	-	39.69	10.93	32.50
AV	11.65024G	49.22	54.00	-4.78	31.09	3	Horizontal	0	1.31	-	39.70	10.93	32.50

5.15-5.25GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5190MHz\_TX




EUT\_Z\_2TX  
 Setting 11.5  
 01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1382G	63.98	74.00	-10.02	57.60	3	Vertical	47	1.01	-	32.05	7.23	32.90
AV	5.1488G	52.40	54.00	-1.60	45.96	3	Vertical	47	1.01	-	32.10	7.24	32.90
PK	5.1836G	109.52	Inf	-Inf	103.24	3	Vertical	47	1.01	-	31.90	7.27	32.89
AV	5.189G	97.83	Inf	-Inf	91.58	3	Vertical	47	1.01	-	31.87	7.27	32.89

5.15-5.25GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5190MHz\_TX




EUT\_Z\_2TX  
 Setting 11.5  
 01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1414G	65.80	74.00	-8.20	59.40	3	Horizontal	2	1.80	-	32.07	7.23	32.90
AV	5.1496G	53.96	54.00	-0.04	47.52	3	Horizontal	2	1.80	-	32.10	7.24	32.90
PK	5.1946G	110.51	Inf	-Inf	104.29	3	Horizontal	2	1.80	-	31.83	7.28	32.89
AV	5.192G	99.44	Inf	-Inf	93.21	3	Horizontal	2	1.80	-	31.85	7.27	32.89



5.15-5.25GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5190MHz\_TX




EUTZ\_2TX  
 Setting 11.5  
 01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.57858G	61.84	74.00	-12.16	43.47	3	Vertical	283	1.20	-	37.87	12.61	32.11
AV	15.56304G	50.08	54.00	-3.92	31.58	3	Vertical	283	1.20	-	38.00	12.60	32.10

5.15-5.25GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5190MHz\_TX




EUT\_Z\_2TX  
 Setting 11.5  
 01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.56373G	62.67	74.00	-11.33	44.18	3	Horizontal	122	1.79	-	37.99	12.60	32.10
AV	15.56781G	50.08	54.00	-3.92	31.62	3	Horizontal	122	1.79	-	37.96	12.60	32.10

5.15-5.25GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5230MHz\_TX




EUT\_Z\_2TX  
 Setting 16.5  
 01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1379G	64.37	74.00	-9.63	57.99	3	Vertical	49	1.06	-	32.05	7.23	32.90
AV	5.1487G	52.90	54.00	-1.10	46.47	3	Vertical	49	1.06	-	32.09	7.24	32.90
PK	5.2267G	112.96	Inf	-Inf	106.96	3	Vertical	49	1.06	-	31.59	7.29	32.88
AV	5.2291G	102.11	Inf	-Inf	96.13	3	Vertical	49	1.06	-	31.57	7.29	32.88
PK	5.3662G	60.80	74.00	-13.20	54.88	3	Vertical	49	1.06	-	31.43	7.35	32.86
AV	5.3518G	48.80	54.00	-5.20	42.91	3	Vertical	49	1.06	-	31.40	7.35	32.86

5.15-5.25GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5230MHz\_TX




EUT\_Z\_2TX  
Setting 16.5  
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1493G	67.62	74.00	-6.38	61.18	3	Horizontal	0	1.80	-	32.10	7.24	32.90
AV	5.1496G	53.73	54.00	-0.27	47.29	3	Horizontal	0	1.80	-	32.10	7.24	32.90
PK	5.2318G	114.74	Inf	-Inf	108.78	3	Horizontal	0	1.80	-	31.55	7.29	32.88
AV	5.2291G	103.80	Inf	-Inf	97.82	3	Horizontal	0	1.80	-	31.57	7.29	32.88
PK	5.3554G	61.13	74.00	-12.87	55.23	3	Horizontal	0	1.80	-	31.41	7.35	32.86
AV	5.3557G	49.83	54.00	-4.17	43.93	3	Horizontal	0	1.80	-	31.41	7.35	32.86

5.15-5.25GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5230MHz\_TX




EUT\_Z\_2TX  
 Setting 16.5  
 01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.69171G	62.42	74.00	-11.58	44.12	3	Vertical	12	1.85	-	37.82	12.66	32.18
AV	15.69951G	50.29	54.00	-3.71	31.92	3	Vertical	12	1.85	-	37.90	12.66	32.19

5.15-5.25GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5230MHz\_TX




EUT\_Z\_2TX  
Setting 16.5  
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.70203G	62.80	74.00	-11.20	44.43	3	Horizontal	166	1.61	-	37.90	12.66	32.19
AV	15.69978G	50.29	54.00	-3.71	31.92	3	Horizontal	166	1.61	-	37.90	12.66	32.19

5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5270MHz\_TX




EUT\_Z\_2TX  
Setting 17  
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1311G	62.13	74.00	-11.87	55.79	3	Vertical	49	1.03	-	32.02	7.22	32.90
AV	5.1464G	50.17	54.00	-3.83	43.75	3	Vertical	49	1.03	-	32.09	7.23	32.90
PK	5.2745G	113.44	Inf	-Inf	107.66	3	Vertical	49	1.03	-	31.35	7.31	32.88
AV	5.2718G	102.04	Inf	-Inf	96.25	3	Vertical	49	1.03	-	31.36	7.31	32.88
PK	5.3519G	65.22	74.00	-8.78	59.33	3	Vertical	49	1.03	-	31.40	7.35	32.86
AV	5.3519G	51.52	54.00	-2.48	45.63	3	Vertical	49	1.03	-	31.40	7.35	32.86

5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5270MHz\_TX




EUT\_Z\_2TX  
Setting 17  
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1497G	63.16	74.00	-10.84	56.72	3	Horizontal	360	1.80	-	32.10	7.24	32.90
AV	5.1494G	50.85	54.00	-3.15	44.41	3	Horizontal	360	1.80	-	32.10	7.24	32.90
PK	5.2721G	116.10	Inf	-Inf	110.31	3	Horizontal	360	1.80	-	31.36	7.31	32.88
AV	5.2691G	104.41	Inf	-Inf	98.62	3	Horizontal	360	1.80	-	31.36	7.31	32.88
PK	5.3546G	68.46	74.00	-5.54	62.56	3	Horizontal	360	1.80	-	31.41	7.35	32.86
AV	5.3516G	53.69	54.00	-0.31	47.80	3	Horizontal	360	1.80	-	31.40	7.35	32.86



5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5270MHz\_TX




EUT\_Z\_2TX  
Setting 17  
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.81138G	62.07	74.00	-11.93	44.07	3	Vertical	125	2.22	-	37.55	12.71	32.26
AV	15.79743G	49.98	54.00	-4.02	31.90	3	Vertical	125	2.22	-	37.62	12.71	32.25

5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5270MHz\_TX




EUT\_Z\_2TX  
Setting 17  
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.82287G	61.98	74.00	-12.02	44.02	3	Horizontal	127	1.54	-	37.51	12.72	32.27
AV	15.79836G	50.04	54.00	-3.96	31.97	3	Horizontal	127	1.54	-	37.61	12.71	32.25

5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5310MHz\_TX




EUT\_Z\_2TX  
 Setting 13.5  
 04-K-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3058G	106.95	Inf	-Inf	101.43	3	Vertical	59	1.95	-	32.81	6.03	33.32
AV	5.3084G	96.36	Inf	-Inf	90.83	3	Vertical	59	1.95	-	32.82	6.03	33.32
PK	5.3514G	68.10	74.00	-5.90	62.46	3	Vertical	59	1.95	-	32.91	6.07	33.34
AV	5.3508G	50.78	54.00	-3.22	45.15	3	Vertical	59	1.95	-	32.90	6.07	33.34

5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5310MHz\_TX




EUT\_Z\_2TX  
 Setting 13.5  
 04-K-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3066G	111.07	Inf	-Inf	105.55	3	Horizontal	358	1.80	-	32.81	6.03	33.32
AV	5.309G	100.38	Inf	-Inf	94.85	3	Horizontal	358	1.80	-	32.82	6.03	33.32
PK	5.358G	69.48	74.00	-4.52	63.81	3	Horizontal	358	1.80	-	32.93	6.08	33.34
AV	5.3514G	53.49	54.00	-0.51	47.85	3	Horizontal	358	1.80	-	32.91	6.07	33.34

5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5310MHz\_TX




EUT\_Z\_2TX  
 Setting 11.5  
 01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62057G	59.97	74.00	-14.03	42.55	3	Vertical	62	2.89	-	39.60	10.36	32.54
AV	10.63371G	48.05	54.00	-5.95	30.62	3	Vertical	62	2.89	-	39.60	10.37	32.54
PK	15.93312G	61.09	74.00	-12.91	43.39	3	Vertical	335	1.69	-	37.27	12.77	32.34
AV	15.91656G	49.29	54.00	-4.71	31.53	3	Vertical	335	1.69	-	37.33	12.76	32.33

5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5310MHz\_TX




EUT\_Z\_2TX  
Setting 11.5  
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61505G	60.12	74.00	-13.88	42.70	3	Horizontal	39	2.42	-	39.60	10.36	32.54
AV	10.63287G	48.12	54.00	-5.88	30.69	3	Horizontal	39	2.42	-	39.60	10.37	32.54
PK	15.91947G	61.63	74.00	-12.37	43.88	3	Horizontal	243	2.08	-	37.32	12.76	32.33
AV	15.91929G	49.20	54.00	-4.80	31.45	3	Horizontal	243	2.08	-	37.32	12.76	32.33

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5510MHz\_TX




EUT\_Z\_2TX  
 Setting 12.5  
 01-K-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	63.21	74.00	-10.79	57.08	3	Vertical	69	1.74	-	33.36	6.15	33.38
AV	5.4576G	49.69	54.00	-4.31	43.56	3	Vertical	69	1.74	-	33.35	6.15	33.37
PK	5.4698G	67.24	68.20	-0.96	61.05	3	Vertical	69	1.74	-	33.42	6.15	33.38
PK	5.508G	107.23	Inf	-Inf	100.83	3	Vertical	69	1.74	-	33.62	6.17	33.39
AV	5.508G	96.20	Inf	-Inf	89.80	3	Vertical	69	1.74	-	33.62	6.17	33.39

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5510MHz\_TX




EUT\_Z\_2TX  
 Setting 12.5  
 01-K-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4578G	65.90	74.00	-8.10	59.77	3	Horizontal	-0	2.00	-	33.35	6.15	33.37
AV	5.4584G	50.72	54.00	-3.28	44.60	3	Horizontal	-0	2.00	-	33.35	6.15	33.38
PK	5.4682G	67.05	68.20	-1.15	60.87	3	Horizontal	-0	2.00	-	33.41	6.15	33.38
PK	5.5118G	109.88	Inf	-Inf	103.47	3	Horizontal	-0	2.00	-	33.62	6.18	33.39
AV	5.5092G	99.51	Inf	-Inf	93.11	3	Horizontal	-0	2.00	-	33.62	6.17	33.39



5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5510MHz\_TX




EUT\_Z\_2TX  
Setting 12  
01-R-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.0125G	60.44	74.00	-13.56	42.42	3	Vertical	272	2.35	-	39.98	10.58	32.54			
AV	11.0284G	48.08	54.00	-5.92	30.09	3	Vertical	272	2.35	-	39.94	10.59	32.54			

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5510MHz\_TX




EUT\_Z\_2TX  
Setting 12  
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02225G	60.21	74.00	-13.79	42.21	3	Horizontal	164	1.19	-	39.96	10.58	32.54
AV	11.03104G	48.06	54.00	-5.94	30.07	3	Horizontal	164	1.19	-	39.94	10.59	32.54

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5550MHz\_TX




EUT\_Z\_2TX  
 Setting 16  
 01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4561G	61.69	74.00	-12.31	55.40	3	Vertical	17	1.00	-	31.72	7.41	32.84
AV	5.4588G	50.24	54.00	-3.76	43.93	3	Vertical	17	1.00	-	31.74	7.41	32.84
PK	5.4675G	63.45	68.20	-4.75	57.10	3	Vertical	17	1.00	-	31.77	7.42	32.84
PK	5.5488G	110.87	Inf	-Inf	104.44	3	Vertical	17	1.00	-	31.80	7.48	32.85
AV	5.5488G	99.91	Inf	-Inf	93.48	3	Vertical	17	1.00	-	31.80	7.48	32.85

5.47-5.725GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5550MHz\_TX




EUT\_Z\_2TX  
 Setting 16  
 01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4582G	67.00	74.00	-7.00	60.70	3	Horizontal	357	1.80	-	31.73	7.41	32.84
AV	5.4591G	53.59	54.00	-0.41	47.28	3	Horizontal	357	1.80	-	31.74	7.41	32.84
PK	5.4636G	67.37	68.20	-0.83	61.04	3	Horizontal	357	1.80	-	31.75	7.42	32.84
PK	5.5587G	115.55	Inf	-Inf	109.13	3	Horizontal	357	1.80	-	31.78	7.49	32.85
AV	5.5491G	105.03	Inf	-Inf	98.60	3	Horizontal	357	1.80	-	31.80	7.48	32.85

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5550MHz\_TX




EUT\_Z\_2TX  
Setting 16  
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.11176G	59.93	74.00	-14.07	42.09	3	Vertical	265	1.38	-	39.75	10.63	32.54
AV	11.09271G	47.89	54.00	-6.11	30.00	3	Vertical	265	1.38	-	39.81	10.62	32.54

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5550MHz\_TX




EUT\_Z\_2TX  
Setting 16  
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10456G	60.64	74.00	-13.36	42.77	3	Horizontal	68	1.40	-	39.78	10.63	32.54
AV	11.08923G	47.88	54.00	-6.12	29.98	3	Horizontal	68	1.40	-	39.82	10.62	32.54

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5670MHz\_TX




EUT\_Z\_2TX  
Setting 14  
01-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6662G	109.92	Inf	-Inf	103.41	3	Vertical	54	1.00	-	31.86	7.54	32.89
AV	5.6714G	98.84	Inf	-Inf	92.30	3	Vertical	54	1.00	-	31.89	7.54	32.89
PK	5.7262G	66.00	68.20	-2.20	59.30	3	Vertical	54	1.00	-	32.05	7.56	32.91

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5670MHz\_TX




EUT\_Z\_2TX  
 Setting 14  
 01-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6706G	111.30	Inf	-Inf	104.77	3	Horizontal	359	1.80	-	31.88	7.54	32.89
AV	5.6708G	100.79	Inf	-Inf	94.26	3	Horizontal	359	1.80	-	31.88	7.54	32.89
PK	5.7254G	68.05	68.20	-0.15	61.35	3	Horizontal	359	1.80	-	32.05	7.56	32.91



5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5670MHz\_TX




EUT\_Z\_2TX  
Setting 14  
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3547G	61.23	74.00	-12.77	43.08	3	Vertical	24	1.37	-	39.91	10.77	32.53
AV	11.35332G	48.43	54.00	-5.57	30.29	3	Vertical	24	1.37	-	39.91	10.76	32.53

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5670MHz\_TX




EUT\_Z\_2TX  
Setting 14  
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33388G	60.09	74.00	-13.91	42.03	3	Horizontal	139	1.59	-	39.84	10.75	32.53
AV	11.35458G	48.45	54.00	-5.55	30.30	3	Horizontal	139	1.59	-	39.91	10.77	32.53

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 20.5  
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7068G	112.01	Inf	-Inf	105.35	3	Vertical	314	1.80	-	32.01	7.55	32.90
AV	5.7092G	100.76	Inf	-Inf	94.09	3	Vertical	314	1.80	-	32.02	7.55	32.90
PK	5.8536G	64.39	68.20	-3.81	57.52	3	Vertical	314	1.80	-	32.21	7.61	32.95

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
 Setting 20.5  
 01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7116G	117.29	Inf	-Inf	110.62	3	Horizontal	357	1.80	-	32.02	7.55	32.90
AV	5.7092G	106.87	Inf	-Inf	100.20	3	Horizontal	357	1.80	-	32.02	7.55	32.90
PK	5.8512G	67.83	68.20	-0.37	60.97	3	Horizontal	357	1.80	-	32.20	7.61	32.95

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 20.5  
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40995G	60.55	74.00	-13.45	42.29	3	Vertical	207	2.24	-	39.98	10.80	32.52
AV	11.40521G	48.83	54.00	-5.17	30.57	3	Vertical	207	2.24	-	39.99	10.79	32.52

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 20.5  
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41988G	61.21	74.00	-12.79	42.97	3	Horizontal	267	2.78	-	39.96	10.80	32.52
AV	11.40965G	48.82	54.00	-5.18	30.56	3	Horizontal	267	2.78	-	39.98	10.80	32.52

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5755MHz\_TX




EUT\_Z\_2TX  
 Setting 20  
 01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6455G	62.68	68.20	-5.52	56.24	3	Vertical	54	1.80	-	31.79	7.53	32.88
PK	5.754G	111.20	Inf	-Inf	104.44	3	Vertical	54	1.80	-	32.11	7.57	32.92
AV	5.754G	100.07	Inf	-Inf	93.31	3	Vertical	54	1.80	-	32.11	7.57	32.92
PK	5.952G	62.36	68.20	-5.84	55.28	3	Vertical	54	1.80	-	32.40	7.66	32.98

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5755MHz\_TX




EUT\_Z\_2TX  
Setting 20  
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	68.17	68.20	-0.03	61.73	3	Horizontal	355	3.00	-	31.79	7.53	32.88
PK	5.7575G	115.80	Inf	-Inf	109.03	3	Horizontal	355	3.00	-	32.12	7.57	32.92
AV	5.7525G	105.80	Inf	-Inf	99.04	3	Horizontal	355	3.00	-	32.11	7.57	32.92
PK	5.931G	62.15	68.20	-6.05	55.08	3	Horizontal	355	3.00	-	32.40	7.65	32.98



5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5755MHz\_TX




EUT\_Z\_2TX  
Setting 20  
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50082G	60.82	74.00	-13.18	42.39	3	Vertical	257	2.21	-	40.10	10.85	32.52
AV	11.50868G	48.26	54.00	-5.74	29.85	3	Vertical	257	2.21	-	40.08	10.85	32.52

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5755MHz\_TX




EUT\_Z\_2TX  
Setting 20  
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.52437G	60.52	74.00	-13.48	42.13	3	Horizontal	83	1.69	-	40.05	10.86	32.52
AV	11.50949G	48.33	54.00	-5.67	29.92	3	Horizontal	83	1.69	-	40.08	10.85	32.52

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5795MHz\_TX




EUT\_Z\_2TX  
Setting 21  
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	62.81	68.20	-5.39	56.37	3	Vertical	112	1.80	-	31.79	7.53	32.88
PK	5.801G	111.99	Inf	-Inf	105.14	3	Vertical	112	1.80	-	32.20	7.58	32.93
AV	5.7955G	102.19	Inf	-Inf	95.35	3	Vertical	112	1.80	-	32.19	7.58	32.93
PK	5.9305G	64.00	68.20	-4.20	56.93	3	Vertical	112	1.80	-	32.40	7.65	32.98

5.725-5.85GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5795MHz\_TX




EUT\_Z\_2TX  
Setting 21  
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6475G	66.80	68.20	-1.40	60.36	3	Horizontal	357	3.00	-	31.79	7.53	32.88
PK	5.7945G	118.66	Inf	-Inf	111.82	3	Horizontal	357	3.00	-	32.19	7.58	32.93
AV	5.794G	107.35	Inf	-Inf	100.51	3	Horizontal	357	3.00	-	32.19	7.58	32.93
PK	5.9235G	67.86	69.31	-1.45	60.79	3	Horizontal	357	3.00	-	32.40	7.64	32.97

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5795MHz\_TX




EUT\_Z\_2TX  
Setting 21  
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58454G	60.80	74.00	-13.20	42.49	3	Vertical	76	1.80	-	39.93	10.89	32.51
AV	11.58046G	48.73	54.00	-5.27	30.41	3	Vertical	76	1.80	-	39.94	10.89	32.51

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5795MHz\_TX




EUT\_Z\_2TX  
Setting 21  
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58973G	61.85	74.00	-12.15	43.55	3	Horizontal	122	1.79	-	39.92	10.89	32.51
AV	11.58016G	48.53	54.00	-5.47	30.21	3	Horizontal	122	1.79	-	39.94	10.89	32.51

5.15-5.25GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX

5210MHz\_TX




EUT\_Z\_2TX  
Setting 12  
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	63.63	74.00	-10.37	57.19	3	Vertical	46	1.00	-	32.10	7.24	32.90
AV	5.15G	53.38	54.00	-0.62	46.94	3	Vertical	46	1.00	-	32.10	7.24	32.90
PK	5.1948G	105.62	Inf	-Inf	99.40	3	Vertical	46	1.00	-	31.83	7.28	32.89
AV	5.2128G	94.99	Inf	-Inf	88.89	3	Vertical	46	1.00	-	31.70	7.29	32.89
PK	5.3724G	59.43	74.00	-14.57	53.49	3	Vertical	46	1.00	-	31.44	7.36	32.86
AV	5.366G	48.33	54.00	-5.67	42.41	3	Vertical	46	1.00	-	31.43	7.35	32.86

5.15-5.25GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX

5210MHz\_TX




EUT\_Z\_2TX  
Setting 12  
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	64.79	74.00	-9.21	58.35	3	Horizontal	0	1.80	-	32.10	7.24	32.90
AV	5.1496G	53.84	54.00	-0.16	47.40	3	Horizontal	0	1.80	-	32.10	7.24	32.90
PK	5.2184G	106.96	Inf	-Inf	100.91	3	Horizontal	0	1.80	-	31.65	7.29	32.89
AV	5.2132G	96.30	Inf	-Inf	90.21	3	Horizontal	0	1.80	-	31.69	7.29	32.89
PK	5.3644G	60.33	74.00	-13.67	54.41	3	Horizontal	0	1.80	-	31.43	7.35	32.86
AV	5.3552G	48.82	54.00	-5.18	42.92	3	Horizontal	0	1.80	-	31.41	7.35	32.86



5.15-5.25GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX

5210MHz\_TX




EUT\_Z\_2TX  
Setting 12  
01-R-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	15.64116G	63.48	74.00	-10.52	45.55	3	Vertical	27	2.73	-	37.45	12.63	32.15
AV	15.62757G	49.93	54.00	-4.07	31.91	3	Vertical	27	2.73	-	37.53	12.63	32.14

5.15-5.25GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX

5210MHz\_TX




EUT\_Z\_2TX  
Setting 12  
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.63318G	61.63	74.00	-12.37	43.65	3	Horizontal	157	1.33	-	37.50	12.63	32.15
AV	15.6273G	50.01	54.00	-3.99	31.98	3	Horizontal	157	1.33	-	37.54	12.63	32.14

5.25-5.35GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX

5290MHz\_TX




EUT\_Z\_2TX  
Setting 13  
04-K-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.066G	59.27	74.00	-14.73	54.07	3	Vertical	54	1.98	-	32.57	5.86	33.23
AV	5.1475G	47.92	54.00	-6.08	42.69	3	Vertical	54	1.98	-	32.59	5.90	33.26
PK	5.2755G	103.49	Inf	-Inf	98.05	3	Vertical	54	1.98	-	32.75	6.00	33.31
AV	5.291G	94.00	Inf	-Inf	88.52	3	Vertical	54	1.98	-	32.78	6.01	33.31
PK	5.3535G	62.55	74.00	-11.45	56.91	3	Vertical	54	1.98	-	32.91	6.07	33.34
AV	5.3505G	51.57	54.00	-2.43	45.94	3	Vertical	54	1.98	-	32.90	6.07	33.34
PK	5.4645G	59.75	68.20	-8.45	53.59	3	Vertical	54	1.98	-	33.39	6.15	33.38

5.25-5.35GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX

5290MHz\_TX




EUT\_Z\_2TX  
 Setting 13  
 04-K-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0415G	60.19	74.00	-13.81	54.94	3	Horizontal	357	2.13	-	32.62	5.85	33.22
AV	5.1425G	48.74	54.00	-5.26	43.52	3	Horizontal	357	2.13	-	32.59	5.89	33.26
PK	5.288G	107.55	Inf	-Inf	102.07	3	Horizontal	357	2.13	-	32.78	6.01	33.31
AV	5.293G	96.95	Inf	-Inf	91.47	3	Horizontal	357	2.13	-	32.79	6.01	33.32
PK	5.35G	63.76	74.00	-10.24	58.13	3	Horizontal	357	2.13	-	32.90	6.07	33.34
AV	5.3505G	53.87	54.00	-0.13	48.24	3	Horizontal	357	2.13	-	32.90	6.07	33.34
PK	5.4755G	60.39	68.20	-7.81	54.16	3	Horizontal	357	2.13	-	33.45	6.16	33.38

5.25-5.35GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX

5290MHz\_TX




EUT\_Z\_2TX  
 Setting 11.5  
 01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.87753G	61.65	74.00	-12.35	43.81	3	Vertical	298	1.69	-	37.40	12.74	32.30
AV	15.88008G	50.18	54.00	-3.82	32.34	3	Vertical	298	1.69	-	37.40	12.74	32.30

5.25-5.35GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX

5290MHz\_TX




EUT\_Z\_2TX  
 Setting 11.5  
 01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8796G	62.12	74.00	-11.88	44.28	3	Horizontal	66	1.45	-	37.40	12.74	32.30
AV	15.88311G	50.13	54.00	-3.87	32.29	3	Horizontal	66	1.45	-	37.40	12.75	32.31

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5530MHz\_TX




EUT\_Z\_2TX  
Setting 12.5  
01-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.349G	58.98	68.20	-9.22	53.09	3	Vertical	64	1.80	-	31.40	7.35	32.86
PK	5.4575G	60.23	74.00	-13.77	53.93	3	Vertical	64	1.80	-	31.73	7.41	32.84
AV	5.454G	49.85	54.00	-4.15	43.56	3	Vertical	64	1.80	-	31.72	7.41	32.84
PK	5.467G	60.80	68.20	-7.40	54.45	3	Vertical	64	1.80	-	31.77	7.42	32.84
PK	5.5365G	100.27	Inf	-Inf	93.81	3	Vertical	64	1.80	-	31.83	7.47	32.84
AV	5.529G	89.87	Inf	-Inf	83.40	3	Vertical	64	1.80	-	31.84	7.47	32.84
PK	5.7685G	61.30	68.20	-6.90	54.51	3	Vertical	64	1.80	-	32.14	7.57	32.92

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5530MHz\_TX




EUT\_Z\_2TX  
Setting 12.5  
01-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.311G	59.71	68.20	-8.49	53.93	3	Horizontal	354	1.80	-	31.32	7.33	32.87
PK	5.46G	64.00	74.00	-10.00	57.68	3	Horizontal	354	1.80	-	31.74	7.42	32.84
AV	5.46G	53.72	54.00	-0.28	47.40	3	Horizontal	354	1.80	-	31.74	7.42	32.84
PK	5.47G	65.71	68.20	-2.49	59.35	3	Horizontal	354	1.80	-	31.78	7.42	32.84
PK	5.5325G	106.76	Inf	-Inf	100.29	3	Horizontal	354	1.80	-	31.84	7.47	32.84
AV	5.5275G	96.02	Inf	-Inf	89.55	3	Horizontal	354	1.80	-	31.84	7.47	32.84
PK	5.7585G	61.01	68.20	-7.19	54.24	3	Horizontal	354	1.80	-	32.12	7.57	32.92



5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5530MHz\_TX




EUT\_Z\_2TX  
 Setting 12.5  
 01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.07443G	60.33	74.00	-13.67	42.41	3	Vertical	308	2.48	-	39.85	10.61	32.54
AV	11.06741G	48.33	54.00	-5.67	30.39	3	Vertical	308	2.48	-	39.87	10.61	32.54

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5530MHz\_TX




EUT\_Z\_2TX  
Setting 12.5  
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.07479G	60.62	74.00	-13.38	42.70	3	Horizontal	41	1.44	-	39.85	10.61	32.54
AV	11.05805G	48.65	54.00	-5.35	30.71	3	Horizontal	41	1.44	-	39.88	10.60	32.54

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5610MHz\_TX




EUT\_Z\_2TX  
Setting 16  
01-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	59.93	74.00	-14.07	53.61	3	Vertical	65	1.80	-	31.74	7.42	32.84
AV	5.4565G	48.94	54.00	-5.06	42.64	3	Vertical	65	1.80	-	31.73	7.41	32.84
PK	5.47G	60.08	68.20	-8.12	53.72	3	Vertical	65	1.80	-	31.78	7.42	32.84
PK	5.612G	105.51	Inf	-Inf	99.14	3	Vertical	65	1.80	-	31.72	7.52	32.87
AV	5.6115G	94.24	Inf	-Inf	87.87	3	Vertical	65	1.80	-	31.72	7.52	32.87
PK	5.7465G	62.72	68.20	-5.48	55.98	3	Vertical	65	1.80	-	32.09	7.56	32.91

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5610MHz\_TX



Lim.PK  
PK  
Lim.AV  
AV


25/03/2024

EUT\_Z\_2TX  
Setting 16  
01-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4495G	62.69	74.00	-11.31	56.42	3	Horizontal	357	3.00	-	31.70	7.41	32.84
PK	5.464G	63.90	68.20	-4.30	57.56	3	Horizontal	357	3.00	-	31.76	7.42	32.84
AV	5.459G	51.66	54.00	-2.34	45.35	3	Horizontal	357	3.00	-	31.74	7.41	32.84
PK	5.6065G	110.76	Inf	-Inf	104.40	3	Horizontal	357	3.00	-	31.71	7.52	32.87
AV	5.6115G	100.21	Inf	-Inf	93.84	3	Horizontal	357	3.00	-	31.72	7.52	32.87
PK	5.7285G	67.60	68.20	-0.60	60.89	3	Horizontal	357	3.00	-	32.06	7.56	32.91

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5610MHz\_TX




EUT\_Z\_2TX  
Setting 16  
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21355G	60.08	74.00	-13.92	42.29	3	Vertical	326	1.17	-	39.63	10.69	32.53
AV	11.2095G	48.18	54.00	-5.82	30.40	3	Vertical	326	1.17	-	39.62	10.69	32.53

5.47-5.725GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX

5610MHz\_TX




EUT\_Z\_2TX  
Setting 16  
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22141G	59.89	74.00	-14.11	42.09	3	Horizontal	49	1.65	-	39.64	10.69	32.53
AV	11.23119G	48.17	54.00	-5.83	30.34	3	Horizontal	49	1.65	-	39.66	10.70	32.53

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
 Setting 19  
 01-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45G	60.21	74.00	-13.79	53.94	3	Vertical	55	1.01	-	31.70	7.41	32.84
PK	5.4602G	60.21	68.20	-7.99	53.89	3	Vertical	55	1.01	-	31.74	7.42	32.84
AV	5.456G	49.12	54.00	-4.88	42.83	3	Vertical	55	1.01	-	31.72	7.41	32.84
PK	5.6834G	109.44	Inf	-Inf	102.85	3	Vertical	55	1.01	-	31.93	7.55	32.89
AV	5.6888G	99.21	Inf	-Inf	92.59	3	Vertical	55	1.01	-	31.96	7.55	32.89
PK	5.8514G	64.82	68.20	-3.38	57.95	3	Vertical	55	1.01	-	32.21	7.61	32.95

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
 Setting 19  
 01-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4566G	61.33	74.00	-12.67	55.03	3	Horizontal	356	1.80	-	31.73	7.41	32.84
AV	5.4584G	50.57	54.00	-3.43	44.27	3	Horizontal	356	1.80	-	31.73	7.41	32.84
PK	5.462G	61.94	68.20	-6.26	55.61	3	Horizontal	356	1.80	-	31.75	7.42	32.84
PK	5.684G	112.51	Inf	-Inf	105.91	3	Horizontal	356	1.80	-	31.94	7.55	32.89
AV	5.6894G	101.76	Inf	-Inf	95.14	3	Horizontal	356	1.80	-	31.96	7.55	32.89
PK	5.8634G	67.10	68.20	-1.10	60.19	3	Horizontal	356	1.80	-	32.25	7.61	32.95



5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 19  
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39425G	61.27	74.00	-12.73	43.01	3	Vertical	67	1.81	-	39.99	10.79	32.52
AV	11.39122G	49.34	54.00	-4.66	31.09	3	Vertical	67	1.81	-	39.98	10.79	32.52

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 19  
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38516G	60.71	74.00	-13.29	42.48	3	Horizontal	337	2.94	-	39.97	10.78	32.52
AV	11.39497G	49.71	54.00	-4.29	31.45	3	Horizontal	337	2.94	-	39.99	10.79	32.52

5.725-5.85GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX

5775MHz\_TX




EUT\_Z\_2TX  
 Setting 18.5  
 01-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.643G	64.51	68.20	-3.69	58.07	3	Vertical	313	1.02	-	31.79	7.53	32.88
PK	5.773G	107.20	Inf	-Inf	100.40	3	Vertical	313	1.02	-	32.15	7.57	32.92
AV	5.773G	96.14	Inf	-Inf	89.34	3	Vertical	313	1.02	-	32.15	7.57	32.92
PK	5.9545G	62.66	68.20	-5.54	55.57	3	Vertical	313	1.02	-	32.41	7.66	32.98

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5775MHz\_TX




EUT\_Z\_2TX  
 Setting 18.5  
 01-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6425G	67.62	68.20	-0.58	61.18	3	Horizontal	360	1.80	-	31.79	7.53	32.88
PK	5.7805G	111.25	Inf	-Inf	104.45	3	Horizontal	360	1.80	-	32.16	7.57	32.93
AV	5.7735G	101.05	Inf	-Inf	94.25	3	Horizontal	360	1.80	-	32.15	7.57	32.92
PK	5.933G	66.29	68.20	-1.91	59.22	3	Horizontal	360	1.80	-	32.40	7.65	32.98

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5775MHz\_TX




EUT\_Z\_2TX  
 Setting 18.5  
 01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55993G	60.35	74.00	-13.65	42.00	3	Vertical	303	1.38	-	39.98	10.88	32.51
AV	11.55636G	48.66	54.00	-5.34	30.30	3	Vertical	303	1.38	-	39.99	10.88	32.51

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5775MHz\_TX



EUT\_Z\_2TX  
Setting 18.5  
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.53737G	61.18	74.00	-12.82	42.79	3	Horizontal	111	2.18	-	40.03	10.87	32.51
AV	11.56332G	48.79	54.00	-5.21	30.45	3	Horizontal	111	2.18	-	39.97	10.88	32.51




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX	Pass	PK	5.4675G	68.13	68.20	-0.07	3	Horizontal	355	2.22	-

5.15-5.25GHz\_802.11ax\_HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX

5180MHz\_TX




EUT\_Z\_2TX  
Setting 16  
04-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1397G	71.95	74.00	-2.05	66.74	3	Vertical	52	1.03	-	32.58	5.89	33.26
AV	5.1378G	51.50	54.00	-2.50	46.29	3	Vertical	52	1.03	-	32.58	5.89	33.26
PK	5.1711G	114.31	Inf	-Inf	109.03	3	Vertical	52	1.03	-	32.64	5.91	33.27
AV	5.171G	105.22	Inf	-Inf	99.94	3	Vertical	52	1.03	-	32.64	5.91	33.27



5.15-5.25GHz\_802.11ax\_HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX

5180MHz\_TX




EUT\_Z\_2TX  
Setting 16  
04-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1391G	73.71	74.00	-0.29	68.50	3	Horizontal	6	2.02	-	32.58	5.89	33.26
AV	5.1372G	53.74	54.00	-0.26	48.54	3	Horizontal	6	2.02	-	32.57	5.89	33.26
PK	5.1714G	118.41	Inf	-Inf	113.13	3	Horizontal	6	2.02	-	32.64	5.91	33.27
AV	5.1712G	109.48	Inf	-Inf	104.20	3	Horizontal	6	2.02	-	32.64	5.91	33.27

5.15-5.25GHz\_802.11ax\_HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX

5180MHz\_TX




EUT\_Z\_2TX  
Setting 16  
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.34198G	61.24	68.20	-6.96	47.52	3	Vertical	30	1.80	-	38.57	8.88	33.73
PK	15.51472G	64.12	74.00	-9.88	49.67	3	Vertical	45	1.01	-	38.30	11.22	35.07
AV	15.51426G	49.31	54.00	-4.69	34.86	3	Vertical	45	1.01	-	38.30	11.22	35.07

5.15-5.25GHz\_802.11ax\_HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX

5180MHz\_TX




EUT\_Z\_2TX  
Setting 16  
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.34245G	65.54	68.20	-2.66	51.82	3	Horizontal	302	2.30	-	38.57	8.88	33.73
PK	15.51368G	61.07	74.00	-12.93	46.62	3	Horizontal	121	2.50	-	38.30	11.22	35.07
AV	15.51378G	48.00	54.00	-6.00	33.55	3	Horizontal	121	2.50	-	38.30	11.22	35.07

5.15-5.25GHz\_802.11ax\_HEW20\_Nss1,(MCS0),RU 52,#RU 37\_2TX

5180MHz\_TX




EUT\_Z\_2TX  
Setting 16.5  
04-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1424G	70.14	74.00	-3.86	64.93	3	Vertical	50	1.01	-	32.58	5.89	33.26
AV	5.1452G	51.32	54.00	-2.68	46.09	3	Vertical	50	1.01	-	32.59	5.90	33.26
PK	5.1722G	112.94	Inf	-Inf	107.66	3	Vertical	50	1.01	-	32.64	5.91	33.27
AV	5.1733G	102.87	Inf	-Inf	97.58	3	Vertical	50	1.01	-	32.65	5.91	33.27

5.15-5.25GHz\_802.11ax\_HEW20\_Nss1,(MCS0),RU 52,#RU 37\_2TX

5180MHz\_TX




EUT\_Z\_2TX  
Setting 16.5  
04-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1452G	72.78	74.00	-1.22	67.55	3	Horizontal	354	2.11	-	32.59	5.90	33.26
AV	5.1423G	53.59	54.00	-0.41	48.38	3	Horizontal	354	2.11	-	32.58	5.89	33.26
PK	5.1726G	117.17	Inf	-Inf	111.88	3	Horizontal	354	2.11	-	32.65	5.91	33.27
AV	5.1727G	106.80	Inf	-Inf	101.51	3	Horizontal	354	2.11	-	32.65	5.91	33.27

5.15-5.25GHz\_802.11ax\_HEW20\_Nss1,(MCS0),RU 52,#RU 37\_2TX

5180MHz\_TX



Legend for the spectrum plot:

- Lim.PK (Red line)
- PK (Blue line)
- Lim.AV (Magenta line)
- AV (Green line)


08/04/2024

EUT\_Z\_2TX  
Setting 16.5  
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.34445G	58.78	68.20	-9.42	45.04	3	Vertical	35	1.80	-	38.58	8.89	33.73
PK	15.5188G	63.27	74.00	-10.73	48.82	3	Vertical	129	2.55	-	38.30	11.22	35.07
AV	15.51636G	48.76	54.00	-5.24	34.31	3	Vertical	129	2.55	-	38.30	11.22	35.07

5.15-5.25GHz\_802.11ax\_HEW20\_Nss1,(MCS0),RU 52,#RU 37\_2TX

5180MHz\_TX




EUT\_Z\_2TX  
Setting 16.5  
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.34224G	61.20	68.20	-7.00	47.48	3	Horizontal	306	2.30	-	38.57	8.88	33.73
PK	15.52078G	58.05	74.00	-15.95	43.60	3	Horizontal	5	3.00	-	38.30	11.22	35.07
AV	15.5155G	45.76	54.00	-8.24	31.31	3	Horizontal	5	3.00	-	38.30	11.22	35.07

5.15-5.25GHz\_802.11ax\_HEW20\_Nss1,(MCS0),RU 106,#RU 53\_2TX

5180MHz\_TX




EUT\_Z\_2TX  
Setting 16.5  
04-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1471G	71.10	74.00	-2.90	65.87	3	Vertical	50	1.00	-	32.59	5.90	33.26
AV	5.1493G	51.35	54.00	-2.65	46.11	3	Vertical	50	1.00	-	32.60	5.90	33.26
PK	5.1771G	111.50	Inf	-Inf	106.21	3	Vertical	50	1.00	-	32.65	5.91	33.27
AV	5.1768G	99.94	Inf	-Inf	94.65	3	Vertical	50	1.00	-	32.65	5.91	33.27



5.15-5.25GHz\_802.11ax\_HEW20\_Nss1,(MCS0),RU 106,#RU 53\_2TX

5180MHz\_TX




EUT\_Z\_2TX  
Setting 16.5  
04-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1457G	72.57	74.00	-1.43	67.34	3	Horizontal	355	2.10	-	32.59	5.90	33.26
AV	5.1498G	53.66	54.00	-0.34	48.42	3	Horizontal	355	2.10	-	32.60	5.90	33.26
PK	5.1715G	115.08	Inf	-Inf	109.80	3	Horizontal	355	2.10	-	32.64	5.91	33.27
AV	5.1742G	103.47	Inf	-Inf	98.18	3	Horizontal	355	2.10	-	32.65	5.91	33.27

5.15-5.25GHz\_802.11ax\_HEW20\_Nss1,(MCS0),RU 106,#RU 53\_2TX

5180MHz\_TX




EUT\_Z\_2TX  
Setting 16.5  
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.34923G	58.11	68.20	-10.09	44.35	3	Vertical	31	1.97	-	38.60	8.89	33.73
PK	15.51939G	57.41	74.00	-16.59	42.96	3	Vertical	261	2.40	-	38.30	11.22	35.07
AV	15.52227G	46.07	54.00	-7.93	31.62	3	Vertical	261	2.40	-	38.30	11.22	35.07

5.15-5.25GHz\_802.11ax\_HEW20\_Nss1,(MCS0),RU 106,#RU 53\_2TX

5180MHz\_TX




EUT\_Z\_2TX  
Setting 16.5  
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.34722G	61.40	68.20	-6.80	47.65	3	Horizontal	304	2.74	-	38.59	8.89	33.73
PK	15.51663G	57.33	74.00	-16.67	42.88	3	Horizontal	339	3.00	-	38.30	11.22	35.07
AV	15.51553G	45.60	54.00	-8.40	31.15	3	Horizontal	339	3.00	-	38.30	11.22	35.07

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX

5320MHz\_TX




EUT\_Z\_2TX  
Setting 16  
04-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.328G	113.05	Inf	-Inf	107.47	3	Vertical	124	2.08	-	32.86	6.05	33.33
AV	5.3284G	104.28	Inf	-Inf	98.70	3	Vertical	124	2.08	-	32.86	6.05	33.33
PK	5.3613G	70.57	74.00	-3.43	64.88	3	Vertical	124	2.08	-	32.95	6.08	33.34
AV	5.3616G	49.94	54.00	-4.06	44.25	3	Vertical	124	2.08	-	32.95	6.08	33.34

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX

5320MHz\_TX




EUT\_Z\_2TX  
Setting 16  
04-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.328G	118.57	Inf	-Inf	112.99	3	Horizontal	360	2.28	-	32.86	6.05	33.33
AV	5.3281G	109.27	Inf	-Inf	103.69	3	Horizontal	360	2.28	-	32.86	6.05	33.33
PK	5.3615G	72.40	74.00	-1.60	66.71	3	Horizontal	360	2.28	-	32.95	6.08	33.34
AV	5.3624G	53.19	54.00	-0.81	47.50	3	Horizontal	360	2.28	-	32.95	6.08	33.34

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX

5320MHz\_TX




EUT\_Z\_2TX  
Setting 16  
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.65777G	58.51	74.00	-15.49	44.54	3	Vertical	332	1.00	-	38.90	9.05	33.98
AV	10.65706G	47.06	54.00	-6.94	33.09	3	Vertical	332	1.00	-	38.90	9.05	33.98
PK	15.98519G	61.18	74.00	-12.82	46.35	3	Vertical	44	1.80	-	38.40	11.44	35.01
AV	15.98529G	49.23	54.00	-4.77	34.40	3	Vertical	44	1.80	-	38.40	11.44	35.01

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX

5320MHz\_TX




EUT\_Z\_2TX  
Setting 16  
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.65771G	57.83	74.00	-16.17	43.86	3	Horizontal	25	3.00	-	38.90	9.05	33.98
AV	10.65743G	46.03	54.00	-7.97	32.06	3	Horizontal	25	3.00	-	38.90	9.05	33.98
PK	15.98627G	60.72	74.00	-13.28	45.89	3	Horizontal	133	1.84	-	38.40	11.44	35.01
AV	15.98513G	48.25	54.00	-5.75	33.42	3	Horizontal	133	1.84	-	38.40	11.44	35.01

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX

5320MHz\_TX




EUT\_Z\_2TX  
Setting 17  
04-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3268G	112.60	Inf	-Inf	107.03	3	Vertical	54	1.00	-	32.85	6.05	33.33
AV	5.3271G	102.30	Inf	-Inf	96.73	3	Vertical	54	1.00	-	32.85	6.05	33.33
PK	5.359G	71.29	74.00	-2.71	65.61	3	Vertical	54	1.00	-	32.94	6.08	33.34
AV	5.3569G	50.07	54.00	-3.93	44.40	3	Vertical	54	1.00	-	32.93	6.08	33.34



5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX

5320MHz\_TX




EUT\_Z\_2TX  
Setting 17  
04-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3271G	117.48	Inf	-Inf	111.91	3	Horizontal	355	2.27	-	32.85	6.05	33.33
AV	5.3275G	107.59	Inf	-Inf	102.02	3	Horizontal	355	2.27	-	32.85	6.05	33.33
PK	5.3557G	73.83	74.00	-0.17	68.17	3	Horizontal	355	2.27	-	32.92	6.08	33.34
AV	5.3557G	53.58	54.00	-0.42	47.92	3	Horizontal	355	2.27	-	32.92	6.08	33.34

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX

5320MHz\_TX




EUT\_Z\_2TX  
Setting 17  
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.65302G	56.84	74.00	-17.16	42.87	3	Vertical	120	2.95	-	38.90	9.04	33.97
AV	10.65497G	45.04	54.00	-8.96	31.08	3	Vertical	120	2.95	-	38.90	9.04	33.98
PK	15.98367G	61.52	74.00	-12.48	46.69	3	Vertical	51	1.89	-	38.40	11.44	35.01
AV	15.98084G	49.37	54.00	-4.63	34.54	3	Vertical	51	1.89	-	38.40	11.44	35.01

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX

5320MHz\_TX




EUT\_Z\_2TX  
Setting 17  
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.65388G	56.43	74.00	-17.57	42.47	3	Horizontal	2	1.79	-	38.90	9.04	33.98
AV	10.65447G	44.37	54.00	-9.63	30.41	3	Horizontal	2	1.79	-	38.90	9.04	33.98
PK	15.98261G	58.96	74.00	-15.04	44.13	3	Horizontal	160	3.00	-	38.40	11.44	35.01
AV	15.98193G	47.40	54.00	-6.60	32.57	3	Horizontal	160	3.00	-	38.40	11.44	35.01

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX

5320MHz\_TX




EUT\_Z\_2TX  
Setting 17  
04-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3276G	110.28	Inf	-Inf	104.70	3	Vertical	56	1.00	-	32.86	6.05	33.33
AV	5.3271G	98.35	Inf	-Inf	92.78	3	Vertical	56	1.00	-	32.85	6.05	33.33
PK	5.3501G	66.86	74.00	-7.14	61.23	3	Vertical	56	1.00	-	32.90	6.07	33.34
AV	5.3517G	50.03	54.00	-3.97	44.39	3	Vertical	56	1.00	-	32.91	6.07	33.34

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX

5320MHz\_TX




08/04/2024

EUT\_Z\_2TX  
Setting 17  
04-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.328G	115.58	Inf	-Inf	110.00	3	Horizontal	354	2.22	-	32.86	6.05	33.33
AV	5.3278G	104.42	Inf	-Inf	98.84	3	Horizontal	354	2.22	-	32.86	6.05	33.33
PK	5.353G	71.85	74.00	-2.15	66.21	3	Horizontal	354	2.22	-	32.91	6.07	33.34
AV	5.3505G	53.74	54.00	-0.26	48.11	3	Horizontal	354	2.22	-	32.90	6.07	33.34

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX

5320MHz\_TX




EUT\_Z\_2TX  
Setting 17  
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64686G	56.43	74.00	-17.57	42.46	3	Vertical	350	1.00	-	38.90	9.04	33.97
AV	10.6495G	44.44	54.00	-9.56	30.47	3	Vertical	350	1.00	-	38.90	9.04	33.97
PK	15.99833G	58.42	74.00	-15.58	43.58	3	Vertical	87	2.25	-	38.40	11.45	35.01
AV	16.00057G	46.51	54.00	-7.49	31.67	3	Vertical	87	2.25	-	38.40	11.45	35.01

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX

5320MHz\_TX




EUT\_Z\_2TX  
Setting 17  
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.65208G	56.42	74.00	-17.58	42.45	3	Horizontal	36	2.22	-	38.90	9.04	33.97
AV	10.64949G	44.38	54.00	-9.62	30.41	3	Horizontal	36	2.22	-	38.90	9.04	33.97
PK	15.98745G	58.11	74.00	-15.89	43.28	3	Horizontal	338	2.04	-	38.40	11.44	35.01
AV	16.00215G	46.44	54.00	-7.56	31.61	3	Horizontal	338	2.04	-	38.39	11.45	35.01

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX

5500MHz\_TX




EUT\_Z\_2TX  
Setting 16  
04-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4582G	68.06	74.00	-5.94	61.93	3	Vertical	125	1.88	-	33.35	6.15	33.37
AV	5.4585G	50.25	54.00	-3.75	44.13	3	Vertical	125	1.88	-	33.35	6.15	33.38
PK	5.4629G	65.21	68.20	-2.99	59.06	3	Vertical	125	1.88	-	33.38	6.15	33.38
PK	5.4917G	113.46	Inf	-Inf	107.13	3	Vertical	125	1.88	-	33.55	6.17	33.39
AV	5.4914G	103.75	Inf	-Inf	97.42	3	Vertical	125	1.88	-	33.55	6.17	33.39



5.47-5.725GHz\_802.11ax\_HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX

5500MHz\_TX




EUT\_Z\_2TX  
Setting 16  
04-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4569G	73.43	74.00	-0.57	67.31	3	Horizontal	358	2.22	-	33.34	6.15	33.37
AV	5.4579G	53.10	54.00	-0.90	46.97	3	Horizontal	358	2.22	-	33.35	6.15	33.37
PK	5.4629G	68.03	68.20	-0.17	61.88	3	Horizontal	358	2.22	-	33.38	6.15	33.38
PK	5.4911G	118.80	Inf	-Inf	112.47	3	Horizontal	358	2.22	-	33.55	6.17	33.39
AV	5.4911G	109.38	Inf	-Inf	103.05	3	Horizontal	358	2.22	-	33.55	6.17	33.39

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX

5500MHz\_TX




EUT\_Z\_2TX  
Setting 16  
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9839G	60.96	74.00	-13.04	47.09	3	Vertical	295	2.32	-	38.93	9.21	34.27
AV	10.98368G	48.75	54.00	-5.25	34.88	3	Vertical	295	2.32	-	38.93	9.21	34.27
PK	16.47459G	62.47	68.20	-5.73	46.31	3	Vertical	76	1.88	-	39.25	11.83	34.92

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX

5500MHz\_TX




EUT\_Z\_2TX  
Setting 16  
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.98394G	60.99	74.00	-13.01	47.12	3	Horizontal	333	2.20	-	38.93	9.21	34.27
AV	10.98364G	48.34	54.00	-5.66	34.47	3	Horizontal	333	2.20	-	38.93	9.21	34.27
PK	16.46964G	61.94	68.20	-6.26	45.79	3	Horizontal	203	2.46	-	39.24	11.83	34.92

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_2TX

5500MHz\_TX




EUT\_Z\_2TX  
Setting 15  
04-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.457G	60.58	74.00	-13.42	54.46	3	Vertical	119	2.08	-	33.34	6.15	33.37
AV	5.4593G	48.95	54.00	-5.05	42.82	3	Vertical	119	2.08	-	33.36	6.15	33.38
PK	5.465G	62.90	68.20	-5.30	56.74	3	Vertical	119	2.08	-	33.39	6.15	33.38
PK	5.4933G	110.97	Inf	-Inf	104.63	3	Vertical	119	2.08	-	33.56	6.17	33.39
AV	5.4935G	100.16	Inf	-Inf	93.82	3	Vertical	119	2.08	-	33.56	6.17	33.39

5.47-5.725GHz\_802.11ax\_HEW20\_Nss1,(MCS0),RU 52,#RU 37\_2TX

5500MHz\_TX




EUT\_Z\_2TX  
Setting 15  
04-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4566G	67.07	74.00	-6.93	60.95	3	Horizontal	356	2.21	-	33.34	6.15	33.37
AV	5.4579G	51.13	54.00	-2.87	45.00	3	Horizontal	356	2.21	-	33.35	6.15	33.37
PK	5.4676G	67.83	68.20	-0.37	61.65	3	Horizontal	356	2.21	-	33.41	6.15	33.38
PK	5.4929G	117.67	Inf	-Inf	111.33	3	Horizontal	356	2.21	-	33.56	6.17	33.39
AV	5.493G	106.55	Inf	-Inf	100.21	3	Horizontal	356	2.21	-	33.56	6.17	33.39

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_2TX

5500MHz\_TX




EUT\_Z\_2TX  
Setting 15  
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.98393G	59.01	74.00	-14.99	45.14	3	Vertical	306	2.29	-	38.93	9.21	34.27
AV	10.98418G	47.06	54.00	-6.94	33.19	3	Vertical	306	2.29	-	38.93	9.21	34.27
PK	16.47937G	59.23	68.20	-8.97	43.04	3	Vertical	226	1.76	-	39.26	11.84	34.91

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_2TX

5500MHz\_TX




EUT\_Z\_2TX  
Setting 15  
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.98355G	58.38	74.00	-15.62	44.51	3	Horizontal	336	2.19	-	38.93	9.21	34.27
AV	10.98393G	46.51	54.00	-7.49	32.64	3	Horizontal	336	2.19	-	38.93	9.21	34.27
PK	16.47578G	59.36	68.20	-8.84	43.19	3	Horizontal	205	2.64	-	39.25	11.83	34.91

5.47-5.725GHz\_802.11ax\_HEW20\_Nss1,(MCS0),RU 106,#RU 53\_2TX

5500MHz\_TX




EUT\_Z\_2TX  
Setting 14.5  
04-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4594G	60.86	74.00	-13.14	54.73	3	Vertical	120	2.08	-	33.36	6.15	33.38
AV	5.4525G	48.91	54.00	-5.09	42.82	3	Vertical	120	2.08	-	33.31	6.15	33.37
PK	5.4686G	66.94	68.20	-1.26	60.76	3	Vertical	120	2.08	-	33.41	6.15	33.38
PK	5.4969G	108.73	Inf	-Inf	102.37	3	Vertical	120	2.08	-	33.58	6.17	33.39
AV	5.496G	96.82	Inf	-Inf	90.46	3	Vertical	120	2.08	-	33.58	6.17	33.39



5.47-5.725GHz\_802.11ax\_HEW20\_Nss1,(MCS0),RU 106,#RU 53\_2TX

5500MHz\_TX




EUT\_Z\_2TX  
Setting 14.5  
04-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	64.91	74.00	-9.09	58.78	3	Horizontal	355	2.22	-	33.36	6.15	33.38
AV	5.458G	50.71	54.00	-3.29	44.58	3	Horizontal	355	2.22	-	33.35	6.15	33.37
PK	5.4675G	68.13	68.20	-0.07	61.96	3	Horizontal	355	2.22	-	33.40	6.15	33.38
PK	5.4937G	115.24	Inf	-Inf	108.90	3	Horizontal	355	2.22	-	33.56	6.17	33.39
AV	5.4953G	102.95	Inf	-Inf	96.60	3	Horizontal	355	2.22	-	33.57	6.17	33.39

5.47-5.725GHz\_802.11ax\_HEW20\_Nss1,(MCS0),RU 106,#RU 53\_2TX

5500MHz\_TX



EUT\_Z\_2TX  
Setting 14.5  
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.98679G	58.29	74.00	-15.71	44.42	3	Vertical	293	2.24	-	38.93	9.21	34.27
AV	10.98902G	46.09	54.00	-7.91	32.23	3	Vertical	293	2.24	-	38.92	9.21	34.27
PK	16.4677G	59.50	68.20	-8.70	43.35	3	Vertical	13	2.61	-	39.24	11.83	34.92

5.47-5.725GHz\_802.11ax\_HEW20\_Nss1,(MCS0),RU 106,#RU 53\_2TX

5500MHz\_TX




EUT\_Z\_2TX  
Setting 14.5  
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.98924G	57.49	74.00	-16.51	43.63	3	Horizontal	297	2.91	-	38.92	9.21	34.27
AV	10.98917G	45.47	54.00	-8.53	31.61	3	Horizontal	297	2.91	-	38.92	9.21	34.27
PK	16.47106G	60.56	68.20	-7.64	44.41	3	Horizontal	260	2.40	-	39.24	11.83	34.92

5.47-5.725GHz\_802.11ax\_HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX

5700MHz\_TX




EUTZ\_2TX  
Setting 11.5  
04-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7081G	110.46	Inf	-Inf	103.87	3	Vertical	119	2.03	-	33.83	6.21	33.45
AV	5.7085G	98.87	Inf	-Inf	92.28	3	Vertical	119	2.03	-	33.83	6.21	33.45
PK	5.7443G	64.24	68.20	-3.96	57.51	3	Vertical	119	2.03	-	33.98	6.21	33.46

5.47-5.725GHz\_802.11ax\_HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX

5700MHz\_TX




EUT\_Z\_2TX  
Setting 11.5  
04-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7087G	117.00	Inf	-Inf	110.41	3	Horizontal	358	2.10	-	33.83	6.21	33.45
AV	5.7089G	105.22	Inf	-Inf	98.62	3	Horizontal	358	2.10	-	33.84	6.21	33.45
PK	5.7412G	67.92	68.20	-0.28	61.21	3	Horizontal	358	2.10	-	33.96	6.21	33.46

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX

5700MHz\_TX




EUT\_Z\_2TX  
Setting 11.5  
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41684G	57.67	74.00	-16.33	44.08	3	Vertical	341	1.72	-	38.80	9.43	34.64
AV	11.4169G	45.41	54.00	-8.59	31.82	3	Vertical	341	1.72	-	38.80	9.43	34.64
PK	17.14218G	62.92	68.20	-5.28	44.54	3	Vertical	89	1.82	-	41.08	12.37	35.07

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX

5700MHz\_TX




EUT\_Z\_2TX  
Setting 11.5  
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41682G	57.37	74.00	-16.63	43.78	3	Horizontal	308	2.85	-	38.80	9.43	34.64
AV	11.4169G	46.21	54.00	-7.79	32.62	3	Horizontal	308	2.85	-	38.80	9.43	34.64
PK	17.13346G	63.00	68.20	-5.20	44.64	3	Horizontal	12	1.80	-	41.07	12.36	35.07

5.47-5.725GHz\_802.11ax\_HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX

5700MHz\_TX




EUT\_Z\_2TX  
Setting 15  
04-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7062G	110.85	Inf	-Inf	104.27	3	Vertical	125	1.96	-	33.82	6.21	33.45
AV	5.7063G	99.68	Inf	-Inf	93.09	3	Vertical	125	1.96	-	33.83	6.21	33.45
PK	5.738G	65.19	68.20	-3.01	58.49	3	Vertical	125	1.96	-	33.95	6.21	33.46



5.47-5.725GHz\_802.11ax\_HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX

5700MHz\_TX




EUT\_Z\_2TX  
Setting 15  
04-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7074G	116.37	Inf	-Inf	109.78	3	Horizontal	360	2.06	-	33.83	6.21	33.45
AV	5.7081G	105.66	Inf	-Inf	99.07	3	Horizontal	360	2.06	-	33.83	6.21	33.45
PK	5.7341G	68.06	68.20	-0.14	61.37	3	Horizontal	360	2.06	-	33.94	6.21	33.46

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX

5700MHz\_TX




EUT\_Z\_2TX  
Setting 15  
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41301G	57.01	74.00	-16.99	43.42	3	Vertical	337	1.72	-	38.80	9.43	34.64
AV	11.4147G	45.49	54.00	-8.51	31.90	3	Vertical	337	1.72	-	38.80	9.43	34.64
PK	17.12684G	61.83	68.20	-6.37	43.49	3	Vertical	193	2.76	-	41.05	12.36	35.07

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX

5700MHz\_TX




EUT\_Z\_2TX  
Setting 15  
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41496G	57.40	74.00	-16.60	43.81	3	Horizontal	11	2.63	-	38.80	9.43	34.64
AV	11.415G	45.61	54.00	-8.39	32.02	3	Horizontal	11	2.63	-	38.80	9.43	34.64
PK	17.1136G	61.95	68.20	-6.25	43.64	3	Horizontal	52	1.09	-	41.03	12.35	35.07

5.47-5.725GHz\_802.11ax\_HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX

5700MHz\_TX




EUT\_Z\_2TX  
Setting 15  
04-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7039G	107.93	Inf	-Inf	101.35	3	Vertical	127	1.84	-	33.82	6.21	33.45
AV	5.702G	96.30	Inf	-Inf	89.73	3	Vertical	127	1.84	-	33.81	6.21	33.45
PK	5.7288G	63.44	68.20	-4.76	56.76	3	Vertical	127	1.84	-	33.92	6.21	33.45

5.47-5.725GHz\_802.11ax\_HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX

5700MHz\_TX




EUT\_Z\_2TX  
Setting 15  
04-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7022G	114.40	Inf	-Inf	107.83	3	Horizontal	360	2.08	-	33.81	6.21	33.45
AV	5.7032G	103.04	Inf	-Inf	96.47	3	Horizontal	360	2.08	-	33.81	6.21	33.45
PK	5.7302G	67.81	68.20	-0.39	61.13	3	Horizontal	360	2.08	-	33.92	6.21	33.45

5.47-5.725GHz\_802.11ax\_HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX

5700MHz\_TX




EUT\_Z\_2TX  
Setting 15  
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.412G	56.37	74.00	-17.63	42.77	3	Vertical	337	1.80	-	38.80	9.43	34.63
AV	11.41029G	44.79	54.00	-9.21	31.19	3	Vertical	337	1.80	-	38.80	9.43	34.63
PK	17.11403G	61.56	68.20	-6.64	43.25	3	Vertical	283	2.12	-	41.03	12.35	35.07

5.47-5.725GHz\_802.11ax\_HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX

5700MHz\_TX




EUT\_Z\_2TX  
Setting 15  
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40946G	57.54	74.00	-16.46	43.94	3	Horizontal	329	2.22	-	38.80	9.43	34.63
AV	11.4121G	44.92	54.00	-9.08	31.32	3	Horizontal	329	2.22	-	38.80	9.43	34.63
PK	17.11951G	61.44	68.20	-6.76	43.12	3	Horizontal	109	1.80	-	41.04	12.35	35.07

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 22  
04-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4536G	59.92	74.00	-14.08	53.82	3	Vertical	160	1.64	-	33.32	6.15	33.37
PK	5.4638G	60.68	68.20	-7.52	54.53	3	Vertical	160	1.64	-	33.38	6.15	33.38
AV	5.4596G	48.37	54.00	-5.63	42.24	3	Vertical	160	1.64	-	33.36	6.15	33.38
PK	5.7116G	115.61	Inf	-Inf	109.00	3	Vertical	160	1.64	-	33.85	6.21	33.45
AV	5.7116G	108.69	Inf	-Inf	102.08	3	Vertical	160	1.64	-	33.85	6.21	33.45
PK	5.925G	62.42	68.20	-5.78	54.77	3	Vertical	160	1.64	-	34.85	6.31	33.51



5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 22  
04-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4416G	59.48	74.00	-14.52	53.44	3	Horizontal	0	2.01	-	33.27	6.14	33.37
PK	5.4608G	60.47	68.20	-7.73	54.34	3	Horizontal	0	2.01	-	33.36	6.15	33.38
AV	5.4596G	48.37	54.00	-5.63	42.24	3	Horizontal	0	2.01	-	33.36	6.15	33.38
PK	5.7116G	123.26	Inf	-Inf	116.65	3	Horizontal	0	2.01	-	33.85	6.21	33.45
AV	5.7116G	116.44	Inf	-Inf	109.83	3	Horizontal	0	2.01	-	33.85	6.21	33.45
PK	5.8796G	62.73	68.20	-5.47	55.38	3	Horizontal	0	2.01	-	34.58	6.27	33.50

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 19.5  
04-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42262G	63.85	74.00	-10.15	50.25	3	Vertical	351	2.65	-	38.80	9.44	34.64
AV	11.42286G	53.78	54.00	-0.22	40.18	3	Vertical	351	2.65	-	38.80	9.44	34.64
PK	17.1336G	64.72	68.20	-3.48	46.36	3	Vertical	300	2.50	-	41.07	12.36	35.07

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 19.5  
04-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42274G	59.69	74.00	-14.31	46.09	3	Horizontal	309	1.80	-	38.80	9.44	34.64
AV	11.4229G	48.72	54.00	-5.28	35.12	3	Horizontal	309	1.80	-	38.80	9.44	34.64
PK	17.13504G	62.27	68.20	-5.93	43.91	3	Horizontal	289	1.70	-	41.07	12.36	35.07

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_2TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 22  
04-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4572G	60.59	74.00	-13.41	54.47	3	Vertical	160	1.63	-	33.34	6.15	33.37
AV	5.4596G	48.37	54.00	-5.63	42.24	3	Vertical	160	1.63	-	33.36	6.15	33.38
PK	5.468G	60.68	68.20	-7.52	54.50	3	Vertical	160	1.63	-	33.41	6.15	33.38
PK	5.7122G	115.91	Inf	-Inf	109.30	3	Vertical	160	1.63	-	33.85	6.21	33.45
AV	5.7116G	106.24	Inf	-Inf	99.63	3	Vertical	160	1.63	-	33.85	6.21	33.45
PK	5.9234G	62.51	68.20	-5.69	54.87	3	Vertical	160	1.63	-	34.84	6.31	33.51

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_2TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 22  
04-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4392G	60.29	74.00	-13.71	54.26	3	Horizontal	360	2.02	-	33.26	6.14	33.37
PK	5.4692G	59.69	68.20	-8.51	53.50	3	Horizontal	360	2.02	-	33.42	6.15	33.38
AV	5.459G	48.54	54.00	-5.46	42.42	3	Horizontal	360	2.02	-	33.35	6.15	33.38
PK	5.714G	122.07	Inf	-Inf	115.45	3	Horizontal	360	2.02	-	33.86	6.21	33.45
AV	5.7116G	113.42	Inf	-Inf	106.81	3	Horizontal	360	2.02	-	33.85	6.21	33.45
PK	5.8718G	62.78	68.20	-5.42	55.48	3	Horizontal	360	2.02	-	34.53	6.26	33.49

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_2TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 22  
04-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42545G	63.24	74.00	-10.76	49.65	3	Vertical	353	2.58	-	38.80	9.44	34.65
AV	11.42545G	53.80	54.00	-0.20	40.21	3	Vertical	353	2.58	-	38.80	9.44	34.65
PK	17.13636G	63.31	68.20	-4.89	44.95	3	Vertical	226	2.56	-	41.07	12.36	35.07

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_2TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 22  
04-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42557G	60.86	74.00	-13.14	47.27	3	Horizontal	309	1.80	-	38.80	9.44	34.65
AV	11.42527G	50.81	54.00	-3.19	37.22	3	Horizontal	309	1.80	-	38.80	9.44	34.65
PK	17.13888G	61.87	68.20	-6.33	43.49	3	Horizontal	56	2.64	-	41.08	12.37	35.07

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_2TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 22  
04-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4512G	59.86	74.00	-14.14	53.77	3	Vertical	162	1.74	-	33.31	6.15	33.37
AV	5.4554G	48.35	54.00	-5.65	42.24	3	Vertical	162	1.74	-	33.33	6.15	33.37
PK	5.4644G	60.51	68.20	-7.69	54.35	3	Vertical	162	1.74	-	33.39	6.15	33.38
PK	5.714G	112.75	Inf	-Inf	106.13	3	Vertical	162	1.74	-	33.86	6.21	33.45
AV	5.717G	102.34	Inf	-Inf	95.71	3	Vertical	162	1.74	-	33.87	6.21	33.45
PK	5.9222G	62.74	68.20	-5.46	55.11	3	Vertical	162	1.74	-	34.83	6.31	33.51



5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_2TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 22  
04-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	59.61	74.00	-14.39	53.48	3	Horizontal	360	2.00	-	33.36	6.15	33.38
AV	5.46G	48.37	54.00	-5.63	42.24	3	Horizontal	360	2.00	-	33.36	6.15	33.38
PK	5.4602G	59.61	68.20	-8.59	53.48	3	Horizontal	360	2.00	-	33.36	6.15	33.38
PK	5.7146G	120.18	Inf	-Inf	113.56	3	Horizontal	360	2.00	-	33.86	6.21	33.45
AV	5.7128G	109.99	Inf	-Inf	103.38	3	Horizontal	360	2.00	-	33.85	6.21	33.45
PK	5.9822G	62.17	68.20	-6.03	54.34	3	Horizontal	360	2.00	-	35.00	6.36	33.53

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_2TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 22  
04-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42556G	62.21	74.00	-11.79	48.62	3	Vertical	354	2.59	-	38.80	9.44	34.65
AV	11.42796G	51.65	54.00	-2.35	38.06	3	Vertical	354	2.59	-	38.80	9.44	34.65
PK	17.16045G	61.75	68.20	-6.45	43.33	3	Vertical	235	2.11	-	41.12	12.38	35.08

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_2TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 22  
04-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4256G	58.92	74.00	-15.08	45.33	3	Horizontal	309	2.02	-	38.80	9.44	34.65
AV	11.428G	47.83	54.00	-6.17	34.24	3	Horizontal	309	2.02	-	38.80	9.44	34.65
PK	17.13747G	61.52	68.20	-6.68	43.15	3	Horizontal	331	2.87	-	41.07	12.37	35.07

5.725-5.85GHz\_802.11ax\_HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX

5745MHz\_TX




EUT\_Z\_2TX  
Setting 21  
04-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.5955G	61.29	68.20	-6.91	54.79	3	Vertical	131	1.06	-	33.70	6.22	33.42
PK	5.736G	116.22	Inf	-Inf	109.53	3	Vertical	131	1.06	-	33.94	6.21	33.46
AV	5.736G	108.77	Inf	-Inf	102.08	3	Vertical	131	1.06	-	33.94	6.21	33.46
PK	5.944G	62.11	68.20	-6.09	54.33	3	Vertical	131	1.06	-	34.96	6.33	33.51

5.725-5.85GHz\_802.11ax\_HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX

5745MHz\_TX




EUT\_Z\_2TX  
Setting 21  
04-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6705G	82.96	83.37	-0.41	76.45	3	Horizontal	360	2.18	-	33.74	6.21	33.44
PK	5.7355G	120.92	Inf	-Inf	114.23	3	Horizontal	360	2.18	-	33.94	6.21	33.46
AV	5.7365G	114.17	Inf	-Inf	107.47	3	Horizontal	360	2.18	-	33.95	6.21	33.46
PK	5.9365G	62.13	68.20	-6.07	54.40	3	Horizontal	360	2.18	-	34.92	6.32	33.51

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX

5745MHz\_TX




EUT\_Z\_2TX  
Setting 21  
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.47242G	58.59	74.00	-15.41	45.02	3	Vertical	337	2.57	-	38.80	9.46	34.69
AV	11.47252G	48.86	54.00	-5.14	35.29	3	Vertical	337	2.57	-	38.80	9.46	34.69
PK	17.21057G	65.43	68.20	-2.77	46.87	3	Vertical	0	2.54	-	41.22	12.42	35.08

5.725-5.85GHz\_802.11ax\_HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX

5745MHz\_TX




EUT\_Z\_2TX  
Setting 21  
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.47292G	61.56	74.00	-12.44	47.99	3	Horizontal	307	2.86	-	38.80	9.46	34.69
AV	11.47276G	50.69	54.00	-3.31	37.12	3	Horizontal	307	2.86	-	38.80	9.46	34.69
PK	17.21086G	64.35	68.20	-3.85	45.79	3	Horizontal	333	1.80	-	41.22	12.42	35.08

5.725-5.85GHz\_802.11ax\_HEW20\_Nss1,(MCS0),RU 52,#RU 37\_2TX

5745MHz\_TX




EUT\_Z\_2TX  
Setting 22  
04-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.623G	60.71	68.20	-7.49	54.21	3	Vertical	128	1.90	-	33.70	6.22	33.42
PK	5.7375G	113.55	Inf	-Inf	106.85	3	Vertical	128	1.90	-	33.95	6.21	33.46
AV	5.7375G	104.84	Inf	-Inf	98.14	3	Vertical	128	1.90	-	33.95	6.21	33.46
PK	5.9275G	61.53	68.20	-6.67	53.86	3	Vertical	128	1.90	-	34.87	6.31	33.51



5.725-5.85GHz\_802.11ax\_HEW20\_Nss1,(MCS0),RU 52,#RU 37\_2TX

5745MHz\_TX




EUT\_Z\_2TX  
Setting 22  
04-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6465G	61.16	68.20	-7.04	54.67	3	Horizontal	360	2.17	-	33.70	6.22	33.43
PK	5.737G	121.60	Inf	-Inf	114.90	3	Horizontal	360	2.17	-	33.95	6.21	33.46
AV	5.7365G	112.43	Inf	-Inf	105.73	3	Horizontal	360	2.17	-	33.95	6.21	33.46
PK	5.9445G	62.02	68.20	-6.18	54.23	3	Horizontal	360	2.17	-	34.97	6.33	33.51

5.725-5.85GHz\_802.11ax\_HEW20\_Nss1,(MCS0),RU 52,#RU 37\_2TX

5745MHz\_TX




EUT\_Z\_2TX  
Setting 22  
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.47548G	58.48	74.00	-15.52	44.91	3	Vertical	340	2.57	-	38.80	9.46	34.69
AV	11.47517G	47.97	54.00	-6.03	34.40	3	Vertical	340	2.57	-	38.80	9.46	34.69
PK	17.21592G	63.24	68.20	-4.96	44.66	3	Vertical	45	1.87	-	41.23	12.43	35.08

5.725-5.85GHz\_802.11ax\_HEW20\_Nss1,(MCS0),RU 52,#RU 37\_2TX

5745MHz\_TX




EUT\_Z\_2TX  
Setting 22  
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.47518G	60.83	74.00	-13.17	47.26	3	Horizontal	314	2.17	-	38.80	9.46	34.69
AV	11.47511G	49.98	54.00	-4.02	36.41	3	Horizontal	314	2.17	-	38.80	9.46	34.69
PK	17.21448G	63.76	68.20	-4.44	45.18	3	Horizontal	17	1.91	-	41.23	12.43	35.08

5.725-5.85GHz\_802.11ax\_HEW20\_Nss1,(MCS0),RU 106,#RU 53\_2TX

5745MHz\_TX




EUT\_Z\_2TX  
Setting 22  
04-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6185G	60.83	68.20	-7.37	54.33	3	Vertical	128	1.89	-	33.70	6.22	33.42
PK	5.737G	112.47	Inf	-Inf	105.77	3	Vertical	128	1.89	-	33.95	6.21	33.46
AV	5.7375G	102.19	Inf	-Inf	95.49	3	Vertical	128	1.89	-	33.95	6.21	33.46
PK	5.9815G	61.61	68.20	-6.59	53.77	3	Vertical	128	1.89	-	35.00	6.36	33.52

5.725-5.85GHz\_802.11ax\_HEW20\_Nss1,(MCS0),RU 106,#RU 53\_2TX

5745MHz\_TX




EUT\_Z\_2TX  
Setting 22  
04-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6545G	64.72	71.53	-6.81	58.23	3	Horizontal	360	2.18	-	33.71	6.21	33.43
PK	5.7405G	118.81	Inf	-Inf	112.10	3	Horizontal	360	2.18	-	33.96	6.21	33.46
AV	5.7385G	109.26	Inf	-Inf	102.56	3	Horizontal	360	2.18	-	33.95	6.21	33.46
PK	5.933G	62.22	68.20	-5.98	54.51	3	Horizontal	360	2.18	-	34.90	6.32	33.51

5.725-5.85GHz\_802.11ax\_HEW20\_Nss1,(MCS0),RU 106,#RU 53\_2TX

5745MHz\_TX




EUT\_Z\_2TX  
Setting 22  
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48253G	58.30	74.00	-15.70	44.72	3	Vertical	337	1.64	-	38.80	9.47	34.69
AV	11.47989G	46.93	54.00	-7.07	33.36	3	Vertical	337	1.64	-	38.80	9.46	34.69
PK	17.20598G	62.20	68.20	-6.00	43.65	3	Vertical	47	2.77	-	41.21	12.42	35.08

5.725-5.85GHz\_802.11ax\_HEW20\_Nss1,(MCS0),RU 106,#RU 53\_2TX

5745MHz\_TX




EUT\_Z\_2TX  
Setting 22  
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.47974G	59.24	74.00	-14.76	45.67	3	Horizontal	310	3.00	-	38.80	9.46	34.69
AV	11.47782G	47.29	54.00	-6.71	33.72	3	Horizontal	310	3.00	-	38.80	9.46	34.69
PK	17.20622G	62.25	68.20	-5.95	43.70	3	Horizontal	332	2.96	-	41.21	12.42	35.08

5.725-5.85GHz\_802.11ax\_HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX

5825MHz\_TX




EUT\_Z\_2TX  
Setting 22  
04-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.5895G	60.48	68.20	-7.72	53.99	3	Vertical	129	3.00	-	33.70	6.21	33.42
PK	5.834G	113.99	Inf	-Inf	106.90	3	Vertical	129	3.00	-	34.34	6.23	33.48
AV	5.8335G	106.73	Inf	-Inf	99.65	3	Vertical	129	3.00	-	34.33	6.23	33.48
PK	5.9885G	62.76	68.20	-5.44	54.92	3	Vertical	129	3.00	-	35.00	6.37	33.53



5.725-5.85GHz\_802.11ax\_HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX

5825MHz\_TX




EUT\_Z\_2TX  
Setting 22  
04-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.617G	60.43	68.20	-7.77	53.93	3	Horizontal	360	2.12	-	33.70	6.22	33.42
PK	5.833G	120.17	Inf	-Inf	113.09	3	Horizontal	360	2.12	-	34.33	6.23	33.48
AV	5.8335G	113.24	Inf	-Inf	106.16	3	Horizontal	360	2.12	-	34.33	6.23	33.48
PK	5.9315G	62.51	68.20	-5.69	54.81	3	Horizontal	360	2.12	-	34.89	6.32	33.51

5.725-5.85GHz\_802.11ax\_HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX

5825MHz\_TX




EUT\_Z\_2TX  
Setting 19.5  
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.66656G	62.17	74.00	-11.83	48.49	3	Vertical	346	1.80	-	38.77	9.56	34.65
AV	11.66645G	51.03	54.00	-2.97	37.35	3	Vertical	346	1.80	-	38.77	9.56	34.65
PK	17.50017G	63.92	68.20	-4.28	44.49	3	Vertical	33	2.39	-	41.90	12.66	35.13

5.725-5.85GHz\_802.11ax\_HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX

5825MHz\_TX




EUT\_Z\_2TX  
Setting 19.5  
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.66634G	64.43	74.00	-9.57	50.75	3	Horizontal	315	2.16	-	38.77	9.56	34.65
AV	11.66654G	53.92	54.00	-0.08	40.24	3	Horizontal	315	2.16	-	38.77	9.56	34.65
PK	17.50983G	64.65	68.20	-3.55	45.23	3	Horizontal	14	1.85	-	41.88	12.67	35.13

5.725-5.85GHz\_802.11ax\_HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX

5825MHz\_TX




EUT\_Z\_2TX  
Setting 22  
04-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6475G	60.22	68.20	-7.98	53.73	3	Vertical	248	1.80	-	33.70	6.22	33.43
PK	5.8335G	111.71	Inf	-Inf	104.63	3	Vertical	248	1.80	-	34.33	6.23	33.48
AV	5.831G	102.94	Inf	-Inf	95.87	3	Vertical	248	1.80	-	34.32	6.23	33.48
PK	5.9275G	62.20	68.20	-6.00	54.53	3	Vertical	248	1.80	-	34.87	6.31	33.51

5.725-5.85GHz\_802.11ax\_HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX

5825MHz\_TX




EUT\_Z\_2TX  
Setting 22  
04-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6435G	60.83	68.20	-7.37	54.34	3	Horizontal	360	2.02	-	33.70	6.22	33.43
PK	5.833G	119.16	Inf	-Inf	112.08	3	Horizontal	360	2.02	-	34.33	6.23	33.48
AV	5.831G	110.14	Inf	-Inf	103.07	3	Horizontal	360	2.02	-	34.32	6.23	33.48
PK	5.9455G	62.90	68.20	-5.30	55.11	3	Horizontal	360	2.02	-	34.97	6.33	33.51

5.725-5.85GHz\_802.11ax\_HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX

5825MHz\_TX




EUT\_Z\_2TX  
Setting 22  
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.66319G	61.79	74.00	-12.21	48.11	3	Vertical	344	1.80	-	38.77	9.56	34.65
AV	11.66375G	50.53	54.00	-3.47	36.85	3	Vertical	344	1.80	-	38.77	9.56	34.65
PK	17.50658G	62.89	68.20	-5.31	43.47	3	Vertical	83	1.57	-	41.89	12.66	35.13

5.725-5.85GHz\_802.11ax\_HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX

5825MHz\_TX




EUT\_Z\_2TX  
Setting 22  
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6667G	64.02	74.00	-9.98	50.34	3	Horizontal	316	2.20	-	38.77	9.56	34.65
AV	11.66404G	52.93	54.00	-1.07	39.25	3	Horizontal	316	2.20	-	38.77	9.56	34.65
PK	17.50494G	62.62	68.20	-5.58	43.20	3	Horizontal	294	2.02	-	41.89	12.66	35.13

5.725-5.85GHz\_802.11ax\_HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX

5825MHz\_TX




EUT\_Z\_2TX  
Setting 22  
04-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.59G	61.73	68.20	-6.47	55.24	3	Vertical	230	1.80	-	33.70	6.21	33.42
PK	5.827G	108.85	Inf	-Inf	101.80	3	Vertical	230	1.80	-	34.31	6.22	33.48
AV	5.827G	99.07	Inf	-Inf	92.02	3	Vertical	230	1.80	-	34.31	6.22	33.48
PK	6.0045G	62.28	68.20	-5.92	54.42	3	Vertical	230	1.80	-	35.00	6.39	33.53



5.725-5.85GHz\_802.11ax\_HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX

5825MHz\_TX




EUT\_Z\_2TX  
Setting 22  
04-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.586G	60.33	68.20	-7.87	53.83	3	Horizontal	360	2.03	-	33.70	6.21	33.41
PK	5.8285G	117.56	Inf	-Inf	110.50	3	Horizontal	360	2.03	-	34.31	6.23	33.48
AV	5.828G	107.63	Inf	-Inf	100.57	3	Horizontal	360	2.03	-	34.31	6.23	33.48
PK	6.0435G	62.77	68.20	-5.43	54.87	3	Horizontal	360	2.03	-	35.00	6.43	33.53

5.725-5.85GHz\_802.11ax\_HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX

5825MHz\_TX




EUT\_Z\_2TX  
Setting 22  
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65896G	60.12	74.00	-13.88	46.44	3	Vertical	343	1.80	-	38.78	9.56	34.66
AV	11.6613G	48.45	54.00	-5.55	34.77	3	Vertical	343	1.80	-	38.78	9.56	34.66
PK	17.51527G	62.66	68.20	-5.54	43.25	3	Vertical	311	1.42	-	41.87	12.67	35.13

5.725-5.85GHz\_802.11ax\_HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX

5825MHz\_TX



EUT\_Z\_2TX  
Setting 22  
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.66101G	62.35	74.00	-11.65	48.67	3	Horizontal	319	2.16	-	38.78	9.56	34.66
AV	11.66129G	51.17	54.00	-2.83	37.49	3	Horizontal	319	2.16	-	38.78	9.56	34.66
PK	17.51321G	63.07	68.20	-5.13	43.66	3	Horizontal	65	1.48	-	41.87	12.67	35.13




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	5.148G	53.97	54.00	-0.03	3	Vertical	143	2.32	-

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5180MHz\_TX




EUT\_Z\_2TX  
 Setting 14.5  
 04-K-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1477G	69.23	74.00	-4.77	63.99	3	Vertical	78	2.63	-	32.60	5.90	33.26
AV	5.1491G	53.87	54.00	-0.13	48.63	3	Vertical	78	2.63	-	32.60	5.90	33.26
PK	5.1815G	114.34	Inf	-Inf	109.05	3	Vertical	78	2.63	-	32.66	5.91	33.28
AV	5.1815G	106.19	Inf	-Inf	100.90	3	Vertical	78	2.63	-	32.66	5.91	33.28

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5180MHz\_TX




EUT\_Z\_2TX  
 Setting 11.5  
 01-R-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	15.54429G	61.73	74.00	-12.27	43.10	3	Vertical	214	1.16	-	38.13	12.59	32.09
AV	15.53127G	49.70	54.00	-4.30	30.99	3	Vertical	214	1.16	-	38.21	12.58	32.08

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5180MHz\_TX




EUT\_Z\_2TX  
 Setting 11.5  
 01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.52806G	62.11	74.00	-11.89	43.38	3	Horizontal	19	1.80	-	38.23	12.58	32.08
AV	15.54609G	49.59	54.00	-4.41	30.97	3	Horizontal	19	1.80	-	38.12	12.59	32.09

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5200MHz\_TX




EUT\_Z\_2TX  
 Setting 17.5  
 01-K-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1466G	66.20	74.00	-7.80	60.97	3	Vertical	72	1.19	-	32.59	5.90	33.26
AV	5.1468G	53.28	54.00	-0.72	48.05	3	Vertical	72	1.19	-	32.59	5.90	33.26
PK	5.2016G	116.44	Inf	-Inf	111.10	3	Vertical	72	1.19	-	32.70	5.92	33.28
AV	5.2022G	107.66	Inf	-Inf	102.32	3	Vertical	72	1.19	-	32.70	5.92	33.28



5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5200MHz\_TX




EUT\_Z\_2TX  
Setting 15  
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60771G	61.33	74.00	-12.67	43.19	3	Vertical	22	2.71	-	37.65	12.62	32.13
AV	15.59811G	49.35	54.00	-4.65	31.13	3	Vertical	22	2.71	-	37.72	12.62	32.12

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5200MHz\_TX




EUT\_Z\_2TX  
Setting 15  
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60534G	61.94	74.00	-12.06	43.78	3	Horizontal	309	2.65	-	37.67	12.62	32.13
AV	15.58554G	49.34	54.00	-4.66	31.02	3	Horizontal	309	2.65	-	37.82	12.61	32.11

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5240MHz\_TX




EUT\_Z\_2TX  
Setting 22  
01-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1323G	70.11	74.00	-3.89	63.76	3	Vertical	279	1.00	-	32.03	7.22	32.90
AV	5.1479G	53.33	54.00	-0.67	46.90	3	Vertical	279	1.00	-	32.09	7.24	32.90
PK	5.2415G	122.51	Inf	-Inf	116.62	3	Vertical	279	1.00	-	31.47	7.30	32.88
AV	5.2418G	112.26	Inf	-Inf	106.37	3	Vertical	279	1.00	-	31.47	7.30	32.88
PK	5.3675G	70.93	74.00	-3.07	65.00	3	Vertical	279	1.00	-	31.43	7.36	32.86
AV	5.3525G	50.68	54.00	-3.32	44.78	3	Vertical	279	1.00	-	31.41	7.35	32.86

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5240MHz\_TX




EUT\_Z\_2TX  
Setting 22  
01-R-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	15.71946G	63.00	74.00	-11.00	44.63	3	Vertical	14	2.77	-	37.90	12.67	32.20
AV	15.72012G	51.15	54.00	-2.85	32.78	3	Vertical	14	2.77	-	37.90	12.67	32.20

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5240MHz\_TX




EUT\_Z\_2TX  
Setting 22  
01-R-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	15.73257G	62.74	74.00	-11.26	44.37	3	Horizontal	78	1.80	-	37.90	12.68	32.21
AV	15.72633G	50.07	54.00	-3.93	31.70	3	Horizontal	78	1.80	-	37.90	12.67	32.20

5.15-5.25GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5180MHz\_TX




EUT\_Z\_2TX  
 Setting 14.5  
 04-K-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1468G	67.54	74.00	-6.46	62.31	3	Vertical	80	2.27	-	32.59	5.90	33.26
AV	5.1498G	53.87	54.00	-0.13	48.63	3	Vertical	80	2.27	-	32.60	5.90	33.26
PK	5.1774G	116.69	Inf	-Inf	111.40	3	Vertical	80	2.27	-	32.65	5.91	33.27
AV	5.1772G	104.91	Inf	-Inf	99.62	3	Vertical	80	2.27	-	32.65	5.91	33.27

5.15-5.25GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5180MHz\_TX




EUT\_Z\_2TX  
 Setting 14.5  
 01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.53676G	62.67	74.00	-11.33	43.98	3	Vertical	90	1.40	-	38.18	12.59	32.08
AV	15.53616G	49.65	54.00	-4.35	30.96	3	Vertical	90	1.40	-	38.18	12.59	32.08

5.15-5.25GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5180MHz\_TX




EUT\_Z\_2TX  
 Setting 14.5  
 01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.53439G	62.08	74.00	-11.92	43.38	3	Horizontal	360	1.97	-	38.19	12.59	32.08
AV	15.53334G	49.72	54.00	-4.28	31.01	3	Horizontal	360	1.97	-	38.20	12.59	32.08



5.15-5.25GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5200MHz\_TX




EUT\_Z\_2TX  
Setting 17  
04-K-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1398G	67.25	74.00	-6.75	62.04	3	Vertical	72	1.17	-	32.58	5.89	33.26
AV	5.15G	53.87	54.00	-0.13	48.63	3	Vertical	72	1.17	-	32.60	5.90	33.26
PK	5.1978G	117.03	Inf	-Inf	111.69	3	Vertical	72	1.17	-	32.70	5.92	33.28
AV	5.2022G	106.36	Inf	-Inf	101.02	3	Vertical	72	1.17	-	32.70	5.92	33.28

5.15-5.25GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5200MHz\_TX




EUT\_Z\_2TX  
Setting 17  
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60669G	61.34	74.00	-12.66	43.19	3	Vertical	278	2.55	-	37.66	12.62	32.13
AV	15.60444G	49.36	54.00	-4.64	31.20	3	Vertical	278	2.55	-	37.67	12.62	32.13

5.15-5.25GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5200MHz\_TX




EUT\_Z\_2TX  
Setting 17  
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60327G	61.42	74.00	-12.58	43.25	3	Horizontal	84	2.03	-	37.68	12.62	32.13
AV	15.59508G	49.41	54.00	-4.59	31.18	3	Horizontal	84	2.03	-	37.74	12.61	32.12

5.15-5.25GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5240MHz\_TX




EUT\_Z\_2TX  
Setting 21.5  
01-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	64.96	74.00	-9.04	58.52	3	Vertical	278	1.01	-	32.10	7.24	32.90
AV	5.1488G	52.23	54.00	-1.77	45.79	3	Vertical	278	1.01	-	32.10	7.24	32.90
PK	5.2409G	121.11	Inf	-Inf	115.22	3	Vertical	278	1.01	-	31.47	7.30	32.88
AV	5.2409G	110.76	Inf	-Inf	104.87	3	Vertical	278	1.01	-	31.47	7.30	32.88
PK	5.3534G	64.25	74.00	-9.75	58.35	3	Vertical	278	1.01	-	31.41	7.35	32.86
AV	5.351G	49.44	54.00	-4.56	43.55	3	Vertical	278	1.01	-	31.40	7.35	32.86

5.15-5.25GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5240MHz\_TX




EUT\_Z\_2TX  
 Setting 21.5  
 01-R-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	15.70872G	62.55	74.00	-11.45	44.17	3	Vertical	50	1.73	-	37.90	12.67	32.19
AV	15.71976G	50.22	54.00	-3.78	31.85	3	Vertical	50	1.73	-	37.90	12.67	32.20

5.15-5.25GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5240MHz\_TX




EUT\_Z\_2TX  
Setting 21.5  
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7221G	62.35	74.00	-11.65	43.98	3	Horizontal	158	1.71	-	37.90	12.67	32.20
AV	15.72339G	50.21	54.00	-3.79	31.84	3	Horizontal	158	1.71	-	37.90	12.67	32.20

5.15-5.25GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5190MHz\_TX




EUT\_Z\_2TX  
 Setting 12  
 01-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	67.78	74.00	-6.22	61.34	3	Vertical	84	1.02	-	32.10	7.24	32.90
AV	5.15G	53.35	54.00	-0.65	46.91	3	Vertical	84	1.02	-	32.10	7.24	32.90
PK	5.1874G	111.46	Inf	-Inf	105.20	3	Vertical	84	1.02	-	31.88	7.27	32.89
AV	5.1876G	100.05	Inf	-Inf	93.80	3	Vertical	84	1.02	-	31.87	7.27	32.89

5.15-5.25GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5190MHz\_TX




EUT\_Z\_2TX  
Setting 12  
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.57885G	61.50	74.00	-12.50	43.13	3	Vertical	119	1.07	-	37.87	12.61	32.11
AV	15.56067G	49.53	54.00	-4.47	31.02	3	Vertical	119	1.07	-	38.01	12.60	32.10



5.15-5.25GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5190MHz\_TX




EUT\_Z\_2TX  
Setting 12  
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.58296G	62.19	74.00	-11.81	43.85	3	Horizontal	7	2.13	-	37.84	12.61	32.11
AV	15.56328G	49.46	54.00	-4.54	30.97	3	Horizontal	7	2.13	-	37.99	12.60	32.10

5.15-5.25GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5230MHz\_TX




EUT\_Z\_2TX  
 Setting 18.5  
 04-K-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	66.28	74.00	-7.72	61.04	3	Vertical	73	1.10	-	32.60	5.90	33.26
AV	5.1493G	53.87	54.00	-0.13	48.63	3	Vertical	73	1.10	-	32.60	5.90	33.26
PK	5.2273G	115.73	Inf	-Inf	110.37	3	Vertical	73	1.10	-	32.70	5.95	33.29
AV	5.2273G	103.73	Inf	-Inf	98.37	3	Vertical	73	1.10	-	32.70	5.95	33.29
PK	5.3548G	62.60	74.00	-11.40	56.95	3	Vertical	73	1.10	-	32.92	6.07	33.34
AV	5.3503G	50.06	54.00	-3.94	44.43	3	Vertical	73	1.10	-	32.90	6.07	33.34

5.15-5.25GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5230MHz\_TX




EUT\_Z\_2TX  
 Setting 18.5  
 01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.68151G	62.70	74.00	-11.30	44.51	3	Vertical	88	1.36	-	37.72	12.65	32.18
AV	15.70434G	49.98	54.00	-4.02	31.61	3	Vertical	88	1.36	-	37.90	12.66	32.19

5.15-5.25GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5230MHz\_TX




EUT\_Z\_2TX  
Setting 18.5  
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7029G	62.02	74.00	-11.98	43.65	3	Horizontal	246	1.88	-	37.90	12.66	32.19
AV	15.70491G	49.98	54.00	-4.02	31.61	3	Horizontal	246	1.88	-	37.90	12.66	32.19

5.15-5.25GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX

5210MHz\_TX




EUT\_Z\_2TX  
Setting 12  
04-K-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1425G	64.49	74.00	-9.51	59.27	3	Vertical	143	2.32	-	32.59	5.89	33.26
AV	5.148G	53.97	54.00	-0.03	48.73	3	Vertical	143	2.32	-	32.60	5.90	33.26
PK	5.211G	106.63	Inf	-Inf	101.29	3	Vertical	143	2.32	-	32.70	5.93	33.29
AV	5.213G	96.91	Inf	-Inf	91.57	3	Vertical	143	2.32	-	32.70	5.93	33.29
PK	5.442G	61.12	74.00	-12.88	55.08	3	Vertical	143	2.32	-	33.27	6.14	33.37
AV	5.3545G	48.97	54.00	-5.03	43.32	3	Vertical	143	2.32	-	32.92	6.07	33.34

5.15-5.25GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX

5210MHz\_TX




EUT\_Z\_2TX  
Setting 12  
04-K-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4236G	58.64	68.20	-9.56	41.67	3	Vertical	184	2.06	-	39.35	10.25	32.63
PK	15.63375G	61.18	74.00	-12.82	43.20	3	Vertical	136	2.43	-	37.50	12.63	32.15
AV	15.62286G	49.53	54.00	-4.47	31.48	3	Vertical	136	2.43	-	37.56	12.63	32.14

5.15-5.25GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX

5210MHz\_TX




EUT\_Z\_2TX  
Setting 12  
04-K-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.42297G	59.19	68.20	-9.01	42.22	3	Horizontal	69	1.14	-	39.35	10.25	32.63
PK	15.62373G	61.23	74.00	-12.77	43.18	3	Horizontal	355	1.61	-	37.56	12.63	32.14
AV	15.61779G	49.65	54.00	-4.35	31.58	3	Horizontal	355	1.61	-	37.59	12.62	32.14

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5260MHz\_TX




EUT\_Z\_2TX  
 Setting 21.5  
 01-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1463G	66.51	74.00	-7.49	60.09	3	Vertical	85	1.01	-	32.09	7.23	32.90
AV	5.1499G	50.00	54.00	-4.00	43.56	3	Vertical	85	1.01	-	32.10	7.24	32.90
PK	5.2579G	121.59	Inf	-Inf	115.78	3	Vertical	85	1.01	-	31.38	7.31	32.88
AV	5.2582G	111.28	Inf	-Inf	105.47	3	Vertical	85	1.01	-	31.38	7.31	32.88
PK	5.3506G	68.63	74.00	-5.37	62.74	3	Vertical	85	1.01	-	31.40	7.35	32.86
AV	5.3509G	53.56	54.00	-0.44	47.67	3	Vertical	85	1.01	-	31.40	7.35	32.86



5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5260MHz\_TX




EUT\_Z\_2TX  
 Setting 21.5  
 01-R-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	15.78579G	61.82	74.00	-12.18	43.67	3	Vertical	358	1.07	-	37.69	12.70	32.24
AV	15.76935G	49.89	54.00	-4.11	31.65	3	Vertical	358	1.07	-	37.78	12.69	32.23

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5260MHz\_TX




EUT\_Z\_2TX  
Setting 21.5  
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78762G	62.44	74.00	-11.56	44.31	3	Horizontal	290	2.66	-	37.67	12.70	32.24
AV	15.76614G	49.90	54.00	-4.10	31.64	3	Horizontal	290	2.66	-	37.80	12.69	32.23

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5300MHz\_TX




EUT\_Z\_2TX  
 Setting 17.5  
 01-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2991G	117.97	Inf	-Inf	112.22	3	Vertical	278	1.01	-	31.30	7.32	32.87
AV	5.2991G	109.47	Inf	-Inf	103.72	3	Vertical	278	1.01	-	31.30	7.32	32.87
PK	5.3513G	67.32	74.00	-6.68	61.43	3	Vertical	278	1.01	-	31.40	7.35	32.86
AV	5.35G	53.74	54.00	-0.26	47.85	3	Vertical	278	1.01	-	31.40	7.35	32.86

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5300MHz\_TX




EUT\_Z\_2TX  
 Setting 17.5  
 01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.611G	59.48	74.00	-14.52	42.06	3	Vertical	290	2.47	-	39.60	10.36	32.54
AV	10.61266G	47.26	54.00	-6.74	29.84	3	Vertical	290	2.47	-	39.60	10.36	32.54
PK	15.90174G	61.48	74.00	-12.52	43.66	3	Vertical	190	2.19	-	37.39	12.75	32.32
AV	15.89328G	49.28	54.00	-4.72	31.44	3	Vertical	190	2.19	-	37.40	12.75	32.31

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5300MHz\_TX




EUT\_Z\_2TX  
Setting 17.5  
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60426G	59.13	74.00	-14.87	41.72	3	Horizontal	202	2.37	-	39.60	10.35	32.54
AV	10.61338G	47.18	54.00	-6.82	29.76	3	Horizontal	202	2.37	-	39.60	10.36	32.54
PK	15.91071G	61.75	74.00	-12.25	43.95	3	Horizontal	242	1.29	-	37.36	12.76	32.32
AV	15.88626G	49.31	54.00	-4.69	31.47	3	Horizontal	242	1.29	-	37.40	12.75	32.31

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5320MHz\_TX




EUT\_Z\_2TX  
 Setting 14.5  
 01-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3204G	112.88	Inf	-Inf	107.08	3	Vertical	92	1.80	-	31.34	7.33	32.87
AV	5.3206G	105.05	Inf	-Inf	99.25	3	Vertical	92	1.80	-	31.34	7.33	32.87
PK	5.3504G	68.56	74.00	-5.44	62.67	3	Vertical	92	1.80	-	31.40	7.35	32.86
AV	5.35G	53.74	54.00	-0.26	47.85	3	Vertical	92	1.80	-	31.40	7.35	32.86

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5320MHz\_TX




EUT\_Z\_2TX  
 Setting 14.5  
 01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63058G	59.96	74.00	-14.04	42.53	3	Vertical	350	2.92	-	39.60	10.37	32.54
AV	10.64366G	47.75	54.00	-6.25	30.32	3	Vertical	350	2.92	-	39.60	10.37	32.54
PK	15.95193G	60.91	74.00	-13.09	43.28	3	Vertical	245	2.89	-	37.20	12.78	32.35
AV	15.94848G	48.47	54.00	-5.53	30.83	3	Vertical	245	2.89	-	37.21	12.78	32.35

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5320MHz\_TX




EUT\_Z\_2TX  
 Setting 14.5  
 01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64534G	60.15	74.00	-13.85	42.72	3	Horizontal	76	2.61	-	39.60	10.37	32.54
AV	10.64624G	47.76	54.00	-6.24	30.32	3	Horizontal	76	2.61	-	39.60	10.38	32.54
PK	15.97005G	60.45	74.00	-13.55	42.86	3	Horizontal	216	2.68	-	37.16	12.79	32.36
AV	15.94578G	48.49	54.00	-5.51	30.84	3	Horizontal	216	2.68	-	37.22	12.78	32.35



5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5260MHz\_TX




EUT\_Z\_2TX  
Setting 21.5  
01-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1331G	61.98	74.00	-12.02	55.63	3	Vertical	270	2.49	-	32.03	7.22	32.90
AV	5.1481G	50.32	54.00	-3.68	43.89	3	Vertical	270	2.49	-	32.09	7.24	32.90
PK	5.2615G	121.14	Inf	-Inf	115.33	3	Vertical	270	2.49	-	31.38	7.31	32.88
AV	5.2612G	110.84	Inf	-Inf	105.03	3	Vertical	270	2.49	-	31.38	7.31	32.88
PK	5.3536G	67.09	74.00	-6.91	61.19	3	Vertical	270	2.49	-	31.41	7.35	32.86
AV	5.3503G	52.91	54.00	-1.09	47.02	3	Vertical	270	2.49	-	31.40	7.35	32.86

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5260MHz\_TX




EUT\_Z\_2TX  
Setting 21.5  
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78597G	62.71	74.00	-11.29	44.57	3	Vertical	279	2.53	-	37.68	12.70	32.24
AV	15.76569G	49.84	54.00	-4.16	31.57	3	Vertical	279	2.53	-	37.81	12.69	32.23

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5260MHz\_TX




EUT\_Z\_2TX  
 Setting 21.5  
 01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77973G	61.59	74.00	-12.41	43.41	3	Horizontal	338	1.29	-	37.72	12.70	32.24
AV	15.76605G	49.83	54.00	-4.17	31.57	3	Horizontal	338	1.29	-	37.80	12.69	32.23

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5300MHz\_TX




EUT\_Z\_2TX  
 Setting 17  
 01-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3022G	119.82	Inf	-Inf	114.06	3	Vertical	276	2.45	-	31.30	7.33	32.87
AV	5.3022G	107.85	Inf	-Inf	102.09	3	Vertical	276	2.45	-	31.30	7.33	32.87
PK	5.35G	67.44	74.00	-6.56	61.55	3	Vertical	276	2.45	-	31.40	7.35	32.86
AV	5.3502G	53.64	54.00	-0.36	47.75	3	Vertical	276	2.45	-	31.40	7.35	32.86

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5300MHz\_TX




EUT\_Z\_2TX  
Setting 17  
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60307G	59.22	74.00	-14.78	41.81	3	Vertical	226	2.57	-	39.60	10.35	32.54
AV	10.60981G	47.18	54.00	-6.82	29.76	3	Vertical	226	2.57	-	39.60	10.36	32.54
PK	15.897G	61.36	74.00	-12.64	43.52	3	Vertical	8	1.02	-	37.40	12.75	32.31
AV	15.89856G	49.44	54.00	-4.56	31.61	3	Vertical	8	1.02	-	37.40	12.75	32.32

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5300MHz\_TX




EUT\_Z\_2TX  
Setting 17  
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60954G	59.86	74.00	-14.14	42.44	3	Horizontal	14	2.25	-	39.60	10.36	32.54
AV	10.61296G	47.26	54.00	-6.74	29.84	3	Horizontal	14	2.25	-	39.60	10.36	32.54
PK	15.89625G	61.62	74.00	-12.38	43.78	3	Horizontal	125	1.27	-	37.40	12.75	32.31
AV	15.8868G	49.38	54.00	-4.62	31.54	3	Horizontal	125	1.27	-	37.40	12.75	32.31

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5320MHz\_TX




EUT\_Z\_2TX  
 Setting 13.5  
 01-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3192G	115.89	Inf	-Inf	110.09	3	Vertical	278	1.01	-	31.34	7.33	32.87
AV	5.3194G	104.35	Inf	-Inf	98.55	3	Vertical	278	1.01	-	31.34	7.33	32.87
PK	5.351G	67.07	74.00	-6.93	61.18	3	Vertical	278	1.01	-	31.40	7.35	32.86
AV	5.3502G	53.23	54.00	-0.77	47.34	3	Vertical	278	1.01	-	31.40	7.35	32.86

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5320MHz\_TX




EUT\_Z\_2TX  
Setting 13.5  
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64279G	59.86	74.00	-14.14	42.43	3	Vertical	92	1.53	-	39.60	10.37	32.54
AV	10.64633G	47.69	54.00	-6.31	30.25	3	Vertical	92	1.53	-	39.60	10.38	32.54
PK	15.97434G	60.72	74.00	-13.28	43.14	3	Vertical	6	1.25	-	37.15	12.79	32.36
AV	15.95175G	48.44	54.00	-5.56	30.81	3	Vertical	6	1.25	-	37.20	12.78	32.35



5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5320MHz\_TX




EUT\_Z\_2TX  
 Setting 13.5  
 01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.65179G	60.34	74.00	-13.66	42.91	3	Horizontal	96	1.77	-	39.59	10.38	32.54
AV	10.63514G	47.67	54.00	-6.33	30.24	3	Horizontal	96	1.77	-	39.60	10.37	32.54
PK	15.9537G	60.10	74.00	-13.90	42.48	3	Horizontal	272	1.23	-	37.19	12.78	32.35
AV	15.94611G	48.49	54.00	-5.51	30.84	3	Horizontal	272	1.23	-	37.22	12.78	32.35

5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5270MHz\_TX




EUT\_Z\_2TX  
Setting 18  
04-K-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1479G	60.46	74.00	-13.54	55.22	3	Vertical	68	2.12	-	32.60	5.90	33.26
AV	5.1482G	48.63	54.00	-5.37	43.39	3	Vertical	68	2.12	-	32.60	5.90	33.26
PK	5.2661G	114.76	Inf	-Inf	109.35	3	Vertical	68	2.12	-	32.73	5.99	33.31
AV	5.2709G	104.01	Inf	-Inf	98.59	3	Vertical	68	2.12	-	32.74	5.99	33.31
PK	5.3507G	67.32	74.00	-6.68	61.69	3	Vertical	68	2.12	-	32.90	6.07	33.34
AV	5.351G	53.88	54.00	-0.12	48.25	3	Vertical	68	2.12	-	32.90	6.07	33.34

5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5270MHz\_TX




EUT\_Z\_2TX  
Setting 18  
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.81639G	62.53	74.00	-11.47	44.54	3	Vertical	257	2.49	-	37.53	12.72	32.26
AV	15.79854G	49.75	54.00	-4.25	31.68	3	Vertical	257	2.49	-	37.61	12.71	32.25

5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5270MHz\_TX




EUT\_Z\_2TX  
Setting 18  
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.81456G	61.31	74.00	-12.69	43.32	3	Horizontal	237	2.39	-	37.54	12.71	32.26
AV	15.81075G	49.70	54.00	-4.30	31.69	3	Horizontal	237	2.39	-	37.56	12.71	32.26

5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5310MHz\_TX




EUT\_Z\_2TX  
Setting 14  
04-R-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3085G	112.05	Inf	-Inf	106.52	3	Vertical	80	2.56	-	32.82	6.03	33.32
AV	5.3085G	101.10	Inf	-Inf	95.57	3	Vertical	80	2.56	-	32.82	6.03	33.32
PK	5.3523G	73.54	74.00	-0.46	67.90	3	Vertical	80	2.56	-	32.91	6.07	33.34
AV	5.3514G	53.08	54.00	-0.92	47.44	3	Vertical	80	2.56	-	32.91	6.07	33.34

5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5310MHz\_TX




EUT\_Z\_2TX  
Setting 14  
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63203G	59.78	74.00	-14.22	42.35	3	Vertical	170	2.95	-	39.60	10.37	32.54
AV	10.629G	47.59	54.00	-6.41	30.16	3	Vertical	170	2.95	-	39.60	10.37	32.54
PK	15.9198G	60.52	74.00	-13.48	42.77	3	Vertical	204	1.30	-	37.32	12.76	32.33
AV	15.91521G	48.91	54.00	-5.09	31.14	3	Vertical	204	1.30	-	37.34	12.76	32.33

5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5310MHz\_TX




EUT\_Z\_2TX  
Setting 14  
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62672G	59.87	74.00	-14.13	42.45	3	Horizontal	54	2.17	-	39.60	10.36	32.54
AV	10.63428G	47.52	54.00	-6.48	30.09	3	Horizontal	54	2.17	-	39.60	10.37	32.54
PK	15.93648G	60.47	74.00	-13.53	42.79	3	Horizontal	198	2.62	-	37.25	12.77	32.34
AV	15.91524G	48.91	54.00	-5.09	31.14	3	Horizontal	198	2.62	-	37.34	12.76	32.33

5.25-5.35GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX

5290MHz\_TX




EUT\_Z\_2TX  
Setting 12.5  
01-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1405G	60.83	74.00	-13.17	54.44	3	Vertical	276	1.01	-	32.06	7.23	32.90
AV	5.15G	49.29	54.00	-4.71	42.85	3	Vertical	276	1.01	-	32.10	7.24	32.90
PK	5.2945G	107.49	Inf	-Inf	101.73	3	Vertical	276	1.01	-	31.31	7.32	32.87
AV	5.292G	97.18	Inf	-Inf	91.41	3	Vertical	276	1.01	-	31.32	7.32	32.87
PK	5.363G	64.59	74.00	-9.41	58.67	3	Vertical	276	1.01	-	31.43	7.35	32.86
AV	5.35G	53.84	54.00	-0.16	47.95	3	Vertical	276	1.01	-	31.40	7.35	32.86
PK	5.519G	60.18	68.20	-8.02	53.70	3	Vertical	276	1.01	-	31.86	7.46	32.84



5.25-5.35GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX

5290MHz\_TX




EUTZ\_2TX  
 Setting 12.5  
 01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.86922G	60.99	74.00	-13.01	43.15	3	Vertical	292	1.06	-	37.40	12.74	32.30
AV	15.8769G	49.94	54.00	-4.06	32.10	3	Vertical	292	1.06	-	37.40	12.74	32.30

5.25-5.35GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX

5290MHz\_TX




EUT\_Z\_2TX  
 Setting 12.5  
 01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.85887G	61.36	74.00	-12.64	43.51	3	Horizontal	58	2.89	-	37.40	12.74	32.29
AV	15.8826G	49.71	54.00	-4.29	31.86	3	Horizontal	58	2.89	-	37.40	12.75	32.30

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5500MHz\_TX




EUT\_Z\_2TX  
Setting 12.5  
01-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4598G	64.25	74.00	-9.75	57.94	3	Vertical	275	1.00	-	31.74	7.41	32.84
AV	5.4595G	52.71	54.00	-1.29	46.40	3	Vertical	275	1.00	-	31.74	7.41	32.84
PK	5.464G	68.07	68.20	-0.13	61.73	3	Vertical	275	1.00	-	31.76	7.42	32.84
PK	5.4994G	113.46	Inf	-Inf	106.95	3	Vertical	275	1.00	-	31.90	7.44	32.83
AV	5.4991G	104.63	Inf	-Inf	98.12	3	Vertical	275	1.00	-	31.90	7.44	32.83

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5500MHz\_TX




EUTZ\_2TX  
 Setting 12.5  
 01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99952G	59.43	74.00	-14.57	41.40	3	Vertical	250	2.23	-	40.00	10.57	32.54
AV	11.00375G	47.61	54.00	-6.39	29.59	3	Vertical	250	2.23	-	39.99	10.57	32.54

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5500MHz\_TX




EUT\_Z\_2TX  
 Setting 12.5  
 01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00609G	60.30	74.00	-13.70	42.28	3	Horizontal	72	1.41	-	39.99	10.57	32.54
AV	10.99379G	47.72	54.00	-6.28	29.67	3	Horizontal	72	1.41	-	40.02	10.57	32.54

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5580MHz\_TX




EUT\_Z\_2TX  
Setting 22  
01-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4576G	65.25	74.00	-8.75	58.95	3	Vertical	60	2.30	-	31.73	7.41	32.84
AV	5.4568G	49.48	54.00	-4.52	43.18	3	Vertical	60	2.30	-	31.73	7.41	32.84
PK	5.4668G	63.41	68.20	-4.79	57.06	3	Vertical	60	2.30	-	31.77	7.42	32.84
PK	5.5772G	120.74	Inf	-Inf	114.35	3	Vertical	60	2.30	-	31.75	7.50	32.86
AV	5.582G	112.16	Inf	-Inf	105.77	3	Vertical	60	2.30	-	31.74	7.51	32.86
PK	5.728G	62.98	68.20	-5.22	56.27	3	Vertical	60	2.30	-	32.06	7.56	32.91

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5580MHz\_TX




EUT\_Z\_2TX  
Setting 22  
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16939G	59.20	74.00	-14.80	41.47	3	Vertical	215	2.42	-	39.60	10.66	32.53
AV	11.16144G	47.18	54.00	-6.82	29.45	3	Vertical	215	2.42	-	39.60	10.66	32.53

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5580MHz\_TX




EUT\_Z\_2TX  
Setting 22  
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15094G	59.43	74.00	-14.57	41.71	3	Horizontal	282	2.17	-	39.60	10.65	32.53
AV	11.17101G	47.18	54.00	-6.82	29.45	3	Horizontal	282	2.17	-	39.60	10.66	32.53



5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5700MHz\_TX




EUT\_Z\_2TX  
 Setting 13.5  
 01-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6992G	111.41	Inf	-Inf	104.76	3	Vertical	266	1.80	-	32.00	7.55	32.90
AV	5.6988G	102.87	Inf	-Inf	96.22	3	Vertical	266	1.80	-	32.00	7.55	32.90
PK	5.725G	67.99	68.20	-0.21	61.29	3	Vertical	266	1.80	-	32.05	7.56	32.91

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5700MHz\_TX




EUT\_Z\_2TX  
Setting 13.5  
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39112G	60.66	74.00	-13.34	42.41	3	Vertical	359	2.10	-	39.98	10.79	32.52
AV	11.39475G	48.43	54.00	-5.57	30.17	3	Vertical	359	2.10	-	39.99	10.79	32.52

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5700MHz\_TX




EUTZ\_2TX  
 Setting 13.5  
 01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41428G	60.50	74.00	-13.50	42.25	3	Horizontal	218	2.31	-	39.97	10.80	32.52
AV	11.39871G	48.37	54.00	-5.63	30.10	3	Horizontal	218	2.31	-	40.00	10.79	32.52

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 22  
01-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4309G	59.35	74.00	-14.65	53.18	3	Vertical	309	2.30	-	31.62	7.39	32.84
PK	5.4652G	59.61	68.20	-8.59	53.27	3	Vertical	309	2.30	-	31.76	7.42	32.84
AV	5.4526G	48.25	54.00	-5.75	41.97	3	Vertical	309	2.30	-	31.71	7.41	32.84
PK	5.7214G	120.31	Inf	-Inf	113.62	3	Vertical	309	2.30	-	32.04	7.56	32.91
AV	5.7214G	111.61	Inf	-Inf	104.92	3	Vertical	309	2.30	-	32.04	7.56	32.91
PK	5.8649G	64.16	68.20	-4.04	57.24	3	Vertical	309	2.30	-	32.26	7.61	32.95

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
 Setting 22  
 01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43835G	59.69	74.00	-14.31	41.48	3	Vertical	68	2.75	-	39.92	10.81	32.52
AV	11.42548G	47.83	54.00	-6.17	29.60	3	Vertical	68	2.75	-	39.95	10.80	32.52

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 22  
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44486G	60.18	74.00	-13.82	41.98	3	Horizontal	265	2.24	-	39.91	10.81	32.52
AV	11.42578G	47.90	54.00	-6.10	29.67	3	Horizontal	265	2.24	-	39.95	10.80	32.52

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5500MHz\_TX




EUT\_Z\_2TX  
Setting 14.5  
04-K-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	64.00	74.00	-10.00	57.87	3	Vertical	72	1.03	-	33.35	6.15	33.37
AV	5.4598G	51.66	54.00	-2.34	45.53	3	Vertical	72	1.03	-	33.36	6.15	33.38
PK	5.4698G	67.24	68.20	-0.96	61.05	3	Vertical	72	1.03	-	33.42	6.15	33.38
PK	5.5004G	116.08	Inf	-Inf	109.70	3	Vertical	72	1.03	-	33.60	6.17	33.39
AV	5.4976G	105.00	Inf	-Inf	98.63	3	Vertical	72	1.03	-	33.59	6.17	33.39

5.47-5.725GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5500MHz\_TX




EUT\_Z\_2TX  
Setting 14.5  
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99472G	59.74	74.00	-14.26	41.69	3	Vertical	174	1.74	-	40.02	10.57	32.54
AV	10.98725G	47.63	54.00	-6.37	29.56	3	Vertical	174	1.74	-	40.05	10.56	32.54



5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5500MHz\_TX




EUT\_Z\_2TX  
Setting 14.5  
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99235G	59.32	74.00	-14.68	41.26	3	Horizontal	198	2.50	-	40.03	10.57	32.54
AV	10.99247G	47.68	54.00	-6.32	29.62	3	Horizontal	198	2.50	-	40.03	10.57	32.54

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5580MHz\_TX




EUT\_Z\_2TX  
Setting 22  
01-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	63.14	74.00	-10.86	56.83	3	Vertical	276	1.01	-	31.74	7.41	32.84
AV	5.4592G	50.54	54.00	-3.46	44.23	3	Vertical	276	1.01	-	31.74	7.41	32.84
PK	5.4676G	64.99	68.20	-3.21	58.64	3	Vertical	276	1.01	-	31.77	7.42	32.84
PK	5.5792G	120.78	Inf	-Inf	114.40	3	Vertical	276	1.01	-	31.74	7.50	32.86
AV	5.5796G	110.54	Inf	-Inf	104.16	3	Vertical	276	1.01	-	31.74	7.50	32.86
PK	5.7324G	61.66	68.20	-6.54	54.95	3	Vertical	276	1.01	-	32.06	7.56	32.91

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5580MHz\_TX




EUT\_Z\_2TX  
Setting 22  
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16945G	59.36	74.00	-14.64	41.63	3	Vertical	237	1.92	-	39.60	10.66	32.53
AV	11.16603G	47.18	54.00	-6.82	29.45	3	Vertical	237	1.92	-	39.60	10.66	32.53

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5580MHz\_TX




EUT\_Z\_2TX  
Setting 22  
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.163G	59.21	74.00	-14.79	41.48	3	Horizontal	348	1.81	-	39.60	10.66	32.53
AV	11.16132G	47.10	54.00	-6.90	29.37	3	Horizontal	348	1.81	-	39.60	10.66	32.53

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5700MHz\_TX




EUT\_Z\_2TX  
Setting 13  
01-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6989G	115.43	Inf	-Inf	108.78	3	Vertical	138	2.22	-	32.00	7.55	32.90
AV	5.6989G	104.04	Inf	-Inf	97.39	3	Vertical	138	2.22	-	32.00	7.55	32.90
PK	5.7258G	66.75	68.20	-1.45	60.05	3	Vertical	138	2.22	-	32.05	7.56	32.91

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5700MHz\_TX




EUT\_Z\_2TX  
Setting 13  
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40294G	60.91	74.00	-13.09	42.65	3	Vertical	324	2.71	-	39.99	10.79	32.52
AV	11.39745G	48.51	54.00	-5.49	30.25	3	Vertical	324	2.71	-	39.99	10.79	32.52

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5700MHz\_TX




EUT\_Z\_2TX  
Setting 13  
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38992G	61.05	74.00	-12.95	42.81	3	Horizontal	77	2.34	-	39.98	10.78	32.52
AV	11.39868G	48.53	54.00	-5.47	30.26	3	Horizontal	77	2.34	-	40.00	10.79	32.52

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 22  
01-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4393G	59.31	74.00	-14.69	53.09	3	Vertical	61	3.00	-	31.66	7.40	32.84
PK	5.4652G	59.25	68.20	-8.95	52.91	3	Vertical	61	3.00	-	31.76	7.42	32.84
AV	5.46G	48.11	54.00	-5.89	41.80	3	Vertical	61	3.00	-	31.74	7.41	32.84
PK	5.7179G	119.88	Inf	-Inf	113.18	3	Vertical	61	3.00	-	32.04	7.56	32.90
AV	5.7207G	110.36	Inf	-Inf	103.67	3	Vertical	61	3.00	-	32.04	7.56	32.91
PK	5.8586G	66.13	68.20	-2.07	59.24	3	Vertical	61	3.00	-	32.23	7.61	32.95



5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 22  
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42752G	59.57	74.00	-14.43	41.34	3	Vertical	169	1.95	-	39.94	10.81	32.52
AV	11.42878G	47.76	54.00	-6.24	29.53	3	Vertical	169	1.95	-	39.94	10.81	32.52

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 22  
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43151G	59.87	74.00	-14.13	41.64	3	Horizontal	142	1.06	-	39.94	10.81	32.52
AV	11.42572G	47.82	54.00	-6.18	29.59	3	Horizontal	142	1.06	-	39.95	10.80	32.52

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5510MHz\_TX




EUT\_Z\_2TX  
 Setting 12.5  
 01-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4534G	64.39	74.00	-9.61	58.11	3	Vertical	79	1.00	-	31.71	7.41	32.84
AV	5.4594G	52.04	54.00	-1.96	45.73	3	Vertical	79	1.00	-	31.74	7.41	32.84
PK	5.468G	67.56	68.20	-0.64	61.21	3	Vertical	79	1.00	-	31.77	7.42	32.84
PK	5.5088G	110.82	Inf	-Inf	104.32	3	Vertical	79	1.00	-	31.88	7.45	32.83
AV	5.509G	100.20	Inf	-Inf	93.70	3	Vertical	79	1.00	-	31.88	7.45	32.83

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5510MHz\_TX




EUT\_Z\_2TX  
 Setting 12.5  
 01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00542G	59.66	74.00	-14.34	41.64	3	Vertical	65	1.50	-	39.99	10.57	32.54
AV	11.01655G	47.56	54.00	-6.44	29.55	3	Vertical	65	1.50	-	39.97	10.58	32.54

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5510MHz\_TX




EUT\_Z\_2TX  
 Setting 12.5  
 01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02939G	59.85	74.00	-14.15	41.86	3	Horizontal	286	2.98	-	39.94	10.59	32.54
AV	11.01886G	47.52	54.00	-6.48	29.52	3	Horizontal	286	2.98	-	39.96	10.58	32.54

5.47-5.725GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5550MHz\_TX




EUT\_Z\_2TX  
Setting 18  
04-K-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4567G	64.52	74.00	-9.48	58.40	3	Vertical	82	2.30	-	33.34	6.15	33.37
AV	5.4588G	53.25	54.00	-0.75	47.13	3	Vertical	82	2.30	-	33.35	6.15	33.38
PK	5.4663G	68.03	68.20	-0.17	61.86	3	Vertical	82	2.30	-	33.40	6.15	33.38
PK	5.5488G	117.72	Inf	-Inf	111.23	3	Vertical	82	2.30	-	33.70	6.19	33.40
AV	5.5491G	105.64	Inf	-Inf	99.15	3	Vertical	82	2.30	-	33.70	6.19	33.40

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5550MHz\_TX




EUT\_Z\_2TX  
Setting 18  
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10261G	60.20	74.00	-13.80	42.32	3	Vertical	319	2.62	-	39.79	10.63	32.54
AV	11.09661G	47.31	54.00	-6.69	29.42	3	Vertical	319	2.62	-	39.81	10.62	32.54

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5550MHz\_TX




EUT\_Z\_2TX  
Setting 18  
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.08551G	59.40	74.00	-14.60	41.49	3	Horizontal	160	1.18	-	39.83	10.62	32.54
AV	11.09694G	47.32	54.00	-6.68	29.43	3	Horizontal	160	1.18	-	39.81	10.62	32.54



5.47-5.725GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5670MHz\_TX




EUT\_Z\_2TX  
Setting 14  
01-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6754G	112.46	Inf	-Inf	105.91	3	Vertical	82	1.04	-	31.90	7.54	32.89
AV	5.668G	101.20	Inf	-Inf	94.68	3	Vertical	82	1.04	-	31.87	7.54	32.89
PK	5.725G	67.44	68.20	-0.76	60.74	3	Vertical	82	1.04	-	32.05	7.56	32.91

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5670MHz\_TX




EUT\_Z\_2TX  
Setting 14  
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34489G	60.36	74.00	-13.64	42.25	3	Vertical	39	1.92	-	39.88	10.76	32.53
AV	11.3397G	47.87	54.00	-6.13	29.78	3	Vertical	39	1.92	-	39.86	10.76	32.53

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5670MHz\_TX




EUT\_Z\_2TX  
Setting 14  
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3412G	60.64	74.00	-13.36	42.55	3	Horizontal	348	2.55	-	39.86	10.76	32.53
AV	11.3514G	47.91	54.00	-6.09	29.78	3	Horizontal	348	2.55	-	39.90	10.76	32.53

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 20.5  
01-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4586G	60.14	74.00	-13.86	53.84	3	Vertical	60	2.30	-	31.73	7.41	32.84
AV	5.4586G	48.30	54.00	-5.70	42.00	3	Vertical	60	2.30	-	31.73	7.41	32.84
PK	5.461G	59.33	68.20	-8.87	53.01	3	Vertical	60	2.30	-	31.74	7.42	32.84
PK	5.7088G	118.07	Inf	-Inf	111.40	3	Vertical	60	2.30	-	32.02	7.55	32.90
AV	5.7082G	107.52	Inf	-Inf	100.85	3	Vertical	60	2.30	-	32.02	7.55	32.90
PK	5.851G	66.50	68.20	-1.70	59.64	3	Vertical	60	2.30	-	32.20	7.61	32.95

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 20.5  
01-R-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.41067G	59.89	74.00	-14.11	41.63	3	Vertical	25	2.15	-	39.98	10.80	32.52			
AV	11.41433G	48.23	54.00	-5.77	29.98	3	Vertical	25	2.15	-	39.97	10.80	32.52			

5.47-5.725GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
 Setting 20.5  
 01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42507G	61.19	74.00	-12.81	42.96	3	Horizontal	343	2.77	-	39.95	10.80	32.52
AV	11.4053G	48.34	54.00	-5.66	30.08	3	Horizontal	343	2.77	-	39.99	10.79	32.52

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5530MHz\_TX




EUT\_Z\_2TX  
 Setting 13  
 01-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.284G	59.46	68.20	-8.74	53.68	3	Vertical	276	1.00	-	31.33	7.32	32.87
PK	5.4375G	64.42	74.00	-9.58	58.21	3	Vertical	276	1.00	-	31.65	7.40	32.84
PK	5.4685G	64.00	68.20	-4.20	57.65	3	Vertical	276	1.00	-	31.77	7.42	32.84
AV	5.458G	53.77	54.00	-0.23	47.47	3	Vertical	276	1.00	-	31.73	7.41	32.84
PK	5.5135G	107.06	Inf	-Inf	100.56	3	Vertical	276	1.00	-	31.87	7.46	32.83
AV	5.5305G	97.25	Inf	-Inf	90.78	3	Vertical	276	1.00	-	31.84	7.47	32.84
PK	5.7465G	60.77	68.20	-7.43	54.03	3	Vertical	276	1.00	-	32.09	7.56	32.91

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5530MHz\_TX




EUT\_Z\_2TX  
Setting 13  
01-R-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	11.06318G	59.42	74.00	-14.58	41.49	3	Vertical	90	1.57	-	39.87	10.60	32.54
AV	11.07302G	48.05	54.00	-5.95	30.13	3	Vertical	90	1.57	-	39.85	10.61	32.54



5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5530MHz\_TX




EUT\_Z\_2TX  
Setting 13  
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06291G	59.87	74.00	-14.13	41.94	3	Horizontal	127	1.48	-	39.87	10.60	32.54
AV	11.06921G	47.70	54.00	-6.30	29.77	3	Horizontal	127	1.48	-	39.86	10.61	32.54

5.47-5.725GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX

5610MHz\_TX




EUT\_Z\_2TX  
Setting 15.5  
01-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.455G	63.44	74.00	-10.56	57.15	3	Vertical	93	2.34	-	31.72	7.41	32.84
AV	5.46G	51.19	54.00	-2.81	44.87	3	Vertical	93	2.34	-	31.74	7.42	32.84
PK	5.47G	62.57	68.20	-5.63	56.21	3	Vertical	93	2.34	-	31.78	7.42	32.84
PK	5.6105G	111.08	Inf	-Inf	104.71	3	Vertical	93	2.34	-	31.72	7.52	32.87
AV	5.613G	100.44	Inf	-Inf	94.06	3	Vertical	93	2.34	-	31.73	7.52	32.87
PK	5.725G	68.11	68.20	-0.09	61.41	3	Vertical	93	2.34	-	32.05	7.56	32.91

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5610MHz\_TX




EUT\_Z\_2TX  
 Setting 15.5  
 01-R-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	11.23059G	59.44	74.00	-14.56	41.61	3	Vertical	60	2.66	-	39.66	10.70	32.53
AV	11.22906G	47.63	54.00	-6.37	29.80	3	Vertical	60	2.66	-	39.66	10.70	32.53

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5610MHz\_TX




EUT\_Z\_2TX  
 Setting 15.5  
 01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.23062G	59.65	74.00	-14.35	41.82	3	Horizontal	117	1.51	-	39.66	10.70	32.53
AV	11.21805G	47.63	54.00	-6.37	29.83	3	Horizontal	117	1.51	-	39.64	10.69	32.53

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 18  
01-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4512G	61.33	74.00	-12.67	55.06	3	Vertical	309	2.29	-	31.70	7.41	32.84
PK	5.4608G	62.89	68.20	-5.31	56.57	3	Vertical	309	2.29	-	31.74	7.42	32.84
AV	5.4584G	50.02	54.00	-3.98	43.72	3	Vertical	309	2.29	-	31.73	7.41	32.84
PK	5.6954G	111.87	Inf	-Inf	105.24	3	Vertical	309	2.29	-	31.98	7.55	32.90
AV	5.6882G	102.01	Inf	-Inf	95.40	3	Vertical	309	2.29	-	31.95	7.55	32.89
PK	5.85G	68.06	68.20	-0.14	61.20	3	Vertical	309	2.29	-	32.20	7.61	32.95

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 18  
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37541G	61.06	74.00	-12.94	42.85	3	Vertical	222	1.94	-	39.95	10.78	32.52
AV	11.38543G	49.05	54.00	-4.95	30.82	3	Vertical	222	1.94	-	39.97	10.78	32.52

5.47-5.725GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 18  
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38972G	60.55	74.00	-13.45	42.31	3	Horizontal	326	1.59	-	39.98	10.78	32.52
AV	11.38972G	48.85	54.00	-5.15	30.61	3	Horizontal	326	1.59	-	39.98	10.78	32.52

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5745MHz\_TX




EUT\_Z\_2TX  
 Setting 21.5  
 01-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6495G	68.16	68.20	-0.04	61.71	3	Vertical	126	2.32	-	31.80	7.53	32.88
PK	5.747G	120.48	Inf	-Inf	113.74	3	Vertical	126	2.32	-	32.09	7.56	32.91
AV	5.746G	111.36	Inf	-Inf	104.62	3	Vertical	126	2.32	-	32.09	7.56	32.91
PK	5.987G	61.99	68.20	-6.21	54.85	3	Vertical	126	2.32	-	32.47	7.67	33.00



5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5745MHz\_TX




EUT\_Z\_2TX  
Setting 21.5  
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49087G	59.73	74.00	-14.27	41.35	3	Vertical	144	1.30	-	40.06	10.84	32.52
AV	11.50167G	47.66	54.00	-6.34	29.23	3	Vertical	144	1.30	-	40.10	10.85	32.52

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5745MHz\_TX




EUT\_Z\_2TX  
Setting 21.5  
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48814G	59.90	74.00	-14.10	41.53	3	Horizontal	5	2.84	-	40.05	10.84	32.52
AV	11.49849G	47.71	54.00	-6.29	29.30	3	Horizontal	5	2.84	-	40.09	10.84	32.52

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5785MHz\_TX




EUT\_Z\_2TX  
Setting 22  
01-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6405G	62.78	68.20	-5.42	56.35	3	Vertical	127	2.27	-	31.78	7.53	32.88
PK	5.784G	121.26	Inf	-Inf	114.44	3	Vertical	127	2.27	-	32.17	7.58	32.93
AV	5.784G	111.34	Inf	-Inf	104.52	3	Vertical	127	2.27	-	32.17	7.58	32.93
PK	5.937G	63.68	68.20	-4.52	56.61	3	Vertical	127	2.27	-	32.40	7.65	32.98

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5785MHz\_TX




EUT\_Z\_2TX  
Setting 22  
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57561G	60.26	74.00	-13.74	41.93	3	Vertical	297	1.88	-	39.95	10.89	32.51
AV	11.56874G	47.92	54.00	-6.08	29.59	3	Vertical	297	1.88	-	39.96	10.88	32.51

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5785MHz\_TX




EUT\_Z\_2TX  
Setting 22  
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58062G	59.71	74.00	-14.29	41.39	3	Horizontal	31	2.40	-	39.94	10.89	32.51
AV	11.5817G	48.00	54.00	-6.00	29.68	3	Horizontal	31	2.40	-	39.94	10.89	32.51

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5825MHz\_TX



EUT\_Z\_2TX  
Setting 22  
01-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.628G	59.95	68.20	-8.25	53.53	3	Vertical	96	2.27	-	31.76	7.53	32.87
PK	5.823G	119.49	Inf	-Inf	112.64	3	Vertical	96	2.27	-	32.20	7.59	32.94
AV	5.8235G	110.24	Inf	-Inf	103.39	3	Vertical	96	2.27	-	32.20	7.59	32.94
PK	5.9365G	65.09	68.20	-3.11	58.02	3	Vertical	96	2.27	-	32.40	7.65	32.98