



PROPRIETARY TO ELO TOUCHSYSTEMS, INC. AND SHALL NOT BE DISCLOSED
OTHER THAN TO NECESSARY EMPLOYEES OR SUPPLIERS WITHOUT THE
EXPRESS WRITTEN CONSENT OF ELO TOUCHSYSTEMS, INC.

REVISION					
REV	ZONE	BY	DESCRIPTION	DATE	APPROVED
A		EVAN	initial release per CO-21-0580	3/25/2021	
B		EVAN	Update Canada IC:CAN ICES-003(A) / NMB-003(A)/ IC ID: 10757B-ESY14/ FCC ID:RBWESY14 CO-21-XXXX	5/20/2021	


ESY2214,GMS SAFETY LABEL ,
White Ground
P/N: E101749
SCALE 1:1




ESY2214,GMS SAFETY LABEL ,
Black Ground
P/N: E101947
SCALE 1:1




ESY2214,AOSP SAFETY LABEL ,
White Ground
P/N: E103869
SCALE 1:1



ESY2214,AOSP SAFETY LABEL ,
Black Ground
P/N: E103669
SCALE 1:1




ESY2214,GMS SAFETY LABEL
Artwork for Label Manufacture-White
SCALE 1:1 OUTLINE




ESY2214,GMS SAFETY LABEL
Artwork for Label Manufacture-Black
SCALE 1:1 OUTLINE



ESY2214,AOSP SAFETY LABEL
Artwork for Label Manufacture-White
SCALE 1:1 OUTLINE



ESY2214,AOSP SAFETY LABEL
Artwork for Label Manufacture-Black
SCALE 1:1 OUTLINE



- NOTES:(UNLESS OTHERWISE SPECIFIED)
1. BASE MATERIAL: UL RECOGNIZED #50 SILVER MATTE POLYESTER.
 2. BACKGROUND PRINTING OF BASE MATERIAL: REFER TO COLOR TABLE
 3. TOP SURFACE OF LABEL TO BE UL RECOGNIZED #25 TRANSMATTE.
 4. ADHESIVE: UL RECOGNIZED PERMANENT ACRYLIC ON BACK SIDE
 - 5.PRINTING TEXT COLOR: REFER TO COLOR LABEL
 6. BARCODE RULE REFER TO DOCUMENT MP500310
 7. FINISHED SAFETY LABEL WITH PRINTING TO BE UL PGDQ2 OR PGJ12 COMPLIANT.
 8. ALL MATERIAL AND COATING TO BE ROHS COMPLIANT.
 9. INTERPRET DRAWING PER ASME STANDARD Y-14.5M-1994.
 - 10.ALL MATERIAL MUST COMPLY TO ELO MATERIAL COMPOSTION SPECIFICATION ES600973.


LABEL P/N TABLE		PRODUCT TABLE		COLOR TABLE	
P/N	DESCRIPTION	P/N	DESCRIPTION	BACK GROUND	TEXT
E101749	Label, Safety, White, GMS,ESY2214	E413211	ESY2214-2UWD-0-4G-3E-AQ-GMS-WH-NS	WHITE	BLACK
E101947	Label, Safety, Black, GMS,ESY2214	E391414	ESY2214-2UWD-0-4G-3E-AQ-GMS-BK-NS	BLACK	GREY
E103869	Label, Safety, White, AOSP,ESY2214	E413009	ESY2214-2UWD-0-4G-3E-AQ-AOSP-WH-NS	WHITE	BLACK
E103669	Label, Safety,Black, AOSP,ESY2214	E391218	ESY2214-2UWD-0-4G-3E-AQ-AOSP-BK-NS	BLACK	GREY

PART. NO.		UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE IN MILLIMETERS		DRAWN EVAN		DATE 5/20/21		TITLE LABEL,SAFETY, REQUIREMENTS, ESY2214							
SEE LABEL P/N TABLE		TOLERANCES ARE: DECIMALS ANGLES ±1/2 ° FRACTIONS ±1/32		CHECK		DATE									
METRIC				DESIGN		DATE									
DO NOT SCALE DRAWING				THIRD ANGLE PROJECTION											
Drawing file name:						SIZE		SCALE		SHEET		DWG. NO.		REV	
Artwork file name:						C		1:1		1 of 1		SD610806		B	


PROPRIETARY TO ELO TOUCHSYSTEMS, INC. AND SHALL NOT BE DISCLOSED
OTHER THAN TO NECESSARY EMPLOYEES OR SUPPLIERS WITHOUT THE
EXPRESS WRITTEN CONSENT OF ELO TOUCHSYSTEMS, INC.

REVISION					
REV	ZONE	BY	DESCRIPTION	DATE	APPROVED
A		EVAN	initial release per CO-21-0580	3/26/2021	
B		EVAN	Update Canada IC:CAN ICES-003(A) / NMB-003(A)/ IC ID: 10757B-ESY14/ FCC ID:RBWESY14 CO-21-XXXX	5/20/2021	


ESY1014,GMS SAFETY LABEL ,
White Ground
P/N: E100976
SCALE 1:1




ESY1014,GMS SAFETY LABEL ,
Black Ground
P/N: E101162
SCALE 1:1




ESY1014,AOSP SAFETY LABEL ,
White Ground
P/N: E103091
SCALE 1:1



ESY1014,AOSP SAFETY LABEL ,
Black Ground
P/N: E102907
SCALE 1:1




ESY1014,GMS SAFETY LABEL
Artwork for Label Manufacture-White
SCALE 1:1 OUTLINE




ESY1014,GMS SAFETY LABEL
Artwork for Label Manufacture-Black
SCALE 1:1 OUTLINE



ESY1014,AOSP SAFETY LABEL
Artwork for Label Manufacture-White
SCALE 1:1 OUTLINE



ESY1014,AOSP SAFETY LABEL
Artwork for Label Manufacture-Black
SCALE 1:1 OUTLINE



- NOTES:(UNLESS OTHERWISE SPECIFIED)
1. BASE MATERIAL: UL RECOGNIZED #50 SILVER MATTE POLYESTER.
 2. BACKGROUND PRINTING OF BASE MATERIAL: REFER TO COLOR TABLE
 3. TOP SURFACE OF LABEL TO BE UL RECOGNIZED #25 TRANSMATTE.
 4. ADHESIVE: UL RECOGNIZED PERMANENT ACRYLIC ON BACK SIDE
 - 5.PRINTING TEXT COLOR: REFER TO COLOR LABEL
 6. BARCODE RULE REFER TO DOCUMENT MP500310
 7. FINISHED SAFETY LABEL WITH PRINTING TO BE UL PGDQ2 OR PGJ12 COMPLIANT.
 8. ALL MATERIAL AND COATING TO BE ROHS COMPLIANT.
 9. INTERPRET DRAWING PER ASME STANDARD Y-14.5M-1994.
 - 10.ALL MATERIAL MUST COMPLY TO ELO MATERIAL COMPOSTION SPECIFICATION ES600973.


LABEL P/N TABLE		PRODUCT TABLE		COLOR TABLE	
P/N	DESCRIPTION	P/N	DESCRIPTION	BACK GROUND	TEXT
E100976	Label, Safety, White, GMS,ESY1014	E411643	ESY1014-2UWD-0-4G-3E-AQ-GMS-WH-NS	WHITE	BLACK
E101162	Label, Safety, Black, GMS,ESY1014	E390647	ESY1014-2UWD-0-4G-3E-AQ-GMS-BK-NS	BLACK	GREY
E103091	Label, Safety, White, AOSP,ESY1014	E411457	ESY1014-2UWD-0-4G-3E-AQ-AOSP-WH-NS	WHITE	BLACK
E102907	Label, Safety, Black, AOSP,ESY1014	E390449	ESY1014-2UWD-0-4G-3E-AQ-AOSP-BK-NS	BLACK	GREY

PART. NO.		UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE IN MILLIMETERS		DRAWN EVAN		DATE 5/20/21		TITLE LABEL,SAFETY, REQUIREMENTS, ESY1014			
SEE LABEL P/N TABLE		TOLERANCES ARE: DECIMALS ANGLES ±1/2° FRACTIONS ±1/32		CHECK		DATE					
METRIC				DESIGN		DATE					
				THIRD ANGLE PROJECTION							
DO NOT SCALE DRAWING						SIZE	SCALE	SHEET	DWG. NO.	REV	
Drawing file name:		C	1:1			1 of 1	SD610804	B			
Artwork file name:											


PROPRIETARY TO ELO TOUCHSYSTEMS, INC. AND SHALL NOT BE DISCLOSED
OTHER THAN TO NECESSARY EMPLOYEES OR SUPPLIERS WITHOUT THE
EXPRESS WRITTEN CONSENT OF ELO TOUCHSYSTEMS, INC.

REVISION					
REV	ZONE	BY	DESCRIPTION	DATE	APPROVED
A		EVAN	initial release per CO-21-0580	3/25/2021	
B		EVAN	Update Canada IC:CAN ICES-003(A) / NMB-003(A)/ IC ID: 10757B-ESY14/ FCC ID:RBWESY14 CO-21-XXXX	5/20/2021	


ESY1514,GMS SAFETY LABEL ,
White Ground
P/N: E101365
SCALE 1:1




ESY1514,GMS SAFETY LABEL ,
Black Ground
P/N: E101565
SCALE 1:1




ESY1514,AOSP SAFETY LABEL ,
White Ground
P/N: E103469
SCALE 1:1




ESY1514,AOSP SAFETY LABEL ,
Black Ground
P/N: E103283
SCALE 1:1




ESY1514,GMS SAFETY LABEL
Artwork for Label Manufacture-White
SCALE 1:1 OUTLINE




ESY1514,GMS SAFETY LABEL
Artwork for Label Manufacture-Black
SCALE 1:1 OUTLINE



ESY1514,AOSP SAFETY LABEL
Artwork for Label Manufacture-White
SCALE 1:1 OUTLINE



ESY1514,AOSP SAFETY LABEL
Artwork for Label Manufacture-Black
SCALE 1:1 OUTLINE



- NOTES:(UNLESS OTHERWISE SPECIFIED)
1. BASE MATERIAL: UL RECOGNIZED #50 SILVER MATTE POLYESTER.
 2. BACKGROUND PRINTING OF BASE MATERIAL: REFER TO COLOR TABLE
 3. TOP SURFACE OF LABEL TO BE UL RECOGNIZED #25 TRANSMATTE.
 4. ADHESIVE: UL RECOGNIZED PERMANENT ACRYLIC ON BACK SIDE
 - 5.PRINTING TEXT COLOR: REFER TO COLOR LABEL
 6. BARCODE RULE REFER TO DOCUMENT MP500310
 7. FINISHED SAFETY LABEL WITH PRINTING TO BE UL PGDQ2 OR PGJ12 COMPLIANT.
 8. ALL MATERIAL AND COATING TO BE ROHS COMPLIANT.
 9. INTERPRET DRAWING PER ASME STANDARD Y-14.5M-1994.
 - 10.ALL MATERIAL MUST COMPLY TO ELO MATERIAL COMPOSTION SPECIFICATION ES600973.

LABEL P/N TABLE		PRODUCT TABLE		COLOR TABLE	
P/N	DESCRIPTION	P/N	DESCRIPTION	BACK GROUND	TEXT
E101365	Label, Safety, White, GMS, ESY1514	E412421	ESY1514-2UWD-0-4G-3E-AQ-GMS-WH-NS	WHITE	BLACK
E101565	Label, Safety, Black, GMS,ESY1014	E391032	ESY1514-2UWD-0-4G-3E-AQ-GMS-BK-NS	BLACK	GREY
E103469	Label, Safety, White, AOSP,ESY1514	E412234	ESY1514-2UWD-0-4G-3E-AQ-AOSP-WH-NS	WHITE	BLACK
E103283	Label, Safety,Black, AOSP, ESY1514	E390836	ESY1514-2UWD-0-4G-3E-AQ-AOSP-BK-NS	BLACK	GREY

PART. NO.	UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE IN MILLIMETERS	DRAWN EVAN	DATE 5/20/21	TITLE LABEL,SAFETY, REQUIREMENTS, ESY1514	
METRIC	TOLERANCES ARE: DECIMALS ANGLES $\pm 1/2^\circ$ FRACTIONS $\pm 1/32$	CHECK	DATE		
DO NOT SCALE DRAWING		DESIGN	DATE		
Drawing file name:		THIRD ANGLE PROJECTION		SIZE C	SCALE 1:1
Artwork file name:				SHEET 10f1	DWG. NO. SD610805
				REV B	

