



TX CH40



Date: 3.JAN.2018 15:08:25

TX CH48




Date: 3.JAN.2018 15:20:14

Test Mode: UNII-1/TX N40 Mode_CH38/CH46


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH38	5190	44.20	37.20
CH46	5230	89.79	40.40

TX CH38



Date: 3.JAN.2018 15:32:02

TX CH46




Date: 3.JAN.2018 15:32:44

Test Mode: UNII-3/ TX A Mode_CH149/CH157/CH165


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH149	5745	16.55	16.90	>=500
CH157	5785	16.59	16.70	>=500
CH165	5825	16.55	16.70	>=500

TX CH 149




Date: 3.JAN.2018 12:51:07

TX CH 157



Date: 3.JAN.2018 13:01:31

TX CH 165




Date: 3.JAN.2018 13:03:01

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH149	5745	17.71	17.60	>=500
CH157	5785	17.75	17.70	>=500
CH165	5825	17.79	17.80	>=500

TX CH 149




Date: 3.JAN.2018 13:12:50

TX CH 157



Date: 3.JAN.2018 13:14:06

TX CH 165




Date: 3.JAN.2018 13:15:26

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH151	5755	36.60	36.80	≥ 500
CH159	5795	36.60	71.40	≥ 500

TX CH 151



Date: 3.JAN.2018 13:20:10

TX CH 159




Date: 3.JAN.2018 13:21:45

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH36	5180	29.79	18.10
CH40	5200	38.15	19.70
CH48	5240	22.35	17.90

TX CH36




Date: 3.JAN.2018 15:21:25

TX CH40



Date: 3.JAN.2018 15:22:42

TX CH48




Date: 3.JAN.2018 15:30:20

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH38	5190	42.90	37.00
CH46	5230	79.80	42.00

TX CH38



Date: 3.JAN.2018 15:34:13

TX CH46




Date: 3.JAN.2018 15:35:10

Test Mode: UNII-1/TX AC80 Mode_CH42

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH42	5210	189.59	121.20

TX CH42




Date: 3.JAN.2018 15:36:09

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH149	5745	17.71	17.70	>=500
CH157	5785	17.80	17.70	>=500
CH165	5825	17.80	17.70	>=500

TX CH 149




Date: 3.JAN.2018 13:29:48

TX CH 157



Date: 3.JAN.2018 13:30:54

TX CH 165




Date: 3.JAN.2018 13:31:58

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH151	5755	36.80	36.80	≥ 500
CH159	5795	36.50	67.20	≥ 500

TX CH 151



Date: 3.JAN.2018 13:34:23

TX CH 159




Date: 3.JAN.2018 13:35:40

Test Mode: UNII-3/ TX AC80 Mode_CH155

Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH155	5775	76.00	76.40	>=500

TX CH 155



Date: 3.JAN.2018 13:38:08

APPENDIX F - MAXIMUM OUTPUT POWER

Test Mode: UNII-1/TX A Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	21.68	0.00	21.68	30.00	1.00
CH40	5200	23.25	0.00	23.25	30.00	1.00
CH48	5240	20.87	0.00	20.87	30.00	1.00

Test Mode: UNII-1/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	21.82	0.00	21.82	30.00	1.00
CH40	5200	21.67	0.00	21.67	30.00	1.00
CH48	5240	20.68	0.00	20.68	30.00	1.00

Test Mode: UNII-1/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	20.14	0.00	20.14	30.00	1.00
CH40	5200	21.64	0.00	21.64	30.00	1.00
CH48	5240	18.92	0.00	18.92	30.00	1.00

Test Mode: UNII-1/TX N20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	24.07	30.00	1.00
CH40	5200	24.67	30.00	1.00
CH48	5240	22.90	30.00	1.00

Test Mode: UNII-1/TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	18.86	0.00	18.86	30.00	1.00
CH46	5230	23.61	0.00	23.61	30.00	1.00

Test Mode: UNII-1/TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	17.04	0.00	17.04	30.00	1.00
CH46	5230	21.72	0.00	21.72	30.00	1.00

Test Mode: UNII-1/TX N40 Mode _Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	21.05	30.00	1.00
CH46	5230	25.78	30.00	1.00

Test Mode: UNII-3/ TX A Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	19.02	0.00	19.02	30.00	1.00
CH157	5785	19.43	0.00	19.43	30.00	1.00
CH165	5825	19.91	0.00	19.91	30.00	1.00

Test Mode: UNII-3/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	16.82	0.00	16.82	30.00	1.00
CH157	5785	18.41	0.00	18.41	30.00	1.00
CH165	5825	19.03	0.00	19.03	30.00	1.00

Test Mode: UNII-3/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	15.23	0.00	15.23	30.00	1.00
CH157	5785	16.02	0.00	16.02	30.00	1.00
CH165	5825	16.73	0.00	16.73	30.00	1.00

Test Mode: UNII-3/TX N20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	19.11	30.00	1.00
CH157	5785	20.39	30.00	1.00
CH165	5825	21.04	30.00	1.00

Test Mode: UNII-3/ TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	19.63	0.00	19.63	30.00	1.00
CH159	5795	23.48	0.00	23.48	30.00	1.00

Test Mode: UNII-3/ TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	17.74	0.00	17.74	30.00	1.00
CH159	5795	22.62	0.00	22.62	30.00	1.00

Test Mode: UNII-3/ TX N40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	21.80	30.00	1.00
CH159	5795	26.08	30.00	1.00

Test Mode: UNII-1/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	21.15	0.00	21.15	30.00	1.00
CH40	5200	24.51	0.00	24.51	30.00	1.00
CH48	5240	20.47	0.00	20.47	30.00	1.00

Test Mode: UNII-1/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	19.43	0.00	19.43	30.00	1.00
CH40	5200	22.16	0.00	22.16	30.00	1.00
CH48	5240	18.87	0.00	18.87	30.00	1.00

Test Mode: UNII-1/TX AC20 Mode _Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	23.38	30.00	1.00
CH40	5200	26.50	30.00	1.00
CH48	5240	22.75	30.00	1.00

Test Mode: UNII-1/TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	17.21	0.00	17.21	30.00	1.00
CH46	5230	23.27	0.00	23.27	30.00	1.00

Test Mode: UNII-1/TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	15.54	0.00	15.54	30.00	1.00
CH46	5230	21.44	0.00	21.44	30.00	1.00

Test Mode: UNII-1/TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	19.47	30.00	1.00
CH46	5230	25.46	30.00	1.00

Test Mode: UNII-1/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	23.95	0.00	23.95	30.00	1.00

Test Mode: UNII-1/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	22.86	0.00	22.86	30.00	1.00

Test Mode: UNII-1/TX AC80 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	26.45	30.00	1.00

Test Mode: UNII-3/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	16.53	0.00	16.53	30.00	1.00
CH157	5785	18.46	0.00	18.46	30.00	1.00
CH165	5825	19.89	0.00	19.89	30.00	1.00

Test Mode: UNII-3/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	14.82	0.00	14.82	30.00	1.00
CH157	5785	16.01	0.00	16.01	30.00	1.00
CH165	5825	16.65	0.00	16.65	30.00	1.00

Test Mode: UNII-3/TX AC20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	18.77	30.00	1.00
CH157	5785	20.42	30.00	1.00
CH165	5825	21.58	30.00	1.00

Test Mode: UNII-3/TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	19.55	0.00	19.55	30.00	1.00
CH159	5795	23.42	0.00	23.42	30.00	1.00

Test Mode: UNII-3/TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	17.60	0.00	17.60	30.00	1.00
CH159	5795	22.76	0.00	22.76	30.00	1.00

Test Mode: UNII-3/TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	21.69	30.00	1.00
CH159	5795	26.11	30.00	1.00

Test Mode: UNII-3/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	19.42	0.00	19.42	30.00	1.00

Test Mode: UNII-3/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	17.49	0.00	17.49	30.00	1.00


Test Mode: UNII-3/TX AC80 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	21.57	30.00	1.00

APPENDIX G - POWER SPECTRAL DENSITY


Test Mode: UNII-1/ TX A Mode_CH36/CH40/CH48

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	14.45	0.00	14.45	17.00
CH40	5200	15.89	0.00	15.89	17.00
CH48	5240	14.16	0.00	14.16	17.00




Date: 3.JAN.2018 11:01:20

CH40



Date: 3.JAN.2018 12:43:21


CH48



Date: 3.JAN.2018 12:46:49


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	12.97	0.00	12.97	17.00
CH40	5200	14.34	0.00	14.34	17.00
CH48	5240	12.58	0.00	12.58	17.00




Date: 3.JAN.2018 15:07:41

CH40



Date: 3.JAN.2018 15:15:36

CH48




Date: 3.JAN.2018 15:20:23

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	11.11	0.00	11.11	17.00
CH40	5200	13.01	0.00	13.01	17.00
CH48	5240	10.11	0.00	10.11	17.00

CH36




Date: 3.JAN.2018 14:43:25

CH40



Date: 3.JAN.2018 15:17:03

CH48



Date: 3.JAN.2018 14:47:52


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	15.15	17.00
CH40	5200	16.74	17.00
CH48	5240	14.53	17.00

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	7.92	0.00	7.92	17.00
CH46	5230	11.67	0.00	11.67	17.00

CH38



Date: 3.JAN.2018 15:32:14

CH46




Date: 3.JAN.2018 15:32:56

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	5.91	0.00	5.91	17.00
CH46	5230	9.78	0.00	9.78	17.00

CH38



Date: 3.JAN.2018 14:56:50

CH46



Date: 3.JAN.2018 14:57:49


Test Mode: UNII-1/TX N40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	10.04	17.00
CH46	5230	13.84	17.00

Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	10.88	0.00	10.88	30.00
CH157	5785	10.08	0.00	10.08	30.00
CH165	5825	9.87	0.00	9.87	30.00

TX CH149




Date: 3.JAN.2018 12:51:15

TX CH157



Date: 3.JAN.2018 13:01:40


TX CH165



Date: 3.JAN.2018 13:03:10


Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	7.87	0.00	7.87	30.00
CH157	5785	8.36	0.00	8.36	30.00
CH165	5825	9.27	0.00	9.27	30.00




Date: 3.JAN.2018 13:12:59

TX CH157



Date: 3.JAN.2018 13:14:15

TX CH165




Date: 3.JAN.2018 13:15:35

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	6.37	0.00	6.37	30.00
CH157	5785	6.58	0.00	6.58	30.00
CH165	5825	6.26	0.00	6.26	30.00

TX CH149




Date: 3.JAN.2018 13:46:54

TX CH157



Date: 3.JAN.2018 13:48:08

TX CH165



Date: 3.JAN.2018 13:49:27


Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	10.19	30.00
CH157	5785	10.57	30.00
CH165	5825	11.03	30.00

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	7.52	0.00	7.52	30.00
CH159	5795	10.17	0.00	10.17	30.00

TX CH151



Date: 3.JAN.2018 13:20:22

TX CH159




Date: 3.JAN.2018 13:21:57

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	5.67	0.00	5.67	30.00
CH159	5795	8.99	0.00	8.99	30.00

TX CH151



Date: 3.JAN.2018 14:30:25

TX CH159




Date: 3.JAN.2018 14:32:56

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	9.70	30.00
CH159	5795	12.63	30.00


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	13.57	0.00	13.57	17.00
CH40	5200	14.28	0.00	14.28	17.00
CH48	5240	12.26	0.00	12.26	17.00




Date: 3.JAN.2018 15:21:34

CH40



Date: 3.JAN.2018 15:28:48


CH48



Date: 3.JAN.2018 15:30:29


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	11.55	0.00	11.55	17.00
CH40	5200	13.40	0.00	13.40	17.00
CH48	5240	10.40	0.00	10.40	17.00




Date: 3.JAN.2018 14:51:40

CH40



Date: 3.JAN.2018 15:42:29

CH48



Date: 3.JAN.2018 14:54:00


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	15.69	17.00
CH40	5200	16.87	17.00
CH48	5240	14.44	17.00

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	7.92	0.00	7.92	17.00
CH46	5230	11.56	0.00	11.56	17.00

CH38



Date: 3.JAN.2018 15:34:24

CH46




Date: 3.JAN.2018 15:35:22

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	5.63	0.00	5.63	17.00
CH46	5230	9.51	0.00	9.51	17.00

CH38



Date: 3.JAN.2018 14:59:47

CH46




Date: 3.JAN.2018 15:00:40

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	9.93	17.00
CH46	5230	13.67	17.00

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	11.63	0.00	11.63	17.00



Date: 3.JAN.2018 15:36:21

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	9.75	0.00	9.75	17.00



Date: 3.JAN.2018 15:02:01


Test Mode: UNII-1/TX AC80 Mode_CH42_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	13.80	17.00

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	8.32	0.00	8.32	30.00
CH157	5785	8.75	0.00	8.75	30.00
CH165	5825	8.64	0.00	8.64	30.00

TX CH149




Date: 3.JAN.2018 13:29:56

TX CH157



Date: 3.JAN.2018 13:31:03

TX CH165




Date: 3.JAN.2018 13:32:07

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	5.93	0.00	5.93	30.00
CH157	5785	6.31	0.00	6.31	30.00
CH165	5825	6.17	0.00	6.17	30.00

TX CH149




Date: 3.JAN.2018 14:05:08

TX CH157



Date: 3.JAN.2018 14:06:00

TX CH165



Date: 3.JAN.2018 14:06:59


Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	10.30	30.00
CH157	5785	10.71	30.00
CH165	5825	10.59	30.00

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	7.50	0.00	7.50	30.00
CH159	5795	10.21	0.00	10.21	30.00

TX CH151



Date: 3.JAN.2018 13:34:35

TX CH159




Date: 3.JAN.2018 13:35:52

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	5.27	0.00	5.27	30.00
CH159	5795	9.17	0.00	9.17	30.00

TX CH151



Date: 3.JAN.2018 14:35:09

TX CH159



Date: 3.JAN.2018 14:36:31


Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	9.54	30.00
CH159	5795	12.73	30.00

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	5.83	0.00	5.83	30.00


TX CH155



Date: 3.JAN.2018 13:38:20

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	3.42	0.00	3.42	30.00



Date: 3.JAN.2018 14:38:20

Test Mode: UNII-3/ TX AC80 Mode_CH155_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	7.80	30.00

APPENDIX H - FREQUENCY STABILITY

Test Mode:	UNII-1
------------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
132	5179.9284
120	5179.9272
108	5179.9260
Max. Deviation (MHz)	0.0740
Max. Deviation (ppm)	14.2857

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5180.0000
-5	5179.9256
5	5179.9252
15	5179.9232
25	5179.9232
35	5179.9228
45	5179.9232
50	5179.9232
Max. Deviation (MHz)	0.0772
Max. Deviation (ppm)	14.9035

Test Mode:	UNII-3
------------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
132	5744.9256
120	5744.9200
108	5744.9156
Max. Deviation (MHz)	0.0844
Max. Deviation (ppm)	14.6910

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5745.0000
-5	5744.9144
5	5744.9136
15	5744.9132
25	5744.9128
35	5744.9120
45	5744.9116
50	5744.9112
Max. Deviation (MHz)	0.0888
Max. Deviation (ppm)	15.4569