

PCTEST ENGINEERING LABORATORY, INC.

7185 Oakland Mills Road, Columbia, MD 21046 USA Tel. 410.290.6652 / Fax 410.290.6654 http://www.pctest.com



MEASUREMENT REPORT LTE

Applicant Name: LG Electronics USA, Inc. 1000 Sylvan Avenue Englewood Cliffs, NJ 07632 **United States**

Date of Testing: 6/11 - 7/25/2019 **Test Site/Location:** PCTEST Lab. Columbia, MD, USA **Test Report Serial No.:** 1M1906100096-05-R2.ZNF

FCC ID: ZNFX320TA

APPLICANT: LG Electronics USA, Inc.

Application Type: Certification Model: LM-X320TA

Additional Model(s): LMX320TA, X320TA, LM-X320MA, LMX320MA, X320MA

EUT Type: Portable Handset

FCC Classification: PCS Licensed Transmitter Held to Ear (PCE)

FCC Rule Part(s): 22, 24, & 27

ANSI C63.26-2015, ANSI/TIA-603-E-2016, KDB 971168 D01 v03r01 **Test Procedure(s):**

This equipment has been shown to be capable of compliance with the applicable technical standards as indicated in the measurement report and was tested in accordance with the measurement procedures specified in §2.947. Test results reported herein relate only to the item(s) tested.

This revised Test Report (S/N: 1M1906100096-05-R2.ZNF) supersedes and replaces the previously issued test report (S/N: 1M1906100096-05-R1.ZNF) on the same subject device for the same type of testing as indicated. Please discard or destroy the previously issued test report(s) and dispose of it accordingly.

I attest to the accuracy of data. All measurements reported herein were performed by me or were made under my supervision and are correct to the best of my knowledge and belief. I assume full responsibility for the completeness of these measurements and vouch for the qualifications of all persons taking them.







FCC ID: ZNFX320TA	ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	(LG	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Page 1 of 231
1M1906100096-05-R2.ZNF	6/11 - 7/25/2019	Portable Handset		Page 1 01 231



TABLE OF CONTENTS

1.0	INTE	RODUCTION	6
	1.1	Scope	6
	1.2	PCTEST Test Location	6
	1.3	Test Facility / Accreditations	6
2.0	PRO	DDUCT INFORMATION	7
	2.1	Equipment Description	7
	2.2	Device Capabilities	7
	2.3	Test Configuration	7
	2.4	EMI Suppression Device(s)/Modifications	7
3.0	DES	CRIPTION OF TESTS	8
	3.1	Measurement Procedure	8
	3.2	Block C Frequency Range	8
	3.3	Block A Frequency Range	8
	3.4	Cellular - Base Frequency Blocks	8
	3.5	Cellular - Mobile Frequency Blocks	8
	3.6	PCS - Base Frequency Blocks	9
	3.7	PCS - Mobile Frequency Blocks	9
	3.8	AWS - Base Frequency Blocks	9
	3.9	AWS - Mobile Frequency Blocks	10
	3.10	BRS/EBS Frequency Block	10
	3.11	Radiated Power and Radiated Spurious Emissions	11
4.0	MEA	SUREMENT UNCERTAINTY	12
5.0	TES	T EQUIPMENT CALIBRATION DATA	13
6.0	SAM	IPLE CALCULATIONS	14
7.0	TES	T RESULTS	15
	7.1	Summary	15
	7.2	Occupied Bandwidth	17
	7.3	Spurious and Harmonic Emissions at Antenna Terminal	71
	7.4	Band Edge Emissions at Antenna Terminal	104
	7.5	Peak-Average Ratio	168
	7.6	Additional Maximum Power Reduction (A-MPR)	187
	7.7	Radiated Power (ERP/EIRP)	189
	7.8	Radiated Spurious Emissions Measurements	199
	7.9	Frequency Stability / Temperature Variation	216
8.0	CON	ICLUSION	231

FCC ID: ZNFX320TA	ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	t LG	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Page 2 of 231
1M1906100096-05-R2.ZNF	6/11 - 7/25/2019	Portable Handset		Fage 2 01 231





MEASUREMENT REPORT



FCC Part 22, 24, & 27

								1
	500 D I		ERP			RP		
Mode	FCC Rule Part	Tx Frequency (MHz)	Max. Power (W)	Max. Power (dBm)	Max. Power (W)	Max. Power (dBm)	Emission Designator	Modulation
LTE Band 71	27	665.5 - 695.5	0.035	15.39			4M56G7D	QPSK
LTE Band 71	27	665.5 - 695.5	0.019	12.89			4M54W7D	16QAM
LTE Band 71	27	665.5 - 695.5	0.018	12.49			4M52W7D	64QAM
LTE Band 71	27	668 - 693	0.038	15.79			9M01G7D	QPSK
LTE Band 71	27	668 - 693	0.021	13.29			9M04W7D	16QAM
LTE Band 71	27	668 - 693	0.020	12.99			9M00W7D	64QAM
LTE Band 71	27	670.5 - 690.5	0.035	15.49			13M5G7D	QPSK
LTE Band 71	27	670.5 - 690.5	0.019	12.79			13M5W7D	16QAM
LTE Band 71	27	670.5 - 690.5	0.018	12.49			13M5W7D	64QAM
LTE Band 71	27	673 - 688	0.040	16.00			17M9G7D	QPSK
LTE Band 71	27	673 - 688	0.022	13.42			18M0W7D	16QAM
LTE Band 71	27	673 - 688	0.021	13.17			17M9W7D	64QAM
LTE Band 12	27	699.7 - 715.3	0.042	16.19	0.068	18.34	1M09G7D	QPSK
LTE Band 12	27	699.7 - 715.3	0.026	14.19	0.043	16.34	1M10W7D	16QAM
LTE Band 12	27	699.7 - 715.3	0.021	13.19	0.034	15.34	1M09W7D	64QAM
LTE Band 12	27	700.5 - 714.5	0.045	16.49	0.073	18.64	2M71G7D	QPSK
LTE Band 12	27	700.5 - 714.5	0.029	14.59	0.047	16.74	2M71W7D	16QAM
LTE Band 12	27	700.5 - 714.5	0.022	13.49	0.037	15.64	2M71W7D	64QAM
LTE Band 12	27	701.5 - 713.5	0.042	16.24	0.069	18.39	4M55G7D	QPSK
LTE Band 12	27	701.5 - 713.5	0.027	14.29	0.044	16.44	4M53W7D	16QAM
LTE Band 12	27	701.5 - 713.5	0.021	13.19	0.034	15.34	4M53W7D	64QAM
LTE Band 12	27	704 - 711	0.046	16.59	0.075	18.74	8M99G7D	QPSK
LTE Band 12	27	704 - 711	0.029	14.69	0.048	16.84	8M99W7D	16QAM
LTE Band 12	27	704 - 711	0.023	13.59	0.037	15.74	8M99W7D	64QAM
LTE Band 13	27	779.5 - 784.5	0.047	16.68	0.076	18.83	4M55G7D	QPSK
LTE Band 13	27	779.5 - 784.5	0.030	14.76	0.049	16.91	4M52W7D	16QAM
LTE Band 13	27	779.5 - 784.5	0.021	13.28	0.035	15.43	4M56W7D	64QAM
LTE Band 13	27	782	0.045	16.58	0.075	18.73	9M01G7D	QPSK
LTE Band 13	27	782	0.029	14.60	0.047	16.75	9M02W7D	16QAM
LTE Band 13	27	782	0.021	13.13	0.034	15.28	9M00W7D	64QAM
LTE Band 26/5	22H	824.7 - 848.3	0.076	18.80	0.124	20.95	1M10G7D	QPSK
LTE Band 26/5	22H	824.7 - 848.3	0.052	17.20	0.086	19.35	1M11W7D	16QAM
LTE Band 26/5	22H	824.7 - 848.3	0.039	15.90	0.064	18.05	1M10W7D	64QAM
LTE Band 26/5	22H	825.5 - 847.5	0.077	18.85	0.126	21.00	2M72G7D	QPSK
LTE Band 26/5	22H	825.5 - 847.5	0.050	17.00	0.082	19.15	2M71W7D	16QAM
LTE Band 26/5	22H	825.5 - 847.5	0.038	15.80	0.062	17.95	2M71W7D	64QAM
LTE Band 26/5	22H	826.5 - 846.5	0.079	18.95	0.129	21.10	4M54G7D	QPSK
LTE Band 26/5	22H	826.5 - 846.5	0.054	17.30	0.088	19.45	4M54W7D	16QAM
LTE Band 26/5	22H	826.5 - 846.5	0.041	16.10	0.067	18.25	4M53W7D	64QAM
LTE Band 26/5	22H	829 - 844	0.079	18.95	0.129	21.10	9M01G7D	QPSK
LTE Band 26/5	22H	829 - 844	0.054	17.30	0.088	19.45	9M04W7D	16QAM
LTE Band 26/5	22H	829 - 844	0.041	16.10	0.067	18.25	9M03W7D	64QAM
LTE Band 26	22H	831.5 - 841.5	0.082	19.15	0.135	21.30	13M5G7D	QPSK
LTE Band 26	22H	831.5 - 841.5	0.056	17.50	0.092	19.65	13M5W7D	16QAM
LTE Band 26	22H	831.5 - 841.5	0.043	16.31	0.070	18.46	13M5W7D	64QAM

EUT Overview (<1 GHz)

FCC ID: ZNFX320TA	ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 2 of 221
1M1906100096-05-R2.ZNF	6/11 - 7/25/2019	Portable Handset	Page 3 of 231



			EI	RP		
Mode	FCC Rule Part	Tx Frequency (MHz)	Max. Power (W)	Max. Power (dBm)	Emission Designator	Modulation
LTE Band 66/4	27	1710.7 - 1779.3	0.235	23.71	1M10G7D	QPSK
LTE Band 66/4	27	1710.7 - 1779.3	0.132	21.21	1M11W7D	16QAM
LTE Band 66/4	27	1710.7 - 1779.3	0.109	20.39	1M09W7D	64QAM
LTE Band 66/4	27	1711.5 - 1778.5	0.235	23.71	2M73G7D	QPSK
LTE Band 66/4	27	1711.5 - 1778.5	0.132	21.21	2M71W7D	16QAM
LTE Band 66/4	27	1711.5 - 1778.5	0.107	20.31	2M72W7D	64QAM
LTE Band 66/4	27	1712.5 - 1777.5	0.224	23.50	4M56G7D	QPSK
LTE Band 66/4	27	1712.5 - 1777.5	0.127	21.02	4M54W7D	16QAM
LTE Band 66/4	27	1712.5 - 1777.5	0.107	20.30	4M55W7D	64QAM
LTE Band 66/4	27	1715 - 1775	0.234	23.69	9M00G7D	QPSK
LTE Band 66/4	27	1715 - 1775	0.133	21.23	8M99W7D	16QAM
LTE Band 66/4	27	1715 - 1775	0.109	20.39	9M00W7D	64QAM
LTE Band 66/4	27	1717.5 - 1772.5	0.238	23.77	13M5G7D	QPSK
LTE Band 66/4	27	1717.5 - 1772.5	0.135	21.29	13M5W7D	16QAM
LTE Band 66/4	27	1717.5 - 1772.5	0.112	20.49	13M5W7D	64QAM
LTE Band 66/4	27	1720 - 1770	0.237	23.74	18M0G7D	QPSK
LTE Band 66/4	27	1720 - 1770	0.134	21.25	17M9W7D	16QAM
LTE Band 66/4	27	1720 - 1770	0.111	20.45	18M0W7D	64QAM
LTE Band 25/2	24E	1850.7 - 1914.3	0.195	22.90	1M10G7D	QPSK
LTE Band 25/2	24E	1850.7 - 1914.3	0.110	20.40	1M11W7D	16QAM
LTE Band 25/2	24E	1850.7 - 1914.3	0.085	19.30	1M10W7D	64QAM
LTE Band 25/2	24E	1851.5 - 1913.5	0.204	23.10	2M74G7D	QPSK
LTE Band 25/2	24E	1851.5 - 1913.5	0.113	20.55	2M72W7D	16QAM
LTE Band 25/2	24E	1851.5 - 1913.5	0.089	19.50	2M72W7D	64QAM
LTE Band 25/2	24E	1852.5 - 1912.5	0.209	23.20	4M56G7D	QPSK
LTE Band 25/2	24E	1852.5 - 1912.5	0.115	20.60	4M54W7D	16QAM
LTE Band 25/2	24E	1852.5 - 1912.5	0.091	19.58	4M55W7D	64QAM
LTE Band 25/2	24E	1855 - 1910	0.220	23.43	9M01G7D	QPSK
LTE Band 25/2	24E	1855 - 1910	0.120	20.80	9M03W7D	16QAM
LTE Band 25/2	24E	1855 - 1910	0.098	19.90	9M02W7D	64QAM
LTE Band 25/2	24E	1857.5 - 1907.5	0.209	23.20	13M5G7D	QPSK
LTE Band 25/2	24E	1857.5 - 1907.5	0.115	20.60	13M5W7D	16QAM
LTE Band 25/2	24E	1857.5 - 1907.5	0.089	19.50	13M5W7D	64QAM
LTE Band 25/2	24E	1860 - 1905	0.223	23.49	18M0G7D	QPSK
LTE Band 25/2	24E	1860 - 1905	0.123	20.89	18M0W7D	16QAM
LTE Band 25/2	24E	1860 - 1905	0.124	20.92	18M0W7D	64QAM

EUT Overview (Mid Bands)

FCC ID: ZNFX320TA	ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 4 of 221
1M1906100096-05-R2.ZNF	6/11 - 7/25/2019	Portable Handset	Page 4 of 231



			EI	RP		
Mode	FCC Rule Part	Tx Frequency (MHz)	Max. Power (W)	Max. Power (dBm)	Emission Designator	Modulation
LTE Band 41 (PC2)	27	2498.5 - 2687.5	0.462	26.64	4M55G7D	QPSK
LTE Band 41 (PC2)	27	2498.5 - 2687.5	0.356	25.51	4M54W7D	16QAM
LTE Band 41 (PC2)	27	2498.5 - 2687.5	0.272	24.35	4M52W7D	64QAM
LTE Band 41 (PC2)	27	2501 - 2685	0.519	27.15	8M99G7D	QPSK
LTE Band 41 (PC2)	27	2501 - 2685	0.351	25.45	8M98W7D	16QAM
LTE Band 41 (PC2)	27	2501 - 2685	0.269	24.30	8M98W7D	64QAM
LTE Band 41 (PC2)	27	2503.5 - 2682.5	0.473	26.75	13M5G7D	QPSK
LTE Band 41 (PC2)	27	2503.5 - 2682.5	0.359	25.55	13M5W7D	16QAM
LTE Band 41 (PC2)	27	2503.5 - 2682.5	0.272	24.35	13M5W7D	64QAM
LTE Band 41 (PC2)	27	2506 - 2680	0.442	26.45	17M9G7D	QPSK
LTE Band 41 (PC2)	27	2506 - 2680	0.339	25.30	18M0W7D	16QAM
LTE Band 41 (PC2)	27	2506 - 2680	0.260	24.14	17M9W7D	64QAM
LTE Band 41 (PC3)	27	2498.5 - 2687.5	0.219	23.40	4M54G7D	QPSK
LTE Band 41 (PC3)	27	2498.5 - 2687.5	0.146	21.65	4M53W7D	16QAM
LTE Band 41 (PC3)	27	2498.5 - 2687.5	0.115	20.60	4M53W7D	64QAM
LTE Band 41 (PC3)	27	2501 - 2685	0.221	23.45	9M00G7D	QPSK
LTE Band 41 (PC3)	27	2501 - 2685	0.146	21.65	9M03W7D	16QAM
LTE Band 41 (PC3)	27	2501 - 2685	0.116	20.65	9M02W7D	64QAM
LTE Band 41 (PC3)	27	2503.5 - 2682.5	0.211	23.25	13M5G7D	QPSK
LTE Band 41 (PC3)	27	2503.5 - 2682.5	0.143	21.55	13M5W7D	16QAM
LTE Band 41 (PC3)	27	2503.5 - 2682.5	0.099	19.95	13M5W7D	64QAM
LTE Band 41 (PC3)	27	2506 - 2680	0.197	22.94	18M0G7D	QPSK
LTE Band 41 (PC3)	27	2506 - 2680	0.132	21.21	17M9W7D	16QAM
LTE Band 41 (PC3)	27	2506 - 2680	0.103	20.14	18M0W7D	64QAM

EUT Overview (High Bands)

FCC ID: ZNFX320TA	ENGINESRING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 5 of 221
1M1906100096-05-R2.ZNF	6/11 - 7/25/2019	Portable Handset	Page 5 of 231



1.0 INTRODUCTION

1.1 Scope

Measurement and determination of electromagnetic emissions (EMC) of radio frequency devices including intentional and/or unintentional radiators for compliance with the technical rules and regulations of the Federal Communications Commission and the Innovation, Science and Economic Development Canada.

1.2 PCTEST Test Location

These measurement tests were conducted at the PCTEST Engineering Laboratory, Inc. facility located at 7185 Oakland Mills Road, Columbia, MD 21046. The measurement facility is compliant with the test site requirements specified in ANSI C63.4-2014.

1.3 Test Facility / Accreditations

Measurements were performed at PCTEST Engineering Lab located in Columbia, MD 21046, U.S.A.

- PCTEST is an ISO 17025-2005 accredited test facility under the American Association for Laboratory Accreditation (A2LA) with Certificate number 2041.01 for Specific Absorption Rate (SAR), Hearing Aid Compatibility (HAC) testing, where applicable, and Electromagnetic Compatibility (EMC) testing for FCC and Innovation, Science, and Economic Development Canada rules.
- PCTEST TCB is a Telecommunication Certification Body (TCB) accredited to ISO/IEC 17065-2012 by A2LA (Certificate number 2041.03) in all scopes of FCC Rules and ISED Standards (RSS).
- PCTEST facility is a registered (2451B) test laboratory with the site description on file with ISED.

FCC ID: ZNFX320TA	PETEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	ì	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogo 6 of 221
1M1906100096-05-R2.ZNF	6/11 - 7/25/2019	Portable Handset		Page 6 of 231



2.0 PRODUCT INFORMATION

2.1 Equipment Description

The Equipment Under Test (EUT) is the **LG Portable Handset FCC ID: ZNFX320TA**. The test data contained in this report pertains only to the emissions due to the EUT's LTE function.

Test Device Serial No.: 85188, 85204, 85147, 85501

2.2 Device Capabilities

This device contains the following capabilities:

800/850/1900 CDMA (BC0, BC1, BC10), 850/1900 GSM/GPRS/EDGE, 850/1700/1900 WCDMA/HSPA, Multiband LTE, 802.11b/g/n WLAN, 802.11a/n UNII, Bluetooth (1x, EDR, LE)

LTE Band 26 (814.7 – 849 MHz) overlaps the entire frequency range of LTE Band 5 (824 – 849 MHz). Therefore, test data provided in this report covers Band 5 and the portion of Band 26 subject to Part 22.

LTE Band 66 (1710 - 1780 MHz) overlaps the entire frequency range of LTE Band 4 (1710 - 1755 MHz). Therefore, test data provided in this report covers Band 4 as well as Band 66.

LTE Band 25 (1850 - 1915 MHz) overlaps the entire frequency range of LTE Band 2 (1850 - 1910 MHz). Therefore, test data provided in this report covers Band 2 as well as Band 25.

2.3 Test Configuration

The EUT was tested per the guidance of ANSI/TIA-603-E-2016 and KDB 971168 D01 v03r01. See Section 7.0 of this test report for a description of the radiated and antenna port conducted emissions tests.

2.4 EMI Suppression Device(s)/Modifications

No EMI suppression device(s) were added and no modifications were made during testing.

FCC ID: ZNFX320TA	ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	(LG	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogo 7 of 221
1M1906100096-05-R2.ZNF	6/11 - 7/25/2019	Portable Handset		Page 7 of 231



3.0 DESCRIPTION OF TESTS

3.1 Measurement Procedure

The measurement procedures described in the document titled "Land Mobile FM or PM – Communications Equipment – Measurements and Performance Standards" (ANSI/TIA-603-E-2016) and "Procedures for Compliance Measurement of the Fundamental Emission Power of Licensed Wideband (> 1 MHz) Digital Transmission Systems" (KDB 971168 D01 v03r01) were used in the measurement of the EUT.

3.2 Block C Frequency Range

Two paired channels of 11 megahertz each are available for assignment in Block C in the 746-757 MHz and 776-787 MHz bands. In the event that no licenses for two channels in this Block C are assigned based on the results of the first auction in which such licenses were offered because the auction results do not satisfy the applicable reserve price, the spectrum in the 746-757 MHz and 776-787 MHz bands will instead be made available for assignment at a subsequent auction as follows: (i) Two paired channels of 6 megahertz each available for assignment in Block C1 in the 746-752 MHz and 776-782 MHz bands. (ii) Two paired channels of 5 megahertz each available for assignment in Block C2 in the 752-757 MHz and 782-787 MHz bands.

3.3 Block A Frequency Range

698-746 MHz band. The following frequencies are available for licensing pursuant to this part in the 698-746 MHz band: (1) Three paired channel blocks of 12 megahertz each are available for assignment as follows:


Block A: 698-704 MHz and 728-734 MHz; Block B: 704-710 MHz and 734-740 MHz; and Block C: 710-716 MHz and 740-746 MHz.

3.4 Cellular - Base Frequency Blocks



BLOCK 1: 869 – 880 MHz (A* Low + A) BLOCK 3: 890 – 891.5 MHz (A* High) BLOCK 2: 880 – 890 MHz (B) BLOCK 4: 891.5 – 894 MHz (B*)

3.5 Cellular - Mobile Frequency Blocks




BLOCK 1: 824 – 835 MHz (A* Low + A) BLOCK 3: 845 – 846.5 MHz (A* High) BLOCK 2: 835 – 845 MHz (B) BLOCK 4: 846.5 – 849 MHz (B*)


FCC ID: ZNFX320TA	PETEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 9 of 221
1M1906100096-05-R2.ZNF	6/11 - 7/25/2019	Portable Handset	Page 8 of 231



3.6 PCS - Base Frequency Blocks




3.7 PCS - Mobile Frequency Blocks



BLOCK 1: 1850 – 1865 MHz (A) BLOCK 4: 1885 – 1890 MHz (E) BLOCK 2: 1865 – 1870 MHz (D) BLOCK 5: 1890 – 1895 MHz (F) BLOCK 3: 1870 – 1885 MHz (B) BLOCK 6: 1895 – 1910 MHz (C)

3.8 AWS - Base Frequency Blocks




BLOCK 1: 2110 - 2120 MHz (A) BLOCK 2: 2120 - 2130 MHz (B) BLOCK 3: 2130 - 2135 MHz (C) BLOCK 4: 2135 – 2140 MHz (D) BLOCK 5: 2140 – 2145 MHz (E) BLOCK 6: 2145 – 2155 MHz (F)

FCC ID: ZNFX320TA	ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	(LG	Approved by: Quality Manager	
Test Report S/N:	Test Dates:	EUT Type:		Dogo 0 of 221	
1M1906100096-05-R2.ZNF	6/11 - 7/25/2019	Portable Handset		Page 9 of 231	




3.9 AWS - Mobile Frequency Blocks



BLOCK 1: 1710 – 1720 MHz (A) BLOCK 4: 1735 – 1740 MHz (D) BLOCK 2: 1720 – 1730 MHz (B) BLOCK 5: 1740 – 1745 MHz (E) BLOCK 3: 1730 – 1735 MHz (C) BLOCK 6: 1745 – 1755 MHz (F)

3.10 BRS/EBS Frequency Block



FCC ID: ZNFX320TA	ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 10 of 221
1M1906100096-05-R2.ZNF	6/11 - 7/25/2019	Portable Handset	Page 10 of 231



3.11 Radiated Power and Radiated Spurious Emissions

The radiated test facilities consisted of an indoor 3 meter semi-anechoic chamber used for final measurements and exploratory measurements, when necessary. The measurement area is contained within the semi-anechoic chamber which is shielded from any ambient interference. The test site inside the chamber is a 6m x 5.2m elliptical, obstruction-free area in accordance with Figure 5.7 of Clause 5 in ANSI C63.4-2014. Absorbers are arranged on the floor between the turn table and the antenna mast in such a way so as to maximize the reduction of reflections for measurements above 1GHz. For measurements below 1GHz, the absorbers are removed. A raised turntable is used for radiated measurement. The turn table is a continuously rotatable, remote-controlled, metallic turntable and 2 meters (6.56 ft.) in diameter. The turn table is flush with the raised floor of the chamber in order to maintain its function as a ground plane. An 80cm tall test table made of Styrodur is placed on top of the turn table. A Styrodur pedestal is placed on top of the test table to bring the total table height to 1.5m.

The equipment under test was transmitting while connected to its integral antenna and is placed on a turntable 3 meters from the receive antenna. The receive antenna height is adjusted between 1 and 4 meter height, the turntable is rotated through 360 degrees, and the EUT is manipulated through all orthogonal planes representative of its typical use to achieve the highest reading on the receive spectrum analyzer. Radiated power levels are also investigated with the receive antenna horizontally and vertically polarized. The maximized power level is recorded using the spectrum analyzer "Channel Power" function with the integration band set to the emissions' occupied bandwidth, a RMS detector, RBW = 100kHz, VBW = 300kHz, and a 1 second sweep time over a minimum of 10 sweeps, per the guidelines of KDB 971168 D01 v03r01.

Per the guidance of ANSI/TIA-603-E-2016, a half-wave dipole is then substituted in place of the EUT. For emissions above 1GHz, a horn antenna is substituted in place of the EUT. The substitute antenna is driven by a signal generator with the level of the signal generator being adjusted to obtain the same receive spectrum analyzer level previously recorded from the spurious emission from the EUT. The power of the emission is calculated using the following formula:

$$P_{d [dBm]} = P_{g [dBm]} - cable loss [dB] + antenna gain [dBd/dBi]$$

Where, P_d is the dipole equivalent power, P_g is the generator output into the substitution antenna, and the antenna gain is the gain of the substitute antenna used relative to either a half-wave dipole (dBd) or an isotropic source (dBi). The substitute level is equal to $P_{q [dBm]}$ – cable loss [dB].

The calculated P_d levels are then compared to the absolute spurious emission limit of -13dBm which is equivalent to the required minimum attenuation of 43 + 10 $log_{10}(Power_{[Watts]})$. For Band 41, the calculated P_d levels are compared to the absolute spurious emission limit of -25dBm which is equivalent to the required minimum attenuation of 55 + 10 $log_{10}(Power_{[Watts]})$.

All radiated measurements are performed in a chamber that meets the site requirements per ANSI C63.4-2014. Additionally, radiated emissions below 30MHz are also validated on an Open Area Test Site to assert correlation with the chamber measurements per the requirements of KDB 474788 D01.

FCC ID: ZNFX320TA	PETEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 11 of 221
1M1906100096-05-R2.ZNF	6/11 - 7/25/2019	Portable Handset	Page 11 of 231



4.0 MEASUREMENT UNCERTAINTY

The measurement uncertainties shown below were calculated in accordance with the requirements of ANSI C63.4-2014. All measurement uncertainty values are shown with a coverage factor of k=2 to indicate a 95% level of confidence. The measurement uncertainty shown below meets or exceeds the U_{CISPR} measurement uncertainty values specified in CISPR 16-4-2 and, thus, can be compared directly to specified limits to determine compliance.

Contribution	Expanded Uncertainty (±dB)
Conducted Bench Top Measurements	1.13
Radiated Disturbance (<1GHz)	4.98
Radiated Disturbance (>1GHz)	5.07
Radiated Disturbance (>18GHz)	5.09

FCC ID: ZNFX320TA	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 12 of 221
1M1906100096-05-R2.ZNF	6/11 - 7/25/2019	Portable Handset	Page 12 of 231



5.0 TEST EQUIPMENT CALIBRATION DATA

Test Equipment Calibration is traceable to the National Institute of Standards and Technology (NIST). Measurements antennas used during testing were calibrated in accordance to the requirements of ANSI C63.5-2017.

Manufacturer	Model	Description	Cal Date	Cal Interval	Cal Due	Serial Number
-	LTx3	Licensed Transmitter Cable Set	8/23/2018	Annual	8/23/2019	LTx3
Agilent	N9030A	PXA Signal Analyzer (44GHz)	6/12/2019	Annual	6/12/2020	MY52350166
Agilent	N9020A	MXA Signal Analyzer	4/20/2019	Annual	4/20/2020	US46470561
Com-Power	AL-130	9kHz - 30MHz Loop Antenna	10/10/2017	Biennial	10/10/2019	121034
Emco	3115	Horn Antenna (1-18GHz)	3/28/2018	Biennial	3/28/2020	9704-5182
EMCO	3160-09	Small Horn (18 - 26.5GHz)	8/9/2018	Biennial	8/9/2020	135427
Espec	ESX-2CA	Environmental Chamber	6/13/2019	Annual	6/13/2020	17620
ETS Lindgren	3164-08	Quad Ridge Horn Antenna	3/28/2018	Biennial	3/28/2020	128337
Mini Circuits	TVA-11-422	RF Power Amp		N/A		QA1317001
Mini Circuits	PWR-SEN-4GHS	USB Power Sensor	4/19/2019	Annual	4/19/2020	11401010036
Mini-Circuits	SSG-4000HP	Synthesized Signal Generator		N/A		11208010032
Rohde & Schwarz	TC-TA18	Vivaldi Antenna	8/17/2018	Biennial	8/17/2020	101072
Rohde & Schwarz	TS-PR26	18-26.5 GHz Pre-Amplifier	9/19/2018	Annual	9/19/2019	100040
Rohde & Schwarz	ESU26	EMI Test Receiver (26.5GHz)	6/5/2019	Annual	6/5/2020	100342
Rohde & Schwarz	ESU40	EMI Test Receiver (40GHz)	8/9/2018	Annual	8/9/2019	100348
Rohde & Schwarz	CMW500	Radio Communication Tester	11/14/2018	Annual	11/14/2019	100976
Rohde & Schwarz	SFUNIT-Rx	Shielded Filter Unit	6/18/2018	Annual	6/18/2019	102134
Sunol	DRH-118	Horn Antenna (1-18GHz)	8/11/2017	Biennial	8/11/2019	A050307
Sunol	JB5	Bi-Log Antenna (30M - 5GHz)	4/19/2018	Biennial	4/19/2020	A051107

Table 5-1. Test Equipment

Notes:

- 1. For equipment listed above that has a calibration date or calibration due date that falls within the test date range, care was taken to ensure that this equipment was used after the calibration date and before the calibration due date.
- 2. Equipment with a calibration date of "N/A" shown in this list was not used to make direct calibrated measurements.

FCC ID: ZNFX320TA	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogg 42 of 224
1M1906100096-05-R2.ZNF	6/11 - 7/25/2019	Portable Handset	Page 13 of 231



SAMPLE CALCULATIONS 6.0

Emission Designator

QPSK Modulation

Emission Designator = 8M62G7D

LTE BW = 8.62 MHzG = Phase Modulation

7 = Quantized/Digital Info

D = Data transmission, telemetry, telecommand

QAM Modulation

Emission Designator = 8M45W7D

LTE BW = 8.45 MHz

W = Amplitude/Angle Modulated

7 = Quantized/Digital Info

D = Data transmission, telemetry, telecommand

Spurious Radiated Emission - LTE Band

Example: Middle Channel LTE Mode 2nd Harmonic (1564 MHz)

The average spectrum analyzer reading at 3 meters with the EUT on the turntable was -81.0 dBm. The gain of the substituted antenna is 8.1 dBi. The signal generator connected to the substituted antenna terminals is adjusted to produce a reading of -81.0 dBm on the spectrum analyzer. The loss of the cable between the signal generator and the terminals of the substituted antenna is 2.0 dB at 1564 MHz. So 6.1 dB is added to the signal generator reading of -30.9 dBm yielding -24.80 dBm. The fundamental EIRP was 25.501 dBm so this harmonic was 25.501 dBm -(-24.80).

FCC ID: ZNFX320TA	PCTEST:	MEASUREMENT REPORT (CERTIFICATION)	1 LG	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Page 14 of 231
1M1906100096-05-R2.ZNF	6/11 - 7/25/2019	Portable Handset		Fage 14 01 23 1



TEST RESULTS 7.0

7.1 **Summary**

Company Name: LG Electronics USA, Inc.

FCC ID: ZNFX320TA

FCC Classification: PCS Licensed Transmitter Held to Ear (PCE)

Mode(s): <u>LTE</u>

FCC Part Section(s)	Test Description	Test Limit	Test Condition	Test Result	Reference
2.1049	Occupied Bandwidth	N/A		PASS	Section 7.2
2.1051 22.917(a) 24.238(a) 27.53(c) 27.53(g) 27.53(h)	Out of Band Emissions	> 43 + 10 log ₁₀ (P[Watts]) at Band Edge and for all out-of- band emissions			Section 7.3, 7.4
27.53(m)	Out of Band Emissions	Undesirable emissions must meet the limits detailed in 27.53(m)			Section 7.3, 7.4
24.232(d)	Peak-Average Ratio	< 13 dB	CONDUCTED		Section 7.5
2.1046	Transmitter Conducted Output Power	N/A			See RF Exposure Report
2.1046	Additional Maximum Power Reduction (A-MPR)	N/A			Section 7.6
2.1055 22.355 24.235 27.54	Frequency Stability	< 2.5 ppm (Part 22) and fundamental emissions stay within authorized frequency block (Part 24, 27)			Section 7.9

Table 7-1. Summary of Conducted Test Results

FCC ID: ZNFX320TA	PCTEST*	MEASUREMENT REPORT (CERTIFICATION)	LG	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Page 15 of 231
1M1906100096-05-R2.ZNF	6/11 - 7/25/2019	Portable Handset		rage 15 01 231



FCC Part Section(s)	Test Description	Test Limit	Test Condition	Test Result	Reference
22.913(a)(5)	Effective Radiated Power / Equivalent Isotropic Radiated Power (Band 5/26)	< 7 Watts max. ERP		PASS	Section 7.6
27.50(b)(10) 27.50(c)(10)	Effective Radiated Power / Equivalent Isotropic Radiated Power (Band 71, 12, 13)	< 3 Watts max. ERP			Section 7.6
24.232(c) 27.50(h)(2)	Equivalent Isotropic Radiated Power (Band 2/25, 41)	< 2 Watts max. EIRP			Section 7.6
27.50(d)(4)	Equivalent Isotropic Radiated Power (Band 4/66)	< 1 Watts max. EIRP	RADIATED		Section 7.6
2.1053 22.917(a) 24.238(a) 27.53(c) 27.53(g) 27.53(h)	Undesirable Emissions (Band 12, 13, 26/5, 66/4, 25/2)	> 43 + 10 log ₁₀ (P[Watts]) for all out-of-band emissions			Section 7.8
27.53(f)	Undesirable Emissions (Band 13)	< -70 dBW/MHz (for wideband signals) < -80 dBW (for discrete emissions less than 700Hz BW) For all emissions in the band 1559 – 1610 MHz			Section 7.8
27.53(m)	Undesirable Emissions (Band 41)	Undesirable emissions must meet the limits detailed in 27.53(m)			Section 7.8

Table 7-2. Summary of Radiated Test Results

Notes:

- 1) All modes of operation and data rates were investigated. The test results shown in the following sections represent the worst case emissions.
- 2) The analyzer plots (Sections 7.2, 7.3, 7.4, 7.5) were all taken with a correction table loaded into the analyzer. The correction table was used to account for the losses of the cables, directional couplers, and attenuators used as part of the system to maintain a link between the call box and the EUT at all frequencies of interest.
- 3) All antenna port conducted emissions testing was performed on a test bench with the antenna port of the EUT connected to the spectrum analyzer through calibrated cables, attenuators, and couplers.
- 4) For conducted spurious emissions, automated test software was used to measure emissions and capture the corresponding plots necessary to show compliance. The measurement software utilized is PCTEST "LTE Automation," Version 4.8.

FCC ID: ZNFX320TA	ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	LG	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogo 16 of 221
1M1906100096-05-R2.ZNF	6/11 - 7/25/2019	Portable Handset		Page 16 of 231



7.2 **Occupied Bandwidth**

Test Overview

The occupied bandwidth, that is the frequency bandwidth such that, below its lower and above its upper frequency limits, the mean powers radiated are each equal to 0.5 percent of the total mean power radiated by a given emission shall be measured. All modes of operation were investigated and the worst case configuration results are reported in this section.

Test Procedure Used

KDB 971168 D01 v03r01 - Section 4.2

Test Settings

- 1. The signal analyzer's automatic bandwidth measurement capability was used to perform the 99% occupied bandwidth and the 26dB bandwidth. The bandwidth measurement was not influenced by any intermediate power nulls in the fundamental emission.
- 2. RBW = 1 5% of the expected OBW
- 3. VBW \geq 3 x RBW
- 4. Detector = Peak
- 5. Trace mode = max hold
- 6. Sweep = auto couple
- 7. The trace was allowed to stabilize
- 8. If necessary, steps 2 7 were repeated after changing the RBW such that it would be within
 - 1 5% of the 99% occupied bandwidth observed in Step 7

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.



Figure 7-1. Test Instrument & Measurement Setup

Test Notes

None.

FCC ID: ZNFX320TA	ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	LG	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogo 17 of 221
1M1906100096-05-R2.ZNF	6/11 - 7/25/2019	Portable Handset		Page 17 of 231



Band 71



Plot 7-1. Occupied Bandwidth Plot (Band 71 - 5.0MHz QPSK - Full RB Configuration)



Plot 7-2. Occupied Bandwidth Plot (Band 71 - 5.0MHz 16-QAM - Full RB Configuration)

FCC ID: ZNFX320TA	PETEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 18 of 221
1M1906100096-05-R2.ZNF	6/11 - 7/25/2019	Portable Handset	Page 18 of 231





Plot 7-3. Occupied Bandwidth Plot (Band 71 - 5.0MHz 64-QAM - Full RB Configuration)



Plot 7-4. Occupied Bandwidth Plot (Band 71 - 10.0MHz QPSK - Full RB Configuration)

FCC ID: ZNFX320TA	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 10 of 221
1M1906100096-05-R2.ZNF	6/11 - 7/25/2019	Portable Handset	Page 19 of 231





Plot 7-5. Occupied Bandwidth Plot (Band 71 - 10.0MHz 16-QAM - Full RB Configuration)



Plot 7-6. Occupied Bandwidth Plot (Band 71 - 10.0MHz 64-QAM - Full RB Configuration)

FCC ID: ZNFX320TA	ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 20 of 221
1M1906100096-05-R2.ZNF	6/11 - 7/25/2019	Portable Handset	Page 20 of 231






Plot 7-7. Occupied Bandwidth Plot (Band 71 - 15.0MHz QPSK - Full RB Configuration)



Plot 7-8. Occupied Bandwidth Plot (Band 71 - 15.0MHz 16-QAM - Full RB Configuration)

FCC ID: ZNFX320TA	PCTEST	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 21 of 221
1M1906100096-05-R2.ZNF	6/11 - 7/25/2019	Portable Handset	Page 21 of 231





Plot 7-9. Occupied Bandwidth Plot (Band 71 - 15.0MHz 64-QAM - Full RB Configuration)



Plot 7-10. Occupied Bandwidth Plot (Band 71 - 20.0MHz QPSK - Full RB Configuration)

FCC ID: ZNFX320TA	PETEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 22 of 224
1M1906100096-05-R2.ZNF	6/11 - 7/25/2019	Portable Handset	Page 22 of 231





Plot 7-11. Occupied Bandwidth Plot (Band 71 - 20.0MHz 16-QAM - Full RB Configuration)



Plot 7-12. Occupied Bandwidth Plot (Band 71 - 20.0MHz 64-QAM - Full RB Configuration)

FCC ID: ZNFX320TA	ENGINESHING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	1 LG	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogo 22 of 221
1M1906100096-05-R2.ZNF	6/11 - 7/25/2019	Portable Handset		Page 23 of 231



Band 12



Plot 7-13. Occupied Bandwidth Plot (Band 12 - 1.4MHz QPSK - Full RB Configuration)



Plot 7-14. Occupied Bandwidth Plot (Band 12 - 1.4MHz 16-QAM - Full RB Configuration)

FCC ID: ZNFX320TA	ENGINESRING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 24 of 221
1M1906100096-05-R2.ZNF	6/11 - 7/25/2019	Portable Handset	Page 24 of 231





Plot 7-15. Occupied Bandwidth Plot (Band 12 - 1.4MHz 64-QAM - Full RB Configuration)



Plot 7-16. Occupied Bandwidth Plot (Band 12 - 3.0MHz QPSK - Full RB Configuration)

FCC ID: ZNFX320TA	ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 25 of 231
1M1906100096-05-R2.ZNF	6/11 - 7/25/2019	Portable Handset	Fage 25 01 25 1





Plot 7-17. Occupied Bandwidth Plot (Band 12 - 3.0MHz 16-QAM - Full RB Configuration)



Plot 7-18. Occupied Bandwidth Plot (Band 12 - 3.0MHz 64-QAM - Full RB Configuration)

FCC ID: ZNFX320TA	PETEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	i	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogo 26 of 221
1M1906100096-05-R2.ZNF	6/11 - 7/25/2019	Portable Handset		Page 26 of 231





Plot 7-19. Occupied Bandwidth Plot (Band 12 - 5.0MHz QPSK - Full RB Configuration)



Plot 7-20. Occupied Bandwidth Plot (Band 12 - 5.0MHz 16-QAM - Full RB Configuration)

FCC ID: ZNFX320TA	PETEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 27 of 221
1M1906100096-05-R2.ZNF	6/11 - 7/25/2019	Portable Handset	Page 27 of 231





Plot 7-21. Occupied Bandwidth Plot (Band 12 - 5.0MHz 64-QAM - Full RB Configuration)



Plot 7-22. Occupied Bandwidth Plot (Band 12 - 10.0MHz QPSK - Full RB Configuration)

FCC ID: ZNFX320TA	PETEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 28 of 221
1M1906100096-05-R2.ZNF	6/11 - 7/25/2019	Portable Handset	Page 28 of 231





Plot 7-23. Occupied Bandwidth Plot (Band 12 - 10.0MHz 16-QAM - Full RB Configuration)



Plot 7-24. Occupied Bandwidth Plot (Band 12 - 10.0MHz 64-QAM - Full RB Configuration)

FCC ID: ZNFX320TA	ENGINESHING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	LG	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogo 20 of 221
1M1906100096-05-R2.ZNF	6/11 - 7/25/2019	Portable Handset		Page 29 of 231



Band 13



Plot 7-25. Occupied Bandwidth Plot (Band 13 - 5.0MHz QPSK - Full RB Configuration)



Plot 7-26. Occupied Bandwidth Plot (Band 13 - 5.0MHz 16-QAM - Full RB Configuration)

FCC ID: ZNFX320TA	PETEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 20 of 221
1M1906100096-05-R2.ZNF	6/11 - 7/25/2019	Portable Handset	Page 30 of 231





Plot 7-27. Occupied Bandwidth Plot (Band 13 - 5.0MHz 64-QAM - Full RB Configuration)



Plot 7-28. Occupied Bandwidth Plot (Band 13 - 10.0MHz QPSK - Full RB Configuration)

FCC ID: ZNFX320TA	PETEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 21 of 221
1M1906100096-05-R2.ZNF	6/11 - 7/25/2019	Portable Handset	Page 31 of 231





Plot 7-29. Occupied Bandwidth Plot (Band 13 - 10.0MHz 16-QAM - Full RB Configuration)



Plot 7-30. Occupied Bandwidth Plot (Band 13 - 10.0MHz 64-QAM - Full RB Configuration)


FCC ID: ZNFX320TA	ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	LG	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogo 22 of 221
1M1906100096-05-R2.ZNF	6/11 - 7/25/2019	Portable Handset		Page 32 of 231



Band 26/5



Plot 7-31. Occupied Bandwidth Plot (Band 26/5 - 1.4MHz QPSK - Full RB Configuration)



Plot 7-32. Occupied Bandwidth Plot (Band 26/5 - 1.4MHz 16-QAM - Full RB Configuration)

FCC ID: ZNFX320TA	PETEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 22 of 221
1M1906100096-05-R2.ZNF	6/11 - 7/25/2019	Portable Handset	Page 33 of 231





Plot 7-33. Occupied Bandwidth Plot (Band 26/5 - 1.4MHz 64-QAM - Full RB Configuration)



Plot 7-34. Occupied Bandwidth Plot (Band 26/5 - 3.0MHz QPSK - Full RB Configuration)

FCC ID: ZNFX320TA	ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 24 of 221
1M1906100096-05-R2.ZNF	6/11 - 7/25/2019	Portable Handset	Page 34 of 231





Plot 7-35. Occupied Bandwidth Plot (Band 26/5 - 3.0MHz 16-QAM - Full RB Configuration)



Plot 7-36. Occupied Bandwidth Plot (Band 26/5 - 3.0MHz 64-QAM - Full RB Configuration)

FCC ID: ZNFX320TA	PETEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 25 of 221
1M1906100096-05-R2.ZNF	6/11 - 7/25/2019	Portable Handset	Page 35 of 231





Plot 7-37. Occupied Bandwidth Plot (Band 26/5 - 5.0MHz QPSK - Full RB Configuration)



Plot 7-38. Occupied Bandwidth Plot (Band 26/5 - 5.0MHz 16-QAM - Full RB Configuration)

FCC ID: ZNFX320TA	PETEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 26 of 221
1M1906100096-05-R2.ZNF	6/11 - 7/25/2019	Portable Handset	Page 36 of 231





Plot 7-39. Occupied Bandwidth Plot (Band 26/5 - 5.0MHz 64-QAM - Full RB Configuration)



Plot 7-40. Occupied Bandwidth Plot (Band 26/5 - 10.0MHz QPSK - Full RB Configuration)

FCC ID: ZNFX320TA	ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)] LG	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogo 27 of 221
1M1906100096-05-R2.ZNF	6/11 - 7/25/2019	Portable Handset		Page 37 of 231





Plot 7-41. Occupied Bandwidth Plot (Band 26/5 - 10.0MHz 16-QAM - Full RB Configuration)




Plot 7-42. Occupied Bandwidth Plot (Band 26/5 - 10.0MHz 64-QAM - Full RB Configuration)

FCC ID: ZNFX320TA	PETEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 39 of 221
1M1906100096-05-R2.ZNF	6/11 - 7/25/2019	Portable Handset	Page 38 of 231






Plot 7-43. Occupied Bandwidth Plot (Band 26 - 15.0MHz QPSK - Full RB Configuration)



Plot 7-44. Occupied Bandwidth Plot (Band 26 - 15.0MHz 16-QAM - Full RB Configuration)

FCC ID: ZNFX320TA	ENGINESHING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	LG	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dago 20 of 221
1M1906100096-05-R2.ZNF	6/11 - 7/25/2019	Portable Handset		Page 39 of 231





Plot 7-45. Occupied Bandwidth Plot (Band 26 - 15.0MHz 64-QAM - Full RB Configuration)


FCC ID: ZNFX320TA	ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Domo 40 of 224
1M1906100096-05-R2.ZNF	6/11 - 7/25/2019	Portable Handset	Page 40 of 231



Band 66/4



Plot 7-46. Occupied Bandwidth Plot (Band 66/4 - 1.4MHz QPSK - Full RB Configuration)




Plot 7-47. Occupied Bandwidth Plot (Band 66/4 - 1.4MHz 16-QAM - Full RB Configuration)

FCC ID: ZNFX320TA	ENGINESRING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 41 of 221
1M1906100096-05-R2.ZNF	6/11 - 7/25/2019	Portable Handset	Page 41 of 231






Plot 7-48. Occupied Bandwidth Plot (Band 66/4 - 1.4MHz 64-QAM - Full RB Configuration)




Plot 7-49. Occupied Bandwidth Plot (Band 66/4 - 3.0MHz QPSK - Full RB Configuration)

FCC ID: ZNFX320TA	PETEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 42 of 221
1M1906100096-05-R2.ZNF	6/11 - 7/25/2019	Portable Handset	Page 42 of 231





Plot 7-50. Occupied Bandwidth Plot (Band 66/4 - 3.0MHz 16-QAM - Full RB Configuration)



Plot 7-51. Occupied Bandwidth Plot (Band 66/4 - 3.0MHz 64-QAM - Full RB Configuration)

FCC ID: ZNFX320TA	PETEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 42 of 221
1M1906100096-05-R2.ZNF	6/11 - 7/25/2019	Portable Handset	Page 43 of 231





Plot 7-52. Occupied Bandwidth Plot (Band 66/4 - 5.0MHz QPSK - Full RB Configuration)



Plot 7-53. Occupied Bandwidth Plot (Band 66/4 - 5.0MHz 16-QAM - Full RB Configuration)

FCC ID: ZNFX320TA	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 44 of 224
1M1906100096-05-R2.ZNF	6/11 - 7/25/2019	Portable Handset	Page 44 of 231





Plot 7-54. Occupied Bandwidth Plot (Band 66/4 - 5.0MHz 64-QAM - Full RB Configuration)



Plot 7-55. Occupied Bandwidth Plot (Band 66/4 - 10.0MHz QPSK - Full RB Configuration)

FCC ID: ZNFX320TA	PETEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 45 of 221
1M1906100096-05-R2.ZNF	6/11 - 7/25/2019	Portable Handset	Page 45 of 231





Plot 7-56. Occupied Bandwidth Plot (Band 66/4 - 10.0MHz 16-QAM - Full RB Configuration)



Plot 7-57. Occupied Bandwidth Plot (Band 66/4 - 10.0MHz 64-QAM - Full RB Configuration)

FCC ID: ZNFX320TA	PETEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 46 of 221
1M1906100096-05-R2.ZNF	6/11 - 7/25/2019	Portable Handset	Page 46 of 231






Plot 7-58. Occupied Bandwidth Plot (Band 66/4 - 15.0MHz QPSK - Full RB Configuration)



Plot 7-59. Occupied Bandwidth Plot (Band 66/4 - 15.0MHz 16-QAM - Full RB Configuration)

FCC ID: ZNFX320TA	PETEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 47 of 221
1M1906100096-05-R2.ZNF	6/11 - 7/25/2019	Portable Handset	Page 47 of 231





Plot 7-60. Occupied Bandwidth Plot (Band 66/4 - 15.0MHz 64-QAM - Full RB Configuration)



Plot 7-61. Occupied Bandwidth Plot (Band 66/4 - 20.0MHz QPSK - Full RB Configuration)

FCC ID: ZNFX320TA	PETEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	LG	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogo 49 of 221
1M1906100096-05-R2.ZNF	6/11 - 7/25/2019	Portable Handset		Page 48 of 231





Plot 7-62. Occupied Bandwidth Plot (Band 66/4 - 20.0MHz 16-QAM - Full RB Configuration)



Plot 7-63. Occupied Bandwidth Plot (Band 66/4 - 20.0MHz 64-QAM - Full RB Configuration)


FCC ID: ZNFX320TA	PETEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 40 of 221
1M1906100096-05-R2.ZNF	6/11 - 7/25/2019	Portable Handset	Page 49 of 231



Band 25/2



Plot 7-64. Occupied Bandwidth Plot (Band 25/2 - 1.4MHz QPSK - Full RB Configuration)



Plot 7-65. Occupied Bandwidth Plot (Band 25/2 - 1.4MHz 16-QAM - Full RB Configuration)

FCC ID: ZNFX320TA	ENGINESRING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dago FO of 221
1M1906100096-05-R2.ZNF	6/11 - 7/25/2019	Portable Handset	Page 50 of 231





Plot 7-66. Occupied Bandwidth Plot (Band 25/2 - 1.4MHz 64-QAM - Full RB Configuration)



Plot 7-67. Occupied Bandwidth Plot (Band 25/2 - 3.0MHz QPSK - Full RB Configuration)

FCC ID: ZNFX320TA	ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 51 of 221
1M1906100096-05-R2.ZNF	6/11 - 7/25/2019	Portable Handset	Page 51 of 231





Plot 7-68. Occupied Bandwidth Plot (Band 25/2 - 3.0MHz 16-QAM - Full RB Configuration)



Plot 7-69. Occupied Bandwidth Plot (Band 25/2 - 3.0MHz 64-QAM - Full RB Configuration)

FCC ID: ZNFX320TA	PETEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 52 of 221
1M1906100096-05-R2.ZNF	6/11 - 7/25/2019	Portable Handset	Page 52 of 231





Plot 7-70. Occupied Bandwidth Plot (Band 25/2 - 5.0MHz QPSK - Full RB Configuration)



Plot 7-71. Occupied Bandwidth Plot (Band 25/2 - 5.0MHz 16-QAM - Full RB Configuration)

FCC ID: ZNFX320TA	PETEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 52 of 221
1M1906100096-05-R2.ZNF	6/11 - 7/25/2019	Portable Handset	Page 53 of 231






Plot 7-72. Occupied Bandwidth Plot (Band 25/2 - 5.0MHz 64-QAM - Full RB Configuration)



Plot 7-73. Occupied Bandwidth Plot (Band 25/2 - 10.0MHz QPSK - Full RB Configuration)

FCC ID: ZNFX320TA	ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)] LG	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogo 54 of 221
1M1906100096-05-R2.ZNF	6/11 - 7/25/2019	Portable Handset		Page 54 of 231






Plot 7-74. Occupied Bandwidth Plot (Band 25/2 - 10.0MHz 16-QAM - Full RB Configuration)



Plot 7-75. Occupied Bandwidth Plot (Band 25/2 - 10.0MHz 64-QAM - Full RB Configuration)

FCC ID: ZNFX320TA	ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dago EE of 224
1M1906100096-05-R2.ZNF	6/11 - 7/25/2019	Portable Handset	Page 55 of 231






Plot 7-76. Occupied Bandwidth Plot (Band 25/2 - 15.0MHz QPSK - Full RB Configuration)



Plot 7-77. Occupied Bandwidth Plot (Band 25/2 - 15.0MHz 16-QAM - Full RB Configuration)

FCC ID: ZNFX320TA	ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 56 of 224
1M1906100096-05-R2.ZNF	6/11 - 7/25/2019	Portable Handset	Page 56 of 231





Plot 7-78. Occupied Bandwidth Plot (Band 25/2 - 15.0MHz 64-QAM - Full RB Configuration)



Plot 7-79. Occupied Bandwidth Plot (Band 25/2 - 20.0MHz QPSK - Full RB Configuration)

FCC ID: ZNFX320TA	PETEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 57 of 221
1M1906100096-05-R2.ZNF	6/11 - 7/25/2019	Portable Handset	Page 57 of 231





Plot 7-80. Occupied Bandwidth Plot (Band 25/2 - 20.0MHz 16-QAM - Full RB Configuration)



Plot 7-81. Occupied Bandwidth Plot (Band 25/2 - 20.0MHz 64-QAM - Full RB Configuration)

FCC ID: ZNFX320TA	PETEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 59 of 221
1M1906100096-05-R2.ZNF	6/11 - 7/25/2019	Portable Handset	Page 58 of 231



Band 41 (PC2)



Plot 7-82. Occupied Bandwidth Plot (Band 41 - 5.0MHz QPSK - Full RB Configuration)



Plot 7-83. Occupied Bandwidth Plot (Band 41 - 5.0MHz 16-QAM - Full RB Configuration)

FCC ID: ZNFX320TA	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	(LG	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogo F0 of 221
1M1906100096-05-R2.ZNF	6/11 - 7/25/2019	Portable Handset		Page 59 of 231
0.0040 DOTEOT F : : ! ! !	1100000010110010			





Plot 7-84. Occupied Bandwidth Plot (Band 41 - 5.0MHz 64-QAM - Full RB Configuration)



Plot 7-85. Occupied Bandwidth Plot (Band 41 - 10.0MHz QPSK - Full RB Configuration)

FCC ID: ZNFX320TA	PETEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 60 of 221
1M1906100096-05-R2.ZNF	6/11 - 7/25/2019	Portable Handset	Page 60 of 231





Plot 7-86. Occupied Bandwidth Plot (Band 41 - 10.0MHz 16-QAM - Full RB Configuration)




Plot 7-87. Occupied Bandwidth Plot (Band 41 - 10.0MHz 64-QAM - Full RB Configuration)

FCC ID: ZNFX320TA	ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 61 of 221
1M1906100096-05-R2.ZNF	6/11 - 7/25/2019	Portable Handset	Page 61 of 231






Plot 7-88. Occupied Bandwidth Plot (Band 41 - 15.0MHz QPSK - Full RB Configuration)



Plot 7-89. Occupied Bandwidth Plot (Band 41 - 15.0MHz 16-QAM - Full RB Configuration)

FCC ID: ZNFX320TA	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	G	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogo 62 of 221
1M1906100096-05-R2.ZNF	6/11 - 7/25/2019	Portable Handset		Page 62 of 231





Plot 7-90. Occupied Bandwidth Plot (Band 41 - 15.0MHz 64-QAM - Full RB Configuration)



Plot 7-91. Occupied Bandwidth Plot (Band 41 - 20.0MHz QPSK - Full RB Configuration)

FCC ID: ZNFX320TA	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 63 of 231
1M1906100096-05-R2.ZNF	6/11 - 7/25/2019	Portable Handset	Fage 63 01 23 1





Plot 7-92. Occupied Bandwidth Plot (Band 41 - 20.0MHz 16-QAM - Full RB Configuration)



Plot 7-93. Occupied Bandwidth Plot (Band 41 - 20.0MHz 64-QAM - Full RB Configuration)


FCC ID: ZNFX320TA	PETEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	.G	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Page 64 of 231
1M1906100096-05-R2.ZNF	6/11 - 7/25/2019	Portable Handset		Page 64 01 23 1



Band 41 (PC3)



Plot 7-94. Occupied Bandwidth Plot (Band 41 - 5.0MHz QPSK - Full RB Configuration)



Plot 7-95. Occupied Bandwidth Plot (Band 41 - 5.0MHz 16-QAM - Full RB Configuration)

FCC ID: ZNFX320TA	PETEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 65 of 221
1M1906100096-05-R2.ZNF	6/11 - 7/25/2019	Portable Handset	Page 65 of 231






Plot 7-96. Occupied Bandwidth Plot (Band 41 - 5.0MHz 64-QAM - Full RB Configuration)



Plot 7-97. Occupied Bandwidth Plot (Band 41 - 10.0MHz QPSK - Full RB Configuration)

FCC ID: ZNFX320TA	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 66 of 231
1M1906100096-05-R2.ZNF	6/11 - 7/25/2019	Portable Handset	Fage 66 01 23 1





Plot 7-98. Occupied Bandwidth Plot (Band 41 - 10.0MHz 16-QAM - Full RB Configuration)




Plot 7-99. Occupied Bandwidth Plot (Band 41 - 10.0MHz 64-QAM - Full RB Configuration)

FCC ID: ZNFX320TA	ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	LG	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogo 67 of 221
1M1906100096-05-R2.ZNF	6/11 - 7/25/2019	Portable Handset		Page 67 of 231





Plot 7-100. Occupied Bandwidth Plot (Band 41 - 15.0MHz QPSK - Full RB Configuration)



Plot 7-101. Occupied Bandwidth Plot (Band 41 - 15.0MHz 16-QAM - Full RB Configuration)

FCC ID: ZNFX320TA	ENGINESRING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 68 of 231
1M1906100096-05-R2.ZNF	6/11 - 7/25/2019	Portable Handset	Fage 66 01 23 1






Plot 7-102. Occupied Bandwidth Plot (Band 41 - 15.0MHz 64-QAM - Full RB Configuration)



Plot 7-103. Occupied Bandwidth Plot (Band 41 - 20.0MHz QPSK - Full RB Configuration)

FCC ID: ZNFX320TA	PETEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 60 of 221
1M1906100096-05-R2.ZNF	6/11 - 7/25/2019	Portable Handset	Page 69 of 231





Plot 7-104. Occupied Bandwidth Plot (Band 41 - 20.0MHz 16-QAM - Full RB Configuration)



Plot 7-105. Occupied Bandwidth Plot (Band 41 - 20.0MHz 64-QAM - Full RB Configuration)

FCC ID: ZNFX320TA	PETEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 70 of 221
1M1906100096-05-R2.ZNF	6/11 - 7/25/2019	Portable Handset	Page 70 of 231



7.3 Spurious and Harmonic Emissions at Antenna Terminal

Test Overview

The level of the carrier and the various conducted spurious and harmonic frequencies is measured by means of a calibrated spectrum analyzer. The spectrum is scanned from the lowest frequency generated in the equipment up to a frequency including its 10th harmonic. All out of band emissions are measured with a spectrum analyzer connected to the antenna terminal of the EUT while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates were investigated to determine the worst case configuration. All modes of operation were investigated and the worst case configuration results are reported in this section.

The minimum permissible attenuation level of any spurious emission is 43 + 10 $log_{10}(P_{[Watts]})$, where P is the transmitter power in Watts.

For Band 41, the minimum permissible attenuation level of any spurious emission is 55 + 10 $\log_{10}(P_{[Watts]})$.

Test Procedure Used

KDB 971168 D01 v03r01 - Section 6.0

Test Settings

- 1. Start frequency was set to 30MHz and stop frequency was set to at least 10 * the fundamental frequency (separated into at least two plots per channel)
- 2. Detector = RMS
- 3. Trace mode = trace average for continuous emissions, max hold for pulse emissions
- 4. Sweep time = auto couple
- 5. The trace was allowed to stabilize
- 6. Please see test notes below for RBW and VBW settings

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.



Figure 7-2. Test Instrument & Measurement Setup


Test Notes

Compliance with the applicable limits is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kHz or greater for frequencies less than 1 GHz and 1 MHz or greater for frequencies greater than 1 GHz. However, in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emission are attenuated at least 26 dB below the transmitter power.


FCC ID: ZNFX320TA	PETEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	LG	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Page 71 of 231
1M1906100096-05-R2.ZNF	6/11 - 7/25/2019	Portable Handset		rage / 1 01 23 1



Band 71




Plot 7-106. Conducted Spurious Plot (Band 71 - 10.0MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)




Plot 7-107. Conducted Spurious Plot (Band 71 - 10.0MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)

FCC ID: ZNFX320TA	ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 72 of 224
1M1906100096-05-R2.ZNF	6/11 - 7/25/2019	Portable Handset	Page 72 of 231






Plot 7-108. Conducted Spurious Plot (Band 71 - 10.0MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)



Plot 7-109. Conducted Spurious Plot (Band 71 - 10.0MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)

FCC ID: ZNFX320TA	PETEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 72 of 221
1M1906100096-05-R2.ZNF	6/11 - 7/25/2019	Portable Handset	Page 73 of 231





Plot 7-110. Conducted Spurious Plot (Band 71 - 10.0MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)



Plot 7-111. Conducted Spurious Plot (Band 71 - 10.0MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)

FCC ID: ZNFX320TA	PETEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 74 of 224
1M1906100096-05-R2.ZNF	6/11 - 7/25/2019	Portable Handset	Page 74 of 231