### FCC 312 Schedule S

# FEDERAL COMMUNICATIONS COMMISSION SATELLITE SPACE STATION AUTHORIZATIONS (Technical and Operational Description)

Page 1: General, Frequency Bands, and GSO Orbit

#### S1. GENERAL INFORMATION Complete for all satellite applications.

. Estimated Date of Placement into Service:	i Will the space station(s) operate on a Common Carrier Basis:  N
	N
	N
Estimated Lifetime of Satellite(s):	j. Number of transponders offered on a common carrier basis:
5 Years	
o i cais	
Total Number of Transponders:	k. Total Common Carrier Transponder Bandwidth:
. Total Number of Transponders.	·
3	MHz
. Total Transponder Bandwidth (no. transponders x Bandwidth)	Orbit Type: Mark all boxes that apply:
5.05 MHz	
J.03 IVII IZ	GSO X NGSO
. 3	Total Number of Transponders:

### S2. OPERATING FREQUENCY BANDS Identify the frequency range and transmit/receive mode for all frequency bands in which this station will opera Also indicate the nature of service(s) for each frequency band.

	Frequency	Band Limits			f.
Lower Frequency	y (_Hz)	Upper Frequenc	y (_Hz)	e. T/R Mode	Nature of Service(s): List all that apply to this band
a. Numeric	b. Unit (K/M/G)	c. Numeric	d. Unit (K/M/G)		11.7
137.025	М	137.175	М	Т	NVNG MSS
137.000	М	137.025	М	Т	NVNG MSS (Non-voice, non-geostationary mobile satellite service)
137.175	M	137.825	М	Т	NVNG MSS
137.825	М	138.000	М	Т	NVNG MSS
148.000	М	149.900	М	R	NVNG MSS
149.900	М	150.050	М	R	NVNG MSS
161.000	М	161.575	М	R	AIS (USCG Automatic Identification System)
161.575	М	161.625	М	R	AIS
161.625	М	161.775	М	R	AIS
161.775	М	162.0125	М	R	AIS
162.0125	М	163.000	М	R	AIS

S3. ORBITAL INFORMATION FOR GEOSTATIONARY SATELLITES ONLY:

Page 2: NGSO Orbits

FCC Form 312 - Schedule S: (Technical and Operational Description)

#### S4. ORBITAL INFORMATION FOR NON-GEOSTATIONARY SATELLITES ONLY

S4a. Total Number of Satellites in Network or System: 17 S4c. Celestial Reference Body (Earth, Sun, Moon, etc.): E

S4b. Total Number of Orbital Planes in Network or System: 4 S4d. Orbit Epoch Date: 4/1/2014

#### For each Orbital Plane Provide:

(e) Orbital Plane No.	(f) No. of Satellites in Plane	(g) Inclination Angle (degrees)	(h) Orbital Period (Seconds)	(i) Apogee (km)	(j) Perigee (km)	(k) Right Ascension of the Ascending Node (Deg.)	(I) Argument of Perigee (Degrees)		rvice Arc Range (n) End Angle	
1	4	47	5945	715	715	0	0	0	360	
2	4	47	5945	715	715	90	0	0	360	
3	4	47	5945	715	715	180	0	0	360	
4	5	47	5945	715	715	270	0	0	360	

S5. INITIAL SATELLITE PHASE ANGLE For each satellite in each orbital plane, provide the intital phase angle.

(a) Orbital Plane No.	(b) Satellite Number	(c) Initial Phase Angle (Degrees)
1	1	0
1	2	90
1	3	180
1	4	270
2	1	0
2	2	90
2	3	180
2	4	270
3	1	0
3	2	90
3	3	180
3	4	270
4	1	0
4	2	72
4	3	144
4	4	216
4	5	288

FCC Form 312 - Schedule S: (Technical and Operational Description)

### S6. SERVICE AREA CHARACTERISTICS for each service area provide:

(a) Service Area ID	(b) Type of Associated Station (Earth or Space)	(d) Service Area Description. Provide list of geographic areas (state postal codes or ITU 3-ltr codes), satellites or Figure No. of Service Area Diagram.
A	S	Global Coverage

Page 3: Service Areas

Page 4: Antenna Beams

FCC Form 312 - Schedule S: (Technical and Operational Description)

### S7. SPACE STATION ANTENNA BEAM CHARACTERISTICS For each antenna beam provide:

(a)	(b)	Isotropic	Antenna	(e)	(f)	(g) Min.	(h) Polar-	(i) Polarization	(j) Service		Transmit				Receive		
Beam	T/R	Ga		- 3	Rotational	Cross-	ization	Alignment Rel.	Area ID	(k) Input	(I) Effective	(m)	(n)	(o) G/T	(p) Min.	Input Atten	uator (dB)
ID	Mode	` '		Error	_	Polar Iso-	Switch-	Equatorial		Losses	Output	Max.	System	Max.	Saturation	(g) Max.	(r) Step
		(dBi)	(dBi)	(Degrees)	(Degrees)	lation (dB)	able? (Y/N)	Plane (Degrees)		(dB)	Power (W)	EIRP			Flux Density	Value	Size
							( Y/IN)					(dBW)	Temp (k)	(db/K)	(dBW/m2)		
VHF-	Т	0	-5.2	0	0	18.8	N		A	1	22.4	13.5					
VHF-	R	1.5	-9.2	0	0	18.8	N		A				680	-26.8			
AIS-R	R	0.4	-0.1	0	0	18.8	N		A				680	-27.9			

Page 5: Beam Diagrams

FCC Form 312 - Schedule S: (Technical and Operational Description)

S8. ANTENNA BEAM DIAGRAMS For each beam pattern provide the reference to the graphic image and numerical data:

Also provide the power flux density levels in each beam that result from the emission with the highest power flux density.

(a) Beam	(b) T/R		Ref. Orbital		(f) GSO Antenna Gain Contour Data (GXT File)	1 1						
ID	Mode	Polar Mode ("C" or" X")	Longitude (Deg. E/W)	(Figure/Table/ Exhibit)		(g) 5 Deg	(h) 10 Deg	(i) 15 Deg	(j) 20 Deg	(k) 25 Deg		
VHF-	Т	С		Attachment A		-126.72	-126.47	-126.22	-125.89	-125.48		
VHF-	R	С		Attachment A								
AIS-R	R	С		Attachment A								

Page 6: Channels and Transponders

FCC Form 312 - Schedule S: (Technical and Operational Description)

S9. SPACE STATION CHANNELS For each frequency channel provide: S10. SPACE STATION TRANSPONDERS For each transponder provide:

(a) Channel No.	(B) Assigned Bandwidth (kHz)	(c) T/R Mode	(d) Center Frequency (MHz)	(e) Polarization (H, V, L, R)	(f) TTC or Comm Channel (T or C)
VF-T	1000	Т	137.5	R	С
VF-R	2050	R	149.025	R	С
AS-R	2000	R	162	R	С

(a)	(b)	Receive	Band	Transmit Band			
Transponder ID	Transponder Gain (dB)	(c) Channel No.	(d) Beam ID	(e) Channel No.	(f) Beam ID		
V-R		VF-R	VHF-R				
A-R		AS-R	AIS-R				
V-T				VF-T	VHF-T		

Page 7: Digital Modulation

FCC Form 312 - Schedule S: (Technical and Operational Description)

### S11. DIGITAL MODULATION PARAMETERS For each digital emission provide:

(a) Digital Mod. ID	(b) Emission Designator	(c) Assigned Bandwidth (kHz)	(d) No. of Phases	(e)Uncoded Data Rate (kbps)	(f) FEC Error Correction Coding Rate	(g) CDMA Processing Gain (dB)	(h) Total C/N Performance Objective (dB)	(i) Single Entry C/I Objective (dB)
1	6K72G1D	15	2	4.8			12.3	24.5
2	6K72G1D	15	4	7.2	0.75		8.1	20.3
3	40K3G1D	50	4	57.6			15.6	27.8
4	40K3G1D	50	16	86.4	0.75		16.4	28.6
5	10K0F1D	25	2	9.6			15.5	27.7
6	3K36G1D	5	2	2.4			12.3	24.5
7	3K60G1D	5	4	4.8	0.9		12.3	24.5

Page 8: Analog Modulation

FCC Form 312 - Schedule S: (Technical and Operational Description)

### S12. ANALOG MODULATION PARAMETERS For each analog emission provide:

(a)	(b) Emission	(c)	(d) Signal	(e)		Multi-channe	Telephony		(j) Video	(k) Video	(I) Video	(m) SCPC/FM	(n) Total C/N	(o) Single
Analog Mod. II		Assigned Bandwidth (kHz)	21 -	Channels per Carrier	(f) Ave. Companded Talker Level (dBm0)	(g) Bottom Baseband Freq. (MHz)	(h) Top Baseband Freq. (MHz)	(i) RMS Modulation Index	Standard NTSC, PAL, etc.	Noise- Weighting (dB)	and SCPC/FM Modulation Index	Compander, Preemphasis, and Noise Weighting (dB)	Performance Objective (dB)	Entry C/I Objective (dB)

Page 9: Typical Emissions

FCC Form 312 - Schedule S: (Technical and Operational Description)

### S13. TYPICAL EMISSIONS For each planned type of emission provide:

Associated		Modulation ID		` '	(f) Carrier	(g)Noise Budget	(h) Energy	Receive Band (Assoc. Transmit Stn)			Transmit Band (This Space Station)			
	Transponder ID Range		(d) Analog (Table S12)	per Transponder	Spacing (kHz)	Reference (Table No.)	Dispersal Bandwidth	(i)Assoc. Stn. Max.	Assoc. Station Transmit Power (dBW)		EIRP (dBW)		(n) Max. Power	
(a) Start	(a) Start (b) End	(Table S11)	able STT) (Table STZ)				(kHz)	Antenna Gain (dBi)	` ,				Flux Density (dBW/m2/Hz)	Stn Rec. G/T
									(j) Min.	(k) Max.	(I) Min.	(m) Max.	(0517/112/112)	(dB/K)
V-T	V-T	1		6	15	Attach 1					8.3	13.5	-125.4	-32.7
V-T	V-T	2		6	15	Attach 1					8.3	13.5	-125.4	-32.7
V-T	V-T	3		2		Attach 1					-3.9	1.3	-145.4	-12.6
V-T	V-T	4		2		Attach 1					-3.9	1.3	-145.4	-12.6
V-R	V-R	6		80	5	Attach 1		0	7	7				
V-R	V-R	7		80	5	Attach 1		0	7	7				
V-R	V-R	3		2		Attach 1		0	32.7	32.7				
V-R	V-R	4		2		Attach 1		0	32.7	32.7				
A-R	A-R	5		2	25	Attach 1		0	10.8	10.8				

FCC Form 312 - Schedule S: (Technical and Operational Description)

S14. Is the space station(s) controlled and monitored remotely? If Yes, provide the location and telephone number of the TT and C control point(s): Yes

Remote Control (TT C) Locatio	n(s):							
S14a: Street Address: 22265 Pacific Boulevard								
S14b. City:	S14c. County:		S14d. State/Country	S14e. Zip Code:				
Dulles	Loudoun		VA	20166				
S14f. Telephone Number: 703-433-6300	•	S14g. Call Sign of C	S14g. Call Sign of Control Station (if appropriate):					
Remote Control (TT C) Locatio	n(s):							
S14a: Street Address: 1527 Bray Road								
S14b. City:	S14c. County:		S14d. State/Country	S14e. Zip Code:				
Arcade	Wyoming		NY	14009				
S14f. Telephone Number:	!	S14g. Call Sign of C E940535	Control Station (if appropriate):	<u>!</u>				
Remote Control (TT C) Locatio S14a: Street Address: Lyte Lane	n(s):							
S14b. City:	S14c. County:		S14d. State/Country	S14e. Zip Code:				
Ocilla	Irwin		GA	31774				
S14f. Telephone Number:		S14g. Call Sign of Control Station (if appropriate): E940536						
Remote Control (TT C) Locatio	n(s):	•						
S14a: Street Address: State Road 61	•							
S14b. City:	S14c. County:		S14d. State/Country	S14e. Zip Code:				
St. Johns	Apache		AZ	85936				
S14f. Telephone Number:	<b>'</b>	S14g. Call Sign of C E940537	g. Call Sign of Control Station (if appropriate): 940537					

Page 10: TT and C

### Remote Control (TT C) Location(s):

S14a: Street Address: 16286 Bager Mountain Road				
S14b. City: East Wenatchee	S14c. County: Douglas		S14d. State/Country WA	S14e. Zip Code: 98801
S14f. Telephone Number:	-	S14g. Call Sign of Control Stat E940537	ion (if appropriate):	

### FEDERAL COMMUNICATIONS COMMISSION **SATELLITE SPACE STATION AUTHORIZATIONS** FCC Form 312 - Schedule S: (Technical and Operational Description)

Page 11: **Characteristics and** Certifications

#### S15. SPACECRAFT PHYSICAL CHARACTERISTICS:

S15a: Mass of spacecraft without fuel (kg): 175	Spacecraft Dimensions (meters)	Probability of Survival to End of Life (0.0 - 1.0)
S15b. Mass of fuel and disposables at launch (kg): 10.3		
S15c. Mass of spacecraft and fuel at launch (kg): 185.3	S15f. Length (m):	S15i. Payload: 0.8367
S15d. Mass of fuel, in orbit, at beginning of life (kg): 10.3	S15g. Width (m):	S15j. Bus: 0.8367
S15e. Deployed Area of Solar Array (square meters): 2.7	S15h. Height (m): 7.5	S15k. Total: 0.7

#### S16. SPACECRAFT ELECTRICAL CHARACTERISTICS:

Spacecraft Subsystem		ver (Watts) At ng of Life	Electrical Power (Watts) At End of Life					
	At Equinox	At Solstice	At Equinox	At Solstice				
Payload (Watts):	<sup>(a):</sup> 250	<sup>(f):</sup> 250	<sup>(k):</sup> 250	<sup>(p):</sup> 250				
Bus (Watts):	<sup>(b):</sup> 50			<sup>(q):</sup> 50				
Total (Watts):	(c): 300	<sup>(h):</sup> 300	<sup>(m)</sup> 300	(r): 300				
Solar Array (Watts):	<sup>(d):</sup> 600	<sup>(i):</sup> 537	<sup>(n):</sup> 552	<sup>(s):</sup> 494				
Depth of Battery Discharge (%):	<sup>(e)</sup> 20 %	<sup>(j)</sup> 20 %	<sup>(o)</sup> 20 %	<sup>(t)</sup> 20 %				

#### S17. CERTIFICATIONS:

a. Are the power flux density limits of § 25.208 met?:		YES		NO	Χ	N/A		
b. Are the appropriate service area coverage requirements of § 25.143(b)(ii) and (iii), or § 25.145(c)(1) and (2) met?		YES		NO	Χ	N/A		
c. Are the frequency tolerances of § 25.202(e) and the out-of-band emission limits of § 25.202(f)(1), (2) and (3) met	? X	YES		NO		N/A		
In addition to the information required in this Form, the space station applicant is required to provide all the information specified in Section 25.114 of the								

Commission's rules, 47 C.F.R § 25.114.

#### FCC NOTICE REQUIRED BY THE PAPERWORK REDUCTION ACT

The public reporting estimate for this collection of information includes the time for reviewing instructions, searching existing data sources, gathering and maintaining the required data, and completing and reviewing the collection of information. If you have any comments on this burden estimate, or how we can improve the collection and reduce the burden it causes you, please write to the Federal Communications Commission, AMD-PERM, Paperwork Reduction Project (3060-0678), Washington, DC 20554. We will also accept your comments regarding the Paperwork Reduction Act aspects of this collection via the Internet if you send them to PERM@fcc.gov. PLEASE DO NOT SEND COMPLETED FORMS TO THIS ADDRESS.

Remember - You are not required to respond to a collection of information sponsored by the Federal government, and the government may not conduct or sponsor this collection, unless it displays a currently valid OMB control number or if we fail to provide you with this notice. This collection has been assigned an OMB control number of 3060-0678.

THE FOREGOING NOTICE IS REQUIRED BY THE PAPERWORK REDUCTION ACT OF 1995, PUBLIC LAW 104-13, OCTOBER 1, 1995, 44 U.S.C. SECTION 3507.