

**S1. GENERAL INFORMATION** Complete for all satellite applications.

a. Space Station or Satellite Network Name: AMC-2		e. Estimated Date of Placement into Service: 3/5/1997		i. Will the space station(s) operate on a Common Carrier Basis: N	
b. Construction Commencement Date: 1/1/1994		f. Estimated Lifetime of Satellite(s): 14.8 Years		j. Number of transponders offered on a common carrier basis: 0	
c. Construction Completion Date: 8/1/1996		g. Total Number of Transponders: 48		k. Total Common Carrier Transponder Bandwidth: 0 MHz	
d1. Est Launch Date Begin: 1/30/1997	d2. Est Launch Date End: 1/30/1997	h. Total Transponder Bandwidth (no. transponders x Bandwidth) 1920 MHz		i. Orbit Type: Mark all boxes that apply: <input checked="" type="checkbox"/> GSO <input type="checkbox"/> NGSO	

**S2. OPERATING FREQUENCY BANDS** Identify the frequency range and transmit/receive mode for all frequency bands in which this station will oper  
Also indicate the nature of service(s) for each frequency band.

Frequency Band Limits				e. T/R Mode	f. Nature of Service(s): List all that apply to this band
Lower Frequency (.Hz)		Upper Frequency (.Hz)			
a. Numeric	b. Unit (K/M/G)	c. Numeric	d. Unit (K/M/G)		
14.0	G	14.5	G	R	Fixed Satellite Service
14.0	G	14.5	G	R	Direct to Home in the Fixed Fixed Satellite Service
11.7	G	12.20	G	T	Fixed Satellite Service
11.7	G	12.2	G	T	Direct to Home in the Fixed Fixed Satellite Service
5.925	G	6.425	G	R	Fixed Satellite Service
3.7	G	4.2	G	T	Fixed Satellite Service

**S3. ORBITAL INFORMATION FOR GEOSTATIONARY SATELLITES ONLY:**

a. Nominal Orbital Longitude (Degrees E/W): 78.95 W		b. Alternate Orbital Longitude (Degrees E/W):		c. Reason for orbital location selection: To replace AMC-5 and Satcom C3 at the nominal 79W orbital location.	
Longitudinal Tolerance or E/W Station-Keeping:		f. Inclination Excursion or N/S Station-Keeping Tolerance: 0.05 Degrees	Range of orbital are in which adequate service can be provided (Optional): <u>Degrees</u> <u>E/W</u>		
d. Toward West:            0.05 Degrees	e. Toward East:            0.05 Degrees		g. Westernmost: h. Easternmost:		
i. Reason for service are selection (Optional):					

**FEDERAL COMMUNICATIONS COMMISSION  
SATELLITE SPACE STATION AUTHORIZATIONS  
FCC Form 312 - Schedule S: (Technical and Operational Description)**

S4. ORBITAL INFORMATION FOR NON-GEOSTATIONARY SATELLITES ONLY

S4a. Total Number of Satellites in Network or System:

S4c. Celestial Reference Body (Earth, Sun, Moon, etc.):

S4b. Total Number of Orbital Planes in Network or System:

S4d. Orbit Epoch Date:

For each Orbital Plane Provide:

(e) Orbital Plane No.	(f) No. of Satellites in Plane	(g) Inclination Angle (degrees)	(h) Orbital Period (Seconds)	(i) Apogee (km)	(j) Perigee (km)	(k) Right Ascension of the Ascending Node (Deg.)	(l) Argument of Perigee (Degrees)	Active Service Arc Range (Degrees)		
								(m) Begin Angle	(n) End Angle	(o) Other

S5. INITIAL SATELLITE PHASE ANGLE For each satellite in each orbital plane, provide the initial phase angle.

(a) Orbital Plane No.	(b) Satellite Number	(c) Initial Phase Angle (Degrees)

**NO NGSO DATA FILED**

**FEDERAL COMMUNICATIONS COMMISSION  
 SATELLITE SPACE STATION AUTHORIZATIONS  
 FCC Form 312 - Schedule S: (Technical and Operational Description)**

S6. SERVICE AREA CHARACTERISTICS for each service area provide:

(a) Service Area ID	(b) Type of Associated Station (Earth or Space)	(c) Service Area Diagram File Name (GXT File)	(d) Service Area Description. Provide list of geographic areas (state postal codes or ITU 3-ltr codes), satellites or Figure No. of Service Area Diagram.
KUL	E		US CONUS and partial Caribbean coverage, -6 dB contour
KDL	E		US CONUS and partial Caribbean coverage, -6 dB contour
CUL	E		US CONUS and Caribbean coverage, -6 dB contour
CDL	E		US CONUS and Caribbean coverage, -6 dB contour
GBL	E		Global region for TT&C

**FEDERAL COMMUNICATIONS COMMISSION**  
**SATELLITE SPACE STATION AUTHORIZATIONS**  
**FCC Form 312 - Schedule S: (Technical and Operational Description)**

S7. SPACE STATION ANTENNA BEAM CHARACTERISTICS For each antenna beam provide:

(a) Beam ID	(b) T/R Mode	Isotropic Antenna Gain		(e) Pointing Error (Degrees)	(f) Rotational Error (Degrees)	(g) Min. Cross- Polar Iso- lation (dB)	(h) Polar- ization Switch- able? (Y/N)	(i) Polarization Alignment Rel. Equatorial Plane (Degrees)	(j) Service Area ID	Transmit			Receive			Input Attenuator (dB)	
		(c) Peak (dBi)	(d) Edge (dBi)							(k) Input Losses (dB)	(l) Effective Output Power (W)	(m) Max. EIRP (dBW)	(n) System Noise Temp (k)	(o) G/T Max. Gain Pt. (db/K)	(p) Min. Saturation Flux Density (dBW/m2)	(q) Max. Value	(r) Step Size
KRV	R	30.86	24.86	0.15	0	30	Y	90	KUL				550	3.46	-96.5	18	1
KRH	R	33.63	27.63	0.15	0	30	Y	0	KUL				590	5.93	-99	18	1
KTV	T	33	27	0.15	0	30	Y	90	KDL	1.5	41.7	49.2					
KTH	T	33.27	27.27	0.15	0	30	Y	0	KDL	1.4	43.7	49.68					
CRV	R	32.38	23.38	0.15	0	30	Y	90	CUL				605	4.48	-100	18	1
CRH	R	32.86	23.86	0.15	0	30	Y	0	CUL				540	5.56	-101	18	1
CTV	T	30.58	21.58	0.15	0	30	Y	90	CDL	1.9	12.9	41.69					
CTH	T	31.48	22.48	0.15	0	30	Y	0	CDL	2.5	11.2	41.98					
GBL	R	10		0.15	0	30	Y	90	GBL				600	-7			
GBL	R	10		0.15	0	30	Y	0	GBL				600	-7			

**FEDERAL COMMUNICATIONS COMMISSION  
SATELLITE SPACE STATION AUTHORIZATIONS  
FCC Form 312 - Schedule S: (Technical and Operational Description)**

S8. ANTENNA BEAM DIAGRAMS For each beam pattern provide the reference to the graphic image and numerical data:  
Also provide the power flux density levels in each beam that result from the emission with the highest power flux density.

(a) Beam ID	(b) T/R Mode	(c) Co-or Cross Polar Mode ("C" or" X")	(d) GSO Ref. Orbital Longitude (Deg. E/W)	(e) NGSO Antenna Gain Contour Description (Figure/Table/ Exhibit)	(f) GSO Antenna Gain Contour Data (GXT File)	Max. Power Flux Density (dBW/M2/Hz)				
						At Angle of Arrival above horizontal (for emission with highest PFD)				
						(g) 5 Deg	(h) 10 Deg	(i) 15 Deg	(j) 20 Deg	(k) 25 Deg
KRV	R	C	-78.95		KRV.gxt					
KRH	R	C	-78.95		KRH.gxt					
CRV	R	C	-78.95		CRV.gxt					
CRH	R	C	-78.95		CRH.gxt					
KTV	T	C	-78.95		KTV.gxt					
KTH	T	C	-78.95		KTH.gxt					
CTV	T	C	-78.95		CTV.gxt	-155.5	-154.8	-154.3	-153.8	-153.6
CTH	T	C	-78.95		CTH.gxt	-153.6	-153.4	-153	-152.5	-152.1
GBL	R	C	-78.95							
GBL	R	C	-78.95							

**FEDERAL COMMUNICATIONS COMMISSION**  
**SATELLITE SPACE STATION AUTHORIZATIONS**  
**FCC Form 312 - Schedule S: (Technical and Operational Description)**

S9. SPACE STATION CHANNELS For each frequency channel provide: S10. SPACE STATION TRANSPONDERS For each transponder provide:

(a) Channel No.	(B) Assigned Bandwidth (kHz)	(c) T/R Mode	(d) Center Frequency (MHz)	(e) Polarization (H, V, L, R)	(f) TTC or Comm Channel (T or C)
KR001	36000	R	14020	V	C
KR002	36000	R	14040	H	C
KR003	36000	R	14060	V	C
KR004	36000	R	14080	H	C
KR005	36000	R	14100	V	C
KR006	36000	R	14120	H	C
KR007	36000	R	14140	V	C
KR008	36000	R	14160	H	C
KR009	36000	R	14180	V	C
KR010	36000	R	14200	H	C
KR011	36000	R	14220	V	C
KR012	36000	R	14240	H	C
KR013	36000	R	14260	V	C
KR014	36000	R	14280	H	C
KR015	36000	R	14300	V	C
KR016	36000	R	14320	H	C
KR017	36000	R	14340	V	C
KR018	36000	R	14360	H	C
KR019	36000	R	14380	V	C
KR020	36000	R	14400	H	C
KR021	36000	R	14420	V	C
KR022	36000	R	14440	H	C
KR023	36000	R	14460	V	C
KR024	36000	R	14480	H	C
KT001	36000	T	11720	H	C
KT002	36000	T	11740	V	C
KT003	36000	T	11760	H	C
KT004	36000	T	11780	V	C
KT005	36000	T	11800	H	C
KT006	36000	T	11820	V	C

(a) Transponder ID	(b) Transponder Gain (dB)	Receive Band		Transmit Band	
		(c) Channel No.	(d) Beam ID	(e) Channel No.	(f) Beam ID
K0001	120	KR001	KRV	KT001	KTH
K0002	120	KR002	KRH	KT002	KTV
K0003	120	KR003	KRV	KT003	KTH
K0004	120	KR004	KRH	KT004	KTV
K0005	120	KR005	KRV	KT005	KTH
K0006	120	KR006	KRH	KT006	KTV
K0007	120	KR007	KRV	KT007	KTH
K0008	120	KR008	KRH	KT008	KTV
K0009	120	KR009	KRV	KT009	KTH
K0010	120	KR010	KRH	KT010	KTV
K0011	120	KR011	KRV	KT011	KTH
K0012	120	KR012	KRH	KT012	KTV
K0013	120	KR013	KRV	KT013	KTH
K0014	120	KR014	KRH	KT014	KTV
K0015	120	KR015	KRV	KT015	KTH
K0016	120	KR016	KRH	KT016	KTV
K0017	120	KR017	KRV	KT017	KTH
K0018	120	KR018	KRH	KT018	KTV
K0019	120	KR019	KRV	KT019	KTH
K0020	120	KR020	KRH	KT020	KTV
K0021	120	KR021	KRV	KT021	KTH
K0022	120	KR022	KRH	KT022	KTV
K0023	120	KR023	KRV	KT023	KTH
K0024	120	KR024	KRH	KT024	KTV
C0001	109	CR001	CRV	CT001	CTH
C0002	109	CR002	CRH	CT002	CTV
C0003	109	CR003	CRV	CT003	CTH
C0004	109	CR004	CRH	CT004	CTV
C0005	109	CR005	CRV	CT005	CTH
C0006	109	CR006	CRH	CT006	CTV

KT007	36000	T	11840	H	C
KT008	36000	T	11860	V	C
KT009	36000	T	11880	H	C
KT010	36000	T	11900	V	C
KT011	36000	T	11920	H	C
KT012	36000	T	11940	V	C
KT013	36000	T	11960	H	C
KT014	36000	T	11980	V	C
KT015	36000	T	12000	H	C
KT016	36000	T	12020	V	C
KT017	36000	T	12040	H	C
KT018	36000	T	12060	V	C
KT019	36000	T	12080	H	C
KT020	36000	T	12100	V	C
KT021	36000	T	12120	H	C
KT022	36000	T	12140	V	C
KT023	36000	T	12160	H	C
KT024	36000	T	12180	V	C
CR001	36000	R	5945	V	C
CR002	36000	R	5965	H	C
CR003	36000	R	5985	V	C
CR004	36000	R	6005	H	C
CR005	36000	R	6025	V	C
CR006	36000	R	6045	H	C
CR007	36000	R	6065	V	C
CR008	36000	R	6085	H	C
CR009	36000	R	6105	V	C
CR010	36000	R	6125	H	C
CR011	36000	R	6145	V	C
CR012	36000	R	6165	H	C
CR013	36000	R	6185	V	C
CR014	36000	R	6205	H	C
CR015	36000	R	6225	V	C
CR016	36000	R	6245	H	C
CR017	36000	R	6265	V	C
CR018	36000	R	6285	H	C
CR019	36000	R	6305	V	C
CR020	36000	R	6325	H	C
CR021	36000	R	6345	V	C

C0007	109	CR007	CRV	CT007	CTH
C0008	109	CR008	CRH	CT008	CTV
C0009	109	CR009	CRV	CT009	CTH
C0010	109	CR010	CRH	CT010	CTV
C0011	109	CR011	CRV	CT011	CTH
C0012	109	CR012	CRH	CT012	CTV
C0013	109	CR013	CRV	CT013	CTH
C0014	109	CR014	CRH	CT014	CTV
C0015	109	CR015	CRV	CT015	CTH
C0016	109	CR016	CRH	CT016	CTV
C0017	109	CR017	CRV	CT017	CTH
C0018	109	CR018	CRH	CT018	CTV
C0019	109	CR019	CRV	CT019	CTH
C0020	109	CR020	CRH	CT020	CTV
C0021	109	CR021	CRV	CT021	CTH
C0022	109	CR022	CRH	CT022	CTV
C0023	109	CR023	CRV	CT023	CTH
C0024	109	CR024	CRH	CT024	CTV
C1		TC	GBLRH		
T1				TM1	CTV
T2				TM2	CTH
T3				TM3	KTH

CR022	36000	R	6365	H	C
CR023	36000	R	6385	V	C
CR024	36000	R	6405	H	C
CT001	36000	T	3720	H	C
CT002	36000	T	3740	V	C
CT003	36000	T	3760	H	C
CT004	36000	T	3780	V	C
CT005	36000	T	3800	H	C
CT006	36000	T	3820	V	C
CT007	36000	T	3840	H	C
CT008	36000	T	3860	V	C
CT009	36000	T	3880	H	C
CT010	36000	T	3900	V	C
CT011	36000	T	3920	H	C
CT012	36000	T	3940	V	C
CT013	36000	T	3960	H	C
CT014	36000	T	3980	V	C
CT015	36000	T	4000	H	C
CT016	36000	T	4020	V	C
CT017	36000	T	4040	H	C
CT018	36000	T	4060	V	C
CT019	36000	T	4080	H	C
CT020	36000	T	4100	V	C
CT021	36000	T	4120	H	C
CT022	36000	T	4140	V	C
CT023	36000	T	4160	H	C
CT024	36000	T	4180	V	C
TC	800	R	6423.5	V	T
TM1	300	T	3700.5	V	T
TM2	300	T	4199.5	H	T
TM3	300	T	12198.0	H	T



**FEDERAL COMMUNICATIONS COMMISSION**  
**SATELLITE SPACE STATION AUTHORIZATIONS**  
**FCC Form 312 - Schedule S: (Technical and Operational Description)**

S11. DIGITAL MODULATION PARAMETERS For each digital emission provide:

(a) Digital Mod. ID	(b) Emission Designator	(c) Assigned Bandwidth (kHz)	(d) No. of Phases	(e) Uncoded Data Rate (kbps)	(f) FEC Error Correction Coding Rate	(g) CDMA Processing Gain (dB)	(h) Total C/N Performance Objective (dB)	(i) Single Entry C/I Objective (dB)
A_KU	36M0G7W	36000	4	40000	0.69		6.4	18
B_KU	27M0G7W	27000	4	32000	0.69		6.4	18
C_KU	6M95G1W	6950	4	8000	0.69		6.4	18
D_KU	5M00G1W	5000	4	6000	0.69		6.4	18
E_KU	100KG1W	100	4	56	0.69		6.4	18
F_KU	1M60G1W	1600	4	1544	0.69		6.4	18
G_KU	36M7W	36000	8	50000	0.61		9.9	20
H_C	36M0G7W	36000	4	40000	0.59		6.8	18
I_C	6M95G1W	6950	4	8000	0.69		6.8	18
J_C	36M0G7W	36000	8	60000	0.61		9.9	22
K_C	36M0G7W	36000	16	110000	0.81		16.6	24
L_C	100KG1D	100	4	56	0.75		7.2	18
M_C	1M60G1D	1600	4	1544	0.75		7.2	18



**FEDERAL COMMUNICATIONS COMMISSION**  
**SATELLITE SPACE STATION AUTHORIZATIONS**  
**FCC Form 312 - Schedule S: (Technical and Operational Description)**

S13. TYPICAL EMISSIONS For each planned type of emission provide:

Associated Transponder ID Range (a) Start (b) End		Modulation ID		(e) Carriers per Transponder	(f) Carrier Spacing (kHz)	(g) Noise Budget Reference (Table No.)	(h) Energy Dispersal Bandwidth (kHz)	Receive Band (Assoc. Transmit Stn)			Transmit Band (This Space Station)			
		(c) Digital (Table S11)	(d) Analog (Table S12)					(i) Assoc. Stn. Max. Antenna Gain (dBi)	Assoc. Station Transmit Power (dBW) (j) Min. (k) Max.		EIRP (dBW) (l) Min. (m) Max.		(n) Max. Power Flux Density (dBW/m <sup>2</sup> /Hz)	(o) Assoc. Stn Rec. G/T (dB/K)
K0001	K0024	A_KU		1		Ku-budgets.xls		57.2	20	23	46	49.68	-151.2	17.1
K0001	K0024	B_KU		1		Ku-budgets.xls		57.2	20	23	46	49.68	-150.2	17.1
K0001	K0024	C_KU		5	6950	Ku-budgets.xls		52.9	8.9	12	32	36.68	-157.2	25.6
K0001	K0024	D_KU		6	5000	Ku-budgets.xls		52.9	8.9	12	32	35.68	-157.2	25.6
K0001	K0024	E_KU		250	100	Ku-budgets.xls		46.6	-5	-3	16	19.48	-152.9	19.6
K0001	K0024	F_KU		20	1544	Ku-budgets.xls		46.6	8	11	26	29.48	-157.3	25.6
K0001	K0024	G_KU		1		Ku-budgets.xls		57.2	20	23	46	49.68	-150.9	25.6
C0001	C0024	H_C		1		C-budgets.xls		54.4	17.1	20.1	37	41.98	-158.9	21.8
C0001	C0024	I_C		5		C-budgets.xls		54.4	9.6	15	27	31.98	-161.9	25.2
C0001	C0024	J_C		1		C-budgets.xls		54.4	22	25	37	41.98	-159.4	33.2
C0001	C0024	K_C		1		C-budgets.xls		54.4	22	25	37	41.98	-159.6	33.2
C0001	C0024	L_C		250	100	C-budgets.xls		47.4	-3.4	2	7	11.98	-160	23
C0001	C0024	M_C		20	1544	C-budgets.xls		47.4	11	16	24	29.2	-157.2	23
K0001	K0024		N_KU	1		Ku-budgets.xls	6000	57.2	17	25	46	49.7	-139.3	19.6
C0001	C0024		P_C	1		C-budgets.xls	6000	49.8	17	25	36	41.98	-141	23
C1	C1		Q_C	1		TTC-budgets.xl		54.4	13	16				
T1	T2		R_C	1		TTC-budgets.xl					14.3	18.3	-162.8	31
T3	T3		S_KU	1		TTC-budgets.xl					12.4	16.4	-164.7	38.3

**FEDERAL COMMUNICATIONS COMMISSION  
SATELLITE SPACE STATION AUTHORIZATIONS  
FCC Form 312 - Schedule S: (Technical and Operational Description)**

S14. Is the space station(s) controlled and monitored remotely? If Yes, provide the location and telephone number of the TT and C control point(s): Yes

**Remote Control (TT C) Location(s):**

S14a: Street Address: Woodbine TT&C			
S14b. City: Mt. Airy	S14c. County:	S14d. State/Country MD	S14e. Zip Code: 21771
S14f. Telephone Number: 410-548-4300		S14g. Call Sign of Control Station (if appropriate): E7169	

**Remote Control (TT C) Location(s):**

S14a: Street Address: Vernon Valley Spacecrafts Ops.			
S14b. City: Sussex	S14c. County:	S14d. State/Country NJ	S14e. Zip Code: 07461
S14f. Telephone Number: 973-823-6000		S14g. Call Sign of Control Station (if appropriate): WB81	

**FEDERAL COMMUNICATIONS COMMISSION  
SATELLITE SPACE STATION AUTHORIZATIONS  
FCC Form 312 - Schedule S: (Technical and Operational Description)**

Page 11:  
Characteristics and  
Certifications

S15. SPACECRAFT PHYSICAL CHARACTERISTICS:

S15a. Mass of spacecraft without fuel (kg): 1310.8	Spacecraft Dimensions (meters)	Probability of Survival to End of Life (0.0 - 1.0)
S15b. Mass of fuel and disposables at launch (kg): 1338.3		
S15c. Mass of spacecraft and fuel at launch (kg): 2649	S15f. Length (m): 26.8	S15i. Payload: 0.78
S15d. Mass of fuel, in orbit, at beginning of life (kg): 320	S15g. Width (m): 1.8	S15j. Bus: 0.88
S15e. Deployed Area of Solar Array (square meters): 75.5	S15h. Height (m): 3.78	S15k. Total: 0.69

S16. SPACECRAFT ELECTRICAL CHARACTERISTICS:

Spacecraft Subsystem	Electrical Power (Watts) At Beginning of Life		Electrical Power (Watts) At End of Life	
	At Equinox	At Solstice	At Equinox	At Solstice
Payload (Watts):	(a): 3772	(f): 3740	(k): 3772	(p): 3740
Bus (Watts):	(b): 1089	(g): 674	(l): 1089	(q): 674
Total (Watts):	(c): 4861	(h): 4414	(m): 4861	(r): 4414
Solar Array (Watts):	(d): 6513	(i): 6212	(n): 5250	(s): 4836
Depth of Battery Discharge (%):	(e) 70 %	(j) 70 %	(o) 70 %	(t) 70 %

S17. CERTIFICATIONS:

a. Are the power flux density limits of § 25.208 met?	<input checked="" type="checkbox"/> YES	<input type="checkbox"/> NO	<input type="checkbox"/> N/A
b. Are the appropriate service area coverage requirements of § 25.143(b)(ii) and (iii), or § 25.145(c)(1) and (2) met?	<input type="checkbox"/> YES	<input type="checkbox"/> NO	<input checked="" type="checkbox"/> N/A
c. Are the frequency tolerances of § 25.202(e) and the out-of-band emission limits of § 25.202(f)(1), (2) and (3) met?	<input checked="" type="checkbox"/> YES	<input type="checkbox"/> NO	<input type="checkbox"/> N/A

**In addition to the information required in this Form, the space station applicant is required to provide all the information specified in Section 25.114 of the Commission's rules, 47 C.F.R § 25.114.**