FCC 312	FEDERAL COMMUNICATIONS COMMISSION	Page 1: General,
Schedule S	SATELLITE SPACE STATION AUTHORIZATIONS	Frequency Bands,
	(Technical and Operational Description)	and GSO Orbit

S1. GENERAL INFORMATION Complete for all satellite applications.

Space Station or Satellite No EV1	etwork Name:	e. Estimated Date of Placement into Service: 7/22/2012	i Will the space station(s) operate on a Common Carrier Basis:
b. Construction Commenceme	nt Date:	f. Estimated Lifetime of Satellite(s): 5 Years	j. Number of transponders offered on a common carrier basis:
c. Construction Completion Da	te:	g. Total Number of Transponders:	k. Total Common Carrier Transponder Bandwidth: MHz
d1. Est Launch Date Begin: 7/22/2012	d2. Est Launch Date End:	h. Total Transponder Bandwidth (no. transponders x Bandwidth) MHz	I. Orbit Type: Mark all boxes that apply: GSO X NGSO

S2. OPERATING FREQUENCY BANDS Identify the frequency range and transmit/receive mode for all frequency bands in which this station will oper Also indicate the nature of service(s) for each frequency band.

	Frequency	ucy Band Limits Upper Frequency (_Hz) c. Numeric d. Unit			f.
Lower Frequency (_Hz)			e. T/R Mode	Nature of Service(s): List all that apply to this band
a. Numeric				· / · · · · · · · · · · · · · · · · · ·	
5167.5	M	5198.5	M	Т	Feeder Link for Mobile Satellite Service in FSS

S3. ORBITAL INFORMATION FOR GEOSTATIONARY SATELLITES ONLY:

Page 2: NGSO Orbits

FCC Form 312 - Schedule S: (Technical and Operational Description)

S4. ORBITAL INFORMATION FOR NON-GEOSTATIONARY SATELLITES ONLY

S4a. Total Number of Satellites in Network or System:

1 S4c. Celestial Reference Body (Earth, Sun, Moon, etc.): E

S4b. Total Number of Orbital Planes in Network or System:

1 S4d. Orbit Epoch Date: 1/1/2016

For each Orbital Plane Provide:

Γ	(e) Orbital	(f) No. of	(g) Inclination	(h) Orbital	(i) Apogee (km)	(j) Perigee (km)	(k) Right Ascension of (l) Argum		Active Se	rvice Arc Rang	e (Degrees)
	Plane No.	Satellites in	Angle (degrees)	Period			the Ascending Node	Perigee	(/ -3	(n) End Angle	(o) Other
		Plane		(Seconds)			(Deg.)	(Degrees)	Angle		
	1	1	98.955	6076	830.7	805.9	315.039	30.5			

S5. INITIAL SATELLITE PHASE ANGLE For each satellite in each orbital plane, provide the intital phase angle.

Plane No. Number Phase Angle (Degrees)	(a) Orbital Plane No.	(b) Satellite Number	(c) Initial Phase Angle (Degrees)
--	--------------------------	-------------------------	---

FCC Form 312 - Schedule S: (Technical and Operational Description)

S6. SERVICE AREA CHARACTERISTICS for each service area provide:

	(a) Service Area ID	(b) Type of Associated Station (Earth or Space)	` '	(d) Service Area Description. Provide list of geographic areas (state postal codes or ITU 3-ltr codes), satellites or Figure No. of Service Area Diagram.
Ī	XR1,2,3	E		Global, XR1, XR2, XR3

Page 3: Service Areas

Page 4: Antenna Beams

FCC Form 312 - Schedule S: (Technical and Operational Description)

S7. SPACE STATION ANTENNA BEAM CHARACTERISTICS For each antenna beam provide:

(a)	(b)	Isotropic	Antenna	(e)	(f)	(g) Min.	(h) Polar-	(i) Polarization	(j) Service		Transmit				Receive		
Beam		Ga	ain	Pointing	Rotational	Cross-	ization	Alignment Rel.	Area ID	(k) Input	(I) Effective	(m)	(n)	(o) G/T	(p) Min.	Input Attenu	uator (dB)
ID	Mode	(c) Peak (dBi)	(d) Edge (dBi)	Error (Degrees)	Error (Degrees)	Polar Iso- lation (dB)	Switch- able? (Y/N)	Equatorial Plane (Degrees)		Losses (dB)	Output Power (W)	Max. EIRP (dBW)	System Noice Temp (k)		Saturation Flux Density (dBW/m2)	(q) Max. Value	(r) Step Size
MDC	T								XR1,2,3			8.7					

Page 5: Beam Diagrams

FCC Form 312 - Schedule S: (Technical and Operational Description)

S8. ANTENNA BEAM DIAGRAMS For each beam pattern provide the reference to the graphic image and numerical data:

Also provide the power flux density levels in each beam that result from the emission with the highest power flux density.

(a)	(b)	(c) Co-or	(d) GSO	(e) NGSO Antenna Gain	(f) GSO Antenna Gain		Max. Power F	Flux Density (dB	W/M2/Hz)	
Beam	T/R		Ref. Orbital		Contour Data (GXT File)	At Angle of	Arrival above ho	orizontal (for em	ission with high	nest PFD)
ID	Mode	Polar Mode ("C" or" X")	Longitude (Deg. E/W)	(Figure/Table/ Exhibit)		(g) 5 Deg	(h) 10 Deg	(i) 15 Deg	(j) 20 Deg	(k) 25 Deg
MDC	Т	0. 7.				-170.5	-169.1	-167.5	-166.6	

Page 6: Channels and Transponders

FCC Form 312 - Schedule S: (Technical and Operational Description)

S9. SPACE STATION CHANNELS For each frequency channel provide: S10. SPACE STATION TRANSPONDERS For each transponder provide:

(a) Channel No.	(B) Assigned Bandwidth (kHz)	(c) T/R Mode	(d) Center Frequency (MHz)	(e) Polarization (H, V, L, R)	(f) TTC or Comm Channel (T or C)
MDC1	31000	Т	5183	R	С

(a)	(b)	Receive	Band	Transmi	t Band
Transponder	Transponder	(c) Channel	(d) Beam	(e) Channel	(f) Beam ID
ID	Gain (dB)	No.	ID	No.	

Page 7: Digital Modulation

FCC Form 312 - Schedule S: (Technical and Operational Description)

S11. DIGITAL MODULATION PARAMETERS For each digital emission provide:

(a) Digital Mod. ID	(b) Emission Designator	(c) Assigned Bandwidth (kHz)	(d) No. of Phases	(e)Uncoded Data Rate (kbps)	(f) FEC Error Correction Coding Rate	Processing	(h) Total C/N Performance Objective (dB)	
MDC	31M0G7DC	31000						

Page 8: Analog Modulation

FCC Form 312 - Schedule S: (Technical and Operational Description)

S12. ANALOG MODULATION PARAMETERS For each analog emission provide:

(a)	(b) Emission	(c)	(d) Signal	(e)		Multi-channe	l Telephony		(j) Video	(k) Video	(I) Video	(m) SCPC/FM	(n) Total C/N	(o) Single
Analog Mod. ID		Assigned Bandwidth (kHz)	21 -	Channels per Carrier	Companded	(g) Bottom Baseband Freq. (MHz)	(h) Top Baseband Freq. (MHz)	(i) RMS Modulation Index	Standard NTSC, PAL, etc.	Noise- Weighting (dB)	and SCPC/FM Modulation Index	Compander, Preemphasis, and Noise Weighting (dB)	Performance Objective (dB)	Entry C/I Objective (dB)

Page 9: Typical Emissions

FCC Form 312 - Schedule S: (Technical and Operational Description)

S13. TYPICAL EMISSIONS For each planned type of emission provide:

	Associated Transponder ID Range				()	(0)	(h) Energy	Receive Band (Assoc. Transmit Stn)			Transmit Band (This Space Station)			
		(c) Digital (Table S11)	(d) Analog (Table S12)	per Transponder	Spacing (kHz)	Reference (Table No.)	Dispersal Bandwidth	(i)Assoc. Stn. Max.	Assoc. Stati Power	on Transmit (dBW)	EIRP	(dBW)	(n) Max. Power Flux Density	(o)Assoc. Stn Rec.
(a) Start	(b) End	(13.312 211)	(**************************************				(kHz)	Antenna Gain (dBi)	(j) Min.	(k) Max.	(I) Min.	(m) Max.	(dBW/m2/Hz)	G/T (dB/K)

FEDERAL COMMUNICATIONS COMMISSION SATELLITE SPACE STATION AUTHORIZATIONS FCC Form 312 - Schedule S: (Technical and Operational Description)

100 TOTAL CONSTRUCTION AND CONTRACTOR

Page 10: TT and C

S14. Is the space station(s) controlled and monitored remotely? If Yes, provide the location and telephone number of the TT and C control point(s): Yes

Remote Control (TT C) Location(s):

S14a: Street Address: 60 Struck Court				
S14b. City: Cambridge	S14c. County: Ontario		S14d. State/Country	S14e. Zip Code: N1R 8L2
S14f. Telephone Number: +1.519.622.4445		S14g. Call Sign of Control Stat	ion (if appropriate):	

FEDERAL COMMUNICATIONS COMMISSION SATELLITE SPACE STATION AUTHORIZATIONS FCC Form 312 - Schedule S: (Technical and Operational Description)

Page 11: Characteristics and Certifications

S15. SPACECRAFT PHYSICAL CHARACTERISTICS:

S16. SPACECRAFT ELECTRICAL CHARACTERISTICS:

S17. CERTIFICATIONS:

a. Are the power flux density limits of § 25.208 met?:	YES	NO	X N/A				
b. Are the appropriate service area coverage requirements of § 25.143(b)(ii) and (iii), or § 25.145(c)(1) and	I (2) met? YES	NO	X N/A				
c. Are the frequency tolerances of § 25.202(e) and the out-of-band emission limits of § 25.202(f)(1), (2) and	d (3) met? X YES	NO	N/A				
In addition to the information required in this Form, the space station applicant is required to provide all the information specified in Section 25.114 of the							

In addition to the information required in this Form, the space station applicant is required to provide all the information specified in Section 25.114 of the Commission's rules, 47 C.F.R § 25.114.

FCC NOTICE REQUIRED BY THE PAPERWORK REDUCTION ACT

The public reporting estimate for this collection of information includes the time for reviewing instructions, searching existing data sources, gathering and maintaining the required data, and completing and reviewing the collection of information. If you have any comments on this burden estimate, or how we can improve the collection and reduce the burden it causes you, please write to the Federal Communications Commission, AMD-PERM, Paperwork Reduction Project (3060-0678), Washington, DC 20554. We will also accept your comments regarding the Paperwork Reduction Act aspects of this collection via the Internet if you send them to PERM@fcc.gov. PLEASE DO NOT SEND COMPLETED FORMS TO THIS ADDRESS.

Remember - You are not required to respond to a collection of information sponsored by the Federal government, and the government may not conduct or sponsor this collection, unless it displays a currently valid OMB control number or if we fail to provide you with this notice. This collection has been assigned an OMB control number of 3060-0678.

THE FOREGOING NOTICE IS REQUIRED BY THE PAPERWORK REDUCTION ACT OF 1995, PUBLIC LAW 104-13, OCTOBER 1, 1995, 44 U.S.C. SECTION 3507.