

```
[FormatInfo]
format_ver=1
[GeoMain]
ntc_id=9000021
adm=USA
sat_name=USABSS-21
long_nom=-101.0000
n_diag=1
[COHeader]
beam_id=BB03
emi_rcp=E
polar_disc=X
reason=B
n_bore=1
n_cont=13
[B1]
gain=0.00
p=-81.5680;27.9190
[C1]
gain=-30.00
n_point=85
P1=-62.0000 ;34.6400
P2=-61.9170 ;34.5000
P3=-61.8035 ;34.2500
P4=-61.6900 ;34.0000
P5=-61.6100 ;33.7500
P6=-61.5300 ;33.5000
P7=-61.5290 ;33.2500
P8=-61.5280 ;33.0000
P9=-61.5410 ;32.7500
P10=-61.5540 ;32.5000
P11=-61.5745 ;32.2500
P12=-61.5950 ;32.0000
P13=-61.6490 ;31.7500
P14=-61.7030 ;31.5000
P15=-61.7425 ;31.2500
P16=-61.7820 ;31.0000
P17=-61.8390 ;30.7500
P18=-61.8960 ;30.5000
P19=-61.9480 ;30.3000
P20=-62.0000 ;30.1000
P21=-62.0360 ;30.0000
P22=-62.1145 ;29.7500
P23=-62.1930 ;29.5000
P24=-62.2915 ;29.2500
P25=-62.3900 ;29.0000
P26=-62.4450 ;28.8335
P27=-62.5000 ;28.6670
P28=-62.5740 ;28.5000
P29=-62.7140 ;28.2500
P30=-62.8540 ;28.0000
P31=-62.9270 ;27.8430
P32=-63.0000 ;27.6860
P33=-63.1180 ;27.5000
P34=-63.2865 ;27.2500
P35=-63.4550 ;27.0000
P36=-63.5000 ;26.9240
```

P37=-63.6740 ;26.7120  
P38=-63.8480 ;26.5000  
P39=-64.0000 ;26.3200  
P40=-64.2125 ;26.1600  
P41=-64.4250 ;26.0000  
P42=-64.5000 ;25.9250  
P43=-64.6770 ;25.9625  
P44=-64.8540 ;26.0000  
P45=-64.9045 ;26.2500  
P46=-64.9550 ;26.5000  
P47=-64.9190 ;26.7500  
P48=-64.8830 ;27.0000  
P49=-64.8325 ;27.2500  
P50=-64.7820 ;27.5000  
P51=-64.7365 ;27.7500  
P52=-64.6910 ;28.0000  
P53=-64.6400 ;28.2500  
P54=-64.5890 ;28.5000  
P55=-64.5445 ;28.7125  
P56=-64.5000 ;28.9250  
P57=-64.4770 ;29.0000  
P58=-64.3915 ;29.2500  
P59=-64.3060 ;29.5000  
P60=-64.2415 ;29.7500  
P61=-64.1770 ;30.0000  
P62=-64.1085 ;30.2500  
P63=-64.0400 ;30.5000  
P64=-64.0000 ;30.6950  
P65=-63.9535 ;30.8475  
P66=-63.9070 ;31.0000  
P67=-63.8085 ;31.2500  
P68=-63.7100 ;31.5000  
P69=-63.6510 ;31.7500  
P70=-63.5920 ;32.0000  
P71=-63.5460 ;32.1825  
P72=-63.5000 ;32.3650  
P73=-63.4430 ;32.5000  
P74=-63.3500 ;32.7500  
P75=-63.2570 ;33.0000  
P76=-63.1905 ;33.2500  
P77=-63.1240 ;33.5000  
P78=-63.0620 ;33.6610  
P79=-63.0000 ;33.8220  
P80=-62.8580 ;34.0000  
P81=-62.7095 ;34.2500  
P82=-62.5610 ;34.5000  
P83=-62.5000 ;34.6080  
P84=-62.2500 ;34.6240  
P85=-62.0000 ;34.6400  
[C2]  
gain=-30.00  
n\_point=83  
P1=-71.5000 ;11.6390  
P2=-71.3815 ;11.5695  
P3=-71.2630 ;11.5000  
P4=-71.3815 ;11.3745  
P5=-71.5000 ;11.2490

P6=-71.5645 ;11.1245  
P7=-71.6290 ;11.0000  
P8=-71.7527 ;10.8917  
P9=-71.8763 ;10.7833  
P10=-72.0000 ;10.6750  
P11=-72.0740 ;10.5875  
P12=-72.1480 ;10.5000  
P13=-72.2653 ;10.4127  
P14=-72.3827 ;10.3253  
P15=-72.5000 ;10.2380  
P16=-72.6415 ;10.1190  
P17=-72.7830 ;10.0000  
P18=-72.8915 ;9.9280  
P19=-73.0000 ;9.8560  
P20=-73.1667 ;9.7457  
P21=-73.3333 ;9.6353  
P22=-73.5000 ;9.5250  
P23=-73.5390 ;9.5000  
P24=-73.6927 ;9.4290  
P25=-73.8463 ;9.3580  
P26=-74.0000 ;9.2870  
P27=-74.1667 ;9.2267  
P28=-74.3333 ;9.1663  
P29=-74.5000 ;9.1060  
P30=-74.6537 ;9.0707  
P31=-74.8073 ;9.0353  
P32=-74.9610 ;9.0000  
P33=-75.0000 ;8.9930  
P34=-75.1667 ;8.9843  
P35=-75.3333 ;8.9757  
P36=-75.5000 ;8.9670  
P37=-75.6553 ;8.9780  
P38=-75.8107 ;8.9890  
P39=-75.9660 ;9.0000  
P40=-76.0000 ;9.0050  
P41=-76.1667 ;9.0863  
P42=-76.3333 ;9.1677  
P43=-76.5000 ;9.2490  
P44=-76.6225 ;9.3745  
P45=-76.7450 ;9.5000  
P46=-76.6767 ;9.6667  
P47=-76.6083 ;9.8333  
P48=-76.5400 ;10.0000  
P49=-76.5000 ;10.0310  
P50=-76.3750 ;10.1250  
P51=-76.2500 ;10.2190  
P52=-76.1250 ;10.3130  
P53=-76.0000 ;10.4070  
P54=-75.8700 ;10.5000  
P55=-75.7467 ;10.5587  
P56=-75.6233 ;10.6173  
P57=-75.5000 ;10.6760  
P58=-75.3333 ;10.7497  
P59=-75.1667 ;10.8233  
P60=-75.0000 ;10.8970  
P61=-74.8715 ;10.9485  
P62=-74.7430 ;11.0000

P63=-74.6215 ;11.0370  
P64=-74.5000 ;11.0740  
P65=-74.3333 ;11.1153  
P66=-74.1667 ;11.1567  
P67=-74.0000 ;11.1980  
P68=-73.8333 ;11.2380  
P69=-73.6667 ;11.2780  
P70=-73.5000 ;11.3180  
P71=-73.3333 ;11.3597  
P72=-73.1667 ;11.4013  
P73=-73.0000 ;11.4430  
P74=-72.8855 ;11.4715  
P75=-72.7710 ;11.5000  
P76=-72.6355 ;11.5235  
P77=-72.5000 ;11.5470  
P78=-72.3333 ;11.5700  
P79=-72.1667 ;11.5930  
P80=-72.0000 ;11.6160  
P81=-71.8333 ;11.6237  
P82=-71.6667 ;11.6313  
P83=-71.5000 ;11.6390  
[C3]  
gain=-30.00  
n\_point=83  
P1=-73.0000 ;16.5880  
P2=-72.8870 ;16.5000  
P3=-72.9430 ;16.2500  
P4=-72.9990 ;16.0000  
P5=-73.0000 ;15.9990  
P6=-73.1017 ;15.8327  
P7=-73.2033 ;15.6663  
P8=-73.3050 ;15.5000  
P9=-73.4025 ;15.3705  
P10=-73.5000 ;15.2410  
P11=-73.5830 ;15.1205  
P12=-73.6660 ;15.0000  
P13=-73.8330 ;14.8100  
P14=-74.0000 ;14.6200  
P15=-74.1060 ;14.5000  
P16=-74.2373 ;14.3750  
P17=-74.3687 ;14.2500  
P18=-74.5000 ;14.1250  
P19=-74.6450 ;14.0000  
P20=-74.8225 ;13.8740  
P21=-75.0000 ;13.7480  
P22=-75.2140 ;13.6240  
P23=-75.4280 ;13.5000  
P24=-75.5000 ;13.4620  
P25=-75.6667 ;13.3983  
P26=-75.8333 ;13.3347  
P27=-76.0000 ;13.2710  
P28=-76.2500 ;13.2090  
P29=-76.5000 ;13.1470  
P30=-76.7500 ;13.1130  
P31=-77.0000 ;13.0790  
P32=-77.2500 ;13.0775  
P33=-77.5000 ;13.0760

P34=-77.7500 ;13.0955  
P35=-78.0000 ;13.1150  
P36=-78.2500 ;13.1550  
P37=-78.5000 ;13.1950  
P38=-78.7500 ;13.2540  
P39=-79.0000 ;13.3130  
P40=-79.2500 ;13.3915  
P41=-79.5000 ;13.4700  
P42=-79.5860 ;13.5000  
P43=-79.7240 ;13.6430  
P44=-79.8620 ;13.7860  
P45=-80.0000 ;13.9290  
P46=-80.0560 ;14.0000  
P47=-80.0000 ;14.0730  
P48=-79.8550 ;14.2865  
P49=-79.7100 ;14.5000  
P50=-79.5000 ;14.6420  
P51=-79.3333 ;14.7583  
P52=-79.1667 ;14.8747  
P53=-79.0000 ;14.9910  
P54=-78.9860 ;15.0000  
P55=-78.8240 ;15.0983  
P56=-78.6620 ;15.1967  
P57=-78.5000 ;15.2950  
P58=-78.2880 ;15.3975  
P59=-78.0760 ;15.5000  
P60=-78.0000 ;15.5780  
P61=-77.8333 ;15.6577  
P62=-77.6667 ;15.7373  
P63=-77.5000 ;15.8170  
P64=-77.2500 ;15.8725  
P65=-77.0000 ;15.9280  
P66=-76.8135 ;15.9640  
P67=-76.6270 ;16.0000  
P68=-76.5000 ;16.0360  
P69=-76.2500 ;16.0865  
P70=-76.0000 ;16.1370  
P71=-75.7500 ;16.1765  
P72=-75.5000 ;16.2160  
P73=-75.2500 ;16.2590  
P74=-75.0000 ;16.3020  
P75=-74.7500 ;16.3545  
P76=-74.5000 ;16.4070  
P77=-74.3120 ;16.4535  
P78=-74.1240 ;16.5000  
P79=-74.0000 ;16.5250  
P80=-73.7500 ;16.5615  
P81=-73.5000 ;16.5980  
P82=-73.2500 ;16.5930  
P83=-73.0000 ;16.5880  
[C4]  
gain=-30.00  
n\_point=331  
P1=-67.0000 ;30.9010  
P2=-66.9830 ;30.5000  
P3=-66.9970 ;30.0000  
P4=-67.0000 ;29.9460

P5=-67.0250 ;29.5000  
P6=-67.1050 ;29.0000  
P7=-67.2020 ;28.5000  
P8=-67.3450 ;28.0000  
P9=-67.5000 ;27.5430  
P10=-67.5160 ;27.5000  
P11=-67.7390 ;27.0000  
P12=-67.9850 ;26.5000  
P13=-68.0000 ;26.4740  
P14=-68.2690 ;26.0000  
P15=-68.5000 ;25.6230  
P16=-68.5820 ;25.5000  
P17=-68.9190 ;25.0000  
P18=-69.0000 ;24.8870  
P19=-69.2970 ;24.5000  
P20=-69.5000 ;24.2380  
P21=-69.6970 ;24.0000  
P22=-70.0000 ;23.6390  
P23=-70.1270 ;23.5000  
P24=-70.5000 ;23.0830  
P25=-70.5810 ;23.0000  
P26=-71.0000 ;22.5560  
P27=-71.0560 ;22.5000  
P28=-71.5000 ;22.0410  
P29=-71.5420 ;22.0000  
P30=-72.0000 ;21.5260  
P31=-72.0260 ;21.5000  
P32=-72.4990 ;21.0000  
P33=-72.5000 ;20.9990  
P34=-72.9630 ;20.5000  
P35=-73.0000 ;20.4580  
P36=-73.4100 ;20.0000  
P37=-73.5000 ;19.8970  
P38=-73.8510 ;19.5000  
P39=-74.0000 ;19.3290  
P40=-74.2970 ;19.0000  
P41=-74.5000 ;18.7700  
P42=-74.7610 ;18.5000  
P43=-75.0000 ;18.2470  
P44=-75.2680 ;18.0000  
P45=-75.5000 ;17.7610  
P46=-75.8300 ;17.5000  
P47=-76.0000 ;17.3290  
P48=-76.5000 ;17.0040  
P49=-76.5070 ;17.0000  
P50=-77.0000 ;16.6200  
P51=-77.3430 ;16.5000  
P52=-77.5000 ;16.3380  
P53=-78.0000 ;16.2030  
P54=-78.5000 ;16.1670  
P55=-79.0000 ;16.1560  
P56=-79.5000 ;16.1640  
P57=-80.0000 ;16.1920  
P58=-80.5000 ;16.2320  
P59=-81.0000 ;16.2780  
P60=-81.5000 ;16.3310  
P61=-82.0000 ;16.3880

P62=-82.5000 ;16.4410  
P63=-83.0000 ;16.4880  
P64=-83.1330 ;16.5000  
P65=-83.5000 ;16.5570  
P66=-84.0000 ;16.6340  
P67=-84.5000 ;16.7050  
P68=-85.0000 ;16.7740  
P69=-85.5000 ;16.8530  
P70=-86.0000 ;16.9420  
P71=-86.2800 ;17.0000  
P72=-86.5000 ;17.0750  
P73=-87.0000 ;17.2680  
P74=-87.5000 ;17.4530  
P75=-87.6110 ;17.5000  
P76=-88.0000 ;17.7430  
P77=-88.4630 ;18.0000  
P78=-88.5000 ;18.0320  
P79=-89.0000 ;18.4430  
P80=-89.0730 ;18.5000  
P81=-89.5000 ;18.9110  
P82=-89.5960 ;19.0000  
P83=-90.0000 ;19.4500  
P84=-90.0450 ;19.5000  
P85=-90.3550 ;20.0000  
P86=-90.5000 ;20.2820  
P87=-90.6000 ;20.5000  
P88=-90.5000 ;20.6940  
P89=-90.0000 ;20.5370  
P90=-89.9470 ;20.5000  
P91=-89.5000 ;20.1660  
P92=-89.2210 ;20.0000  
P93=-89.0000 ;19.8640  
P94=-88.5000 ;19.5870  
P95=-88.3230 ;19.5000  
P96=-88.0000 ;19.3050  
P97=-87.5000 ;19.0890  
P98=-87.2420 ;19.0000  
P99=-87.0000 ;18.8740  
P100=-86.5000 ;18.6700  
P101=-86.0000 ;18.5360  
P102=-85.8320 ;18.5000  
P103=-85.5000 ;18.3850  
P104=-85.0000 ;18.2780  
P105=-84.5000 ;18.2250  
P106=-84.0000 ;18.2240  
P107=-83.5000 ;18.2740  
P108=-83.0000 ;18.3890  
P109=-82.6820 ;18.5000  
P110=-82.5000 ;18.8150  
P111=-82.3630 ;19.0000  
P112=-82.5000 ;19.0250  
P113=-83.0000 ;19.1160  
P114=-83.5000 ;19.2090  
P115=-84.0000 ;19.3190  
P116=-84.5000 ;19.4680  
P117=-84.5780 ;19.5000  
P118=-85.0000 ;19.6310

P119=-85.5000 ;19.8020  
P120=-85.9660 ;20.0000  
P121=-86.0000 ;20.0160  
P122=-86.5000 ;20.2810  
P123=-86.9050 ;20.5000  
P124=-87.0000 ;20.5650  
P125=-87.5000 ;20.9210  
P126=-87.5990 ;21.0000  
P127=-88.0000 ;21.3550  
P128=-88.1470 ;21.5000  
P129=-88.5000 ;21.8990  
P130=-88.5800 ;22.0000  
P131=-88.9300 ;22.5000  
P132=-89.0000 ;22.6140  
P133=-89.1940 ;23.0000  
P134=-89.4350 ;23.5000  
P135=-89.5000 ;23.6570  
P136=-89.6070 ;24.0000  
P137=-89.7330 ;24.5000  
P138=-89.8440 ;25.0000  
P139=-89.9160 ;25.5000  
P140=-89.9770 ;26.0000  
P141=-90.0000 ;26.3840  
P142=-90.0030 ;26.5000  
P143=-90.0000 ;26.7950  
P144=-89.9930 ;27.0000  
P145=-89.9770 ;27.5000  
P146=-89.9680 ;28.0000  
P147=-89.9500 ;28.5000  
P148=-89.9080 ;29.0000  
P149=-89.8200 ;29.5000  
P150=-89.7130 ;30.0000  
P151=-89.5950 ;30.5000  
P152=-89.5000 ;30.8070  
P153=-89.4170 ;31.0000  
P154=-89.1880 ;31.5000  
P155=-89.0000 ;31.9210  
P156=-88.9550 ;32.0000  
P157=-88.6360 ;32.5000  
P158=-88.5000 ;32.7170  
P159=-88.2900 ;33.0000  
P160=-88.0000 ;33.3990  
P161=-87.9160 ;33.5000  
P162=-87.5000 ;33.9700  
P163=-87.4710 ;34.0000  
P164=-87.0000 ;34.4550  
P165=-86.9520 ;34.5000  
P166=-86.5000 ;34.8760  
P167=-86.3520 ;35.0000  
P168=-86.0000 ;35.2440  
P169=-85.6560 ;35.5000  
P170=-85.5000 ;35.5880  
P171=-85.0000 ;35.8830  
P172=-84.8040 ;36.0000  
P173=-84.5000 ;36.1360  
P174=-84.0000 ;36.3770  
P175=-83.7410 ;36.5000

P176=-83.5000 ;36.5790  
P177=-83.0000 ;36.7410  
P178=-82.5000 ;36.9020  
P179=-82.1660 ;37.0000  
P180=-82.0000 ;37.0310  
P181=-81.5000 ;37.1090  
P182=-81.0000 ;37.1720  
P183=-80.5000 ;37.2150  
P184=-80.0000 ;37.2340  
P185=-79.5000 ;37.2300  
P186=-79.0000 ;37.2040  
P187=-78.5000 ;37.1570  
P188=-78.0000 ;37.0930  
P189=-77.5000 ;37.0200  
P190=-77.3870 ;37.0000  
P191=-77.0000 ;36.8780  
P192=-76.5000 ;36.7040  
P193=-76.0000 ;36.5300  
P194=-75.9200 ;36.5000  
P195=-75.5000 ;36.2860  
P196=-75.0000 ;36.0390  
P197=-74.9240 ;36.0000  
P198=-74.5000 ;35.7080  
P199=-74.2220 ;35.5000  
P200=-74.0000 ;35.3060  
P201=-73.6890 ;35.0000  
P202=-73.5000 ;34.7980  
P203=-73.2500 ;34.5000  
P204=-73.0000 ;34.1690  
P205=-72.9080 ;34.0000  
P206=-72.6070 ;33.5000  
P207=-72.5000 ;33.3020  
P208=-72.3870 ;33.0000  
P209=-72.2120 ;32.5000  
P210=-72.0380 ;32.0000  
P211=-72.0000 ;31.8670  
P212=-71.9420 ;31.5000  
P213=-71.8770 ;31.0000  
P214=-71.8510 ;30.5000  
P215=-71.8380 ;30.0000  
P216=-71.8560 ;29.5000  
P217=-71.9030 ;29.0000  
P218=-71.9570 ;28.5000  
P219=-72.0000 ;28.3160  
P220=-72.0820 ;28.0000  
P221=-72.2080 ;27.5000  
P222=-72.3140 ;27.0000  
P223=-72.5000 ;26.5620  
P224=-72.5240 ;26.5000  
P225=-72.7170 ;26.0000  
P226=-72.9780 ;25.5000  
P227=-73.0000 ;25.4690  
P228=-73.1900 ;25.0000  
P229=-73.5000 ;24.5850  
P230=-73.5550 ;24.5000  
P231=-73.8640 ;24.0000  
P232=-74.0000 ;23.8500

P233=-74.2440 ;23.5000  
P234=-74.5000 ;23.1670  
P235=-74.6290 ;23.0000  
P236=-74.5000 ;22.6780  
P237=-74.0000 ;22.9940  
P238=-73.9940 ;23.0000  
P239=-73.5210 ;23.5000  
P240=-73.5000 ;23.5180  
P241=-73.1640 ;24.0000  
P242=-73.0000 ;24.1810  
P243=-72.7960 ;24.5000  
P244=-72.5000 ;24.9060  
P245=-72.4430 ;25.0000  
P246=-72.1530 ;25.5000  
P247=-72.0000 ;25.6740  
P248=-71.8030 ;26.0000  
P249=-71.5060 ;26.5000  
P250=-71.5000 ;26.5070  
P251=-71.2340 ;27.0000  
P252=-71.0000 ;27.4390  
P253=-70.9650 ;27.5000  
P254=-70.7230 ;28.0000  
P255=-70.5370 ;28.5000  
P256=-70.5000 ;28.6100  
P257=-70.3310 ;29.0000  
P258=-70.1880 ;29.5000  
P259=-70.0650 ;30.0000  
P260=-70.0120 ;30.5000  
P261=-70.0000 ;30.5940  
P262=-69.8990 ;31.0000  
P263=-69.8860 ;31.5000  
P264=-69.8440 ;32.0000  
P265=-69.8920 ;32.5000  
P266=-69.9160 ;33.0000  
P267=-70.0000 ;33.3680  
P268=-70.0180 ;33.5000  
P269=-70.0760 ;34.0000  
P270=-70.1790 ;34.5000  
P271=-70.3470 ;35.0000  
P272=-70.4960 ;35.5000  
P273=-70.5000 ;35.5110  
P274=-70.6580 ;36.0000  
P275=-70.8560 ;36.5000  
P276=-71.0000 ;36.7890  
P277=-71.1040 ;37.0000  
P278=-71.3760 ;37.5000  
P279=-71.5000 ;37.7330  
P280=-71.6940 ;38.0000  
P281=-72.0000 ;38.3090  
P282=-72.3530 ;38.5000  
P283=-72.5000 ;38.6670  
P284=-73.0000 ;38.9330  
P285=-73.1980 ;39.0000  
P286=-73.5000 ;39.2110  
P287=-74.0000 ;39.3740  
P288=-74.5000 ;39.4800  
P289=-74.5970 ;39.5000

P290=-75.0000 ;39.7220  
P291=-75.5000 ;39.8550  
P292=-76.0000 ;39.9600  
P293=-76.1960 ;40.0000  
P294=-76.0000 ;40.1450  
P295=-75.5000 ;40.2490  
P296=-75.0000 ;40.2200  
P297=-74.5000 ;40.1410  
P298=-74.0000 ;40.0310  
P299=-73.8930 ;40.0000  
P300=-73.5000 ;39.7380  
P301=-73.0000 ;39.5390  
P302=-72.9100 ;39.5000  
P303=-72.5000 ;39.1820  
P304=-72.0100 ;39.0000  
P305=-72.0000 ;38.9920  
P306=-71.5000 ;38.6510  
P307=-71.2170 ;38.5000  
P308=-71.0000 ;38.3590  
P309=-70.5000 ;38.0820  
P310=-70.3610 ;38.0000  
P311=-70.0000 ;37.8050  
P312=-69.5000 ;37.5120  
P313=-69.4840 ;37.5000  
P314=-69.0000 ;37.1170  
P315=-68.8830 ;37.0000  
P316=-68.5000 ;36.6070  
P317=-68.4150 ;36.5000  
P318=-68.0450 ;36.0000  
P319=-68.0000 ;35.9400  
P320=-67.7780 ;35.5000  
P321=-67.5830 ;35.0000  
P322=-67.5000 ;34.7610  
P323=-67.4410 ;34.5000  
P324=-67.3210 ;34.0000  
P325=-67.2650 ;33.5000  
P326=-67.1870 ;33.0000  
P327=-67.1280 ;32.5000  
P328=-67.0830 ;32.0000  
P329=-67.0240 ;31.5000  
P330=-67.0060 ;31.0000  
P331=-67.0000 ;30.9010  
[C5]  
gain=-30.00  
n\_point=76  
P1=-80.5000 ;34.1530  
P2=-80.6667 ;34.1897  
P3=-80.8333 ;34.2263  
P4=-81.0000 ;34.2630  
P5=-81.1667 ;34.2683  
P6=-81.3333 ;34.2737  
P7=-81.5000 ;34.2790  
P8=-81.6667 ;34.2663  
P9=-81.8333 ;34.2537  
P10=-82.0000 ;34.2410  
P11=-82.1667 ;34.2003  
P12=-82.3333 ;34.1597

P13=-82.5000 ;34.1190  
P14=-82.6115 ;34.0595  
P15=-82.7230 ;34.0000  
P16=-82.8615 ;33.9455  
P17=-83.0000 ;33.8910  
P18=-83.1667 ;33.8380  
P19=-83.3333 ;33.7850  
P20=-83.5000 ;33.7320  
P21=-83.6237 ;33.6547  
P22=-83.7473 ;33.5773  
P23=-83.8710 ;33.5000  
P24=-83.9355 ;33.4380  
P25=-84.0000 ;33.3760  
P26=-84.1250 ;33.3090  
P27=-84.2500 ;33.2420  
P28=-84.3750 ;33.1750  
P29=-84.5000 ;33.1080  
P30=-84.5740 ;33.0540  
P31=-84.6480 ;33.0000  
P32=-84.7653 ;32.8897  
P33=-84.8827 ;32.7793  
P34=-85.0000 ;32.6690  
P35=-85.1080 ;32.5845  
P36=-85.2160 ;32.5000  
P37=-85.1080 ;32.4250  
P38=-85.0000 ;32.3500  
P39=-84.8333 ;32.3963  
P40=-84.6667 ;32.4427  
P41=-84.5000 ;32.4890  
P42=-84.4820 ;32.5000  
P43=-84.3615 ;32.5702  
P44=-84.2410 ;32.6405  
P45=-84.1205 ;32.7108  
P46=-84.0000 ;32.7810  
P47=-83.8333 ;32.8260  
P48=-83.6667 ;32.8710  
P49=-83.5000 ;32.9160  
P50=-83.4120 ;32.9580  
P51=-83.3240 ;33.0000  
P52=-83.2160 ;33.0550  
P53=-83.1080 ;33.1100  
P54=-83.0000 ;33.1650  
P55=-82.8333 ;33.1860  
P56=-82.6667 ;33.2070  
P57=-82.5000 ;33.2280  
P58=-82.3750 ;33.2810  
P59=-82.2500 ;33.3340  
P60=-82.1250 ;33.3870  
P61=-82.0000 ;33.4400  
P62=-81.8350 ;33.5000  
P63=-81.7233 ;33.5700  
P64=-81.6117 ;33.6400  
P65=-81.5000 ;33.7100  
P66=-81.3333 ;33.7507  
P67=-81.1667 ;33.7913  
P68=-81.0000 ;33.8320  
P69=-80.8333 ;33.8667

P70=-80.6667 ;33.9013  
P71=-80.5000 ;33.9360  
P72=-80.3240 ;33.9680  
P73=-80.1480 ;34.0000  
P74=-80.2653 ;34.0510  
P75=-80.3827 ;34.1020  
P76=-80.5000 ;34.1530  
[C6]  
gain=-30.00  
n\_point=73  
P1=-75.5000 ;32.0810  
P2=-75.5758 ;32.1857  
P3=-75.6515 ;32.2905  
P4=-75.7272 ;32.3952  
P5=-75.8030 ;32.5000  
P6=-75.8687 ;32.5753  
P7=-75.9343 ;32.6507  
P8=-76.0000 ;32.7260  
P9=-76.1217 ;32.7945  
P10=-76.2435 ;32.8630  
P11=-76.3652 ;32.9315  
P12=-76.4870 ;33.0000  
P13=-76.5000 ;33.0100  
P14=-76.5340 ;33.0000  
P15=-76.5547 ;32.8750  
P16=-76.5755 ;32.7500  
P17=-76.5962 ;32.6250  
P18=-76.6170 ;32.5000  
P19=-76.5585 ;32.3830  
P20=-76.5000 ;32.2660  
P21=-76.4673 ;32.1773  
P22=-76.4347 ;32.0887  
P23=-76.4020 ;32.0000  
P24=-76.3580 ;31.8750  
P25=-76.3140 ;31.7500  
P26=-76.2700 ;31.6250  
P27=-76.2260 ;31.5000  
P28=-76.1857 ;31.3750  
P29=-76.1455 ;31.2500  
P30=-76.1053 ;31.1250  
P31=-76.0650 ;31.0000  
P32=-76.0325 ;30.9175  
P33=-76.0000 ;30.8350  
P34=-75.9450 ;30.7233  
P35=-75.8900 ;30.6117  
P36=-75.8350 ;30.5000  
P37=-75.8102 ;30.3750  
P38=-75.7855 ;30.2500  
P39=-75.7607 ;30.1250  
P40=-75.7360 ;30.0000  
P41=-75.7005 ;29.8750  
P42=-75.6650 ;29.7500  
P43=-75.6295 ;29.6250  
P44=-75.5940 ;29.5000  
P45=-75.5705 ;29.3865  
P46=-75.5470 ;29.2730  
P47=-75.5235 ;29.1595

P48=-75.5000 ;29.0460  
P49=-75.4610 ;29.1595  
P50=-75.4220 ;29.2730  
P51=-75.3830 ;29.3865  
P52=-75.3440 ;29.5000  
P53=-75.3058 ;29.6250  
P54=-75.2675 ;29.7500  
P55=-75.2292 ;29.8750  
P56=-75.1910 ;30.0000  
P57=-75.1765 ;30.1250  
P58=-75.1620 ;30.2500  
P59=-75.1475 ;30.3750  
P60=-75.1330 ;30.5000  
P61=-75.1253 ;30.6250  
P62=-75.1175 ;30.7500  
P63=-75.1098 ;30.8750  
P64=-75.1020 ;31.0000  
P65=-75.1220 ;31.1250  
P66=-75.1420 ;31.2500  
P67=-75.1620 ;31.3750  
P68=-75.1820 ;31.5000  
P69=-75.2485 ;31.6250  
P70=-75.3150 ;31.7500  
P71=-75.3815 ;31.8750  
P72=-75.4480 ;32.0000  
P73=-75.5000 ;32.0810

[C7]

gain=-30.00

n\_point=72

P1=-76.0000 ;27.2290  
P2=-76.0450 ;27.1145  
P3=-76.0900 ;27.0000  
P4=-76.1073 ;26.8750  
P5=-76.1245 ;26.7500  
P6=-76.1417 ;26.6250  
P7=-76.1590 ;26.5000  
P8=-76.2727 ;26.4477  
P9=-76.3863 ;26.3953  
P10=-76.5000 ;26.3430  
P11=-76.5563 ;26.2287  
P12=-76.6127 ;26.1143  
P13=-76.6690 ;26.0000  
P14=-76.7518 ;25.9135  
P15=-76.8345 ;25.8270  
P16=-76.9173 ;25.7405  
P17=-77.0000 ;25.6540  
P18=-77.0590 ;25.5770  
P19=-77.1180 ;25.5000  
P20=-77.1800 ;25.4000  
P21=-77.2420 ;25.3000  
P22=-77.3040 ;25.2000  
P23=-77.3660 ;25.1000  
P24=-77.4280 ;25.0000  
P25=-77.5000 ;24.9210  
P26=-77.5747 ;24.8158  
P27=-77.6495 ;24.7105  
P28=-77.7243 ;24.6052

P29=-77.7990 ;24.5000  
P30=-77.8660 ;24.3827  
P31=-77.9330 ;24.2653  
P32=-78.0000 ;24.1480  
P33=-78.0635 ;24.0740  
P34=-78.1270 ;24.0000  
P35=-78.0635 ;23.8980  
P36=-78.0000 ;23.7960  
P37=-77.8930 ;23.8640  
P38=-77.7860 ;23.9320  
P39=-77.6790 ;24.0000  
P40=-77.5895 ;24.0340  
P41=-77.5000 ;24.0680  
P42=-77.4130 ;24.1544  
P43=-77.3260 ;24.2408  
P44=-77.2390 ;24.3272  
P45=-77.1520 ;24.4136  
P46=-77.0650 ;24.5000  
P47=-77.0000 ;24.5590  
P48=-76.9306 ;24.6472  
P49=-76.8612 ;24.7354  
P50=-76.7918 ;24.8236  
P51=-76.7224 ;24.9118  
P52=-76.6530 ;25.0000  
P53=-76.5765 ;25.1075  
P54=-76.5000 ;25.2150  
P55=-76.4297 ;25.3100  
P56=-76.3593 ;25.4050  
P57=-76.2890 ;25.5000  
P58=-76.2663 ;25.6250  
P59=-76.2435 ;25.7500  
P60=-76.2207 ;25.8750  
P61=-76.1980 ;26.0000  
P62=-76.1485 ;26.0945  
P63=-76.0990 ;26.1890  
P64=-76.0495 ;26.2835  
P65=-76.0000 ;26.3780  
P66=-75.9460 ;26.5000  
P67=-75.9285 ;26.6250  
P68=-75.9110 ;26.7500  
P69=-75.8935 ;26.8750  
P70=-75.8760 ;27.0000  
P71=-75.9380 ;27.1145  
P72=-76.0000 ;27.2290  
[C8]  
gain=-30.00  
n\_point=82  
P1=-87.5000 ;30.1570  
P2=-87.5715 ;30.0785  
P3=-87.6430 ;30.0000  
P4=-87.7322 ;29.9005  
P5=-87.8215 ;29.8010  
P6=-87.9108 ;29.7015  
P7=-88.0000 ;29.6020  
P8=-88.0880 ;29.5000  
P9=-88.1725 ;29.3750  
P10=-88.2570 ;29.2500

P11=-88.3415 ;29.1250  
P12=-88.4260 ;29.0000  
P13=-88.4630 ;28.9190  
P14=-88.5000 ;28.8380  
P15=-88.5757 ;28.7253  
P16=-88.6513 ;28.6127  
P17=-88.7270 ;28.5000  
P18=-88.7695 ;28.3750  
P19=-88.8120 ;28.2500  
P20=-88.8545 ;28.1250  
P21=-88.8970 ;28.0000  
P22=-88.9128 ;27.8750  
P23=-88.9285 ;27.7500  
P24=-88.9442 ;27.6250  
P25=-88.9600 ;27.5000  
P26=-88.9575 ;27.3750  
P27=-88.9550 ;27.2500  
P28=-88.9525 ;27.1250  
P29=-88.9500 ;27.0000  
P30=-88.9255 ;26.8750  
P31=-88.9010 ;26.7500  
P32=-88.8765 ;26.6250  
P33=-88.8520 ;26.5000  
P34=-88.7847 ;26.3750  
P35=-88.7175 ;26.2500  
P36=-88.6502 ;26.1250  
P37=-88.5830 ;26.0000  
P38=-88.5000 ;25.9070  
P39=-88.3970 ;25.8053  
P40=-88.2940 ;25.7035  
P41=-88.1910 ;25.6017  
P42=-88.0880 ;25.5000  
P43=-88.0000 ;25.4230  
P44=-87.9280 ;25.5000  
P45=-87.8845 ;25.6250  
P46=-87.8410 ;25.7500  
P47=-87.7975 ;25.8750  
P48=-87.7540 ;26.0000  
P49=-87.7412 ;26.1250  
P50=-87.7285 ;26.2500  
P51=-87.7158 ;26.3750  
P52=-87.7030 ;26.5000  
P53=-87.7068 ;26.6250  
P54=-87.7105 ;26.7500  
P55=-87.7142 ;26.8750  
P56=-87.7180 ;27.0000  
P57=-87.7068 ;27.1250  
P58=-87.6955 ;27.2500  
P59=-87.6842 ;27.3750  
P60=-87.6730 ;27.5000  
P61=-87.6708 ;27.6250  
P62=-87.6685 ;27.7500  
P63=-87.6663 ;27.8750  
P64=-87.6640 ;28.0000  
P65=-87.6580 ;28.1250  
P66=-87.6520 ;28.2500  
P67=-87.6460 ;28.3750

P68=-87.6400 ;28.5000  
P69=-87.6148 ;28.6250  
P70=-87.5895 ;28.7500  
P71=-87.5643 ;28.8750  
P72=-87.5390 ;29.0000  
P73=-87.5000 ;29.0910  
P74=-87.4663 ;29.2273  
P75=-87.4327 ;29.3637  
P76=-87.3990 ;29.5000  
P77=-87.3925 ;29.6250  
P78=-87.3860 ;29.7500  
P79=-87.3795 ;29.8750  
P80=-87.3730 ;30.0000  
P81=-87.4365 ;30.0785  
P82=-87.5000 ;30.1570  
[C9]  
gain=-20.00  
n\_point=120  
P1=-76.5000 ;30.5820  
P2=-76.4780 ;30.5000  
P3=-76.4370 ;30.2500  
P4=-76.3960 ;30.0000  
P5=-76.3630 ;29.7500  
P6=-76.3300 ;29.5000  
P7=-76.3305 ;29.2500  
P8=-76.3310 ;29.0000  
P9=-76.3520 ;28.7500  
P10=-76.3730 ;28.5000  
P11=-76.4090 ;28.2500  
P12=-76.4450 ;28.0000  
P13=-76.5000 ;27.7900  
P14=-76.5950 ;27.5000  
P15=-76.6970 ;27.2500  
P16=-76.7990 ;27.0000  
P17=-76.8995 ;26.7565  
P18=-77.0000 ;26.5130  
P19=-77.0070 ;26.5000  
P20=-77.1590 ;26.2500  
P21=-77.3110 ;26.0000  
P22=-77.5000 ;25.6880  
P23=-77.6390 ;25.5000  
P24=-77.8195 ;25.2560  
P25=-78.0000 ;25.0120  
P26=-78.0110 ;25.0000  
P27=-78.2495 ;24.7500  
P28=-78.4880 ;24.5000  
P29=-78.5000 ;24.4860  
P30=-78.7500 ;24.2620  
P31=-79.0000 ;24.0380  
P32=-79.0480 ;24.0000  
P33=-79.2740 ;23.8300  
P34=-79.5000 ;23.6600  
P35=-79.7450 ;23.5000  
P36=-80.0000 ;23.3230  
P37=-80.2500 ;23.1925  
P38=-80.5000 ;23.0620  
P39=-80.6510 ;23.0000

P40=-81.0000 ;22.8130  
P41=-81.2500 ;22.7275  
P42=-81.5000 ;22.6420  
P43=-82.0000 ;22.5320  
P44=-82.2690 ;22.5000  
P45=-82.5000 ;22.4330  
P46=-83.0000 ;22.3950  
P47=-83.5000 ;22.4860  
P48=-83.5290 ;22.5000  
P49=-84.0000 ;22.5840  
P50=-84.2500 ;22.6715  
P51=-84.5000 ;22.7590  
P52=-84.8250 ;23.0000  
P53=-85.0000 ;23.0960  
P54=-85.2260 ;23.2980  
P55=-85.4520 ;23.5000  
P56=-85.5000 ;23.5380  
P57=-85.7190 ;23.7690  
P58=-85.9380 ;24.0000  
P59=-86.0000 ;24.0690  
P60=-86.1515 ;24.2845  
P61=-86.3030 ;24.5000  
P62=-86.5000 ;24.8080  
P63=-86.5980 ;25.0000  
P64=-86.7035 ;25.2500  
P65=-86.8090 ;25.5000  
P66=-86.8980 ;25.7500  
P67=-86.9870 ;26.0000  
P68=-87.0000 ;26.0490  
P69=-87.0800 ;26.5000  
P70=-87.1000 ;26.7500  
P71=-87.1200 ;27.0000  
P72=-87.1205 ;27.2500  
P73=-87.1210 ;27.5000  
P74=-87.0970 ;27.7500  
P75=-87.0730 ;28.0000  
P76=-87.0000 ;28.4600  
P77=-86.9910 ;28.5000  
P78=-86.8985 ;28.7500  
P79=-86.8060 ;29.0000  
P80=-86.7025 ;29.2500  
P81=-86.5990 ;29.5000  
P82=-86.5000 ;29.6910  
P83=-86.3040 ;30.0000  
P84=-86.1520 ;30.2235  
P85=-86.0000 ;30.4470  
P86=-85.9580 ;30.5000  
P87=-85.7345 ;30.7500  
P88=-85.5110 ;31.0000  
P89=-85.5000 ;31.0100  
P90=-85.2500 ;31.2250  
P91=-85.0000 ;31.4400  
P92=-84.9270 ;31.5000  
P93=-84.5000 ;31.7940  
P94=-84.2020 ;32.0000  
P95=-84.0000 ;32.1090  
P96=-83.7500 ;32.2480

P97=-83.5000 ;32.3870  
P98=-83.2820 ;32.5000  
P99=-83.0000 ;32.5940  
P100=-82.5000 ;32.7740  
P101=-82.0000 ;32.9470  
P102=-81.8100 ;33.0000  
P103=-81.5000 ;33.0580  
P104=-81.0000 ;33.1320  
P105=-80.5000 ;33.1770  
P106=-80.0000 ;33.1840  
P107=-79.5000 ;33.1450  
P108=-79.0000 ;33.0510  
P109=-78.8340 ;33.0000  
P110=-78.5000 ;32.8700  
P111=-78.2500 ;32.7385  
P112=-78.0000 ;32.6070  
P113=-77.8460 ;32.5000  
P114=-77.5000 ;32.2250  
P115=-77.2860 ;32.0000  
P116=-77.0000 ;31.6310  
P117=-76.9230 ;31.5000  
P118=-76.8015 ;31.2500  
P119=-76.6800 ;31.0000  
P120=-76.5000 ;30.5820

[C10]

gain=-10.00

n\_point=106

P1=-78.0000 ;30.6250  
P2=-77.9210 ;30.5000  
P3=-77.8145 ;30.2500  
P4=-77.7080 ;30.0000  
P5=-77.6325 ;29.7500  
P6=-77.5570 ;29.5000  
P7=-77.5330 ;29.2500  
P8=-77.5090 ;29.0000  
P9=-77.5145 ;28.7500  
P10=-77.5200 ;28.5000  
P11=-77.5605 ;28.2500  
P12=-77.6010 ;28.0000  
P13=-77.6735 ;27.7500  
P14=-77.7460 ;27.5000  
P15=-77.8385 ;27.2500  
P16=-77.9310 ;27.0000  
P17=-78.0000 ;26.8540  
P18=-78.0985 ;26.6770  
P19=-78.1970 ;26.5000  
P20=-78.3485 ;26.2575  
P21=-78.5000 ;26.0150  
P22=-78.5110 ;26.0000  
P23=-78.7265 ;25.7500  
P24=-78.9420 ;25.5000  
P25=-79.0000 ;25.4390  
P26=-79.2385 ;25.2195  
P27=-79.4770 ;25.0000  
P28=-79.5000 ;24.9810  
P29=-79.7500 ;24.8095  
P30=-80.0000 ;24.6380

P31=-80.2290 ;24.5000  
P32=-80.5000 ;24.3610  
P33=-80.7500 ;24.2580  
P34=-81.0000 ;24.1550  
P35=-81.2500 ;24.0795  
P36=-81.5000 ;24.0040  
P37=-81.5230 ;24.0000  
P38=-81.7615 ;23.9630  
P39=-82.0000 ;23.9260  
P40=-82.2500 ;23.9180  
P41=-82.5000 ;23.9100  
P42=-82.7500 ;23.9300  
P43=-83.0000 ;23.9500  
P44=-83.2340 ;24.0000  
P45=-83.5000 ;24.0680  
P46=-83.7500 ;24.1675  
P47=-84.0000 ;24.2670  
P48=-84.2095 ;24.3835  
P49=-84.4190 ;24.5000  
P50=-84.5000 ;24.5560  
P51=-84.7500 ;24.7735  
P52=-85.0000 ;24.9910  
P53=-85.0090 ;25.0000  
P54=-85.1995 ;25.2500  
P55=-85.3900 ;25.5000  
P56=-85.5000 ;25.6930  
P57=-85.6420 ;26.0000  
P58=-85.7245 ;26.2500  
P59=-85.8070 ;26.5000  
P60=-85.8485 ;26.7500  
P61=-85.8900 ;27.0000  
P62=-85.8960 ;27.2500  
P63=-85.9020 ;27.5000  
P64=-85.8705 ;27.7500  
P65=-85.8390 ;28.0000  
P66=-85.7765 ;28.2500  
P67=-85.7140 ;28.5000  
P68=-85.6175 ;28.7500  
P69=-85.5210 ;29.0000  
P70=-85.5000 ;29.0430  
P71=-85.3670 ;29.2715  
P72=-85.2340 ;29.5000  
P73=-85.1170 ;29.6675  
P74=-85.0000 ;29.8350  
P75=-84.8680 ;30.0000  
P76=-84.6840 ;30.1950  
P77=-84.5000 ;30.3900  
P78=-84.3830 ;30.5000  
P79=-84.1915 ;30.6570  
P80=-84.0000 ;30.8140  
P81=-83.7460 ;31.0000  
P82=-83.5000 ;31.1510  
P83=-83.2500 ;31.2880  
P84=-83.0000 ;31.4250  
P85=-82.8380 ;31.5000  
P86=-82.5000 ;31.6300  
P87=-82.2500 ;31.7070

P88=-82.0000 ;31.7840  
P89=-81.7500 ;31.8395  
P90=-81.5000 ;31.8950  
P91=-81.2500 ;31.9260  
P92=-81.0000 ;31.9570  
P93=-80.7500 ;31.9580  
P94=-80.5000 ;31.9590  
P95=-80.2500 ;31.9265  
P96=-80.0000 ;31.8940  
P97=-79.7500 ;31.8280  
P98=-79.5000 ;31.7620  
P99=-79.2500 ;31.6555  
P100=-79.0000 ;31.5490  
P101=-78.9160 ;31.5000  
P102=-78.7080 ;31.3450  
P103=-78.5000 ;31.1900  
P104=-78.3070 ;31.0000  
P105=-78.1535 ;30.8125  
P106=-78.0000 ;30.6250  
[C11]  
gain=-6.00  
n\_point=95  
P1=-78.5000 ;29.5230  
P2=-78.4910 ;29.5000  
P3=-78.4365 ;29.2500  
P4=-78.3820 ;29.0000  
P5=-78.3710 ;28.7500  
P6=-78.3600 ;28.5000  
P7=-78.3870 ;28.2500  
P8=-78.4140 ;28.0000  
P9=-78.4570 ;27.8250  
P10=-78.5000 ;27.6500  
P11=-78.5440 ;27.5000  
P12=-78.6525 ;27.2500  
P13=-78.7610 ;27.0000  
P14=-78.8805 ;26.7880  
P15=-79.0000 ;26.5760  
P16=-79.0500 ;26.5000  
P17=-79.1827 ;26.3333  
P18=-79.3153 ;26.1667  
P19=-79.4480 ;26.0000  
P20=-79.5000 ;25.9460  
P21=-79.6650 ;25.7973  
P22=-79.8300 ;25.6487  
P23=-79.9950 ;25.5000  
P24=-80.0000 ;25.4960  
P25=-80.2500 ;25.3410  
P26=-80.5000 ;25.1860  
P27=-80.6845 ;25.0930  
P28=-80.8690 ;25.0000  
P29=-81.0000 ;24.9440  
P30=-81.2500 ;24.8690  
P31=-81.5000 ;24.7940  
P32=-81.7500 ;24.7545  
P33=-82.0000 ;24.7150  
P34=-82.2500 ;24.7120  
P35=-82.5000 ;24.7090

P36=-82.7500 ;24.7480  
P37=-83.0000 ;24.7870  
P38=-83.2500 ;24.8675  
P39=-83.5000 ;24.9480  
P40=-83.6040 ;25.0000  
P41=-83.8020 ;25.1250  
P42=-84.0000 ;25.2500  
P43=-84.1500 ;25.3750  
P44=-84.3000 ;25.5000  
P45=-84.4000 ;25.6145  
P46=-84.5000 ;25.7290  
P47=-84.5925 ;25.8645  
P48=-84.6850 ;26.0000  
P49=-84.8070 ;26.2500  
P50=-84.9290 ;26.5000  
P51=-85.0000 ;26.7790  
P52=-85.0440 ;27.0000  
P53=-85.0575 ;27.2500  
P54=-85.0710 ;27.5000  
P55=-85.0420 ;27.7500  
P56=-85.0130 ;28.0000  
P57=-85.0000 ;28.0520  
P58=-84.9310 ;28.2760  
P59=-84.8620 ;28.5000  
P60=-84.7420 ;28.7500  
P61=-84.6220 ;29.0000  
P62=-84.5000 ;29.1960  
P63=-84.3885 ;29.3480  
P64=-84.2770 ;29.5000  
P65=-84.1385 ;29.6565  
P66=-84.0000 ;29.8130  
P67=-83.8060 ;30.0000  
P68=-83.6530 ;30.1225  
P69=-83.5000 ;30.2450  
P70=-83.3120 ;30.3725  
P71=-83.1240 ;30.5000  
P72=-83.0000 ;30.5720  
P73=-82.7500 ;30.6895  
P74=-82.5000 ;30.8070  
P75=-82.2500 ;30.8985  
P76=-82.0000 ;30.9900  
P77=-81.9540 ;31.0000  
P78=-81.7270 ;31.0430  
P79=-81.5000 ;31.0860  
P80=-81.2500 ;31.1025  
P81=-81.0000 ;31.1190  
P82=-80.7500 ;31.1040  
P83=-80.5000 ;31.0890  
P84=-80.2970 ;31.0445  
P85=-80.0940 ;31.0000  
P86=-80.0000 ;30.9740  
P87=-79.7500 ;30.8555  
P88=-79.5000 ;30.7370  
P89=-79.3315 ;30.6185  
P90=-79.1630 ;30.5000  
P91=-79.0000 ;30.3390  
P92=-78.8700 ;30.1695

P93=-78.7400 ;30.0000  
P94=-78.6200 ;29.7615  
P95=-78.5000 ;29.5230  
[C12]  
gain=-4.00  
n\_point=92  
P1=-79.0000 ;29.0290  
P2=-78.9910 ;29.0000  
P3=-78.9727 ;28.8333  
P4=-78.9543 ;28.6667  
P5=-78.9360 ;28.5000  
P6=-78.9457 ;28.3333  
P7=-78.9553 ;28.1667  
P8=-78.9650 ;28.0000  
P9=-79.0000 ;27.8660  
P10=-79.0570 ;27.6830  
P11=-79.1140 ;27.5000  
P12=-79.1900 ;27.3333  
P13=-79.2660 ;27.1667  
P14=-79.3420 ;27.0000  
P15=-79.4210 ;26.8750  
P16=-79.5000 ;26.7500  
P17=-79.5935 ;26.6250  
P18=-79.6870 ;26.5000  
P19=-79.8435 ;26.3310  
P20=-80.0000 ;26.1620  
P21=-80.1810 ;26.0000  
P22=-80.3405 ;25.8845  
P23=-80.5000 ;25.7690  
P24=-80.6533 ;25.6793  
P25=-80.8067 ;25.5897  
P26=-80.9600 ;25.5000  
P27=-81.0000 ;25.4810  
P28=-81.2500 ;25.4030  
P29=-81.5000 ;25.3250  
P30=-81.7500 ;25.2860  
P31=-82.0000 ;25.2470  
P32=-82.2500 ;25.2510  
P33=-82.5000 ;25.2550  
P34=-82.7500 ;25.3095  
P35=-83.0000 ;25.3640  
P36=-83.1665 ;25.4320  
P37=-83.3330 ;25.5000  
P38=-83.5000 ;25.5960  
P39=-83.6590 ;25.7307  
P40=-83.8180 ;25.8653  
P41=-83.9770 ;26.0000  
P42=-84.0000 ;26.0280  
P43=-84.0963 ;26.1853  
P44=-84.1927 ;26.3427  
P45=-84.2890 ;26.5000  
P46=-84.3460 ;26.6667  
P47=-84.4030 ;26.8333  
P48=-84.4600 ;27.0000  
P49=-84.4800 ;27.1865  
P50=-84.5000 ;27.3730  
P51=-84.5100 ;27.5000

P52=-84.5000 ;27.5830  
P53=-84.4680 ;27.7915  
P54=-84.4360 ;28.0000  
P55=-84.3800 ;28.1667  
P56=-84.3240 ;28.3333  
P57=-84.2680 ;28.5000  
P58=-84.1793 ;28.6667  
P59=-84.0907 ;28.8333  
P60=-84.0020 ;29.0000  
P61=-84.0000 ;29.0030  
P62=-83.8603 ;29.1687  
P63=-83.7207 ;29.3343  
P64=-83.5810 ;29.5000  
P65=-83.5000 ;29.5770  
P66=-83.3333 ;29.7113  
P67=-83.1667 ;29.8457  
P68=-83.0000 ;29.9800  
P69=-82.9680 ;30.0000  
P70=-82.7340 ;30.1200  
P71=-82.5000 ;30.2400  
P72=-82.2500 ;30.3340  
P73=-82.0000 ;30.4280  
P74=-81.8345 ;30.4640  
P75=-81.6690 ;30.5000  
P76=-81.5000 ;30.5310  
P77=-81.2500 ;30.5415  
P78=-81.0000 ;30.5520  
P79=-80.7950 ;30.5260  
P80=-80.5900 ;30.5000  
P81=-80.5000 ;30.4850  
P82=-80.2500 ;30.3855  
P83=-80.0000 ;30.2860  
P84=-79.7900 ;30.1430  
P85=-79.5800 ;30.0000  
P86=-79.5000 ;29.9210  
P87=-79.3973 ;29.7807  
P88=-79.2947 ;29.6403  
P89=-79.1920 ;29.5000  
P90=-79.1280 ;29.3430  
P91=-79.0640 ;29.1860  
P92=-79.0000 ;29.0290  
[C13]  
gain=-2.00  
n\_point=81  
P1=-80.0000 ;29.1370  
P2=-79.9080 ;29.0000  
P3=-79.8710 ;28.8750  
P4=-79.8340 ;28.7500  
P5=-79.7970 ;28.6250  
P6=-79.7600 ;28.5000  
P7=-79.7593 ;28.3333  
P8=-79.7587 ;28.1667  
P9=-79.7580 ;28.0000  
P10=-79.8033 ;27.8333  
P11=-79.8487 ;27.6667  
P12=-79.8940 ;27.5000  
P13=-79.9470 ;27.3890

P14=-80.0000 ;27.2780  
P15=-80.0845 ;27.1390  
P16=-80.1690 ;27.0000  
P17=-80.2793 ;26.8753  
P18=-80.3897 ;26.7507  
P19=-80.5000 ;26.6260  
P20=-80.5725 ;26.5630  
P21=-80.6450 ;26.5000  
P22=-80.7633 ;26.4233  
P23=-80.8817 ;26.3467  
P24=-81.0000 ;26.2700  
P25=-81.1667 ;26.1970  
P26=-81.3333 ;26.1240  
P27=-81.5000 ;26.0510  
P28=-81.6335 ;26.0255  
P29=-81.7670 ;26.0000  
P30=-81.8835 ;25.9825  
P31=-82.0000 ;25.9650  
P32=-82.1300 ;25.9767  
P33=-82.2600 ;25.9883  
P34=-82.3900 ;26.0000  
P35=-82.5000 ;26.0140  
P36=-82.6667 ;26.0867  
P37=-82.8333 ;26.1593  
P38=-83.0000 ;26.2320  
P39=-83.1087 ;26.3213  
P40=-83.2173 ;26.4107  
P41=-83.3260 ;26.5000  
P42=-83.4130 ;26.6235  
P43=-83.5000 ;26.7470  
P44=-83.5600 ;26.8735  
P45=-83.6200 ;27.0000  
P46=-83.6500 ;27.1667  
P47=-83.6800 ;27.3333  
P48=-83.7100 ;27.5000  
P49=-83.6893 ;27.6667  
P50=-83.6687 ;27.8333  
P51=-83.6480 ;28.0000  
P52=-83.5987 ;28.1377  
P53=-83.5493 ;28.2753  
P54=-83.5000 ;28.4130  
P55=-83.4610 ;28.5000  
P56=-83.3655 ;28.6250  
P57=-83.2700 ;28.7500  
P58=-83.1745 ;28.8750  
P59=-83.0790 ;29.0000  
P60=-83.0000 ;29.0770  
P61=-82.8750 ;29.1693  
P62=-82.7500 ;29.2615  
P63=-82.6250 ;29.3537  
P64=-82.5000 ;29.4460  
P65=-82.3940 ;29.5000  
P66=-82.2627 ;29.5530  
P67=-82.1313 ;29.6060  
P68=-82.0000 ;29.6590  
P69=-81.8333 ;29.6927  
P70=-81.6667 ;29.7263

P71=-81.5000 ;29.7600  
P72=-81.3333 ;29.7523  
P73=-81.1667 ;29.7447  
P74=-81.0000 ;29.7370  
P75=-80.8333 ;29.6857  
P76=-80.6667 ;29.6343  
P77=-80.5000 ;29.5830  
P78=-80.3690 ;29.5000  
P79=-80.2460 ;29.3790  
P80=-80.1230 ;29.2580  
P81=-80.0000 ;29.1370