

```
[FormatInfo]
format_ver=1
[GeoMain]
ntc_id=910100000
adm=USA
sat_name=USABSS-21
long_nom=-101.0000
n_diag=1
[COHeader]
beam_id=RB02
emi_rcp=E
polar_disc=C
reason=B
n_bore=1
n_cont=28
[B1]
gain=0.00
p=-78.7700;35.3490
[C1]
gain=-50.00
n_point=868
P1=-58.9980 ;78.0740
P2=-59.0000 ;78.0730
P3=-59.3040 ;78.0000
P4=-59.5000 ;77.9490
P5=-60.0000 ;77.8300
P6=-60.5000 ;77.7170
P7=-61.0000 ;77.6070
P8=-61.4300 ;77.5000
P9=-61.5000 ;77.4800
P10=-62.0000 ;77.3460
P11=-62.5000 ;77.2200
P12=-63.0000 ;77.1010
P13=-63.3950 ;77.0000
P14=-63.5000 ;76.9680
P15=-64.0000 ;76.8120
P16=-64.5000 ;76.6810
P17=-65.0000 ;76.5600
P18=-65.2000 ;76.5000
P19=-65.5000 ;76.3920
P20=-66.0000 ;76.2210
P21=-66.5000 ;76.0960
P22=-66.8410 ;76.0000
P23=-67.0000 ;75.9380
P24=-67.5000 ;75.7300
P25=-68.0000 ;75.5960
P26=-68.3100 ;75.5000
P27=-68.5000 ;75.4140
P28=-69.0000 ;75.2130
P29=-69.5000 ;75.0720
P30=-69.7040 ;75.0000
P31=-70.0000 ;74.8510
P32=-70.5000 ;74.6740
P33=-70.9950 ;74.5000
P34=-71.0000 ;74.4970
P35=-71.5000 ;74.2730
P36=-72.0000 ;74.0870
```

P37=-72.2270 ;74.0000
P38=-72.5000 ;73.8720
P39=-73.0000 ;73.6690
P40=-73.4310 ;73.5000
P41=-73.5000 ;73.4670
P42=-74.0000 ;73.2520
P43=-74.5000 ;73.0620
P44=-74.6220 ;73.0000
P45=-75.0000 ;72.8180
P46=-75.5000 ;72.6160
P47=-75.7070 ;72.5000
P48=-76.0000 ;72.3180
P49=-76.5000 ;72.0850
P50=-76.6640 ;72.0000
P51=-77.0000 ;71.7920
P52=-77.5000 ;71.5400
P53=-77.5790 ;71.5000
P54=-78.0000 ;71.2580
P55=-78.5000 ;71.0090
P56=-78.5150 ;71.0000
P57=-79.0000 ;70.7450
P58=-79.5000 ;70.5000
P59=-80.0000 ;70.1580
P60=-80.2420 ;70.0000
P61=-80.5000 ;69.8160
P62=-81.0000 ;69.5130
P63=-81.0230 ;69.5000
P64=-81.5000 ;69.1920
P65=-81.8520 ;69.0000
P66=-82.0000 ;68.8990
P67=-82.5000 ;68.6050
P68=-82.6220 ;68.5000
P69=-83.0000 ;68.2030
P70=-83.2940 ;68.0000
P71=-83.5000 ;67.8440
P72=-84.0000 ;67.5310
P73=-84.0440 ;67.5000
P74=-84.5000 ;67.1820
P75=-84.7070 ;67.0000
P76=-85.0000 ;66.7630
P77=-85.3400 ;66.5000
P78=-85.5000 ;66.3680
P79=-86.0000 ;66.0330
P80=-86.0350 ;66.0000
P81=-86.5000 ;65.5930
P82=-86.5990 ;65.5000
P83=-87.0000 ;65.1310
P84=-87.1600 ;65.0000
P85=-87.5000 ;64.6880
P86=-87.7250 ;64.5000
P87=-88.0000 ;64.2600
P88=-88.2660 ;64.0000
P89=-88.5000 ;63.7670
P90=-88.7700 ;63.5000
P91=-89.0000 ;63.2790
P92=-89.3310 ;63.0000
P93=-89.5000 ;62.8500

P94=-89.8100 ;62.5000
P95=-90.0000 ;62.3040
P96=-90.3750 ;62.0000
P97=-90.5000 ;61.8900
P98=-90.8360 ;61.5000
P99=-91.0000 ;61.3220
P100=-91.3720 ;61.0000
P101=-91.5000 ;60.8750
P102=-91.7990 ;60.5000
P103=-92.0000 ;60.2690
P104=-92.2800 ;60.0000
P105=-92.5000 ;59.7450
P106=-92.6820 ;59.5000
P107=-93.0000 ;59.1010
P108=-93.1030 ;59.0000
P109=-93.5000 ;58.5010
P110=-93.5010 ;58.5000
P111=-93.8620 ;58.0000
P112=-94.0000 ;57.8350
P113=-94.2460 ;57.5000
P114=-94.5000 ;57.1550
P115=-94.6550 ;57.0000
P116=-95.0000 ;56.5000
P117=-95.3180 ;56.0000
P118=-95.5000 ;55.7350
P119=-95.6530 ;55.5000
P120=-95.9350 ;55.0000
P121=-96.0000 ;54.9030
P122=-96.2450 ;54.5000
P123=-96.5000 ;54.0890
P124=-96.5610 ;54.0000
P125=-96.8220 ;53.5000
P126=-97.0000 ;53.1990
P127=-97.1010 ;53.0000
P128=-97.3440 ;52.5000
P129=-97.5000 ;52.2310
P130=-97.5890 ;52.0000
P131=-97.8240 ;51.5000
P132=-98.0000 ;51.2010
P133=-98.0810 ;51.0000
P134=-98.3000 ;50.5000
P135=-98.5000 ;50.1390
P136=-98.5580 ;50.0000
P137=-98.7320 ;49.5000
P138=-98.9870 ;49.0000
P139=-99.0000 ;48.9740
P140=-99.1550 ;48.5000
P141=-99.3840 ;48.0000
P142=-99.5000 ;47.7840
P143=-99.6060 ;47.5000
P144=-99.7980 ;47.0000
P145=-100.0000;46.5760
P146=-100.0290;46.5000
P147=-100.1730;46.0000
P148=-100.3550;45.5000
P149=-100.5000;45.1640
P150=-100.5560;45.0000

P151=-100.6960;44.5000
P152=-100.8410;44.0000
P153=-101.0000;43.5200
P154=-101.0060;43.5000
P155=-101.1210;43.0000
P156=-101.2060;42.5000
P157=-101.3060;42.0000
P158=-101.4360;41.5000
P159=-101.5000;41.2700
P160=-101.5420;41.0000
P161=-101.6120;40.5000
P162=-101.6990;40.0000
P163=-101.7970;39.5000
P164=-101.9040;39.0000
P165=-102.0000;38.6050
P166=-102.0140;38.5000
P167=-102.0790;38.0000
P168=-102.1380;37.5000
P169=-102.1870;37.0000
P170=-102.2280;36.5000
P171=-102.2680;36.0000
P172=-102.3090;35.5000
P173=-102.3360;35.0000
P174=-102.3400;34.5000
P175=-102.3290;34.0000
P176=-102.3190;33.5000
P177=-102.3070;33.0000
P178=-102.2750;32.5000
P179=-102.2290;32.0000
P180=-102.1920;31.5000
P181=-102.1710;31.0000
P182=-102.1500;30.5000
P183=-102.1230;30.0000
P184=-102.1050;29.5000
P185=-102.1000;29.0000
P186=-102.0900;28.5000
P187=-102.0630;28.0000
P188=-102.0240;27.5000
P189=-102.0000;27.2200
P190=-101.9570;27.0000
P191=-101.8450;26.5000
P192=-101.7240;26.0000
P193=-101.6170;25.5000
P194=-101.5310;25.0000
P195=-101.5000;24.8220
P196=-101.3760;24.5000
P197=-101.2230;24.0000
P198=-101.1100;23.5000
P199=-101.0230;23.0000
P200=-101.0000;22.8710
P201=-100.8450;22.5000
P202=-100.6920;22.0000
P203=-100.5640;21.5000
P204=-100.5000;21.2240
P205=-100.3970;21.0000
P206=-100.1840;20.5000
P207=-100.0340;20.0000

P208=-100.0000;19.8670
P209=-99.8020 ;19.5000
P210=-99.5740 ;19.0000
P211=-99.5000 ;18.7730
P212=-99.3370 ;18.5000
P213=-99.1060 ;18.0000
P214=-99.0000 ;17.7350
P215=-98.8580 ;17.5000
P216=-98.6000 ;17.0000
P217=-98.5000 ;16.7810
P218=-98.3190 ;16.5000
P219=-98.0410 ;16.0000
P220=-98.0000 ;15.9340
P221=-97.6650 ;15.5000
P222=-97.5000 ;15.2560
P223=-97.2860 ;15.0000
P224=-97.0000 ;14.6370
P225=-96.8750 ;14.5000
P226=-96.5000 ;14.0290
P227=-96.4740 ;14.0000
P228=-96.0500 ;13.5000
P229=-96.0000 ;13.4310
P230=-95.5890 ;13.0000
P231=-95.5000 ;12.8930
P232=-95.0720 ;12.5000
P233=-95.0000 ;12.4280
P234=-94.5000 ;12.0800
P235=-94.3910 ;12.0000
P236=-94.0000 ;11.7720
P237=-93.5000 ;11.5250
P238=-93.4600 ;11.5000
P239=-93.0000 ;11.2920
P240=-92.5000 ;11.0490
P241=-92.4180 ;11.0000
P242=-92.0000 ;10.8360
P243=-91.5000 ;10.6280
P244=-91.2500 ;10.5000
P245=-91.0000 ;10.4170
P246=-90.5000 ;10.2830
P247=-90.0000 ;10.0880
P248=-89.7690 ;10.0000
P249=-89.5000 ;9.8900
P250=-89.0000 ;9.8010
P251=-88.5000 ;9.7280
P252=-88.0000 ;9.6430
P253=-87.5000 ;9.5580
P254=-87.0980 ;9.5000
P255=-87.0000 ;9.4660
P256=-86.5000 ;9.3860
P257=-86.0000 ;9.3580
P258=-85.5000 ;9.3640
P259=-85.0000 ;9.4260
P260=-84.8060 ;9.5000
P261=-84.5000 ;9.5480
P262=-84.0000 ;9.6500
P263=-83.5000 ;9.7610
P264=-83.0000 ;9.8390

P265=-82.5000 ;9.8910
P266=-82.2590 ;10.0000
P267=-82.0000 ;10.1040
P268=-81.5000 ;10.2390
P269=-81.0000 ;10.3920
P270=-80.5620 ;10.5000
P271=-80.5000 ;10.5280
P272=-80.0000 ;10.8170
P273=-79.5000 ;10.8230
P274=-79.0690 ;11.0000
P275=-79.0000 ;11.0360
P276=-78.5000 ;11.3020
P277=-78.0000 ;11.3710
P278=-77.7470 ;11.5000
P279=-77.5000 ;11.6170
P280=-77.0000 ;11.7150
P281=-76.5370 ;11.5000
P282=-77.0000 ;11.3100
P283=-77.5000 ;11.1750
P284=-77.5770 ;11.0000
P285=-78.0000 ;10.7380
P286=-78.5000 ;10.5960
P287=-78.6540 ;10.5000
P288=-79.0000 ;10.2970
P289=-79.5000 ;10.1920
P290=-80.0000 ;10.0250
P291=-80.0420 ;10.0000
P292=-80.5000 ;9.7460
P293=-81.0000 ;9.6220
P294=-81.5000 ;9.5690
P295=-81.6090 ;9.5000
P296=-82.0000 ;9.3350
P297=-82.5000 ;9.2100
P298=-83.0000 ;9.1230
P299=-83.5000 ;9.0590
P300=-83.7260 ;9.0000
P301=-84.0000 ;8.9310
P302=-84.5000 ;8.8580
P303=-85.0000 ;8.8190
P304=-85.5000 ;8.7980
P305=-86.0000 ;8.7880
P306=-86.5000 ;8.7870
P307=-87.0000 ;8.7970
P308=-87.5000 ;8.8210
P309=-88.0000 ;8.8690
P310=-88.5000 ;8.9480
P311=-88.7360 ;9.0000
P312=-89.0000 ;9.0570
P313=-89.5000 ;9.1350
P314=-90.0000 ;9.2030
P315=-90.5000 ;9.3190
P316=-90.9230 ;9.5000
P317=-91.0000 ;9.5230
P318=-91.5000 ;9.6610
P319=-92.0000 ;9.8660
P320=-92.2500 ;10.0000
P321=-92.5000 ;10.0910

P322=-93.0000 ;10.2900
P323=-93.3640 ;10.5000
P324=-93.5000 ;10.5930
P325=-94.0000 ;10.8200
P326=-94.3170 ;11.0000
P327=-94.5000 ;11.1380
P328=-95.0000 ;11.4180
P329=-95.1210 ;11.5000
P330=-95.5000 ;11.7470
P331=-95.8080 ;12.0000
P332=-96.0000 ;12.1420
P333=-96.4030 ;12.5000
P334=-96.5000 ;12.5740
P335=-96.9560 ;13.0000
P336=-97.0000 ;13.0340
P337=-97.4500 ;13.5000
P338=-97.5000 ;13.5460
P339=-97.9380 ;14.0000
P340=-98.0000 ;14.0690
P341=-98.4090 ;14.5000
P342=-98.5000 ;14.6180
P343=-98.8320 ;15.0000
P344=-99.0000 ;15.2640
P345=-99.1980 ;15.5000
P346=-99.4900 ;16.0000
P347=-99.5000 ;16.0220
P348=-99.8580 ;16.5000
P349=-100.0000;16.7900
P350=-100.1580;17.0000
P351=-100.4490;17.5000
P352=-100.5000;17.6180
P353=-100.7740;18.0000
P354=-100.9850;18.5000
P355=-101.0000;18.5430
P356=-101.3400;19.0000
P357=-101.5000;19.4510
P358=-101.5480;19.5000
P359=-101.8680;20.0000
P360=-102.0000;20.4880
P361=-102.0150;20.5000
P362=-102.2870;21.0000
P363=-102.3900;21.5000
P364=-102.4780;22.0000
P365=-102.5000;22.1280
P366=-102.7340;22.5000
P367=-102.8480;23.0000
P368=-102.9360;23.5000
P369=-103.0000;23.8440
P370=-103.1100;24.0000
P371=-103.3030;24.5000
P372=-103.3850;25.0000
P373=-103.4500;25.5000
P374=-103.5000;25.8950
P375=-103.8260;25.5000
P376=-103.7720;25.0000
P377=-103.7050;24.5000
P378=-103.6460;24.0000

P379=-103.5750;23.5000
P380=-103.5000;23.0470
P381=-103.4660;23.0000
P382=-103.2090;22.5000
P383=-103.0970;22.0000
P384=-103.0020;21.5000
P385=-103.0000;21.4900
P386=-102.7190;21.0000
P387=-102.5890;20.5000
P388=-102.5070;20.0000
P389=-102.5000;19.9660
P390=-102.2630;19.5000
P391=-102.1030;19.0000
P392=-102.0000;18.5180
P393=-101.9920;18.5000
P394=-101.7590;18.0000
P395=-101.5810;17.5000
P396=-101.5000;17.2430
P397=-101.3600;17.0000
P398=-101.1110;16.5000
P399=-101.0000;16.2300
P400=-100.8410;16.0000
P401=-100.5700;15.5000
P402=-100.5000;15.3530
P403=-100.2600;15.0000
P404=-100.0120;14.5000
P405=-100.0000;14.4750
P406=-99.6760 ;14.0000
P407=-99.5000 ;13.6390
P408=-99.4030 ;13.5000
P409=-99.0550 ;13.0000
P410=-99.0000 ;12.9160
P411=-98.6510 ;12.5000
P412=-98.5000 ;12.2980
P413=-98.2270 ;12.0000
P414=-98.0000 ;11.7430
P415=-97.7410 ;11.5000
P416=-97.5000 ;11.2440
P417=-97.2130 ;11.0000
P418=-97.0000 ;10.7920
P419=-96.6200 ;10.5000
P420=-96.5000 ;10.3880
P421=-96.0000 ;10.0700
P422=-95.9100 ;10.0000
P423=-95.5000 ;9.7220
P424=-95.2050 ;9.5000
P425=-95.0000 ;9.3770
P426=-94.5000 ;9.0610
P427=-94.4220 ;9.0000
P428=-94.0000 ;8.7770
P429=-93.5800 ;8.5000
P430=-93.5000 ;8.4610
P431=-93.0000 ;8.2690
P432=-92.5000 ;8.0270
P433=-92.4400 ;8.0000
P434=-92.0000 ;7.8680
P435=-91.5000 ;7.7480

P436=-91.0000 ;7.6000
P437=-90.6850 ;7.5000
P438=-90.5000 ;7.4410
P439=-90.0000 ;7.3290
P440=-89.5000 ;7.2310
P441=-89.0000 ;7.1320
P442=-88.5000 ;7.0310
P443=-88.3370 ;7.0000
P444=-88.0000 ;6.9240
P445=-87.5000 ;6.8750
P446=-87.0000 ;6.8610
P447=-86.5000 ;6.8650
P448=-86.0000 ;6.8830
P449=-85.5000 ;6.9150
P450=-85.0000 ;6.9530
P451=-84.5000 ;6.9920
P452=-84.4280 ;7.0000
P453=-84.0000 ;7.0840
P454=-83.5000 ;7.1920
P455=-83.0000 ;7.3030
P456=-82.5000 ;7.3470
P457=-82.0000 ;7.3590
P458=-81.5000 ;7.4510
P459=-81.3710 ;7.5000
P460=-81.0000 ;7.6300
P461=-80.5000 ;7.7810
P462=-80.0000 ;7.8390
P463=-79.5000 ;7.9040
P464=-79.3690 ;8.0000
P465=-79.0000 ;8.1300
P466=-78.5000 ;8.2550
P467=-78.0000 ;8.3160
P468=-77.7630 ;8.5000
P469=-77.5000 ;8.5960
P470=-77.0000 ;8.6760
P471=-76.5080 ;9.0000
P472=-76.5000 ;9.0040
P473=-76.0000 ;9.1970
P474=-75.5000 ;9.3460
P475=-75.4120 ;9.5000
P476=-75.0000 ;9.7140
P477=-74.5000 ;9.9990
P478=-74.4990 ;10.0000
P479=-74.0000 ;10.2760
P480=-73.6040 ;10.5000
P481=-73.5000 ;10.5720
P482=-73.0000 ;10.8870
P483=-72.8210 ;11.0000
P484=-72.5000 ;11.2450
P485=-72.0390 ;11.5000
P486=-72.0000 ;11.5310
P487=-71.5000 ;11.8910
P488=-71.3610 ;12.0000
P489=-71.0000 ;12.3160
P490=-70.7260 ;12.5000
P491=-70.5000 ;12.6970
P492=-70.0290 ;13.0000

P493=-70.0000 ;13.0260
P494=-69.5000 ;13.4330
P495=-69.4110 ;13.5000
P496=-69.0000 ;13.8450
P497=-68.7500 ;14.0000
P498=-68.5000 ;14.1980
P499=-68.0000 ;14.4370
P500=-67.9170 ;14.5000
P501=-67.5000 ;14.7750
P502=-67.0620 ;15.0000
P503=-67.0000 ;15.0400
P504=-66.5000 ;15.1990
P505=-66.2410 ;15.0000
P506=-66.5000 ;14.8340
P507=-66.8280 ;14.5000
P508=-67.0000 ;14.3680
P509=-67.5000 ;14.0010
P510=-67.5010 ;14.0000
P511=-68.0000 ;13.6230
P512=-68.1170 ;13.5000
P513=-68.5000 ;13.1830
P514=-68.7380 ;13.0000
P515=-69.0000 ;12.7700
P516=-69.3540 ;12.5000
P517=-69.5000 ;12.3700
P518=-70.0000 ;12.0370
P519=-70.0330 ;12.0000
P520=-70.5000 ;11.5830
P521=-70.6420 ;11.5000
P522=-71.0000 ;11.1960
P523=-71.3490 ;11.0000
P524=-71.5000 ;10.8780
P525=-72.0000 ;10.5820
P526=-72.1520 ;10.5000
P527=-72.5000 ;10.2400
P528=-73.0000 ;10.0200
P529=-73.0390 ;10.0000
P530=-73.5000 ;9.7230
P531=-74.0000 ;9.5530
P532=-74.0730 ;9.5000
P533=-74.5000 ;9.2700
P534=-75.0000 ;9.1590
P535=-75.2470 ;9.0000
P536=-75.5000 ;8.8770
P537=-76.0000 ;8.7420
P538=-76.4640 ;8.5000
P539=-76.5000 ;8.4830
P540=-77.0000 ;8.3410
P541=-77.5000 ;8.2470
P542=-77.6940 ;8.0000
P543=-78.0000 ;7.8550
P544=-78.5000 ;7.7210
P545=-79.0000 ;7.5680
P546=-79.0470 ;7.5000
P547=-79.5000 ;7.3110
P548=-80.0000 ;7.1570
P549=-80.5000 ;7.0270

P550=-80.5450 ;7.0000
P551=-81.0000 ;6.8020
P552=-81.5000 ;6.6890
P553=-82.0000 ;6.6300
P554=-82.5000 ;6.5130
P555=-82.5440 ;6.5000
P556=-83.0000 ;6.3470
P557=-83.5000 ;6.2170
P558=-84.0000 ;6.1300
P559=-84.5000 ;6.0910
P560=-85.0000 ;6.0860
P561=-85.5000 ;6.0860
P562=-86.0000 ;6.0930
P563=-86.5000 ;6.1120
P564=-87.0000 ;6.1400
P565=-87.5000 ;6.1700
P566=-88.0000 ;6.2040
P567=-88.5000 ;6.2440
P568=-89.0000 ;6.2930
P569=-89.5000 ;6.3620
P570=-90.0000 ;6.4590
P571=-90.1730 ;6.5000
P572=-90.5000 ;6.5630
P573=-91.0000 ;6.6240
P574=-91.5000 ;6.6960
P575=-92.0000 ;6.8110
P576=-92.5000 ;6.9950
P577=-92.5120 ;7.0000
P578=-93.0000 ;7.1200
P579=-93.5000 ;7.2940
P580=-93.8740 ;7.5000
P581=-94.0000 ;7.5610
P582=-94.5000 ;7.8150
P583=-94.7630 ;8.0000
P584=-95.0000 ;8.1670
P585=-95.4370 ;8.5000
P586=-95.5000 ;8.5690
P587=-96.0000 ;8.9400
P588=-96.0900 ;9.0000
P589=-96.5000 ;9.2950
P590=-96.8710 ;9.5000
P591=-97.0000 ;9.5710
P592=-97.5000 ;9.7460
P593=-97.9880 ;10.0000
P594=-98.0000 ;10.0050
P595=-98.5000 ;10.2530
P596=-98.7490 ;10.5000
P597=-99.0000 ;10.6940
P598=-99.2930 ;11.0000
P599=-99.5000 ;11.2220
P600=-99.7530 ;11.5000
P601=-100.0000;11.8600
P602=-100.1120;12.0000
P603=-100.4560;12.5000
P604=-100.5000;12.5690
P605=-100.8430;13.0000
P606=-101.0000;13.2890

P607=-101.1750;13.5000
P608=-101.4850;14.0000
P609=-101.5000;14.0260
P610=-101.9000;14.5000
P611=-102.0000;14.6870
P612=-102.2750;15.0000
P613=-102.5000;15.4360
P614=-102.6000;15.5000
P615=-102.9650;16.0000
P616=-103.0000;16.0900
P617=-103.1200;16.0000
P618=-103.1160;15.5000
P619=-103.0100;15.0000
P620=-103.0000;14.9720
P621=-102.7040;14.5000
P622=-102.5230;14.0000
P623=-102.5000;13.9460
P624=-102.2120;13.5000
P625=-102.0000;13.0470
P626=-101.9650;13.0000
P627=-101.6120;12.5000
P628=-101.5000;12.2810
P629=-101.2820;12.0000
P630=-101.0000;11.5330
P631=-100.9690;11.5000
P632=-100.5650;11.0000
P633=-100.5000;10.9040
P634=-100.1400;10.5000
P635=-100.0000;10.3400
P636=-99.6170 ;10.0000
P637=-99.5000 ;9.8950
P638=-99.0000 ;9.5270
P639=-98.9660 ;9.5000
P640=-98.5000 ;9.2360
P641=-98.2400 ;9.0000
P642=-98.0000 ;8.8510
P643=-97.6290 ;8.5000
P644=-97.5000 ;8.4130
P645=-97.0500 ;8.0000
P646=-97.0000 ;7.9640
P647=-96.5000 ;7.5580
P648=-96.4380 ;7.5000
P649=-96.0000 ;7.1730
P650=-95.8060 ;7.0000
P651=-95.5000 ;6.7880
P652=-95.1400 ;6.5000
P653=-95.0000 ;6.4310
P654=-94.5000 ;6.1740
P655=-94.2260 ;6.0000
P656=-94.0000 ;5.9240
P657=-93.5000 ;5.7260
P658=-93.0740 ;5.5000
P659=-93.0000 ;5.4810
P660=-92.5000 ;5.3740
P661=-92.0000 ;5.2070
P662=-91.5000 ;5.0040
P663=-91.4890 ;5.0000

P664=-91.0000 ;4.9190
P665=-90.5000 ;4.8150
P666=-90.0000 ;4.6810
P667=-89.5000 ;4.5210
P668=-89.4340 ;4.5000
P669=-89.0000 ;4.4480
P670=-88.5000 ;4.3800
P671=-88.0000 ;4.3080
P672=-87.5000 ;4.2350
P673=-87.0000 ;4.1690
P674=-86.5000 ;4.1220
P675=-86.0000 ;4.0950
P676=-85.5000 ;4.0860
P677=-85.0000 ;4.1010
P678=-84.5000 ;4.1400
P679=-84.0000 ;4.1960
P680=-83.5000 ;4.2670
P681=-83.0000 ;4.3490
P682=-82.5000 ;4.4340
P683=-82.0000 ;4.4790
P684=-81.8290 ;4.5000
P685=-81.5000 ;4.6120
P686=-81.0000 ;4.7790
P687=-80.5000 ;4.8720
P688=-80.0000 ;4.9860
P689=-79.9560 ;5.0000
P690=-79.5000 ;5.2310
P691=-79.0000 ;5.3760
P692=-78.5000 ;5.4950
P693=-78.4910 ;5.5000
P694=-78.0000 ;5.7780
P695=-77.5000 ;5.9430
P696=-77.3400 ;6.0000
P697=-77.0000 ;6.2180
P698=-76.5000 ;6.4420
P699=-76.2790 ;6.5000
P700=-76.0000 ;6.6800
P701=-75.5000 ;6.9110
P702=-75.2540 ;7.0000
P703=-75.0000 ;7.1680
P704=-74.5000 ;7.4120
P705=-74.2670 ;7.5000
P706=-74.0000 ;7.6850
P707=-73.5000 ;7.9250
P708=-73.3350 ;8.0000
P709=-73.0000 ;8.2290
P710=-72.5000 ;8.4390
P711=-72.4050 ;8.5000
P712=-72.0000 ;8.7660
P713=-71.5010 ;9.0000
P714=-71.5000 ;9.0010
P715=-71.0000 ;9.3350
P716=-70.6830 ;9.5000
P717=-70.5000 ;9.6240
P718=-70.0000 ;9.8970
P719=-69.8540 ;10.0000
P720=-69.5000 ;10.2500

P721=-69.0240 ;10.5000
P722=-69.0000 ;10.5180
P723=-68.5000 ;10.8580
P724=-68.2840 ;11.0000
P725=-68.0000 ;11.2120
P726=-67.5240 ;11.5000
P727=-67.5000 ;11.5190
P728=-67.0000 ;11.9070
P729=-66.8650 ;12.0000
P730=-66.5000 ;12.2930
P731=-66.2020 ;12.5000
P732=-66.0000 ;12.6680
P733=-65.5070 ;13.0000
P734=-65.5000 ;13.0060
P735=-65.0000 ;13.4180
P736=-64.8940 ;13.5000
P737=-64.5000 ;13.8280
P738=-64.2430 ;14.0000
P739=-64.0000 ;14.2120
P740=-63.5860 ;14.5000
P741=-63.5000 ;14.5730
P742=-63.0000 ;14.9200
P743=-62.8940 ;15.0000
P744=-62.5000 ;15.3050
P745=-62.1990 ;15.5000
P746=-62.0000 ;15.6550
P747=-61.5000 ;15.9910
P748=-61.4890 ;16.0000
P749=-61.0000 ;16.3530
P750=-60.8160 ;16.5000
P751=-60.5000 ;16.7410
P752=-60.1800 ;17.0000
P753=-60.0000 ;17.1470
P754=-59.5480 ;17.5000
P755=-59.5000 ;17.5420
P756=-59.0000 ;17.9780
P757=-58.9790 ;18.0000
P758=-58.5000 ;18.4330
P759=-58.4260 ;18.5000
P760=-58.0000 ;18.8860
P761=-57.8710 ;19.0000
P762=-57.5000 ;19.3610
P763=-57.3600 ;19.5000
P764=-57.0000 ;19.8360
P765=-56.7930 ;20.0000
P766=-56.5000 ;20.3010
P767=-56.3040 ;20.5000
P768=-56.0000 ;20.7970
P769=-55.7530 ;21.0000
P770=-55.5000 ;21.2720
P771=-55.2790 ;21.5000
P772=-55.0000 ;21.7780
P773=-54.7270 ;22.0000
P774=-54.5000 ;22.2570
P775=-54.2460 ;22.5000
P776=-54.0000 ;22.7520
P777=-53.6910 ;23.0000

P778=-53.5000 ;23.2150
P779=-53.1190 ;23.5000
P780=-53.0000 ;23.6370
P781=-52.5160 ;24.0000
P782=-52.5000 ;24.0160
P783=-52.0000 ;24.3910
P784=-51.8010 ;24.5000
P785=-51.5000 ;24.7100
P786=-51.0000 ;24.9550
P787=-50.9160 ;25.0000
P788=-50.5000 ;25.2650
P789=-50.0150 ;25.5000
P790=-50.0000 ;25.5100
P791=-49.5000 ;25.8130
P792=-49.1400 ;26.0000
P793=-49.0000 ;26.0890
P794=-48.5000 ;26.3610
P795=-48.2390 ;26.5000
P796=-48.0000 ;26.6440
P797=-47.5000 ;26.9090
P798=-47.3290 ;27.0000
P799=-47.0000 ;27.2010
P800=-46.5000 ;27.4550
P801=-46.4140 ;27.5000
P802=-46.0000 ;27.7520
P803=-45.5000 ;27.9910
P804=-45.4830 ;28.0000
P805=-45.0000 ;28.3040
P806=-44.5960 ;28.5000
P807=-44.5000 ;28.5610
P808=-44.0000 ;28.8620
P809=-43.7040 ;29.0000
P810=-43.5000 ;29.1290
P811=-43.0000 ;29.3920
P812=-42.7700 ;29.5000
P813=-42.5000 ;29.6650
P814=-42.0000 ;29.9320
P815=-41.8400 ;30.0000
P816=-41.5000 ;30.2060
P817=-41.0000 ;30.4370
P818=-40.8600 ;30.5000
P819=-40.5000 ;30.7340
P820=-40.0000 ;30.9530
P821=-39.8900 ;31.0000
P822=-39.5000 ;31.2210
P823=-39.0000 ;31.4550
P824=-38.8730 ;31.5000
P825=-38.5000 ;31.7000
P826=-38.0000 ;31.9380
P827=-37.8190 ;32.0000
P828=-37.5000 ;32.1740
P829=-37.0000 ;32.4070
P830=-36.7290 ;32.5000
P831=-36.5000 ;32.6270
P832=-36.0000 ;32.8610
P833=-35.5760 ;33.0000
P834=-35.5000 ;33.0430

P835=-35.0000 ;33.2960
P836=-34.5000 ;33.4540
P837=-34.3670 ;33.5000
P838=-34.0000 ;33.7050
P839=-33.5000 ;33.8680
P840=-33.0980 ;34.0000
P841=-33.0000 ;34.0610
P842=-32.5000 ;34.2760
P843=-32.0000 ;34.4180
P844=-31.7310 ;34.5000
P845=-31.5000 ;34.6340
P846=-31.0000 ;34.8070
P847=-30.5000 ;34.9320
P848=-30.2570 ;35.0000
P849=-30.0000 ;35.1500
P850=-29.5000 ;35.3100
P851=-29.0000 ;35.4000
P852=-28.6070 ;35.5000
P853=-28.5000 ;35.5800
P854=-28.0000 ;35.7820
P855=-27.5000 ;35.8750
P856=-27.0000 ;35.9290
P857=-26.6420 ;36.0000
P858=-26.5000 ;36.1260
P859=-26.0000 ;36.3150
P860=-25.5000 ;36.3880
P861=-25.0000 ;36.4280
P862=-24.5000 ;36.4550
P863=-24.0000 ;36.4980
P864=-23.9870 ;36.5000
P865=-23.5000 ;36.8450
P866=-23.0000 ;36.9010
P867=-22.5000 ;36.9240
P868=-22.0770 ;36.9350

[C2]

gain=-50.00
n_point=173
P1=-91.0000 ;16.6720
P2=-91.5000 ;16.8850
P3=-91.5400 ;17.0000
P4=-92.0000 ;17.2810
P5=-92.2530 ;17.5000
P6=-92.5000 ;17.6980
P7=-92.8090 ;18.0000
P8=-93.0000 ;18.2030
P9=-93.2910 ;18.5000
P10=-93.5000 ;18.7580
P11=-93.7040 ;19.0000
P12=-94.0000 ;19.4760
P13=-94.0220 ;19.5000
P14=-94.2920 ;20.0000
P15=-94.5000 ;20.3190
P16=-94.6110 ;20.5000
P17=-94.8500 ;21.0000
P18=-95.0000 ;21.2310
P19=-95.1310 ;21.5000
P20=-95.4020 ;22.0000

P21=-95.5000 ;22.1670
P22=-95.6200 ;22.5000
P23=-95.8500 ;23.0000
P24=-96.0000 ;23.3290
P25=-96.0560 ;23.5000
P26=-96.1560 ;24.0000
P27=-96.2950 ;24.5000
P28=-96.4580 ;25.0000
P29=-96.5000 ;25.1290
P30=-96.5660 ;25.5000
P31=-96.6300 ;26.0000
P32=-96.7310 ;26.5000
P33=-96.8640 ;27.0000
P34=-97.0000 ;27.4290
P35=-97.0150 ;27.5000
P36=-97.1090 ;28.0000
P37=-97.1870 ;28.5000
P38=-97.2570 ;29.0000
P39=-97.3170 ;29.5000
P40=-97.3620 ;30.0000
P41=-97.3810 ;30.5000
P42=-97.3710 ;31.0000
P43=-97.3410 ;31.5000
P44=-97.2990 ;32.0000
P45=-97.2540 ;32.5000
P46=-97.2090 ;33.0000
P47=-97.1700 ;33.5000
P48=-97.1400 ;34.0000
P49=-97.1120 ;34.5000
P50=-97.0780 ;35.0000
P51=-97.0320 ;35.5000
P52=-97.0000 ;35.7010
P53=-96.9390 ;36.0000
P54=-96.8360 ;36.5000
P55=-96.7640 ;37.0000
P56=-96.7010 ;37.5000
P57=-96.6250 ;38.0000
P58=-96.5000 ;38.3200
P59=-96.4400 ;38.5000
P60=-96.3150 ;39.0000
P61=-96.2190 ;39.5000
P62=-96.0460 ;40.0000
P63=-96.0000 ;40.0520
P64=-95.8380 ;40.5000
P65=-95.6940 ;41.0000
P66=-95.5000 ;41.3920
P67=-95.4480 ;41.5000
P68=-95.2790 ;42.0000
P69=-95.0780 ;42.5000
P70=-95.0000 ;42.6100
P71=-94.8300 ;43.0000
P72=-94.6270 ;43.5000
P73=-94.5000 ;43.6800
P74=-94.3490 ;44.0000
P75=-94.1460 ;44.5000
P76=-94.0000 ;44.6850
P77=-93.8560 ;45.0000

P78=-93.6460 ;45.5000
P79=-93.5000 ;45.6390
P80=-93.3380 ;46.0000
P81=-93.0000 ;46.4650
P82=-92.9770 ;46.5000
P83=-92.7870 ;47.0000
P84=-93.0000 ;47.3060
P85=-93.1770 ;47.0000
P86=-93.5000 ;46.5500
P87=-93.5360 ;46.5000
P88=-93.7750 ;46.0000
P89=-94.0000 ;45.7650
P90=-94.1610 ;45.5000
P91=-94.4980 ;45.0000
P92=-94.5000 ;44.9990
P93=-94.7320 ;44.5000
P94=-95.0000 ;44.0910
P95=-95.0570 ;44.0000
P96=-95.2670 ;43.5000
P97=-95.5000 ;43.0950
P98=-95.5580 ;43.0000
P99=-95.7610 ;42.5000
P100=-95.9090 ;42.0000
P101=-96.0000 ;41.8930
P102=-96.1850 ;41.5000
P103=-96.3050 ;41.0000
P104=-96.5000 ;40.5080
P105=-96.5040 ;40.5000
P106=-96.6920 ;40.0000
P107=-96.7940 ;39.5000
P108=-96.9460 ;39.0000
P109=-97.0000 ;38.9380
P110=-97.1660 ;38.5000
P111=-97.2860 ;38.0000
P112=-97.3790 ;37.5000
P113=-97.5000 ;37.1630
P114=-97.5620 ;37.0000
P115=-97.7250 ;36.5000
P116=-97.8330 ;36.0000
P117=-97.8960 ;35.5000
P118=-97.9500 ;35.0000
P119=-98.0000 ;34.6270
P120=-98.0310 ;34.5000
P121=-98.1240 ;34.0000
P122=-98.1750 ;33.5000
P123=-98.2020 ;33.0000
P124=-98.2200 ;32.5000
P125=-98.2370 ;32.0000
P126=-98.2450 ;31.5000
P127=-98.2450 ;31.0000
P128=-98.2550 ;30.5000
P129=-98.2770 ;30.0000
P130=-98.2920 ;29.5000
P131=-98.2820 ;29.0000
P132=-98.2530 ;28.5000
P133=-98.2140 ;28.0000
P134=-98.1330 ;27.5000

P135=-98.0000 ;27.0470
P136=-97.9940 ;27.0000
P137=-97.9320 ;26.5000
P138=-97.8370 ;26.0000
P139=-97.6960 ;25.5000
P140=-97.5000 ;25.0090
P141=-97.4980 ;25.0000
P142=-97.4210 ;24.5000
P143=-97.3130 ;24.0000
P144=-97.1260 ;23.5000
P145=-97.0000 ;23.2510
P146=-96.9310 ;23.0000
P147=-96.7860 ;22.5000
P148=-96.5000 ;22.0530
P149=-96.4750 ;22.0000
P150=-96.2550 ;21.5000
P151=-96.0000 ;21.1510
P152=-95.9260 ;21.0000
P153=-95.5620 ;20.5000
P154=-95.5000 ;20.4260
P155=-95.2350 ;20.0000
P156=-95.0000 ;19.7140
P157=-94.7990 ;19.5000
P158=-94.5000 ;19.1030
P159=-94.3870 ;19.0000
P160=-94.0000 ;18.5050
P161=-93.9940 ;18.5000
P162=-93.5630 ;18.0000
P163=-93.5000 ;17.9370
P164=-93.0440 ;17.5000
P165=-93.0000 ;17.4620
P166=-92.5000 ;17.1390
P167=-92.3870 ;17.0000
P168=-92.0000 ;16.7620
P169=-91.6050 ;16.5000
P170=-91.5000 ;16.4340
P171=-91.0000 ;16.2660
P172=-90.6910 ;16.5000
P173=-91.0000 ;16.6720

[C3]

gain=-50.00

n_point=89

P1=-93.0000 ;23.1230
P2=-93.1730 ;23.5000
P3=-93.3380 ;24.0000
P4=-93.5000 ;24.3620
P5=-93.5580 ;24.5000
P6=-93.6810 ;25.0000
P7=-93.9020 ;25.5000
P8=-94.0000 ;25.7280
P9=-94.0880 ;26.0000
P10=-94.1620 ;26.5000
P11=-94.3060 ;27.0000
P12=-94.4510 ;27.5000
P13=-94.5000 ;27.7350
P14=-94.5710 ;28.0000
P15=-94.6220 ;28.5000

P16=-94.6400 ;29.0000
P17=-94.6590 ;29.5000
P18=-94.7060 ;30.0000
P19=-94.7550 ;30.5000
P20=-94.7920 ;31.0000
P21=-94.8090 ;31.5000
P22=-94.8090 ;32.0000
P23=-94.8020 ;32.5000
P24=-94.7890 ;33.0000
P25=-94.7670 ;33.5000
P26=-94.7340 ;34.0000
P27=-94.7290 ;34.5000
P28=-94.5000 ;34.9560
P29=-94.4880 ;35.0000
P30=-94.3470 ;35.5000
P31=-94.2560 ;36.0000
P32=-94.1970 ;36.5000
P33=-94.0000 ;36.9190
P34=-93.9690 ;37.0000
P35=-93.8200 ;37.5000
P36=-93.7190 ;38.0000
P37=-93.5930 ;38.5000
P38=-93.5000 ;38.6540
P39=-93.4010 ;39.0000
P40=-93.2910 ;39.5000
P41=-93.0510 ;40.0000
P42=-93.5000 ;40.0930
P43=-93.5490 ;40.0000
P44=-93.6820 ;39.5000
P45=-93.7730 ;39.0000
P46=-94.0000 ;38.8520
P47=-94.1720 ;38.5000
P48=-94.2670 ;38.0000
P49=-94.3090 ;37.5000
P50=-94.5000 ;37.1710
P51=-94.5710 ;37.0000
P52=-94.7210 ;36.5000
P53=-94.7850 ;36.0000
P54=-94.8130 ;35.5000
P55=-95.0000 ;35.0650
P56=-95.0190 ;35.0000
P57=-95.1510 ;34.5000
P58=-95.2420 ;34.0000
P59=-95.2750 ;33.5000
P60=-95.3060 ;33.0000
P61=-95.3470 ;32.5000
P62=-95.3940 ;32.0000
P63=-95.4500 ;31.5000
P64=-95.4580 ;31.0000
P65=-95.4500 ;30.5000
P66=-95.4470 ;30.0000
P67=-95.4350 ;29.5000
P68=-95.3990 ;29.0000
P69=-95.3490 ;28.5000
P70=-95.3090 ;28.0000
P71=-95.2920 ;27.5000
P72=-95.2460 ;27.0000

P73=-95.1140 ;26.5000
P74=-95.0000 ;26.2120
P75=-94.9450 ;26.0000
P76=-94.8290 ;25.5000
P77=-94.6490 ;25.0000
P78=-94.5000 ;24.7510
P79=-94.3940 ;24.5000
P80=-94.1530 ;24.0000
P81=-94.0000 ;23.7550
P82=-93.8440 ;23.5000
P83=-93.5620 ;23.0000
P84=-93.5000 ;22.9080
P85=-93.1840 ;22.5000
P86=-93.0000 ;22.1710
P87=-92.8070 ;22.5000
P88=-92.9420 ;23.0000
P89=-93.0000 ;23.1230
[C4]
gain=-50.00
n_point=75
P1=-92.0000 ;29.0420
P2=-92.0493 ;29.1947
P3=-92.0987 ;29.3473
P4=-92.1480 ;29.5000
P5=-92.1757 ;29.6667
P6=-92.2033 ;29.8333
P7=-92.2310 ;30.0000
P8=-92.2293 ;30.1667
P9=-92.2277 ;30.3333
P10=-92.2260 ;30.5000
P11=-92.2217 ;30.6667
P12=-92.2173 ;30.8333
P13=-92.2130 ;31.0000
P14=-92.2323 ;31.1667
P15=-92.2517 ;31.3333
P16=-92.2710 ;31.5000
P17=-92.3007 ;31.6667
P18=-92.3303 ;31.8333
P19=-92.3600 ;32.0000
P20=-92.3970 ;32.1667
P21=-92.4340 ;32.3333
P22=-92.4710 ;32.5000
P23=-92.5000 ;32.6110
P24=-92.5210 ;32.5000
P25=-92.5563 ;32.3333
P26=-92.5917 ;32.1667
P27=-92.6270 ;32.0000
P28=-92.6610 ;31.8333
P29=-92.6950 ;31.6667
P30=-92.7290 ;31.5000
P31=-92.7477 ;31.3333
P32=-92.7663 ;31.1667
P33=-92.7850 ;31.0000
P34=-92.7747 ;30.8333
P35=-92.7643 ;30.6667
P36=-92.7540 ;30.5000
P37=-92.7390 ;30.3333

P38=-92.7240 ;30.1667
P39=-92.7090 ;30.0000
P40=-92.7190 ;29.8333
P41=-92.7290 ;29.6667
P42=-92.7390 ;29.5000
P43=-92.7283 ;29.3333
P44=-92.7177 ;29.1667
P45=-92.7070 ;29.0000
P46=-92.6470 ;28.8333
P47=-92.5870 ;28.6667
P48=-92.5270 ;28.5000
P49=-92.5000 ;28.4320
P50=-92.4400 ;28.2880
P51=-92.3800 ;28.1440
P52=-92.3200 ;28.0000
P53=-92.2800 ;27.8333
P54=-92.2400 ;27.6667
P55=-92.2000 ;27.5000
P56=-92.1723 ;27.3333
P57=-92.1447 ;27.1667
P58=-92.1170 ;27.0000
P59=-92.0585 ;26.8755
P60=-92.0000 ;26.7510
P61=-91.8690 ;26.8755
P62=-91.7380 ;27.0000
P63=-91.7573 ;27.1667
P64=-91.7767 ;27.3333
P65=-91.7960 ;27.5000
P66=-91.7930 ;27.6667
P67=-91.7900 ;27.8333
P68=-91.7870 ;28.0000
P69=-91.7973 ;28.1667
P70=-91.8077 ;28.3333
P71=-91.8180 ;28.5000
P72=-91.8747 ;28.6667
P73=-91.9313 ;28.8333
P74=-91.9880 ;29.0000
P75=-92.0000 ;29.0420

[C5]

gain=-50.00

n_point=84

P1=-83.0000 ;57.7000
P2=-83.1350 ;57.6000
P3=-83.2700 ;57.5000
P4=-83.3850 ;57.3600
P5=-83.5000 ;57.2200
P6=-83.6720 ;57.1100
P7=-83.8440 ;57.0000
P8=-84.0000 ;56.9220
P9=-84.1667 ;56.7917
P10=-84.3333 ;56.6613
P11=-84.5000 ;56.5310
P12=-84.5370 ;56.5000
P13=-84.6913 ;56.3777
P14=-84.8457 ;56.2553
P15=-85.0000 ;56.1330
P16=-85.1550 ;56.0000

P17=-85.2700 ;55.8803
P18=-85.3850 ;55.7607
P19=-85.5000 ;55.6410
P20=-85.6740 ;55.5000
P21=-85.8370 ;55.4005
P22=-86.0000 ;55.3010
P23=-86.1660 ;55.1505
P24=-86.2490 ;55.0753
P25=-86.3320 ;55.0000
P26=-86.4160 ;54.8885
P27=-86.5000 ;54.7770
P28=-86.6780 ;54.6385
P29=-86.8560 ;54.5000
P30=-86.9280 ;54.4075
P31=-87.0000 ;54.3150
P32=-87.1340 ;54.2100
P33=-87.2680 ;54.1050
P34=-87.4020 ;54.0000
P35=-87.5000 ;53.9370
P36=-87.6253 ;53.7913
P37=-87.7507 ;53.6457
P38=-87.8760 ;53.5000
P39=-87.6880 ;53.3880
P40=-87.5000 ;53.2760
P41=-87.3885 ;53.3880
P42=-87.2770 ;53.5000
P43=-87.1847 ;53.6127
P44=-87.0923 ;53.7253
P45=-87.0000 ;53.8380
P46=-86.9040 ;53.9190
P47=-86.8080 ;54.0000
P48=-86.6540 ;54.1320
P49=-86.5000 ;54.2640
P50=-86.3675 ;54.3820
P51=-86.2350 ;54.5000
P52=-86.1175 ;54.5900
P53=-86.0000 ;54.6800
P54=-85.8727 ;54.7867
P55=-85.7453 ;54.8933
P56=-85.6180 ;55.0000
P57=-85.5590 ;55.1165
P58=-85.5000 ;55.2330
P59=-85.3333 ;55.3090
P60=-85.1667 ;55.3850
P61=-85.0000 ;55.4610
P62=-84.9560 ;55.5000
P63=-84.8420 ;55.6175
P64=-84.7280 ;55.7350
P65=-84.6140 ;55.8525
P66=-84.5000 ;55.9700
P67=-84.4600 ;56.0000
P68=-84.3067 ;56.0937
P69=-84.1533 ;56.1873
P70=-84.0000 ;56.2810
P71=-83.8815 ;56.3905
P72=-83.7630 ;56.5000
P73=-83.6753 ;56.6217

P74=-83.5877 ;56.7433
P75=-83.5000 ;56.8650
P76=-83.3715 ;56.9325
P77=-83.2430 ;57.0000
P78=-83.1215 ;57.0970
P79=-83.0000 ;57.1940
P80=-82.8700 ;57.2960
P81=-82.7400 ;57.3980
P82=-82.6100 ;57.5000
P83=-82.8050 ;57.6000
P84=-83.0000 ;57.7000
[C6]
gain=-40.00
n_point=287
P1=-55.0000 ;53.5290
P2=-54.9880 ;53.5000
P3=-54.8290 ;53.0000
P4=-54.6900 ;52.5000
P5=-54.5780 ;52.0000
P6=-54.5330 ;51.5000
P7=-54.6310 ;51.0000
P8=-54.7890 ;50.5000
P9=-54.9730 ;50.0000
P10=-55.0000 ;49.9370
P11=-55.2140 ;49.5000
P12=-55.4630 ;49.0000
P13=-55.5000 ;48.9340
P14=-55.7460 ;48.5000
P15=-56.0000 ;48.0520
P16=-56.0310 ;48.0000
P17=-56.3600 ;47.5000
P18=-56.5000 ;47.2830
P19=-56.6980 ;47.0000
P20=-57.0000 ;46.5160
P21=-57.0120 ;46.5000
P22=-57.3420 ;46.0000
P23=-57.5000 ;45.7140
P24=-57.6380 ;45.5000
P25=-57.9200 ;45.0000
P26=-58.0000 ;44.8550
P27=-58.2240 ;44.5000
P28=-58.5000 ;44.0110
P29=-58.5070 ;44.0000
P30=-58.8370 ;43.5000
P31=-59.0000 ;43.2230
P32=-59.1510 ;43.0000
P33=-59.4600 ;42.5000
P34=-59.5000 ;42.4390
P35=-59.8160 ;42.0000
P36=-60.0000 ;41.7370
P37=-60.1830 ;41.5000
P38=-60.5000 ;41.0720
P39=-60.5600 ;41.0000
P40=-60.9540 ;40.5000
P41=-61.0000 ;40.4450
P42=-61.3710 ;40.0000
P43=-61.5000 ;39.8470

P44=-61.8140 ;39.5000
P45=-62.0000 ;39.2740
P46=-62.2450 ;39.0000
P47=-62.5000 ;38.6730
P48=-62.6490 ;38.5000
P49=-62.9940 ;38.0000
P50=-63.0000 ;37.9920
P51=-63.4070 ;37.5000
P52=-63.5000 ;37.3700
P53=-63.7910 ;37.0000
P54=-64.0000 ;36.6590
P55=-64.1100 ;36.5000
P56=-64.4500 ;36.0000
P57=-64.5000 ;35.9300
P58=-64.8330 ;35.5000
P59=-65.0000 ;35.2330
P60=-65.1610 ;35.0000
P61=-65.5000 ;34.5260
P62=-65.5200 ;34.5000
P63=-65.8940 ;34.0000
P64=-66.0000 ;33.8680
P65=-66.3000 ;33.5000
P66=-66.5000 ;33.2400
P67=-66.6950 ;33.0000
P68=-67.0000 ;32.6220
P69=-67.1020 ;32.5000
P70=-67.4990 ;32.0000
P71=-67.5000 ;31.9990
P72=-67.9340 ;31.5000
P73=-68.0000 ;31.4230
P74=-68.3560 ;31.0000
P75=-68.5000 ;30.8340
P76=-68.8100 ;30.5000
P77=-69.0000 ;30.3050
P78=-69.2770 ;30.0000
P79=-69.5000 ;29.7410
P80=-69.7140 ;29.5000
P81=-70.0000 ;29.1950
P82=-70.1910 ;29.0000
P83=-70.5000 ;28.7090
P84=-70.7110 ;28.5000
P85=-71.0000 ;28.2490
P86=-71.2500 ;28.0000
P87=-71.5000 ;27.7400
P88=-71.7530 ;27.5000
P89=-72.0000 ;27.2780
P90=-72.3130 ;27.0000
P91=-72.5000 ;26.8420
P92=-72.9130 ;26.5000
P93=-73.0000 ;26.4210
P94=-73.5000 ;26.0560
P95=-73.5650 ;26.0000
P96=-74.0000 ;25.6750
P97=-74.2060 ;25.5000
P98=-74.5000 ;25.2600
P99=-74.8380 ;25.0000
P100=-75.0000 ;24.8640

P101=-75.5000 ;24.5420
P102=-75.5530 ;24.5000
P103=-76.0000 ;24.2100
P104=-76.2880 ;24.0000
P105=-76.5000 ;23.8450
P106=-77.0000 ;23.5850
P107=-77.1220 ;23.5000
P108=-77.5000 ;23.3000
P109=-77.9540 ;23.0000
P110=-78.0000 ;22.9530
P111=-78.5000 ;22.8000
P112=-79.0000 ;22.5140
P113=-79.0250 ;22.5000
P114=-79.5000 ;22.3630
P115=-80.0000 ;22.0950
P116=-80.1930 ;22.0000
P117=-80.5000 ;21.8890
P118=-81.0000 ;21.8610
P119=-81.5000 ;21.7010
P120=-82.0000 ;21.5070
P121=-82.0230 ;21.5000
P122=-82.5000 ;21.4430
P123=-83.0000 ;21.4200
P124=-83.5000 ;21.3810
P125=-84.0000 ;21.3570
P126=-84.5000 ;21.3510
P127=-85.0000 ;21.3630
P128=-85.5000 ;21.4020
P129=-85.9180 ;21.5000
P130=-86.0000 ;21.5260
P131=-86.5000 ;21.7200
P132=-87.0000 ;21.9140
P133=-87.1760 ;22.0000
P134=-87.5000 ;22.1950
P135=-87.9970 ;22.5000
P136=-88.0000 ;22.5030
P137=-88.5000 ;22.9200
P138=-88.5900 ;23.0000
P139=-89.0000 ;23.4010
P140=-89.0890 ;23.5000
P141=-89.5000 ;23.9660
P142=-89.5270 ;24.0000
P143=-89.8440 ;24.5000
P144=-90.0000 ;24.7380
P145=-90.1390 ;25.0000
P146=-90.3660 ;25.5000
P147=-90.5000 ;25.8010
P148=-90.5610 ;26.0000
P149=-90.6720 ;26.5000
P150=-90.7930 ;27.0000
P151=-90.9140 ;27.5000
P152=-91.0000 ;27.8220
P153=-91.0230 ;28.0000
P154=-91.0800 ;28.5000
P155=-91.1630 ;29.0000
P156=-91.2610 ;29.5000
P157=-91.3580 ;30.0000

P158=-91.4790 ;30.5000
P159=-91.5000 ;30.6010
P160=-91.5230 ;31.0000
P161=-91.5360 ;31.5000
P162=-91.5380 ;32.0000
P163=-91.5250 ;32.5000
P164=-91.5080 ;33.0000
P165=-91.5000 ;33.1970
P166=-91.4700 ;33.5000
P167=-91.3670 ;34.0000
P168=-91.2650 ;34.5000
P169=-91.1700 ;35.0000
P170=-91.0840 ;35.5000
P171=-91.0090 ;36.0000
P172=-91.0000 ;36.0570
P173=-90.8540 ;36.5000
P174=-90.6970 ;37.0000
P175=-90.5650 ;37.5000
P176=-90.5000 ;37.7690
P177=-90.4020 ;38.0000
P178=-90.1630 ;38.5000
P179=-90.0100 ;39.0000
P180=-90.0000 ;39.0200
P181=-89.7070 ;39.5000
P182=-89.5090 ;40.0000
P183=-89.5000 ;40.0160
P184=-89.1880 ;40.5000
P185=-89.0000 ;40.9290
P186=-88.9540 ;41.0000
P187=-88.6260 ;41.5000
P188=-88.5000 ;41.7460
P189=-88.3170 ;42.0000
P190=-88.0250 ;42.5000
P191=-88.0000 ;42.5340
P192=-87.6320 ;43.0000
P193=-87.5000 ;43.1550
P194=-87.2070 ;43.5000
P195=-87.0000 ;43.7640
P196=-86.7930 ;44.0000
P197=-86.5000 ;44.3610
P198=-86.3740 ;44.5000
P199=-86.0000 ;44.9510
P200=-85.9550 ;45.0000
P201=-85.5000 ;45.4810
P202=-85.4820 ;45.5000
P203=-85.0000 ;45.9630
P204=-84.9610 ;46.0000
P205=-84.5000 ;46.4480
P206=-84.4460 ;46.5000
P207=-84.0000 ;46.9260
P208=-83.9210 ;47.0000
P209=-83.5000 ;47.3030
P210=-83.2770 ;47.5000
P211=-83.0000 ;47.7130
P212=-82.6710 ;48.0000
P213=-82.5000 ;48.1450
P214=-82.0830 ;48.5000

P215=-82.0000 ;48.5870
P216=-81.5000 ;48.9000
P217=-81.3710 ;49.0000
P218=-81.0000 ;49.2570
P219=-80.6850 ;49.5000
P220=-80.5000 ;49.6500
P221=-80.0000 ;49.9650
P222=-79.9500 ;50.0000
P223=-79.5000 ;50.2600
P224=-79.1580 ;50.5000
P225=-79.0000 ;50.6150
P226=-78.5000 ;50.8310
P227=-78.2290 ;51.0000
P228=-78.0000 ;51.1510
P229=-77.5000 ;51.3800
P230=-77.2910 ;51.5000
P231=-77.0000 ;51.6750
P232=-76.5000 ;51.8870
P233=-76.2950 ;52.0000
P234=-76.0000 ;52.1330
P235=-75.5000 ;52.3670
P236=-75.2590 ;52.5000
P237=-75.0000 ;52.6150
P238=-74.5000 ;52.7530
P239=-74.0000 ;52.9960
P240=-73.9910 ;53.0000
P241=-73.5000 ;53.1930
P242=-73.0000 ;53.3230
P243=-72.6040 ;53.5000
P244=-72.5000 ;53.5390
P245=-72.0000 ;53.6930
P246=-71.5000 ;53.8800
P247=-71.1910 ;54.0000
P248=-71.0000 ;54.0550
P249=-70.5000 ;54.1510
P250=-70.0000 ;54.2660
P251=-69.5000 ;54.4240
P252=-69.2740 ;54.5000
P253=-69.0000 ;54.5840
P254=-68.5000 ;54.7010
P255=-68.0000 ;54.8190
P256=-67.5000 ;54.9610
P257=-67.3430 ;55.0000
P258=-67.0000 ;55.0440
P259=-66.5000 ;55.0970
P260=-66.0000 ;55.1580
P261=-65.5000 ;55.2270
P262=-65.0000 ;55.3040
P263=-64.5000 ;55.3890
P264=-64.0000 ;55.4790
P265=-63.8770 ;55.5000
P266=-63.5000 ;55.5390
P267=-63.0000 ;55.5870
P268=-62.5000 ;55.6280
P269=-62.0000 ;55.6430
P270=-61.5000 ;55.6570
P271=-61.0000 ;55.6670

P272=-60.5000 ;55.6680
P273=-60.0000 ;55.6660
P274=-59.5000 ;55.6590
P275=-59.0000 ;55.6410
P276=-58.5000 ;55.6180
P277=-58.0000 ;55.5770
P278=-57.5000 ;55.5050
P279=-57.4600 ;55.5000
P280=-57.0000 ;55.3960
P281=-56.5000 ;55.2000
P282=-56.0650 ;55.0000
P283=-56.0000 ;54.9540
P284=-55.5000 ;54.5060
P285=-55.4950 ;54.5000
P286=-55.1970 ;54.0000
P287=-55.0000 ;53.5290

[C7]

gain=-30.00

n_point=108

P1=-69.5000 ;52.6030
P2=-69.1300 ;52.5000
P3=-69.5000 ;52.4080
P4=-69.7500 ;52.3005
P5=-70.0000 ;52.1930
P6=-70.1910 ;52.0000
P7=-70.5000 ;51.9250
P8=-70.7500 ;51.8455
P9=-71.0000 ;51.7660
P10=-71.2320 ;51.6330
P11=-71.4640 ;51.5000
P12=-71.5000 ;51.4910
P13=-71.7500 ;51.4205
P14=-72.0000 ;51.3500
P15=-72.2500 ;51.2600
P16=-72.5000 ;51.1700
P17=-72.8490 ;51.0000
P18=-73.0000 ;50.9660
P19=-73.2500 ;50.9020
P20=-73.5000 ;50.8380
P21=-73.7500 ;50.7435
P22=-74.0000 ;50.6490
P23=-74.2690 ;50.5000
P24=-74.5000 ;50.4370
P25=-74.7500 ;50.3530
P26=-75.0000 ;50.2690
P27=-75.2315 ;50.1345
P28=-75.4630 ;50.0000
P29=-75.5000 ;49.9890
P30=-75.7500 ;49.9065
P31=-76.0000 ;49.8240
P32=-76.2500 ;49.6770
P33=-76.5000 ;49.5300
P34=-76.5410 ;49.5000
P35=-76.7705 ;49.4200
P36=-77.0000 ;49.3400
P37=-77.2500 ;49.2135
P38=-77.5000 ;49.0870

P39=-77.6410 ;49.0000
P40=-78.0000 ;48.8750
P41=-78.2500 ;48.7455
P42=-78.5000 ;48.6160
P43=-78.6670 ;48.5000
P44=-79.0000 ;48.3790
P45=-79.2500 ;48.2500
P46=-79.5000 ;48.1210
P47=-79.6800 ;48.0000
P48=-80.0000 ;47.8650
P49=-80.2470 ;47.6825
P50=-80.4940 ;47.5000
P51=-80.5000 ;47.4970
P52=-80.7500 ;47.4110
P53=-81.0000 ;47.3250
P54=-81.2265 ;47.1625
P55=-81.4530 ;47.0000
P56=-81.5000 ;46.9760
P57=-81.7500 ;46.9725
P58=-82.0000 ;46.9690
P59=-82.0110 ;47.0000
P60=-82.0000 ;47.0080
P61=-81.7555 ;47.2540
P62=-81.5110 ;47.5000
P63=-81.5000 ;47.5070
P64=-81.2500 ;47.6675
P65=-81.0000 ;47.8280
P66=-80.8430 ;48.0000
P67=-80.5000 ;48.2340
P68=-80.2300 ;48.5000
P69=-80.0000 ;48.6290
P70=-79.7590 ;48.8145
P71=-79.5180 ;49.0000
P72=-79.5000 ;49.0100
P73=-79.2500 ;49.1490
P74=-79.0000 ;49.2880
P75=-78.7340 ;49.5000
P76=-78.5000 ;49.6130
P77=-78.2500 ;49.7580
P78=-78.0000 ;49.9030
P79=-77.8540 ;50.0000
P80=-77.5000 ;50.1420
P81=-77.2500 ;50.2660
P82=-77.0000 ;50.3900
P83=-76.8160 ;50.5000
P84=-76.5000 ;50.6160
P85=-76.2500 ;50.7260
P86=-76.0000 ;50.8360
P87=-75.7140 ;51.0000
P88=-75.5000 ;51.0710
P89=-75.2500 ;51.1600
P90=-75.0000 ;51.2490
P91=-74.7675 ;51.3745
P92=-74.5350 ;51.5000
P93=-74.5000 ;51.5120
P94=-74.2500 ;51.5895
P95=-74.0000 ;51.6670

P96=-73.7500 ;51.7590
P97=-73.5000 ;51.8510
P98=-73.1610 ;52.0000
P99=-73.0000 ;52.0370
P100=-72.5000 ;52.1410
P101=-72.0000 ;52.2510
P102=-71.7500 ;52.3200
P103=-71.5000 ;52.3890
P104=-71.1570 ;52.5000
P105=-71.0000 ;52.5230
P106=-70.5000 ;52.5760
P107=-70.0000 ;52.6110
P108=-69.5000 ;52.6030

[C8]

gain=-40.00

n_point=150

P1=-61.0000 ;47.9590
P2=-61.0050 ;48.0000
P3=-61.0830 ;48.5000
P4=-61.2510 ;49.0000
P5=-61.5000 ;49.3960
P6=-61.5710 ;49.5000
P7=-62.0000 ;49.9460
P8=-62.0570 ;50.0000
P9=-62.5000 ;50.3080
P10=-62.9160 ;50.5000
P11=-63.0000 ;50.5350
P12=-63.5000 ;50.7030
P13=-64.0000 ;50.8100
P14=-64.5000 ;50.8830
P15=-65.0000 ;50.9220
P16=-65.5000 ;50.9480
P17=-66.0000 ;50.9670
P18=-66.5000 ;50.9760
P19=-67.0000 ;50.9680
P20=-67.5000 ;50.9420
P21=-68.0000 ;50.8870
P22=-68.5000 ;50.8160
P23=-69.0000 ;50.7320
P24=-69.5000 ;50.6330
P25=-70.0000 ;50.5040
P26=-70.0140 ;50.5000
P27=-70.5000 ;50.4180
P28=-71.0000 ;50.3250
P29=-71.5000 ;50.2230
P30=-72.0000 ;50.0830
P31=-72.2420 ;50.0000
P32=-72.5000 ;49.7660
P33=-73.0000 ;49.6590
P34=-73.5000 ;49.5860
P35=-73.8100 ;49.5000
P36=-74.0000 ;49.3820
P37=-74.5000 ;49.2000
P38=-75.0000 ;49.0500
P39=-75.1290 ;49.0000
P40=-75.5000 ;48.8100
P41=-76.0000 ;48.7580

P42=-76.5000 ;48.5140
P43=-76.5250 ;48.5000
P44=-76.5000 ;48.1980
P45=-76.0000 ;48.2210
P46=-75.5000 ;48.3500
P47=-75.1420 ;48.5000
P48=-75.0000 ;48.8260
P49=-74.5000 ;48.8300
P50=-74.0000 ;48.8700
P51=-73.5000 ;48.9960
P52=-73.4890 ;49.0000
P53=-73.0000 ;49.2970
P54=-72.5000 ;49.3710
P55=-72.0000 ;49.4200
P56=-71.5000 ;49.4700
P57=-71.2730 ;49.5000
P58=-71.0000 ;49.5350
P59=-70.5000 ;49.5720
P60=-70.0000 ;49.6030
P61=-69.5000 ;49.6240
P62=-69.0000 ;49.6250
P63=-68.5000 ;49.6140
P64=-68.0000 ;49.5900
P65=-67.5000 ;49.5680
P66=-67.0000 ;49.5500
P67=-66.5000 ;49.5060
P68=-66.4700 ;49.5000
P69=-66.0000 ;49.3540
P70=-65.5000 ;49.1950
P71=-65.0000 ;49.0000
P72=-64.5000 ;48.5910
P73=-64.4050 ;48.5000
P74=-64.0570 ;48.0000
P75=-64.0000 ;47.8940
P76=-63.8340 ;47.5000
P77=-63.7030 ;47.0000
P78=-63.5980 ;46.5000
P79=-63.5000 ;46.0110
P80=-63.4980 ;46.0000
P81=-63.4350 ;45.5000
P82=-63.4340 ;45.0000
P83=-63.4650 ;44.5000
P84=-63.5000 ;44.1370
P85=-63.5160 ;44.0000
P86=-63.5920 ;43.5000
P87=-63.7220 ;43.0000
P88=-63.8850 ;42.5000
P89=-64.0000 ;42.2350
P90=-64.1020 ;42.0000
P91=-64.3140 ;41.5000
P92=-64.5000 ;41.1290
P93=-64.5620 ;41.0000
P94=-64.8140 ;40.5000
P95=-65.0000 ;40.1410
P96=-65.0770 ;40.0000
P97=-65.3300 ;39.5000
P98=-65.5000 ;39.2170

P99=-65.6280 ;39.0000
P100=-65.8730 ;38.5000
P101=-66.0000 ;38.2840
P102=-66.1490 ;38.0000
P103=-66.4270 ;37.5000
P104=-66.5000 ;37.3720
P105=-66.6870 ;37.0000
P106=-67.0000 ;36.5940
P107=-67.0590 ;36.5000
P108=-67.2380 ;36.0000
P109=-67.5000 ;35.6980
P110=-67.6110 ;35.5000
P111=-67.5000 ;35.2170
P112=-67.2060 ;35.5000
P113=-67.0000 ;35.6680
P114=-66.7100 ;36.0000
P115=-66.5000 ;36.1400
P116=-66.1610 ;36.5000
P117=-66.0000 ;36.6800
P118=-65.6940 ;37.0000
P119=-65.5000 ;37.2150
P120=-65.2520 ;37.5000
P121=-65.0000 ;37.7960
P122=-64.8220 ;38.0000
P123=-64.5000 ;38.4420
P124=-64.4490 ;38.5000
P125=-64.1130 ;39.0000
P126=-64.0000 ;39.1860
P127=-63.7930 ;39.5000
P128=-63.5020 ;40.0000
P129=-63.5000 ;40.0030
P130=-63.1940 ;40.5000
P131=-63.0000 ;40.9230
P132=-62.9560 ;41.0000
P133=-62.6930 ;41.5000
P134=-62.5000 ;41.8850
P135=-62.4290 ;42.0000
P136=-62.1530 ;42.5000
P137=-62.0000 ;42.8210
P138=-61.8950 ;43.0000
P139=-61.6590 ;43.5000
P140=-61.5000 ;43.9250
P141=-61.4640 ;44.0000
P142=-61.2560 ;44.5000
P143=-61.0920 ;45.0000
P144=-61.0000 ;45.3600
P145=-60.9490 ;45.5000
P146=-60.8400 ;46.0000
P147=-60.8060 ;46.5000
P148=-60.8360 ;47.0000
P149=-60.9220 ;47.5000
P150=-61.0000 ;47.9590
[C9]
gain=-40.00
n_point=67
P1=-77.0000 ;48.2190
P2=-77.0417 ;48.2093

P3=-77.0833 ;48.1995
P4=-77.1250 ;48.1898
P5=-77.1667 ;48.1800
P6=-77.2083 ;48.1702
P7=-77.2500 ;48.1605
P8=-77.2917 ;48.1507
P9=-77.3333 ;48.1410
P10=-77.3750 ;48.1312
P11=-77.4167 ;48.1215
P12=-77.4583 ;48.1118
P13=-77.5000 ;48.1020
P14=-77.5354 ;48.0816
P15=-77.5708 ;48.0612
P16=-77.6062 ;48.0408
P17=-77.6416 ;48.0204
P18=-77.6770 ;48.0000
P19=-77.6622 ;47.9720
P20=-77.6475 ;47.9440
P21=-77.6328 ;47.9160
P22=-77.6180 ;47.8880
P23=-77.6032 ;47.8600
P24=-77.5885 ;47.8320
P25=-77.5738 ;47.8040
P26=-77.5590 ;47.7760
P27=-77.5443 ;47.7480
P28=-77.5295 ;47.7200
P29=-77.5147 ;47.6920
P30=-77.5000 ;47.6640
P31=-77.4583 ;47.6763
P32=-77.4167 ;47.6885
P33=-77.3750 ;47.7007
P34=-77.3333 ;47.7130
P35=-77.2917 ;47.7253
P36=-77.2500 ;47.7375
P37=-77.2083 ;47.7497
P38=-77.1667 ;47.7620
P39=-77.1250 ;47.7743
P40=-77.0833 ;47.7865
P41=-77.0417 ;47.7987
P42=-77.0000 ;47.8110
P43=-76.9601 ;47.8268
P44=-76.9202 ;47.8425
P45=-76.8803 ;47.8582
P46=-76.8403 ;47.8740
P47=-76.8004 ;47.8898
P48=-76.7605 ;47.9055
P49=-76.7206 ;47.9212
P50=-76.6807 ;47.9370
P51=-76.6407 ;47.9528
P52=-76.6008 ;47.9685
P53=-76.5609 ;47.9842
P54=-76.5210 ;48.0000
P55=-76.5578 ;48.0168
P56=-76.5947 ;48.0337
P57=-76.6315 ;48.0505
P58=-76.6684 ;48.0674
P59=-76.7052 ;48.0842

P60=-76.7421 ;48.1011
P61=-76.7789 ;48.1179
P62=-76.8158 ;48.1348
P63=-76.8526 ;48.1516
P64=-76.8895 ;48.1685
P65=-76.9263 ;48.1853
P66=-76.9632 ;48.2022
P67=-77.0000 ;48.2190

[C10]

gain=-40.00

n_point=67

P1=-78.0000 ;47.7040
P2=-78.0385 ;47.6955
P3=-78.0769 ;47.6871
P4=-78.1154 ;47.6786
P5=-78.1538 ;47.6702
P6=-78.1923 ;47.6617
P7=-78.2308 ;47.6532
P8=-78.2692 ;47.6448
P9=-78.3077 ;47.6363
P10=-78.3462 ;47.6278
P11=-78.3846 ;47.6194
P12=-78.4231 ;47.6109
P13=-78.4615 ;47.6025
P14=-78.5000 ;47.5940
P15=-78.5290 ;47.5752
P16=-78.5580 ;47.5564
P17=-78.5870 ;47.5376
P18=-78.6160 ;47.5188
P19=-78.6450 ;47.5000
P20=-78.6338 ;47.4727
P21=-78.6227 ;47.4454
P22=-78.6115 ;47.4181
P23=-78.6004 ;47.3908
P24=-78.5892 ;47.3635
P25=-78.5781 ;47.3362
P26=-78.5669 ;47.3088
P27=-78.5558 ;47.2815
P28=-78.5446 ;47.2542
P29=-78.5335 ;47.2269
P30=-78.5223 ;47.1996
P31=-78.5112 ;47.1723
P32=-78.5000 ;47.1450
P33=-78.4643 ;47.1597
P34=-78.4286 ;47.1744
P35=-78.3929 ;47.1891
P36=-78.3571 ;47.2039
P37=-78.3214 ;47.2186
P38=-78.2857 ;47.2333
P39=-78.2500 ;47.2480
P40=-78.2143 ;47.2627
P41=-78.1786 ;47.2774
P42=-78.1429 ;47.2921
P43=-78.1071 ;47.3069
P44=-78.0714 ;47.3216
P45=-78.0357 ;47.3363
P46=-78.0000 ;47.3510

P47=-77.9639 ;47.3659
P48=-77.9278 ;47.3808
P49=-77.8917 ;47.3957
P50=-77.8556 ;47.4106
P51=-77.8195 ;47.4255
P52=-77.7834 ;47.4404
P53=-77.7473 ;47.4553
P54=-77.7112 ;47.4702
P55=-77.6751 ;47.4851
P56=-77.6390 ;47.5000
P57=-77.6718 ;47.5185
P58=-77.7046 ;47.5371
P59=-77.7375 ;47.5556
P60=-77.7703 ;47.5742
P61=-77.8031 ;47.5927
P62=-77.8359 ;47.6113
P63=-77.8687 ;47.6298
P64=-77.9015 ;47.6484
P65=-77.9344 ;47.6669
P66=-77.9672 ;47.6855
P67=-78.0000 ;47.7040
[C11]
gain=-40.00
n_point=66
P1=-79.0000 ;47.1860
P2=-79.0556 ;47.1653
P3=-79.1111 ;47.1447
P4=-79.1667 ;47.1240
P5=-79.2222 ;47.1033
P6=-79.2778 ;47.0827
P7=-79.3333 ;47.0620
P8=-79.3889 ;47.0413
P9=-79.4444 ;47.0207
P10=-79.5000 ;47.0000
P11=-79.5455 ;46.9682
P12=-79.5909 ;46.9364
P13=-79.6364 ;46.9045
P14=-79.6818 ;46.8727
P15=-79.7273 ;46.8409
P16=-79.7727 ;46.8091
P17=-79.8182 ;46.7773
P18=-79.8636 ;46.7455
P19=-79.9091 ;46.7136
P20=-79.9545 ;46.6818
P21=-80.0000 ;46.6500
P22=-80.0494 ;46.6200
P23=-80.0988 ;46.5900
P24=-80.1482 ;46.5600
P25=-80.1976 ;46.5300
P26=-80.2470 ;46.5000
P27=-80.2058 ;46.4620
P28=-80.1647 ;46.4240
P29=-80.1235 ;46.3860
P30=-80.0823 ;46.3480
P31=-80.0412 ;46.3100
P32=-80.0000 ;46.2720
P33=-79.9375 ;46.2891

P34=-79.8750 ;46.3063
P35=-79.8125 ;46.3234
P36=-79.7500 ;46.3405
P37=-79.6875 ;46.3576
P38=-79.6250 ;46.3748
P39=-79.5625 ;46.3919
P40=-79.5000 ;46.4090
P41=-79.4553 ;46.4393
P42=-79.4107 ;46.4697
P43=-79.3660 ;46.5000
P44=-79.3253 ;46.5377
P45=-79.2847 ;46.5753
P46=-79.2440 ;46.6130
P47=-79.2033 ;46.6507
P48=-79.1627 ;46.6883
P49=-79.1220 ;46.7260
P50=-79.0813 ;46.7637
P51=-79.0407 ;46.8013
P52=-79.0000 ;46.8390
P53=-78.9443 ;46.8620
P54=-78.8886 ;46.8850
P55=-78.8329 ;46.9080
P56=-78.7771 ;46.9310
P57=-78.7214 ;46.9540
P58=-78.6657 ;46.9770
P59=-78.6100 ;47.0000
P60=-78.6657 ;47.0266
P61=-78.7214 ;47.0531
P62=-78.7771 ;47.0797
P63=-78.8329 ;47.1063
P64=-78.8886 ;47.1329
P65=-78.9443 ;47.1594
P66=-79.0000 ;47.1860
[C12]
gain=-40.00
n_point=139
P1=-80.5000 ;46.2360
P2=-81.0000 ;46.0200
P3=-81.0280 ;46.0000
P4=-81.5000 ;45.6750
P5=-81.7480 ;45.5000
P6=-82.0000 ;45.3150
P7=-82.4410 ;45.0000
P8=-82.5000 ;44.9160
P9=-83.0000 ;44.5810
P10=-83.0940 ;44.5000
P11=-83.5000 ;44.1730
P12=-83.6980 ;44.0000
P13=-84.0000 ;43.7400
P14=-84.2540 ;43.5000
P15=-84.5000 ;43.2860
P16=-84.7840 ;43.0000
P17=-85.0000 ;42.7780
P18=-85.2640 ;42.5000
P19=-85.5000 ;42.2300
P20=-85.7220 ;42.0000
P21=-86.0000 ;41.7060

P22=-86.1910 ;41.5000
P23=-86.5000 ;41.0920
P24=-86.5830 ;41.0000
P25=-86.9220 ;40.5000
P26=-87.0000 ;40.4040
P27=-87.3300 ;40.0000
P28=-87.5000 ;39.6220
P29=-87.5950 ;39.5000
P30=-87.8800 ;39.0000
P31=-88.0000 ;38.8240
P32=-88.2420 ;38.5000
P33=-88.4910 ;38.0000
P34=-88.5000 ;37.9900
P35=-88.8160 ;37.5000
P36=-89.0000 ;37.0230
P37=-89.0160 ;37.0000
P38=-89.3080 ;36.5000
P39=-89.4670 ;36.0000
P40=-89.5000 ;35.8730
P41=-89.7030 ;35.5000
P42=-89.8700 ;35.0000
P43=-89.9600 ;34.5000
P44=-90.0000 ;34.2720
P45=-90.1100 ;34.0000
P46=-90.2770 ;33.5000
P47=-90.3610 ;33.0000
P48=-90.4130 ;32.5000
P49=-90.4410 ;32.0000
P50=-90.4610 ;31.5000
P51=-90.4730 ;31.0000
P52=-90.4700 ;30.5000
P53=-90.4650 ;30.0000
P54=-90.4360 ;29.5000
P55=-90.3790 ;29.0000
P56=-90.2670 ;28.5000
P57=-90.0000 ;28.0310
P58=-89.9920 ;28.0000
P59=-89.7920 ;27.5000
P60=-89.5000 ;27.1250
P61=-89.4390 ;27.0000
P62=-89.0350 ;26.5000
P63=-89.0000 ;26.4670
P64=-88.6150 ;26.0000
P65=-88.5000 ;25.8900
P66=-88.0790 ;25.5000
P67=-88.0000 ;25.4330
P68=-87.5000 ;25.0800
P69=-87.3810 ;25.0000
P70=-87.0000 ;24.7660
P71=-86.5000 ;24.5280
P72=-86.4020 ;25.0000
P73=-86.5000 ;25.0710
P74=-86.9420 ;25.5000
P75=-87.0000 ;25.5590
P76=-87.3800 ;26.0000
P77=-87.5000 ;26.1560
P78=-87.7140 ;26.5000

P79=-88.0000 ;26.9200
P80=-88.0470 ;27.0000
P81=-88.2720 ;27.5000
P82=-88.5000 ;27.9380
P83=-88.5240 ;28.0000
P84=-88.6490 ;28.5000
P85=-88.7970 ;29.0000
P86=-88.9060 ;29.5000
P87=-88.9930 ;30.0000
P88=-89.0000 ;30.0430
P89=-89.0340 ;30.5000
P90=-89.0620 ;31.0000
P91=-89.0650 ;31.5000
P92=-89.0520 ;32.0000
P93=-89.0450 ;32.5000
P94=-89.0410 ;33.0000
P95=-89.0290 ;33.5000
P96=-89.0000 ;33.6790
P97=-88.9220 ;34.0000
P98=-88.8010 ;34.5000
P99=-88.6910 ;35.0000
P100=-88.5930 ;35.5000
P101=-88.5000 ;35.9590
P102=-88.4840 ;36.0000
P103=-88.2740 ;36.5000
P104=-88.1390 ;37.0000
P105=-88.0000 ;37.2640
P106=-87.8660 ;37.5000
P107=-87.6700 ;38.0000
P108=-87.5000 ;38.2060
P109=-87.3070 ;38.5000
P110=-87.0960 ;39.0000
P111=-87.0000 ;39.0770
P112=-86.6890 ;39.5000
P113=-86.5000 ;39.8710
P114=-86.4020 ;40.0000
P115=-86.0980 ;40.5000
P116=-86.0000 ;40.6270
P117=-85.7080 ;41.0000
P118=-85.5000 ;41.2720
P119=-85.2990 ;41.5000
P120=-85.0000 ;41.8250
P121=-84.8390 ;42.0000
P122=-84.5000 ;42.3490
P123=-84.3560 ;42.5000
P124=-84.0000 ;42.9100
P125=-83.9110 ;43.0000
P126=-83.5000 ;43.4460
P127=-83.4450 ;43.5000
P128=-83.0000 ;43.9150
P129=-82.9030 ;44.0000
P130=-82.5000 ;44.3360
P131=-82.3020 ;44.5000
P132=-82.0000 ;44.7520
P133=-81.6750 ;45.0000
P134=-81.5000 ;45.2410
P135=-81.0000 ;45.4880

P136=-80.9840 ;45.5000
P137=-80.5000 ;45.8810
P138=-80.2840 ;46.0000
P139=-80.5000 ;46.2360
[C13]
gain=-40.00
n_point=75
P1=-86.0000 ;36.7610
P2=-86.1000 ;36.6305
P3=-86.2000 ;36.5000
P4=-86.2740 ;36.2500
P5=-86.3480 ;36.0000
P6=-86.4240 ;35.8235
P7=-86.5000 ;35.6470
P8=-86.5930 ;35.5000
P9=-86.6603 ;35.3333
P10=-86.7277 ;35.1667
P11=-86.7950 ;35.0000
P12=-86.8525 ;34.7500
P13=-86.9100 ;34.5000
P14=-87.0000 ;34.3730
P15=-87.1060 ;34.1865
P16=-87.2120 ;34.0000
P17=-87.2765 ;33.7500
P18=-87.3410 ;33.5000
P19=-87.3775 ;33.2500
P20=-87.4140 ;33.0000
P21=-87.4220 ;32.7500
P22=-87.4300 ;32.5000
P23=-87.4105 ;32.2500
P24=-87.3910 ;32.0000
P25=-87.4010 ;31.7500
P26=-87.4110 ;31.5000
P27=-87.4045 ;31.2500
P28=-87.3980 ;31.0000
P29=-87.3255 ;30.7500
P30=-87.2530 ;30.5000
P31=-87.1857 ;30.3333
P32=-87.1183 ;30.1667
P33=-87.0510 ;30.0000
P34=-87.0000 ;29.9180
P35=-86.8800 ;29.7090
P36=-86.7600 ;29.5000
P37=-86.6300 ;29.3295
P38=-86.5000 ;29.1590
P39=-86.3700 ;29.3295
P40=-86.2400 ;29.5000
P41=-86.2960 ;29.7500
P42=-86.3520 ;30.0000
P43=-86.4040 ;30.2500
P44=-86.4560 ;30.5000
P45=-86.5000 ;30.6670
P46=-86.5400 ;30.8335
P47=-86.5800 ;31.0000
P48=-86.6275 ;31.2500
P49=-86.6750 ;31.5000
P50=-86.6815 ;31.7500

P51=-86.6880 ;32.0000
P52=-86.6560 ;32.2500
P53=-86.6240 ;32.5000
P54=-86.6140 ;32.7500
P55=-86.6040 ;33.0000
P56=-86.6025 ;33.2500
P57=-86.6010 ;33.5000
P58=-86.5000 ;33.7290
P59=-86.4455 ;33.8645
P60=-86.3910 ;34.0000
P61=-86.3290 ;34.2500
P62=-86.2670 ;34.5000
P63=-86.2390 ;34.7500
P64=-86.2110 ;35.0000
P65=-86.1507 ;35.1667
P66=-86.0903 ;35.3333
P67=-86.0300 ;35.5000
P68=-86.0000 ;35.5060
P69=-85.9133 ;35.6707
P70=-85.8267 ;35.8353
P71=-85.7400 ;36.0000
P72=-85.7065 ;36.2500
P73=-85.6730 ;36.5000
P74=-85.8365 ;36.6305
P75=-86.0000 ;36.7610
[C14]
gain=-40.00
n_point=90
P1=-68.5000 ;44.0560
P2=-68.5753 ;44.2040
P3=-68.6507 ;44.3520
P4=-68.7260 ;44.5000
P5=-68.8630 ;44.6215
P6=-69.0000 ;44.7430
P7=-69.1805 ;44.8715
P8=-69.3610 ;45.0000
P9=-69.5000 ;45.0840
P10=-69.6667 ;45.1663
P11=-69.8333 ;45.2487
P12=-70.0000 ;45.3310
P13=-70.2500 ;45.3620
P14=-70.5000 ;45.3930
P15=-70.7500 ;45.3530
P16=-71.0000 ;45.3130
P17=-71.2500 ;45.2615
P18=-71.5000 ;45.2100
P19=-71.7500 ;45.1585
P20=-72.0000 ;45.1070
P21=-72.2500 ;45.0650
P22=-72.5000 ;45.0230
P23=-72.6630 ;45.0000
P24=-72.5000 ;44.9910
P25=-72.2500 ;44.9795
P26=-72.0000 ;44.9680
P27=-71.7500 ;44.9535
P28=-71.5000 ;44.9390
P29=-71.3333 ;44.8557

P30=-71.1667 ;44.7723
P31=-71.0000 ;44.6890
P32=-70.8605 ;44.5945
P33=-70.7210 ;44.5000
P34=-70.5000 ;44.4290
P35=-70.3333 ;44.3463
P36=-70.1667 ;44.2637
P37=-70.0000 ;44.1810
P38=-69.8705 ;44.0905
P39=-69.7410 ;44.0000
P40=-69.6205 ;43.8720
P41=-69.5000 ;43.7440
P42=-69.4025 ;43.6220
P43=-69.3050 ;43.5000
P44=-69.2230 ;43.3333
P45=-69.1410 ;43.1667
P46=-69.0590 ;43.0000
P47=-69.0295 ;42.8920
P48=-69.0000 ;42.7840
P49=-68.9370 ;42.6420
P50=-68.8740 ;42.5000
P51=-68.8640 ;42.3333
P52=-68.8540 ;42.1667
P53=-68.8440 ;42.0000
P54=-68.8163 ;41.8333
P55=-68.7887 ;41.6667
P56=-68.7610 ;41.5000
P57=-68.7570 ;41.3333
P58=-68.7530 ;41.1667
P59=-68.7490 ;41.0000
P60=-68.7370 ;40.8333
P61=-68.7250 ;40.6667
P62=-68.7130 ;40.5000
P63=-68.6420 ;40.3520
P64=-68.5710 ;40.2040
P65=-68.5000 ;40.0560
P66=-68.4240 ;40.2040
P67=-68.3480 ;40.3520
P68=-68.2720 ;40.5000
P69=-68.2143 ;40.6667
P70=-68.1567 ;40.8333
P71=-68.0990 ;41.0000
P72=-68.0747 ;41.1667
P73=-68.0503 ;41.3333
P74=-68.0260 ;41.5000
P75=-68.0353 ;41.6667
P76=-68.0447 ;41.8333
P77=-68.0540 ;42.0000
P78=-68.0597 ;42.1667
P79=-68.0653 ;42.3333
P80=-68.0710 ;42.5000
P81=-68.1123 ;42.6667
P82=-68.1537 ;42.8333
P83=-68.1950 ;43.0000
P84=-68.2280 ;43.1667
P85=-68.2610 ;43.3333
P86=-68.2940 ;43.5000

P87=-68.3503 ;43.6667
P88=-68.4067 ;43.8333
P89=-68.4630 ;44.0000
P90=-68.5000 ;44.0560
[C15]
gain=-30.00
n_point=129
P1=-70.5000 ;43.1630
P2=-70.4060 ;43.0000
P3=-70.2620 ;42.5000
P4=-70.2120 ;42.0000
P5=-70.2380 ;41.5000
P6=-70.2410 ;41.0000
P7=-70.2480 ;40.5000
P8=-70.2000 ;40.0000
P9=-70.1140 ;39.5000
P10=-70.1540 ;39.0000
P11=-70.1990 ;38.5000
P12=-70.3090 ;38.0000
P13=-70.4420 ;37.5000
P14=-70.5000 ;37.3470
P15=-70.6420 ;37.0000
P16=-70.8620 ;36.5000
P17=-71.0000 ;36.2610
P18=-71.1490 ;36.0000
P19=-71.4470 ;35.5000
P20=-71.5000 ;35.4350
P21=-71.8100 ;35.0000
P22=-72.0000 ;34.7550
P23=-72.1900 ;34.5000
P24=-72.5000 ;34.1430
P25=-72.6230 ;34.0000
P26=-73.0000 ;33.5820
P27=-73.0730 ;33.5000
P28=-73.5000 ;33.0410
P29=-73.5370 ;33.0000
P30=-74.0000 ;32.5420
P31=-74.0410 ;32.5000
P32=-74.5000 ;32.0700
P33=-74.5730 ;32.0000
P34=-75.0000 ;31.6080
P35=-75.1140 ;31.5000
P36=-75.5000 ;31.1540
P37=-75.6640 ;31.0000
P38=-76.0000 ;30.7250
P39=-76.2510 ;30.5000
P40=-76.5000 ;30.3000
P41=-76.8520 ;30.0000
P42=-77.0000 ;29.8860
P43=-77.4890 ;29.5000
P44=-77.5000 ;29.4900
P45=-78.0000 ;29.1940
P46=-78.2720 ;29.0000
P47=-78.5000 ;28.8770
P48=-79.0000 ;28.6190
P49=-79.1980 ;28.5000
P50=-79.5000 ;28.3930

P51=-80.0000 ;28.1750
P52=-80.3650 ;28.0000
P53=-80.5000 ;27.9580
P54=-81.0000 ;27.8540
P55=-81.5000 ;27.7670
P56=-82.0000 ;27.6900
P57=-82.5000 ;27.6680
P58=-83.0000 ;27.7100
P59=-83.5000 ;27.8250
P60=-83.9710 ;28.0000
P61=-84.0000 ;28.0160
P62=-84.5000 ;28.3590
P63=-84.6660 ;28.5000
P64=-85.0000 ;28.8920
P65=-85.0750 ;29.0000
P66=-85.3640 ;29.5000
P67=-85.5000 ;29.8210
P68=-85.5550 ;30.0000
P69=-85.6770 ;30.5000
P70=-85.7570 ;31.0000
P71=-85.7950 ;31.5000
P72=-85.8390 ;32.0000
P73=-85.8930 ;32.5000
P74=-85.9040 ;33.0000
P75=-85.8880 ;33.5000
P76=-85.8510 ;34.0000
P77=-85.7450 ;34.5000
P78=-85.6300 ;35.0000
P79=-85.5180 ;35.5000
P80=-85.5000 ;35.5710
P81=-85.3060 ;36.0000
P82=-85.0960 ;36.5000
P83=-85.0000 ;36.7470
P84=-84.8530 ;37.0000
P85=-84.5550 ;37.5000
P86=-84.5000 ;37.6300
P87=-84.2210 ;38.0000
P88=-84.0000 ;38.3870
P89=-83.9120 ;38.5000
P90=-83.5290 ;39.0000
P91=-83.5000 ;39.0520
P92=-83.1040 ;39.5000
P93=-83.0000 ;39.6150
P94=-82.6360 ;40.0000
P95=-82.5000 ;40.1010
P96=-82.0860 ;40.5000
P97=-82.0000 ;40.5850
P98=-81.5490 ;41.0000
P99=-81.5000 ;41.0450
P100=-81.0000 ;41.4270
P101=-80.9090 ;41.5000
P102=-80.5000 ;41.7680
P103=-80.1910 ;42.0000
P104=-80.0000 ;42.1290
P105=-79.5000 ;42.4350
P106=-79.4020 ;42.5000
P107=-79.0000 ;42.7120

P108=-78.5000 ;42.9870
P109=-78.4770 ;43.0000
P110=-78.0000 ;43.2110
P111=-77.5000 ;43.4330
P112=-77.3560 ;43.5000
P113=-77.0000 ;43.6290
P114=-76.5000 ;43.7840
P115=-76.0000 ;43.9670
P116=-75.8940 ;44.0000
P117=-75.5000 ;44.0790
P118=-75.0000 ;44.1610
P119=-74.5000 ;44.2370
P120=-74.0000 ;44.2950
P121=-73.5000 ;44.3230
P122=-73.0000 ;44.3120
P123=-72.5000 ;44.2550
P124=-72.0000 ;44.1530
P125=-71.5000 ;44.0140
P126=-71.4580 ;44.0000
P127=-71.0000 ;43.6960
P128=-70.7380 ;43.5000
P129=-70.5000 ;43.1630
[C16]
gain=-20.00
n_point=85
P1=-76.0000 ;42.5430
P2=-75.7935 ;42.5215
P3=-75.5870 ;42.5000
P4=-75.6530 ;42.3333
P5=-75.7190 ;42.1667
P6=-75.7850 ;42.0000
P7=-76.0000 ;41.9310
P8=-76.1667 ;41.8643
P9=-76.3333 ;41.7977
P10=-76.5000 ;41.7310
P11=-76.6745 ;41.6155
P12=-76.8490 ;41.5000
P13=-77.0000 ;41.4590
P14=-77.1667 ;41.4043
P15=-77.3333 ;41.3497
P16=-77.5000 ;41.2950
P17=-77.6627 ;41.1967
P18=-77.8253 ;41.0983
P19=-77.9880 ;41.0000
P20=-78.0000 ;40.9960
P21=-78.1667 ;40.9413
P22=-78.3333 ;40.8867
P23=-78.5000 ;40.8320
P24=-78.6663 ;40.7213
P25=-78.8327 ;40.6107
P26=-78.9990 ;40.5000
P27=-79.0000 ;40.5000
P28=-79.1667 ;40.4383
P29=-79.3333 ;40.3767
P30=-79.5000 ;40.3150
P31=-79.6403 ;40.2100
P32=-79.7807 ;40.1050

P33=-79.9210 ;40.0000
P34=-80.0000 ;39.9660
P35=-80.1667 ;39.8867
P36=-80.3333 ;39.8073
P37=-80.5000 ;39.7280
P38=-80.6475 ;39.6140
P39=-80.7950 ;39.5000
P40=-81.0000 ;39.3940
P41=-81.1667 ;39.2887
P42=-81.3333 ;39.1833
P43=-81.5000 ;39.0780
P44=-81.5597 ;39.2187
P45=-81.6193 ;39.3593
P46=-81.6790 ;39.5000
P47=-81.5895 ;39.5990
P48=-81.5000 ;39.6980
P49=-81.3680 ;39.8490
P50=-81.2360 ;40.0000
P51=-81.1180 ;40.1060
P52=-81.0000 ;40.2120
P53=-80.8520 ;40.3560
P54=-80.7040 ;40.5000
P55=-80.6020 ;40.5745
P56=-80.5000 ;40.6490
P57=-80.3597 ;40.7660
P58=-80.2193 ;40.8830
P59=-80.0790 ;41.0000
P60=-80.0000 ;41.0480
P61=-79.8333 ;41.1440
P62=-79.6667 ;41.2400
P63=-79.5000 ;41.3360
P64=-79.3845 ;41.4180
P65=-79.2690 ;41.5000
P66=-79.1345 ;41.5630
P67=-79.0000 ;41.6260
P68=-78.8333 ;41.7070
P69=-78.6667 ;41.7880
P70=-78.5000 ;41.8690
P71=-78.3785 ;41.9345
P72=-78.2570 ;42.0000
P73=-78.1285 ;42.0445
P74=-78.0000 ;42.0890
P75=-77.8333 ;42.1400
P76=-77.6667 ;42.1910
P77=-77.5000 ;42.2420
P78=-77.3333 ;42.2947
P79=-77.1667 ;42.3473
P80=-77.0000 ;42.4000
P81=-76.8260 ;42.4500
P82=-76.6520 ;42.5000
P83=-76.5000 ;42.5230
P84=-76.2500 ;42.5330
P85=-76.0000 ;42.5430
[C17]
gain=-30.00
n_point=78
P1=-72.0000 ;40.7880

P2=-72.0833 ;40.8122
P3=-72.1667 ;40.8363
P4=-72.2500 ;40.8605
P5=-72.3333 ;40.8847
P6=-72.4167 ;40.9088
P7=-72.5000 ;40.9330
P8=-72.6000 ;40.9342
P9=-72.7000 ;40.9354
P10=-72.8000 ;40.9366
P11=-72.9000 ;40.9378
P12=-73.0000 ;40.9390
P13=-73.1000 ;40.9138
P14=-73.1500 ;40.9012
P15=-73.2000 ;40.8886
P16=-73.2500 ;40.8760
P17=-73.3000 ;40.8634
P18=-73.3500 ;40.8508
P19=-73.4000 ;40.8382
P20=-73.4500 ;40.8256
P21=-73.5000 ;40.8130
P22=-73.5502 ;40.7504
P23=-73.6004 ;40.6878
P24=-73.6506 ;40.6252
P25=-73.7008 ;40.5626
P26=-73.7510 ;40.5000
P27=-73.6883 ;40.4460
P28=-73.6255 ;40.3920
P29=-73.5628 ;40.3380
P30=-73.5000 ;40.2840
P31=-73.4655 ;40.2130
P32=-73.4310 ;40.1420
P33=-73.3965 ;40.0710
P34=-73.3620 ;40.0000
P35=-73.3103 ;39.9426
P36=-73.2586 ;39.8851
P37=-73.2069 ;39.8277
P38=-73.1551 ;39.7703
P39=-73.1034 ;39.7129
P40=-73.0517 ;39.6554
P41=-73.0000 ;39.5980
P42=-72.9237 ;39.5653
P43=-72.8473 ;39.5327
P44=-72.7710 ;39.5000
P45=-72.7168 ;39.4470
P46=-72.6626 ;39.3940
P47=-72.6084 ;39.3410
P48=-72.5542 ;39.2880
P49=-72.5000 ;39.2350
P50=-72.4000 ;39.2474
P51=-72.3000 ;39.2598
P52=-72.2000 ;39.2722
P53=-72.1000 ;39.2846
P54=-72.0000 ;39.2970
P55=-71.9455 ;39.3478
P56=-71.8910 ;39.3985
P57=-71.8365 ;39.4493
P58=-71.7820 ;39.5000

P59=-71.7504 ;39.5714
P60=-71.7189 ;39.6429
P61=-71.6873 ;39.7143
P62=-71.6557 ;39.7857
P63=-71.6241 ;39.8571
P64=-71.5926 ;39.9286
P65=-71.5610 ;40.0000
P66=-71.5679 ;40.0714
P67=-71.5747 ;40.1429
P68=-71.5816 ;40.2143
P69=-71.5884 ;40.2857
P70=-71.5953 ;40.3571
P71=-71.6021 ;40.4286
P72=-71.6090 ;40.5000
P73=-71.6742 ;40.5480
P74=-71.7393 ;40.5960
P75=-71.8045 ;40.6440
P76=-71.8697 ;40.6920
P77=-71.9348 ;40.7400
P78=-72.0000 ;40.7880
[C18]
gain=-20.00
n_point=118
P1=-73.5000 ;38.8920
P2=-73.3590 ;38.5000
P3=-73.3110 ;38.2500
P4=-73.2630 ;38.0000
P5=-73.2605 ;37.7500
P6=-73.2580 ;37.5000
P7=-73.2840 ;37.2500
P8=-73.3100 ;37.0000
P9=-73.3705 ;36.7500
P10=-73.4310 ;36.5000
P11=-73.5000 ;36.3250
P12=-73.6050 ;36.0000
P13=-73.7100 ;35.7500
P14=-73.8150 ;35.5000
P15=-74.0000 ;35.2240
P16=-74.1280 ;35.0000
P17=-74.3080 ;34.7500
P18=-74.4880 ;34.5000
P19=-74.5000 ;34.4860
P20=-74.6965 ;34.2430
P21=-74.8930 ;34.0000
P22=-75.0000 ;33.8970
P23=-75.2120 ;33.6985
P24=-75.4240 ;33.5000
P25=-75.5000 ;33.4350
P26=-75.7500 ;33.2455
P27=-76.0000 ;33.0560
P28=-76.0700 ;33.0000
P29=-76.2850 ;32.8490
P30=-76.5000 ;32.6980
P31=-76.8230 ;32.5000
P32=-77.0000 ;32.4000
P33=-77.2500 ;32.2760
P34=-77.5000 ;32.1520

P35=-77.7680 ;32.0000
P36=-78.0000 ;31.8920
P37=-78.2500 ;31.8010
P38=-78.5000 ;31.7100
P39=-78.7240 ;31.6050
P40=-78.9480 ;31.5000
P41=-79.0000 ;31.4830
P42=-79.2500 ;31.4370
P43=-79.5000 ;31.3910
P44=-79.7500 ;31.2990
P45=-80.0000 ;31.2070
P46=-80.2500 ;31.1300
P47=-80.5000 ;31.0530
P48=-80.7990 ;31.0000
P49=-81.0000 ;30.9650
P50=-81.2500 ;30.9520
P51=-81.5000 ;30.9390
P52=-81.7500 ;30.9690
P53=-82.0000 ;30.9990
P54=-82.0030 ;31.0000
P55=-82.2515 ;31.0905
P56=-82.5000 ;31.1810
P57=-82.7320 ;31.3405
P58=-82.9640 ;31.5000
P59=-83.0000 ;31.5360
P60=-83.1575 ;31.7680
P61=-83.3150 ;32.0000
P62=-83.4075 ;32.2205
P63=-83.5000 ;32.4410
P64=-83.5140 ;32.5000
P65=-83.5375 ;32.7500
P66=-83.5610 ;33.0000
P67=-83.5545 ;33.2500
P68=-83.5480 ;33.5000
P69=-83.5000 ;33.9120
P70=-83.4820 ;34.0000
P71=-83.3915 ;34.2500
P72=-83.3010 ;34.5000
P73=-83.2030 ;34.7500
P74=-83.1050 ;35.0000
P75=-83.0000 ;35.2450
P76=-82.8560 ;35.5000
P77=-82.7090 ;35.7500
P78=-82.5620 ;36.0000
P79=-82.5000 ;36.0790
P80=-82.3280 ;36.2895
P81=-82.1560 ;36.5000
P82=-82.0000 ;36.6680
P83=-81.6900 ;37.0000
P84=-81.5000 ;37.1750
P85=-81.3320 ;37.3375
P86=-81.1640 ;37.5000
P87=-81.0000 ;37.6350
P88=-80.7965 ;37.8175
P89=-80.5930 ;38.0000
P90=-80.5000 ;38.0690
P91=-80.2500 ;38.2735

P92=-80.0000 ;38.4780
P93=-79.9700 ;38.5000
P94=-79.7350 ;38.6345
P95=-79.5000 ;38.7690
P96=-79.1610 ;39.0000
P97=-79.0000 ;39.1020
P98=-78.7500 ;39.2300
P99=-78.5000 ;39.3580
P100=-78.2270 ;39.5000
P101=-78.0000 ;39.6220
P102=-77.7500 ;39.7145
P103=-77.5000 ;39.8070
P104=-77.2500 ;39.8945
P105=-77.0000 ;39.9820
P106=-76.9310 ;40.0000
P107=-76.5000 ;40.1170
P108=-76.0000 ;40.1800
P109=-75.5000 ;40.1830
P110=-75.0000 ;40.1110
P111=-74.6580 ;40.0000
P112=-74.5000 ;39.9310
P113=-74.2500 ;39.7570
P114=-74.0000 ;39.5830
P115=-73.9160 ;39.5000
P116=-73.7305 ;39.2500
P117=-73.5450 ;39.0000
P118=-73.5000 ;38.8920

[C19]

gain=-10.00

n_point=97

P1=-75.0000 ;38.2880
P2=-74.8630 ;38.0000
P3=-74.8175 ;37.7500
P4=-74.7720 ;37.5000
P5=-74.7880 ;37.2500
P6=-74.8040 ;37.0000
P7=-74.8560 ;36.7500
P8=-74.9080 ;36.5000
P9=-75.0000 ;36.2420
P10=-75.0940 ;36.0000
P11=-75.2155 ;35.7500
P12=-75.3370 ;35.5000
P13=-75.5000 ;35.2380
P14=-75.6560 ;35.0000
P15=-75.8280 ;34.7685
P16=-76.0000 ;34.5370
P17=-76.0290 ;34.5000
P18=-76.2515 ;34.2500
P19=-76.4740 ;34.0000
P20=-76.5000 ;33.9750
P21=-76.7500 ;33.7385
P22=-77.0000 ;33.5020
P23=-77.0020 ;33.5000
P24=-77.2510 ;33.3160
P25=-77.5000 ;33.1320
P26=-77.6800 ;33.0000
P27=-77.8400 ;32.9025

P28=-78.0000 ;32.8050
P29=-78.2500 ;32.6530
P30=-78.5000 ;32.5010
P31=-78.5020 ;32.5000
P32=-78.7510 ;32.3960
P33=-79.0000 ;32.2920
P34=-79.2500 ;32.1950
P35=-79.5000 ;32.0980
P36=-79.8380 ;32.0000
P37=-80.0000 ;31.9640
P38=-80.2500 ;31.9325
P39=-80.5000 ;31.9010
P40=-80.7500 ;31.9035
P41=-81.0000 ;31.9060
P42=-81.2395 ;31.9530
P43=-81.4790 ;32.0000
P44=-81.5000 ;32.0060
P45=-81.7500 ;32.1570
P46=-82.0000 ;32.3080
P47=-82.1880 ;32.5000
P48=-82.3260 ;32.7500
P49=-82.4640 ;33.0000
P50=-82.5000 ;33.1770
P51=-82.5215 ;33.3385
P52=-82.5430 ;33.5000
P53=-82.5330 ;33.7500
P54=-82.5230 ;34.0000
P55=-82.5000 ;34.1170
P56=-82.4545 ;34.3085
P57=-82.4090 ;34.5000
P58=-82.3100 ;34.7500
P59=-82.2110 ;35.0000
P60=-82.1055 ;35.2205
P61=-82.0000 ;35.4410
P62=-81.9670 ;35.5000
P63=-81.8005 ;35.7500
P64=-81.6340 ;36.0000
P65=-81.5000 ;36.1780
P66=-81.3655 ;36.3390
P67=-81.2310 ;36.5000
P68=-81.0000 ;36.7530
P69=-80.7540 ;37.0000
P70=-80.5000 ;37.2260
P71=-80.3410 ;37.3630
P72=-80.1820 ;37.5000
P73=-80.0000 ;37.6350
P74=-79.7540 ;37.8175
P75=-79.5080 ;38.0000
P76=-79.5000 ;38.0050
P77=-79.2500 ;38.1415
P78=-79.0000 ;38.2780
P79=-78.7975 ;38.3890
P80=-78.5950 ;38.5000
P81=-78.5000 ;38.5440
P82=-78.2500 ;38.6380
P83=-78.0000 ;38.7320
P84=-77.7500 ;38.8125

P85=-77.5000 ;38.8930
P86=-77.2650 ;38.9465
P87=-77.0300 ;39.0000
P88=-77.0000 ;39.0060
P89=-76.7500 ;39.0180
P90=-76.5000 ;39.0300
P91=-76.1780 ;39.0000
P92=-76.0000 ;38.9730
P93=-75.7500 ;38.8705
P94=-75.5000 ;38.7680
P95=-75.3240 ;38.6340
P96=-75.1480 ;38.5000
P97=-75.0000 ;38.2880

[C20]

gain=-6.00

n_point=91

P1=-76.0000 ;37.8680
P2=-75.8775 ;37.6840
P3=-75.7550 ;37.5000
P4=-75.7125 ;37.2500
P5=-75.6700 ;37.0000
P6=-75.6925 ;36.7500
P7=-75.7150 ;36.5000
P8=-75.7640 ;36.3333
P9=-75.8130 ;36.1667
P10=-75.8620 ;36.0000
P11=-75.9310 ;35.8400
P12=-76.0000 ;35.6800
P13=-76.0860 ;35.5000
P14=-76.1883 ;35.3333
P15=-76.2907 ;35.1667
P16=-76.3930 ;35.0000
P17=-76.5000 ;34.8600
P18=-76.6470 ;34.6800
P19=-76.7940 ;34.5000
P20=-76.8970 ;34.3890
P21=-77.0000 ;34.2780
P22=-77.1395 ;34.1390
P23=-77.2790 ;34.0000
P24=-77.3895 ;33.9030
P25=-77.5000 ;33.8060
P26=-77.6880 ;33.6530
P27=-77.8760 ;33.5000
P28=-78.0000 ;33.4150
P29=-78.1667 ;33.3120
P30=-78.3333 ;33.2090
P31=-78.5000 ;33.1060
P32=-78.6970 ;33.0000
P33=-78.8485 ;32.9325
P34=-79.0000 ;32.8650
P35=-79.2500 ;32.7760
P36=-79.5000 ;32.6870
P37=-79.7500 ;32.6275
P38=-80.0000 ;32.5680
P39=-80.2500 ;32.5560
P40=-80.5000 ;32.5440
P41=-80.7500 ;32.6000

P42=-81.0000 ;32.6560
P43=-81.1667 ;32.7597
P44=-81.3333 ;32.8633
P45=-81.5000 ;32.9670
P46=-81.5300 ;33.0000
P47=-81.6087 ;33.1667
P48=-81.6873 ;33.3333
P49=-81.7660 ;33.5000
P50=-81.7955 ;33.7500
P51=-81.8250 ;34.0000
P52=-81.7875 ;34.2500
P53=-81.7500 ;34.5000
P54=-81.6960 ;34.6667
P55=-81.6420 ;34.8333
P56=-81.5880 ;35.0000
P57=-81.5000 ;35.1890
P58=-81.4170 ;35.3445
P59=-81.3340 ;35.5000
P60=-81.2263 ;35.6667
P61=-81.1187 ;35.8333
P62=-81.0110 ;36.0000
P63=-81.0000 ;36.0140
P64=-80.8567 ;36.1760
P65=-80.7133 ;36.3380
P66=-80.5700 ;36.5000
P67=-80.5000 ;36.5700
P68=-80.3437 ;36.7133
P69=-80.1873 ;36.8567
P70=-80.0310 ;37.0000
P71=-80.0000 ;37.0250
P72=-79.8333 ;37.1457
P73=-79.6667 ;37.2663
P74=-79.5000 ;37.3870
P75=-79.3240 ;37.5000
P76=-79.1620 ;37.5920
P77=-79.0000 ;37.6840
P78=-78.7500 ;37.8095
P79=-78.5000 ;37.9350
P80=-78.3300 ;38.0000
P81=-78.1650 ;38.0545
P82=-78.0000 ;38.1090
P83=-77.7500 ;38.1625
P84=-77.5000 ;38.2160
P85=-77.2500 ;38.2315
P86=-77.0000 ;38.2470
P87=-76.7500 ;38.2065
P88=-76.5000 ;38.1660
P89=-76.3255 ;38.0830
P90=-76.1510 ;38.0000
P91=-76.0000 ;37.8680
[C21]
gain=-4.00
n_point=86
P1=-76.5000 ;37.3830
P2=-76.3985 ;37.1915
P3=-76.2970 ;37.0000
P4=-76.2880 ;36.8333

P5=-76.2790 ;36.6667
P6=-76.2700 ;36.5000
P7=-76.3013 ;36.3333
P8=-76.3327 ;36.1667
P9=-76.3640 ;36.0000
P10=-76.4320 ;35.8325
P11=-76.5000 ;35.6650
P12=-76.5750 ;35.5000
P13=-76.6773 ;35.3333
P14=-76.7797 ;35.1667
P15=-76.8820 ;35.0000
P16=-77.0000 ;34.8490
P17=-77.0980 ;34.7327
P18=-77.1960 ;34.6163
P19=-77.2940 ;34.5000
P20=-77.3970 ;34.3970
P21=-77.5000 ;34.2940
P22=-77.6605 ;34.1470
P23=-77.8210 ;34.0000
P24=-78.0000 ;33.8590
P25=-78.1667 ;33.7413
P26=-78.3333 ;33.6237
P27=-78.5000 ;33.5060
P28=-78.5110 ;33.5000
P29=-78.6740 ;33.4237
P30=-78.8370 ;33.3473
P31=-79.0000 ;33.2710
P32=-79.1667 ;33.2087
P33=-79.3333 ;33.1463
P34=-79.5000 ;33.0840
P35=-79.7225 ;33.0420
P36=-79.9450 ;33.0000
P37=-80.0000 ;32.9920
P38=-80.1360 ;33.0000
P39=-80.3180 ;33.0185
P40=-80.5000 ;33.0370
P41=-80.6667 ;33.1300
P42=-80.8333 ;33.2230
P43=-81.0000 ;33.3160
P44=-81.0750 ;33.4080
P45=-81.1500 ;33.5000
P46=-81.2083 ;33.6667
P47=-81.2667 ;33.8333
P48=-81.3250 ;34.0000
P49=-81.3170 ;34.1667
P50=-81.3090 ;34.3333
P51=-81.3010 ;34.5000
P52=-81.2490 ;34.6667
P53=-81.1970 ;34.8333
P54=-81.1450 ;35.0000
P55=-81.0725 ;35.1565
P56=-81.0000 ;35.3130
P57=-80.8980 ;35.5000
P58=-80.7840 ;35.6667
P59=-80.6700 ;35.8333
P60=-80.5560 ;36.0000
P61=-80.5000 ;36.0650

P62=-80.3627 ;36.2100
P63=-80.2253 ;36.3550
P64=-80.0880 ;36.5000
P65=-80.0000 ;36.5790
P66=-79.8333 ;36.7117
P67=-79.6667 ;36.8443
P68=-79.5000 ;36.9770
P69=-79.4660 ;37.0000
P70=-79.3107 ;37.0903
P71=-79.1553 ;37.1807
P72=-79.0000 ;37.2710
P73=-78.8483 ;37.3473
P74=-78.6967 ;37.4237
P75=-78.5450 ;37.5000
P76=-78.5000 ;37.5200
P77=-78.3333 ;37.5683
P78=-78.1667 ;37.6167
P79=-78.0000 ;37.6650
P80=-77.7500 ;37.6965
P81=-77.5000 ;37.7280
P82=-77.2500 ;37.7020
P83=-77.0000 ;37.6760
P84=-76.8120 ;37.5880
P85=-76.6240 ;37.5000
P86=-76.5000 ;37.3830
[C22]
gain=-2.00
n_point=83
P1=-77.5000 ;36.9920
P2=-77.4142 ;36.8936
P3=-77.3284 ;36.7952
P4=-77.2426 ;36.6968
P5=-77.1568 ;36.5984
P6=-77.0710 ;36.5000
P7=-77.0685 ;36.3750
P8=-77.0660 ;36.2500
P9=-77.0635 ;36.1250
P10=-77.0610 ;36.0000
P11=-77.1048 ;35.8750
P12=-77.1485 ;35.7500
P13=-77.1923 ;35.6250
P14=-77.2360 ;35.5000
P15=-77.3020 ;35.3853
P16=-77.3680 ;35.2705
P17=-77.4340 ;35.1558
P18=-77.5000 ;35.0410
P19=-77.5270 ;35.0000
P20=-77.6180 ;34.9000
P21=-77.7090 ;34.8000
P22=-77.8000 ;34.7000
P23=-77.8910 ;34.6000
P24=-77.9820 ;34.5000
P25=-78.0000 ;34.4830
P26=-78.1250 ;34.3887
P27=-78.2500 ;34.2945
P28=-78.3750 ;34.2002
P29=-78.5000 ;34.1060

P30=-78.5890 ;34.0530
P31=-78.6780 ;34.0000
P32=-78.7853 ;33.9477
P33=-78.8927 ;33.8953
P34=-79.0000 ;33.8430
P35=-79.1667 ;33.7933
P36=-79.3333 ;33.7437
P37=-79.5000 ;33.6940
P38=-79.6667 ;33.6913
P39=-79.8333 ;33.6887
P40=-80.0000 ;33.6860
P41=-80.1250 ;33.7550
P42=-80.2500 ;33.8240
P43=-80.3750 ;33.8930
P44=-80.5000 ;33.9620
P45=-80.5280 ;34.0000
P46=-80.5587 ;34.1250
P47=-80.5895 ;34.2500
P48=-80.6202 ;34.3750
P49=-80.6510 ;34.5000
P50=-80.6267 ;34.6250
P51=-80.6025 ;34.7500
P52=-80.5782 ;34.8750
P53=-80.5540 ;35.0000
P54=-80.5000 ;35.1140
P55=-80.4270 ;35.2427
P56=-80.3540 ;35.3713
P57=-80.2810 ;35.5000
P58=-80.2107 ;35.5963
P59=-80.1405 ;35.6925
P60=-80.0702 ;35.7887
P61=-80.0000 ;35.8850
P62=-79.8980 ;36.0000
P63=-79.7985 ;36.0918
P64=-79.6990 ;36.1835
P65=-79.5995 ;36.2752
P66=-79.5000 ;36.3670
P67=-79.4110 ;36.4335
P68=-79.3220 ;36.5000
P69=-79.2147 ;36.5650
P70=-79.1073 ;36.6300
P71=-79.0000 ;36.6950
P72=-78.8750 ;36.7528
P73=-78.7500 ;36.8105
P74=-78.6250 ;36.8683
P75=-78.5000 ;36.9260
P76=-78.3450 ;36.9630
P77=-78.1900 ;37.0000
P78=-78.0950 ;37.0185
P79=-78.0000 ;37.0370
P80=-77.8490 ;37.0247
P81=-77.6980 ;37.0123
P82=-77.5470 ;37.0000
P83=-77.5000 ;36.9920
[C23]
gain=-30.00
n_point=75

P1=-84.0000 ;35.1840
P2=-84.0775 ;35.0920
P3=-84.1550 ;35.0000
P4=-84.2042 ;34.9000
P5=-84.2534 ;34.8000
P6=-84.3026 ;34.7000
P7=-84.3518 ;34.6000
P8=-84.4010 ;34.5000
P9=-84.4505 ;34.4140
P10=-84.5000 ;34.3280
P11=-84.5780 ;34.2187
P12=-84.6560 ;34.1093
P13=-84.7340 ;34.0000
P14=-84.7714 ;33.9000
P15=-84.8088 ;33.8000
P16=-84.8462 ;33.7000
P17=-84.8836 ;33.6000
P18=-84.9210 ;33.5000
P19=-84.9408 ;33.3845
P20=-84.9605 ;33.2690
P21=-84.9802 ;33.1535
P22=-85.0000 ;33.0380
P23=-85.0280 ;33.0000
P24=-85.0438 ;32.8750
P25=-85.0595 ;32.7500
P26=-85.0752 ;32.6250
P27=-85.0910 ;32.5000
P28=-85.0455 ;32.4125
P29=-85.0000 ;32.3250
P30=-84.9733 ;32.2167
P31=-84.9467 ;32.1083
P32=-84.9200 ;32.0000
P33=-84.8512 ;31.9000
P34=-84.7824 ;31.8000
P35=-84.7136 ;31.7000
P36=-84.6448 ;31.6000
P37=-84.5760 ;31.5000
P38=-84.5000 ;31.4490
P39=-84.3750 ;31.4535
P40=-84.2500 ;31.4580
P41=-84.1250 ;31.4625
P42=-84.0000 ;31.4670
P43=-83.9880 ;31.5000
P44=-84.0000 ;31.5710
P45=-84.0242 ;31.6782
P46=-84.0485 ;31.7855
P47=-84.0728 ;31.8927
P48=-84.0970 ;32.0000
P49=-84.0925 ;32.1250
P50=-84.0880 ;32.2500
P51=-84.0835 ;32.3750
P52=-84.0790 ;32.5000
P53=-84.0790 ;32.6250
P54=-84.0790 ;32.7500
P55=-84.0790 ;32.8750
P56=-84.0790 ;33.0000
P57=-84.0592 ;33.1190

P58=-84.0395 ;33.2380
P59=-84.0198 ;33.3570
P60=-84.0000 ;33.4760
P61=-83.9940 ;33.5000
P62=-83.9685 ;33.6250
P63=-83.9430 ;33.7500
P64=-83.9175 ;33.8750
P65=-83.8920 ;34.0000
P66=-83.8685 ;34.1250
P67=-83.8450 ;34.2500
P68=-83.8215 ;34.3750
P69=-83.7980 ;34.5000
P70=-83.8002 ;34.6250
P71=-83.8025 ;34.7500
P72=-83.8048 ;34.8750
P73=-83.8070 ;35.0000
P74=-83.9035 ;35.0920
P75=-84.0000 ;35.1840

[C24]

gain=-40.00

n_point=76

P1=-78.0000 ;25.6970
P2=-78.2500 ;25.6540
P3=-78.5000 ;25.6110
P4=-78.6930 ;25.5000
P5=-78.8465 ;25.3825
P6=-79.0000 ;25.2650
P7=-79.2500 ;25.2370
P8=-79.5000 ;25.2090
P9=-79.6800 ;25.1045
P10=-79.8600 ;25.0000
P11=-80.0000 ;24.8660
P12=-80.2500 ;24.8150
P13=-80.5000 ;24.7640
P14=-80.6667 ;24.7153
P15=-80.8333 ;24.6667
P16=-81.0000 ;24.6180
P17=-81.2120 ;24.5590
P18=-81.4240 ;24.5000
P19=-81.5000 ;24.4590
P20=-81.6667 ;24.3913
P21=-81.8333 ;24.3237
P22=-82.0000 ;24.2560
P23=-82.2500 ;24.2260
P24=-82.5000 ;24.1960
P25=-82.7500 ;24.1775
P26=-83.0000 ;24.1590
P27=-83.2500 ;24.1430
P28=-83.5000 ;24.1270
P29=-83.7500 ;24.1185
P30=-84.0000 ;24.1100
P31=-84.2500 ;24.1130
P32=-84.5000 ;24.1160
P33=-84.7500 ;24.1175
P34=-85.0000 ;24.1190
P35=-85.2180 ;24.0000
P36=-85.0000 ;23.9450

P37=-84.7500 ;23.9200
P38=-84.5000 ;23.8950
P39=-84.2500 ;23.8800
P40=-84.0000 ;23.8650
P41=-83.7500 ;23.8470
P42=-83.5000 ;23.8290
P43=-83.2500 ;23.8135
P44=-83.0000 ;23.7980
P45=-82.7500 ;23.7950
P46=-82.5000 ;23.7920
P47=-82.2500 ;23.7955
P48=-82.0000 ;23.7990
P49=-81.7500 ;23.7935
P50=-81.5000 ;23.7880
P51=-81.3380 ;23.8587
P52=-81.1760 ;23.9293
P53=-81.0140 ;24.0000
P54=-81.0000 ;24.0260
P55=-80.8333 ;24.0797
P56=-80.6667 ;24.1333
P57=-80.5000 ;24.1870
P58=-80.2500 ;24.2250
P59=-80.0000 ;24.2630
P60=-79.8145 ;24.3815
P61=-79.6290 ;24.5000
P62=-79.5000 ;24.6350
P63=-79.3333 ;24.6867
P64=-79.1667 ;24.7383
P65=-79.0000 ;24.7900
P66=-78.8230 ;24.8950
P67=-78.6460 ;25.0000
P68=-78.5730 ;25.1065
P69=-78.5000 ;25.2130
P70=-78.3333 ;25.2613
P71=-78.1667 ;25.3097
P72=-78.0000 ;25.3580
P73=-77.8855 ;25.4290
P74=-77.7710 ;25.5000
P75=-77.8855 ;25.5985
P76=-78.0000 ;25.6970
[C25]
gain=-50.00
n_point=72
P1=-82.5000 ;15.2540
P2=-82.6667 ;15.2683
P3=-82.8333 ;15.2827
P4=-83.0000 ;15.2970
P5=-83.1667 ;15.2717
P6=-83.3333 ;15.2463
P7=-83.5000 ;15.2210
P8=-83.6667 ;15.1960
P9=-83.8333 ;15.1710
P10=-84.0000 ;15.1460
P11=-84.1667 ;15.1317
P12=-84.3333 ;15.1173
P13=-84.5000 ;15.1030
P14=-84.6667 ;15.0993

P15=-84.8333 ;15.0957
P16=-85.0000 ;15.0920
P17=-85.1667 ;15.0977
P18=-85.3333 ;15.1033
P19=-85.5000 ;15.1090
P20=-85.6667 ;15.1263
P21=-85.8333 ;15.1437
P22=-86.0000 ;15.1610
P23=-86.1667 ;15.1873
P24=-86.3333 ;15.2137
P25=-86.5000 ;15.2400
P26=-86.6667 ;15.2587
P27=-86.8333 ;15.2773
P28=-87.0000 ;15.2960
P29=-87.1667 ;15.2887
P30=-87.3333 ;15.2813
P31=-87.5000 ;15.2740
P32=-87.6390 ;15.1827
P33=-87.7780 ;15.0913
P34=-87.9170 ;15.0000
P35=-87.7780 ;14.9450
P36=-87.6390 ;14.8900
P37=-87.5000 ;14.8350
P38=-87.3333 ;14.7963
P39=-87.1667 ;14.7577
P40=-87.0000 ;14.7190
P41=-86.8333 ;14.7183
P42=-86.6667 ;14.7177
P43=-86.5000 ;14.7170
P44=-86.3333 ;14.7317
P45=-86.1667 ;14.7463
P46=-86.0000 ;14.7610
P47=-85.8333 ;14.7770
P48=-85.6667 ;14.7930
P49=-85.5000 ;14.8090
P50=-85.3333 ;14.8190
P51=-85.1667 ;14.8290
P52=-85.0000 ;14.8390
P53=-84.8333 ;14.8400
P54=-84.6667 ;14.8410
P55=-84.5000 ;14.8420
P56=-84.3333 ;14.8340
P57=-84.1667 ;14.8260
P58=-84.0000 ;14.8180
P59=-83.8333 ;14.8040
P60=-83.6667 ;14.7900
P61=-83.5000 ;14.7760
P62=-83.3333 ;14.7663
P63=-83.1667 ;14.7567
P64=-83.0000 ;14.7470
P65=-82.8333 ;14.7860
P66=-82.6667 ;14.8250
P67=-82.5000 ;14.8640
P68=-82.3310 ;14.9320
P69=-82.1620 ;15.0000
P70=-82.2747 ;15.0847
P71=-82.3873 ;15.1693

P72=-82.5000 ;15.2540
[C26]
gain=-50.00
n_point=88
P1=-65.5000 ;19.0550
P2=-65.6500 ;19.0000
P3=-65.8250 ;18.7825
P4=-66.0000 ;18.5650
P5=-66.2500 ;18.5825
P6=-66.5000 ;18.6000
P7=-66.6300 ;18.5000
P8=-66.8150 ;18.3805
P9=-67.0000 ;18.2610
P10=-67.1725 ;18.1305
P11=-67.3450 ;18.0000
P12=-67.5000 ;17.8630
P13=-67.7500 ;17.7005
P14=-68.0000 ;17.5380
P15=-68.0440 ;17.5000
P16=-68.2720 ;17.3415
P17=-68.5000 ;17.1830
P18=-68.7100 ;17.0000
P19=-68.8550 ;16.8865
P20=-69.0000 ;16.7730
P21=-69.1615 ;16.6365
P22=-69.3230 ;16.5000
P23=-69.5000 ;16.3700
P24=-69.7160 ;16.1850
P25=-69.9320 ;16.0000
P26=-70.0000 ;15.9060
P27=-70.1667 ;15.7957
P28=-70.3333 ;15.6853
P29=-70.5000 ;15.5750
P30=-70.5900 ;15.5000
P31=-70.7950 ;15.3465
P32=-71.0000 ;15.1930
P33=-71.1185 ;15.0965
P34=-71.2370 ;15.0000
P35=-71.3685 ;14.8840
P36=-71.5000 ;14.7680
P37=-71.7210 ;14.6340
P38=-71.9420 ;14.5000
P39=-72.0000 ;14.4150
P40=-72.2500 ;14.2685
P41=-72.5000 ;14.1220
P42=-72.6790 ;14.0000
P43=-72.5895 ;13.8670
P44=-72.5000 ;13.7340
P45=-72.2500 ;13.7850
P46=-72.0000 ;13.8360
P47=-71.7550 ;14.0000
P48=-71.6275 ;14.1000
P49=-71.5000 ;14.2000
P50=-71.2500 ;14.3440
P51=-71.0000 ;14.4880
P52=-70.9840 ;14.5000
P53=-70.7420 ;14.6435

P54=-70.5000 ;14.7870
P55=-70.3630 ;14.8935
P56=-70.2260 ;15.0000
P57=-70.0000 ;15.1720
P58=-69.7770 ;15.3360
P59=-69.5540 ;15.5000
P60=-69.5000 ;15.5380
P61=-69.3333 ;15.6597
P62=-69.1667 ;15.7813
P63=-69.0000 ;15.9030
P64=-68.8920 ;16.0000
P65=-68.6960 ;16.1340
P66=-68.5000 ;16.2680
P67=-68.3675 ;16.3840
P68=-68.2350 ;16.5000
P69=-68.1175 ;16.6000
P70=-68.0000 ;16.7000
P71=-67.8340 ;16.8500
P72=-67.6680 ;17.0000
P73=-67.5000 ;17.1770
P74=-67.3070 ;17.3385
P75=-67.1140 ;17.5000
P76=-67.0000 ;17.6300
P77=-66.7810 ;17.8150
P78=-66.5620 ;18.0000
P79=-66.5000 ;18.1530
P80=-66.3750 ;18.2373
P81=-66.2500 ;18.3215
P82=-66.0000 ;18.4900
P83=-65.9880 ;18.5000
P84=-65.8253 ;18.6553
P85=-65.6627 ;18.8107
P86=-65.5000 ;18.9660
P87=-65.4580 ;19.0000
P88=-65.5000 ;19.0550
[C27]
gain=-15.00
n_point=102
P1=-77.6080 ;39.3143
P2=-78.0213 ;39.1486
P3=-78.4346 ;38.9828
P4=-78.7077 ;38.8411
P5=-78.9808 ;38.6993
P6=-79.2320 ;38.5474
P7=-79.4944 ;38.3882
P8=-79.7388 ;38.2259
P9=-79.9832 ;38.0636
P10=-80.2407 ;37.8578
P11=-80.4983 ;37.6521
P12=-80.6603 ;37.5094
P13=-80.7770 ;37.4059
P14=-81.0384 ;37.1611
P15=-81.2998 ;36.9164
P16=-81.3788 ;36.8379
P17=-81.5786 ;36.6174
P18=-81.7784 ;36.3968
P19=-81.8812 ;36.2732

P20=-82.0785 ;36.0198
P21=-82.2305 ;35.7843
P22=-82.3825 ;35.5488
P23=-82.4852 ;35.3646
P24=-82.6442 ;35.0305
P25=-82.7723 ;34.7132
P26=-82.8464 ;34.5135
P27=-82.9205 ;34.3137
P28=-82.9758 ;34.0599
P29=-83.0312 ;33.8061
P30=-83.0357 ;33.7527
P31=-83.0452 ;33.4990
P32=-83.0547 ;33.2452
P33=-83.0338 ;33.0551
P34=-83.0130 ;32.8651
P35=-82.9053 ;32.6289
P36=-82.7976 ;32.3927
P37=-82.6898 ;32.1566
P38=-82.5445 ;32.0003
P39=-82.3992 ;31.8439
P40=-82.0769 ;31.6387
P41=-81.8191 ;31.5524
P42=-81.5614 ;31.4661
P43=-81.3142 ;31.4450
P44=-81.0670 ;31.4239
P45=-80.8686 ;31.4290
P46=-80.6030 ;31.4625
P47=-80.3373 ;31.4960
P48=-80.1155 ;31.5529
P49=-79.8937 ;31.6099
P50=-79.5310 ;31.7259
P51=-79.1684 ;31.8420
P52=-79.0528 ;31.8738
P53=-79.0044 ;31.8872
P54=-78.9126 ;31.9214
P55=-78.5520 ;32.0830
P56=-78.1913 ;32.2447
P57=-77.9527 ;32.3727
P58=-77.7140 ;32.5008
P59=-77.4267 ;32.6628
P60=-77.1003 ;32.8619
P61=-76.9022 ;32.9961
P62=-76.7042 ;33.1304
P63=-76.4962 ;33.2984
P64=-76.2881 ;33.4664
P65=-76.0411 ;33.6717
P66=-75.8685 ;33.8335
P67=-75.6524 ;34.0580
P68=-75.4364 ;34.2826
P69=-75.3073 ;34.4449
P70=-75.1629 ;34.6367
P71=-75.0185 ;34.8284
P72=-74.9044 ;34.9887
P73=-74.7422 ;35.2475
P74=-74.5800 ;35.5063
P75=-74.4505 ;35.7939
P76=-74.4290 ;35.8420

P77=-74.4004 ;35.9077
P78=-74.3059 ;36.1876
P79=-74.2115 ;36.4675
P80=-74.1170 ;36.7474
P81=-74.0972 ;36.8756
P82=-74.0815 ;36.9824
P83=-74.0583 ;37.3222
P84=-74.0350 ;37.6620
P85=-74.0511 ;37.8751
P86=-74.0628 ;37.9367
P87=-74.0886 ;38.0725
P88=-74.1834 ;38.3419
P89=-74.2782 ;38.6114
P90=-74.4412 ;38.8314
P91=-74.6042 ;39.0515
P92=-74.7857 ;39.1852
P93=-74.9061 ;39.2724
P94=-75.2805 ;39.4546
P95=-75.6386 ;39.5569
P96=-75.8878 ;39.5790
P97=-76.1370 ;39.6012
P98=-76.5764 ;39.5761
P99=-76.9902 ;39.4797
P100=-77.4040 ;39.3833
P101=-77.5193 ;39.3443
P102=-77.6080 ;39.3143
[C28]
gain=-8.00
n_point=93
P1=-78.3375 ;38.3002
P2=-78.5733 ;38.1904
P3=-78.8091 ;38.0807
P4=-78.9835 ;37.9867
P5=-79.1580 ;37.8928
P6=-79.3726 ;37.7621
P7=-79.5872 ;37.6313
P8=-79.7793 ;37.4903
P9=-79.9715 ;37.3493
P10=-80.1263 ;37.2229
P11=-80.2812 ;37.0965
P12=-80.4794 ;36.9148
P13=-80.6777 ;36.7331
P14=-80.7913 ;36.6131
P15=-80.9050 ;36.4931
P16=-81.0333 ;36.3485
P17=-81.2106 ;36.1241
P18=-81.3878 ;35.8998
P19=-81.4486 ;35.8072
P20=-81.5967 ;35.5632
P21=-81.7448 ;35.3192
P22=-81.8172 ;35.1705
P23=-81.8896 ;35.0218
P24=-81.9857 ;34.7513
P25=-82.0818 ;34.4809
P26=-82.1309 ;34.2680
P27=-82.1616 ;34.0639
P28=-82.1587 ;33.8708

P29=-82.1558 ;33.6778
P30=-82.1529 ;33.4848
P31=-82.1201 ;33.3376
P32=-82.0873 ;33.1904
P33=-81.9715 ;32.9700
P34=-81.8556 ;32.7497
P35=-81.6359 ;32.5901
P36=-81.4162 ;32.4305
P37=-81.1526 ;32.3082
P38=-80.9213 ;32.2812
P39=-80.6900 ;32.2542
P40=-80.4588 ;32.2271
P41=-80.2183 ;32.2407
P42=-80.0278 ;32.2721
P43=-79.8374 ;32.3036
P44=-79.6564 ;32.3529
P45=-79.4753 ;32.4022
P46=-79.2008 ;32.5061
P47=-78.9263 ;32.6100
P48=-78.6349 ;32.7373
P49=-78.4510 ;32.8414
P50=-78.2672 ;32.9455
P51=-78.0777 ;33.0618
P52=-77.8882 ;33.1780
P53=-77.7127 ;33.3062
P54=-77.5372 ;33.4343
P55=-77.3709 ;33.5641
P56=-77.2046 ;33.6940
P57=-77.0848 ;33.8061
P58=-76.9650 ;33.9182
P59=-76.7795 ;34.1074
P60=-76.5940 ;34.2966
P61=-76.4634 ;34.4526
P62=-76.3328 ;34.6086
P63=-76.2021 ;34.7646
P64=-76.0873 ;34.9165
P65=-76.0427 ;34.9780
P66=-75.9262 ;35.1567
P67=-75.8121 ;35.3608
P68=-75.6979 ;35.5648
P69=-75.5838 ;35.7689
P70=-75.5080 ;35.9341
P71=-75.4218 ;36.1564
P72=-75.3708 ;36.3497
P73=-75.3198 ;36.5430
P74=-75.2688 ;36.7363
P75=-75.2444 ;36.9770
P76=-75.2306 ;37.1615
P77=-75.2582 ;37.3513
P78=-75.2857 ;37.5412
P79=-75.3132 ;37.7310
P80=-75.4125 ;37.9336
P81=-75.4987 ;38.0656
P82=-75.7499 ;38.2623
P83=-76.0012 ;38.4591
P84=-76.1992 ;38.5247
P85=-76.3971 ;38.5904

P86=-76.6624 ;38.6088
P87=-76.9277 ;38.6272
P88=-77.2051 ;38.6122
P89=-77.4640 ;38.5565
P90=-77.7229 ;38.5009
P91=-77.9431 ;38.4379
P92=-78.1403 ;38.3690
P93=-78.3375 ;38.3002