

```
[FormatInfo]
format_ver=1
[GeoMain]
ntc_id=910100000
adm=USA
sat_name=USABSS-21
long_nom=-101.0000
n_diag=1
[COHeader]
beam_id=RB06
emi_rcp=E
polar_disc=C
reason=B
n_bore=1
n_cont=20
[B1]
gain=0.00
p=-86.9140;35.0460
[C1]
gain=-50.00
n_point=1097
P1=-58.0000 ;61.1070
P2=-57.9530 ;61.0000
P3=-58.0000 ;60.8470
P4=-58.2270 ;60.5000
P5=-58.0230 ;60.0000
P6=-58.0000 ;59.9280
P7=-57.9620 ;59.5000
P8=-58.0000 ;59.4240
P9=-58.4480 ;59.0000
P10=-58.3990 ;58.5000
P11=-58.3730 ;58.0000
P12=-58.4050 ;57.5000
P13=-58.5000 ;57.2610
P14=-58.5970 ;57.0000
P15=-58.7650 ;56.5000
P16=-58.9660 ;56.0000
P17=-59.0000 ;55.9340
P18=-59.1920 ;55.5000
P19=-59.4850 ;55.0000
P20=-59.5000 ;54.9870
P21=-59.7570 ;54.5000
P22=-59.9510 ;54.0000
P23=-60.0000 ;53.9120
P24=-60.2990 ;53.5000
P25=-60.4440 ;53.0000
P26=-60.5000 ;52.7100
P27=-60.5780 ;52.5000
P28=-60.8880 ;52.0000
P29=-61.0000 ;51.7550
P30=-61.1570 ;51.5000
P31=-61.4750 ;51.0000
P32=-61.5000 ;50.7580
P33=-61.5540 ;50.5000
P34=-61.8820 ;50.0000
P35=-61.9810 ;49.5000
P36=-62.0000 ;49.4690
```

P37=-62.2940 ;49.0000
P38=-62.4650 ;48.5000
P39=-62.5000 ;48.4210
P40=-62.7670 ;48.0000
P41=-62.9740 ;47.5000
P42=-63.0000 ;47.4470
P43=-63.2780 ;47.0000
P44=-63.4770 ;46.5000
P45=-63.5000 ;46.4680
P46=-63.7780 ;46.0000
P47=-63.9850 ;45.5000
P48=-64.0000 ;45.4570
P49=-64.2140 ;45.0000
P50=-64.4640 ;44.5000
P51=-64.5000 ;44.4130
P52=-64.7780 ;44.0000
P53=-64.9940 ;43.5000
P54=-65.0000 ;43.4870
P55=-65.2990 ;43.0000
P56=-65.4760 ;42.5000
P57=-65.5000 ;42.4430
P58=-65.7900 ;42.0000
P59=-66.0000 ;41.5000
P60=-66.0000 ;41.4990
P61=-66.2740 ;41.0000
P62=-66.4900 ;40.5000
P63=-66.5000 ;40.4780
P64=-66.8000 ;40.0000
P65=-66.9960 ;39.5000
P66=-67.0000 ;39.4910
P67=-67.2690 ;39.0000
P68=-67.5000 ;38.5160
P69=-67.5100 ;38.5000
P70=-67.7870 ;38.0000
P71=-68.0000 ;37.6450
P72=-68.1040 ;37.5000
P73=-68.3880 ;37.0000
P74=-68.5000 ;36.8350
P75=-68.7290 ;36.5000
P76=-69.0000 ;36.0700
P77=-69.0510 ;36.0000
P78=-69.4060 ;35.5000
P79=-69.5000 ;35.3670
P80=-69.7790 ;35.0000
P81=-70.0000 ;34.6140
P82=-70.0820 ;34.5000
P83=-70.4040 ;34.0000
P84=-70.5000 ;33.8160
P85=-70.7210 ;33.5000
P86=-70.9880 ;33.0000
P87=-71.0000 ;32.9770
P88=-71.3610 ;32.5000
P89=-71.5000 ;32.1980
P90=-71.6360 ;32.0000
P91=-71.9680 ;31.5000
P92=-72.0000 ;31.4410
P93=-72.3490 ;31.0000

P94=-72.5000 ;30.7380
P95=-72.6860 ;30.5000
P96=-73.0000 ;30.0440
P97=-73.0350 ;30.0000
P98=-73.4350 ;29.5000
P99=-73.5000 ;29.4040
P100=-73.8460 ;29.0000
P101=-74.0000 ;28.7950
P102=-74.2670 ;28.5000
P103=-74.5000 ;28.2440
P104=-74.7420 ;28.0000
P105=-75.0000 ;27.7540
P106=-75.2670 ;27.5000
P107=-75.5000 ;27.3030
P108=-75.8300 ;27.0000
P109=-76.0000 ;26.8500
P110=-76.3600 ;26.5000
P111=-76.5000 ;26.3670
P112=-76.8620 ;26.0000
P113=-77.0000 ;25.8730
P114=-77.3970 ;25.5000
P115=-77.5000 ;25.4040
P116=-77.9430 ;25.0000
P117=-78.0000 ;24.9510
P118=-78.5000 ;24.5090
P119=-78.5110 ;24.5000
P120=-79.0000 ;24.1020
P121=-79.1060 ;24.0000
P122=-79.5000 ;23.7240
P123=-79.7470 ;23.5000
P124=-80.0000 ;23.3180
P125=-80.3530 ;23.0000
P126=-80.5000 ;22.8950
P127=-80.9430 ;22.5000
P128=-81.0000 ;22.4580
P129=-81.5000 ;22.0230
P130=-81.5210 ;22.0000
P131=-82.0000 ;21.6710
P132=-82.1860 ;21.5000
P133=-82.5000 ;21.2870
P134=-82.8440 ;21.0000
P135=-83.0000 ;20.9250
P136=-83.5000 ;20.5710
P137=-83.5950 ;20.5000
P138=-84.0000 ;20.2910
P139=-84.4190 ;20.0000
P140=-84.5000 ;19.9540
P141=-85.0000 ;19.7200
P142=-85.3630 ;19.5000
P143=-85.5000 ;19.4310
P144=-86.0000 ;19.2150
P145=-86.3820 ;19.0000
P146=-86.5000 ;18.9380
P147=-87.0000 ;18.8000
P148=-87.5000 ;18.6050
P149=-87.7170 ;18.5000
P150=-88.0000 ;18.4070

P151=-88.5000 ;18.2690
P152=-89.0000 ;18.1190
P153=-89.3970 ;18.0000
P154=-89.5000 ;17.8740
P155=-90.0000 ;17.6270
P156=-90.3950 ;17.5000
P157=-90.0000 ;17.4420
P158=-89.5000 ;17.3890
P159=-89.0000 ;17.3810
P160=-88.5000 ;17.4540
P161=-88.3380 ;17.5000
P162=-88.0000 ;17.5570
P163=-87.5000 ;17.6410
P164=-87.0000 ;17.8010
P165=-86.5750 ;18.0000
P166=-86.5000 ;18.0350
P167=-86.0000 ;18.1780
P168=-85.5000 ;18.3500
P169=-85.1680 ;18.5000
P170=-85.0000 ;18.5500
P171=-84.5000 ;18.6930
P172=-84.0000 ;18.9140
P173=-83.8390 ;19.0000
P174=-83.5000 ;19.0920
P175=-83.0000 ;19.3160
P176=-82.7090 ;19.5000
P177=-82.5000 ;19.5870
P178=-82.0000 ;19.8860
P179=-81.8280 ;20.0000
P180=-81.5000 ;20.1340
P181=-81.0000 ;20.4880
P182=-80.9810 ;20.5000
P183=-80.5000 ;20.7100
P184=-80.0670 ;21.0000
P185=-80.0000 ;21.0260
P186=-79.5350 ;21.0000
P187=-79.9730 ;20.5000
P188=-80.0000 ;20.4770
P189=-80.4780 ;20.0000
P190=-80.5000 ;19.9830
P191=-81.0000 ;19.5080
P192=-81.0070 ;19.5000
P193=-81.5000 ;19.1440
P194=-81.6540 ;19.0000
P195=-82.0000 ;18.8060
P196=-82.3840 ;18.5000
P197=-82.5000 ;18.4450
P198=-83.0000 ;18.1540
P199=-83.1930 ;18.0000
P200=-83.5000 ;17.8450
P201=-83.9580 ;17.5000
P202=-84.0000 ;17.4830
P203=-84.5000 ;17.2580
P204=-84.8770 ;17.0000
P205=-85.0000 ;16.9440
P206=-85.5000 ;16.6960
P207=-85.8030 ;16.5000

P208=-86.0000 ;16.4160
P209=-86.5000 ;16.2070
P210=-86.9100 ;16.0000
P211=-87.0000 ;15.9590
P212=-87.5000 ;15.8180
P213=-88.0000 ;15.6890
P214=-88.5000 ;15.5220
P215=-88.5620 ;15.5000
P216=-89.0000 ;15.4240
P217=-89.5000 ;15.3440
P218=-90.0000 ;15.2530
P219=-90.5000 ;15.1680
P220=-91.0000 ;15.1020
P221=-91.5000 ;15.0620
P222=-92.0000 ;15.0470
P223=-92.5000 ;15.0510
P224=-93.0000 ;15.0630
P225=-93.5000 ;15.0590
P226=-93.9690 ;15.0000
P227=-93.5000 ;14.9340
P228=-93.0000 ;14.8900
P229=-92.5000 ;14.8350
P230=-92.0300 ;14.5000
P231=-92.0000 ;14.4920
P232=-91.5000 ;14.3790
P233=-91.0000 ;14.3030
P234=-90.5000 ;14.2670
P235=-90.0000 ;14.2720
P236=-89.5000 ;14.3220
P237=-89.0000 ;14.4190
P238=-88.6920 ;14.5000
P239=-88.5000 ;14.5280
P240=-88.0000 ;14.6090
P241=-87.5000 ;14.7190
P242=-87.0000 ;14.8710
P243=-86.6580 ;15.0000
P244=-86.5000 ;15.0380
P245=-86.0000 ;15.1370
P246=-85.5000 ;15.2790
P247=-85.0240 ;15.5000
P248=-85.0000 ;15.5060
P249=-84.5000 ;15.6400
P250=-84.0000 ;15.8570
P251=-83.7540 ;16.0000
P252=-83.5000 ;16.0770
P253=-83.0000 ;16.2460
P254=-82.5190 ;16.5000
P255=-82.5000 ;16.5060
P256=-82.0000 ;16.5900
P257=-81.5420 ;16.5000
P258=-81.9700 ;16.0000
P259=-82.0000 ;15.9820
P260=-82.5000 ;15.6510
P261=-82.6600 ;15.5000
P262=-83.0000 ;15.3120
P263=-83.4080 ;15.0000
P264=-83.5000 ;14.9580

P265=-84.0000 ;14.7140
P266=-84.3260 ;14.5000
P267=-84.5000 ;14.4410
P268=-85.0000 ;14.2330
P269=-85.3850 ;14.0000
P270=-85.5000 ;13.9600
P271=-86.0000 ;13.7620
P272=-86.4390 ;13.5000
P273=-86.5000 ;13.4790
P274=-87.0000 ;13.3160
P275=-87.5000 ;13.1000
P276=-87.7210 ;13.0000
P277=-88.0000 ;12.9220
P278=-88.5000 ;12.8120
P279=-89.0000 ;12.7020
P280=-89.5000 ;12.5940
P281=-89.9450 ;12.5000
P282=-90.0000 ;12.4940
P283=-90.5000 ;12.4520
P284=-91.0000 ;12.4170
P285=-91.5000 ;12.3840
P286=-92.0000 ;12.3490
P287=-92.5000 ;12.3100
P288=-93.0000 ;12.2570
P289=-93.5000 ;12.1730
P290=-94.0000 ;12.0090
P291=-94.0170 ;12.0000
P292=-94.0000 ;11.9950
P293=-93.5000 ;11.8380
P294=-93.0000 ;11.6980
P295=-92.5000 ;11.5810
P296=-92.0670 ;11.5000
P297=-92.0000 ;11.4850
P298=-91.5000 ;11.4140
P299=-91.0000 ;11.3780
P300=-90.5000 ;11.3690
P301=-90.0000 ;11.3850
P302=-89.5000 ;11.4260
P303=-89.0000 ;11.4990
P304=-88.9940 ;11.5000
P305=-88.5000 ;11.5440
P306=-88.0000 ;11.6100
P307=-87.5000 ;11.7070
P308=-87.0000 ;11.8510
P309=-86.6370 ;12.0000
P310=-86.5000 ;12.0270
P311=-86.0000 ;12.1330
P312=-85.5000 ;12.2750
P313=-85.0000 ;12.4980
P314=-84.9950 ;12.5000
P315=-84.5000 ;12.5940
P316=-84.0000 ;12.7090
P317=-83.5000 ;12.8580
P318=-83.1440 ;13.0000
P319=-83.0000 ;13.0190
P320=-82.8340 ;13.0000
P321=-83.0000 ;12.9050

P322=-83.2040 ;12.5000
P323=-83.5000 ;12.3340
P324=-83.8820 ;12.0000
P325=-84.0000 ;11.9470
P326=-84.5000 ;11.6910
P327=-84.7740 ;11.5000
P328=-85.0000 ;11.4280
P329=-85.5000 ;11.2370
P330=-85.9470 ;11.0000
P331=-86.0000 ;10.9860
P332=-86.5000 ;10.8580
P333=-87.0000 ;10.6790
P334=-87.3800 ;10.5000
P335=-87.5000 ;10.4720
P336=-88.0000 ;10.3460
P337=-88.5000 ;10.1840
P338=-88.9590 ;10.0000
P339=-89.0000 ;9.9920
P340=-89.5000 ;9.9020
P341=-90.0000 ;9.8130
P342=-90.5000 ;9.7260
P343=-91.0000 ;9.6430
P344=-91.5000 ;9.5680
P345=-92.0000 ;9.5010
P346=-92.0080 ;9.5000
P347=-92.5000 ;9.4370
P348=-93.0000 ;9.3680
P349=-93.5000 ;9.2820
P350=-94.0000 ;9.1530
P351=-94.3510 ;9.0000
P352=-94.0000 ;8.9180
P353=-93.5000 ;8.8140
P354=-93.0000 ;8.7270
P355=-92.5000 ;8.6570
P356=-92.0000 ;8.6040
P357=-91.5000 ;8.5650
P358=-91.0000 ;8.5400
P359=-90.5000 ;8.5280
P360=-90.0000 ;8.5260
P361=-89.5000 ;8.5340
P362=-89.0000 ;8.5540
P363=-88.5000 ;8.5860
P364=-88.0000 ;8.6310
P365=-87.5000 ;8.6870
P366=-87.0000 ;8.7560
P367=-86.5000 ;8.8420
P368=-86.0050 ;9.0000
P369=-86.0000 ;9.0000
P370=-85.5000 ;9.0170
P371=-85.3390 ;9.0000
P372=-85.5000 ;8.9540
P373=-85.9130 ;8.5000
P374=-86.0000 ;8.4750
P375=-86.5000 ;8.3230
P376=-87.0000 ;8.0770
P377=-87.1080 ;8.0000
P378=-87.5000 ;7.9210

P379=-88.0000 ;7.7870
P380=-88.5000 ;7.5800
P381=-88.6470 ;7.5000
P382=-89.0000 ;7.4120
P383=-89.5000 ;7.2550
P384=-90.0000 ;7.0560
P385=-90.1350 ;7.0000
P386=-90.5000 ;6.9170
P387=-91.0000 ;6.8150
P388=-91.5000 ;6.7250
P389=-92.0000 ;6.6500
P390=-92.5000 ;6.5970
P391=-93.0000 ;6.5670
P392=-93.5000 ;6.5660
P393=-94.0000 ;6.5900
P394=-94.5000 ;6.6400
P395=-95.0000 ;6.7100
P396=-95.5000 ;6.7980
P397=-96.0000 ;6.8930
P398=-96.5000 ;6.9860
P399=-96.5580 ;7.0000
P400=-97.0000 ;7.1770
P401=-97.5000 ;7.3600
P402=-97.9700 ;7.5000
P403=-98.0000 ;7.5150
P404=-98.5000 ;7.8070
P405=-99.0000 ;7.9830
P406=-99.0350 ;8.0000
P407=-99.5000 ;8.3210
P408=-99.9220 ;8.5000
P409=-100.0000;8.5580
P410=-100.5000;8.9180
P411=-100.6680;9.0000
P412=-101.0000;9.2500
P413=-101.4670;9.5000
P414=-101.5000;9.5250
P415=-102.0000;9.8950
P416=-102.1610;10.0000
P417=-102.5000;10.2690
P418=-102.8660;10.5000
P419=-103.0000;10.6100
P420=-103.4950;11.0000
P421=-103.5000;11.0040
P422=-104.0000;11.4630
P423=-104.0370;11.5000
P424=-104.5000;11.9450
P425=-104.5440;12.0000
P426=-105.0000;12.4710
P427=-105.0320;12.5000
P428=-105.4470;13.0000
P429=-105.5000;13.0610
P430=-105.8330;13.5000
P431=-106.0000;13.6980
P432=-106.2170;14.0000
P433=-106.5000;14.3420
P434=-106.6070;14.5000
P435=-106.9960;15.0000

P436=-107.0000;15.0050
P437=-107.2840;15.5000
P438=-107.5000;15.7850
P439=-107.6060;16.0000
P440=-107.9580;16.5000
P441=-108.0000;16.5630
P442=-108.1740;17.0000
P443=-108.5000;17.4840
P444=-108.5060;17.5000
P445=-108.6990;18.0000
P446=-108.9690;18.5000
P447=-109.0000;18.5630
P448=-109.1110;19.0000
P449=-109.3170;19.5000
P450=-109.5000;19.8820
P451=-109.5260;20.0000
P452=-109.6400;20.5000
P453=-109.7720;21.0000
P454=-109.9410;21.5000
P455=-110.0000;21.6750
P456=-110.0520;22.0000
P457=-110.1160;22.5000
P458=-110.1530;23.0000
P459=-110.0500;23.5000
P460=-110.0000;23.5670
P461=-109.9740;23.5000
P462=-109.7100;23.0000
P463=-109.5000;22.7950
P464=-109.4050;22.5000
P465=-109.1090;22.0000
P466=-109.0000;21.8680
P467=-108.9000;21.5000
P468=-108.6440;21.0000
P469=-108.5000;20.8080
P470=-108.3870;20.5000
P471=-108.0790;20.0000
P472=-108.0000;19.8970
P473=-107.8680;19.5000
P474=-107.5000;19.0020
P475=-107.4990;19.0000
P476=-107.2630;18.5000
P477=-107.0000;18.1570
P478=-106.9310;18.0000
P479=-106.6350;17.5000
P480=-106.5000;17.3310
P481=-106.3030;17.0000
P482=-106.0000;16.6300
P483=-105.9190;16.5000
P484=-105.5730;16.0000
P485=-105.5000;15.9150
P486=-105.2180;15.5000
P487=-105.0000;15.2560
P488=-104.8020;15.0000
P489=-104.5000;14.6750
P490=-104.3480;14.5000
P491=-104.0000;14.1310
P492=-103.8720;14.0000

P493=-103.5000;13.6130
P494=-103.3900;13.5000
P495=-103.0000;13.1130
P496=-102.8770;13.0000
P497=-102.5000;12.6260
P498=-102.3710;12.5000
P499=-102.0000;12.1430
P500=-101.8350;12.0000
P501=-101.5000;11.6860
P502=-101.2740;11.5000
P503=-101.0000;11.2600
P504=-100.5950;11.0000
P505=-100.5000;10.9230
P506=-100.0000;10.5820
P507=-99.7880 ;10.5000
P508=-99.5000 ;10.3020
P509=-99.0000 ;10.0850
P510=-98.6630 ;10.0000
P511=-98.5000 ;9.9210
P512=-98.0000 ;9.8170
P513=-97.5000 ;9.8870
P514=-97.3800 ;10.0000
P515=-97.5000 ;10.0540
P516=-98.0000 ;10.2680
P517=-98.1650 ;10.5000
P518=-98.5000 ;10.7190
P519=-99.0000 ;10.9990
P520=-99.0010 ;11.0000
P521=-99.5000 ;11.3590
P522=-99.7680 ;11.5000
P523=-100.0000;11.6750
P524=-100.5000;11.9510
P525=-100.5690;12.0000
P526=-101.0000;12.3540
P527=-101.2050;12.5000
P528=-101.5000;12.7600
P529=-101.7690;13.0000
P530=-102.0000;13.2140
P531=-102.3100;13.5000
P532=-102.5000;13.6840
P533=-102.8250;14.0000
P534=-103.0000;14.1760
P535=-103.2740;14.5000
P536=-103.5000;14.7390
P537=-103.7300;15.0000
P538=-104.0000;15.2970
P539=-104.1660;15.5000
P540=-104.5000;15.8850
P541=-104.5990;16.0000
P542=-104.9430;16.5000
P543=-105.0000;16.5750
P544=-105.2390;17.0000
P545=-105.5000;17.3550
P546=-105.5770;17.5000
P547=-105.8810;18.0000
P548=-106.0000;18.1790
P549=-106.1210;18.5000

P550=-106.4080;19.0000
P551=-106.5000;19.1460
P552=-106.6380;19.5000
P553=-106.9120;20.0000
P554=-107.0000;20.1640
P555=-107.0570;20.5000
P556=-107.2620;21.0000
P557=-107.5000;21.4790
P558=-107.5040;21.5000
P559=-107.6120;22.0000
P560=-107.7420;22.5000
P561=-107.8890;23.0000
P562=-108.0000;23.4040
P563=-108.0130;23.5000
P564=-108.0750;24.0000
P565=-108.1230;24.5000
P566=-108.1510;25.0000
P567=-108.1280;25.5000
P568=-108.0000;25.9480
P569=-107.8480;25.5000
P570=-107.5000;25.0920
P571=-107.4740;25.0000
P572=-107.2880;24.5000
P573=-107.0000;24.0830
P574=-106.9820;24.0000
P575=-106.8140;23.5000
P576=-106.5000;23.0460
P577=-106.4890;23.0000
P578=-106.3110;22.5000
P579=-106.0000;22.0490
P580=-105.9760;22.0000
P581=-105.7940;21.5000
P582=-105.5000;21.0840
P583=-105.4570;21.0000
P584=-105.2580;20.5000
P585=-105.0000;20.1460
P586=-104.9050;20.0000
P587=-104.6560;19.5000
P588=-104.5000;19.2970
P589=-104.3530;19.0000
P590=-104.0000;18.5690
P591=-103.9220;18.5000
P592=-103.6430;18.0000
P593=-103.5000;17.8290
P594=-103.2530;17.5000
P595=-103.0000;17.2180
P596=-102.8570;17.0000
P597=-102.5000;16.6060
P598=-102.3690;16.5000
P599=-102.0000;16.0760
P600=-101.9240;16.0000
P601=-101.5000;15.5640
P602=-101.4510;15.5000
P603=-101.0000;15.0440
P604=-100.9570;15.0000
P605=-100.5000;14.5630
P606=-100.4360;14.5000

P607=-100.0000;14.1270
P608=-99.8260 ;14.0000
P609=-99.5000 ;13.7290
P610=-99.0130 ;13.5000
P611=-99.0000 ;13.4900
P612=-98.5000 ;13.2100
P613=-98.0000 ;13.0540
P614=-97.8950 ;13.0000
P615=-97.5000 ;12.8690
P616=-97.0000 ;12.9120
P617=-96.8550 ;13.0000
P618=-97.0000 ;13.0580
P619=-97.5000 ;13.2370
P620=-97.6680 ;13.5000
P621=-98.0000 ;13.7100
P622=-98.5000 ;13.9200
P623=-98.5550 ;14.0000
P624=-99.0000 ;14.3310
P625=-99.2640 ;14.5000
P626=-99.5000 ;14.6900
P627=-100.0000;14.9930
P628=-100.0070;15.0000
P629=-100.5000;15.4300
P630=-100.5720;15.5000
P631=-101.0000;15.9170
P632=-101.1070;16.0000
P633=-101.5000;16.4120
P634=-101.5880;16.5000
P635=-102.0000;16.9970
P636=-102.0020;17.0000
P637=-102.3910;17.5000
P638=-102.5000;17.6230
P639=-102.7280;18.0000
P640=-103.0000;18.3280
P641=-103.1580;18.5000
P642=-103.4660;19.0000
P643=-103.5000;19.0460
P644=-103.7570;19.5000
P645=-104.0000;19.8500
P646=-104.1030;20.0000
P647=-104.2590;20.5000
P648=-104.5000;20.8800
P649=-104.5680;21.0000
P650=-104.7470;21.5000
P651=-105.0000;21.9460
P652=-105.0280;22.0000
P653=-105.1200;22.5000
P654=-105.3530;23.0000
P655=-105.5000;23.3360
P656=-105.5400;23.5000
P657=-105.6580;24.0000
P658=-105.8180;24.5000
P659=-105.9690;25.0000
P660=-106.0000;25.1350
P661=-106.0370;25.5000
P662=-106.0840;26.0000
P663=-106.1170;26.5000

P664=-106.1200;27.0000
P665=-106.0790;27.5000
P666=-106.0000;27.9110
P667=-105.5000;27.6290
P668=-105.4660;27.5000
P669=-105.2860;27.0000
P670=-105.0000;26.5620
P671=-104.9840;26.5000
P672=-104.8130;26.0000
P673=-104.5110;25.5000
P674=-104.5000;25.4840
P675=-104.3780;25.0000
P676=-104.1560;24.5000
P677=-104.0000;24.2620
P678=-103.9170;24.0000
P679=-103.6810;23.5000
P680=-103.5000;23.2380
P681=-103.3520;23.0000
P682=-103.2010;22.5000
P683=-103.0000;22.2290
P684=-102.9020;22.0000
P685=-102.5360;21.5000
P686=-102.5000;21.4550
P687=-102.2770;21.0000
P688=-102.0000;20.6300
P689=-101.8630;20.5000
P690=-101.5610;20.0000
P691=-101.5000;19.9280
P692=-101.2200;19.5000
P693=-101.0000;19.2440
P694=-100.7690;19.0000
P695=-100.5000;18.6780
P696=-100.3690;18.5000
P697=-100.0000;18.0920
P698=-99.9420 ;18.0000
P699=-99.5000 ;17.5670
P700=-99.3960 ;17.5000
P701=-99.0000 ;17.1510
P702=-98.8220 ;17.0000
P703=-98.5000 ;16.7250
P704=-98.1340 ;16.5000
P705=-98.0000 ;16.3960
P706=-97.5000 ;16.1750
P707=-97.2090 ;16.0000
P708=-97.0000 ;15.8730
P709=-96.5000 ;15.8160
P710=-96.1600 ;16.0000
P711=-96.5000 ;16.1290
P712=-97.0000 ;16.2990
P713=-97.1030 ;16.5000
P714=-97.5000 ;16.7540
P715=-97.9140 ;17.0000
P716=-98.0000 ;17.0650
P717=-98.5000 ;17.4030
P718=-98.5790 ;17.5000
P719=-99.0000 ;17.8460
P720=-99.1040 ;18.0000

P721=-99.5000 ;18.3890
P722=-99.6650 ;18.5000
P723=-100.0000;18.8650
P724=-100.1830;19.0000
P725=-100.5000;19.4210
P726=-100.5860;19.5000
P727=-100.8860;20.0000
P728=-101.0000;20.1410
P729=-101.2380;20.5000
P730=-101.5000;20.8710
P731=-101.6220;21.0000
P732=-101.8540;21.5000
P733=-102.0000;21.7180
P734=-102.1130;22.0000
P735=-102.3950;22.5000
P736=-102.5000;22.6670
P737=-102.6970;23.0000
P738=-102.8000;23.5000
P739=-103.0000;23.8770
P740=-103.0570;24.0000
P741=-103.1830;24.5000
P742=-103.3760;25.0000
P743=-103.5000;25.3070
P744=-103.5600;25.5000
P745=-103.6100;26.0000
P746=-103.7050;26.5000
P747=-103.8300;27.0000
P748=-103.9470;27.5000
P749=-104.0000;27.7740
P750=-104.0210;28.0000
P751=-104.0530;28.5000
P752=-104.0680;29.0000
P753=-104.0530;29.5000
P754=-104.0110;30.0000
P755=-104.0000;30.0840
P756=-103.5000;30.4430
P757=-103.3220;30.0000
P758=-103.0060;29.5000
P759=-103.0000;29.4930
P760=-102.8970;29.0000
P761=-102.7360;28.5000
P762=-102.5000;28.0470
P763=-102.4870;28.0000
P764=-102.3750;27.5000
P765=-102.1620;27.0000
P766=-102.0000;26.7360
P767=-101.8890;26.5000
P768=-101.7370;26.0000
P769=-101.5000;25.5740
P770=-101.4270;25.5000
P771=-101.2740;25.0000
P772=-101.0000;24.6100
P773=-100.8090;24.5000
P774=-100.6790;24.0000
P775=-100.5000;23.7150
P776=-100.2750;24.0000
P777=-100.3710;24.5000

P778=-100.5000;24.7400
P779=-100.6650;25.0000
P780=-100.8020;25.5000
P781=-101.0000;25.9110
P782=-101.0910;26.0000
P783=-101.1990;26.5000
P784=-101.2720;27.0000
P785=-101.4580;27.5000
P786=-101.5000;27.6410
P787=-101.5710;28.0000
P788=-101.6390;28.5000
P789=-101.6930;29.0000
P790=-101.7310;29.5000
P791=-101.7660;30.0000
P792=-101.7850;30.5000
P793=-101.7860;31.0000
P794=-101.7680;31.5000
P795=-101.7230;32.0000
P796=-101.6540;32.5000
P797=-101.5720;33.0000
P798=-101.5000;33.4120
P799=-101.1690;33.5000
P800=-101.0000;33.5550
P801=-100.9940;33.5000
P802=-100.9330;33.0000
P803=-100.8650;32.5000
P804=-100.7800;32.0000
P805=-100.6550;31.5000
P806=-100.5000;31.1310
P807=-100.4790;31.0000
P808=-100.3860;30.5000
P809=-100.2220;30.0000
P810=-100.0000;29.6000
P811=-99.9370 ;29.5000
P812=-99.7490 ;29.0000
P813=-99.6510 ;28.5000
P814=-99.5000 ;28.2480
P815=-99.3130 ;28.0000
P816=-99.1620 ;27.5000
P817=-99.0000 ;27.2330
P818=-98.8140 ;27.5000
P819=-98.8190 ;28.0000
P820=-99.0000 ;28.3830
P821=-99.1670 ;28.5000
P822=-99.2720 ;29.0000
P823=-99.2700 ;29.5000
P824=-99.3480 ;30.0000
P825=-99.4830 ;30.5000
P826=-99.5000 ;30.5930
P827=-99.5580 ;31.0000
P828=-99.5930 ;31.5000
P829=-99.6030 ;32.0000
P830=-99.5860 ;32.5000
P831=-99.5460 ;33.0000
P832=-99.5000 ;33.3950
P833=-99.4780 ;33.5000
P834=-99.3570 ;34.0000

P835=-99.2330 ;34.5000
P836=-99.1330 ;35.0000
P837=-99.0680 ;35.5000
P838=-99.0230 ;36.0000
P839=-99.0000 ;36.2550
P840=-98.9490 ;36.5000
P841=-98.8370 ;37.0000
P842=-98.7330 ;37.5000
P843=-98.6320 ;38.0000
P844=-98.5200 ;38.5000
P845=-98.5000 ;38.5710
P846=-98.2670 ;39.0000
P847=-98.0290 ;39.5000
P848=-98.0000 ;39.5590
P849=-97.6060 ;40.0000
P850=-97.5000 ;40.1650
P851=-97.1580 ;40.0000
P852=-97.1480 ;39.5000
P853=-97.2240 ;39.0000
P854=-97.3100 ;38.5000
P855=-97.3910 ;38.0000
P856=-97.4700 ;37.5000
P857=-97.5000 ;37.3550
P858=-97.6170 ;37.0000
P859=-97.7450 ;36.5000
P860=-97.8520 ;36.0000
P861=-97.9520 ;35.5000
P862=-98.0000 ;35.2450
P863=-98.0590 ;35.0000
P864=-98.0940 ;34.5000
P865=-98.0540 ;34.0000
P866=-98.0000 ;33.7640
P867=-97.9650 ;33.5000
P868=-97.8960 ;33.0000
P869=-97.7830 ;32.5000
P870=-97.5950 ;32.0000
P871=-97.5000 ;31.7230
P872=-97.3470 ;32.0000
P873=-97.2330 ;32.5000
P874=-97.2020 ;33.0000
P875=-97.2250 ;33.5000
P876=-97.2540 ;34.0000
P877=-97.2590 ;34.5000
P878=-97.2340 ;35.0000
P879=-97.1730 ;35.5000
P880=-97.0000 ;35.9630
P881=-96.9880 ;36.0000
P882=-96.8190 ;36.5000
P883=-96.6430 ;37.0000
P884=-96.5000 ;37.2540
P885=-96.3690 ;37.5000
P886=-96.1330 ;38.0000
P887=-96.0000 ;38.3400
P888=-95.9110 ;38.5000
P889=-95.6580 ;39.0000
P890=-95.5000 ;39.4800
P891=-95.4890 ;39.5000

P892=-95.2080 ;40.0000
P893=-95.0080 ;40.5000
P894=-95.0000 ;40.5200
P895=-94.6880 ;41.0000
P896=-94.5000 ;41.3250
P897=-94.3710 ;41.5000
P898=-94.0030 ;42.0000
P899=-94.0000 ;42.0020
P900=-93.5500 ;42.5000
P901=-93.5000 ;42.5680
P902=-93.1210 ;43.0000
P903=-93.0000 ;43.1770
P904=-92.7300 ;43.5000
P905=-92.5000 ;43.8170
P906=-92.3480 ;44.0000
P907=-92.0000 ;44.4410
P908=-91.9490 ;44.5000
P909=-91.5310 ;45.0000
P910=-91.5000 ;45.0510
P911=-91.1180 ;45.5000
P912=-91.5000 ;45.6670
P913=-91.7220 ;45.5000
P914=-92.0000 ;45.2900
P915=-92.4250 ;45.0000
P916=-92.5000 ;44.9520
P917=-93.0000 ;44.6400
P918=-93.2040 ;44.5000
P919=-93.5000 ;44.3160
P920=-93.9430 ;44.0000
P921=-94.0000 ;43.9600
P922=-94.5000 ;43.6880
P923=-95.0000 ;43.5010
P924=-95.0710 ;44.0000
P925=-95.0000 ;44.3210
P926=-94.9520 ;44.5000
P927=-94.7380 ;45.0000
P928=-94.5380 ;45.5000
P929=-94.5000 ;45.5790
P930=-94.2480 ;46.0000
P931=-94.0000 ;46.4600
P932=-93.9740 ;46.5000
P933=-93.6000 ;47.0000
P934=-93.5000 ;47.1300
P935=-93.1930 ;47.5000
P936=-93.0000 ;47.7310
P937=-92.7650 ;48.0000
P938=-92.5000 ;48.2960
P939=-92.3120 ;48.5000
P940=-92.0000 ;48.8400
P941=-91.8440 ;49.0000
P942=-91.5000 ;49.3710
P943=-91.3700 ;49.5000
P944=-91.0000 ;49.8690
P945=-90.8640 ;50.0000
P946=-90.5000 ;50.3370
P947=-90.3200 ;50.5000
P948=-90.0000 ;50.8380

P949=-89.7950 ;51.0000
P950=-89.5000 ;51.3370
P951=-89.2620 ;51.5000
P952=-89.0000 ;51.7900
P953=-88.5660 ;52.0000
P954=-89.0000 ;52.1330
P955=-89.2850 ;52.0000
P956=-89.5000 ;51.8130
P957=-90.0000 ;51.6030
P958=-90.1880 ;51.5000
P959=-90.5000 ;51.3350
P960=-91.0000 ;51.0630
P961=-91.0940 ;51.0000
P962=-91.5000 ;50.7730
P963=-91.8610 ;50.5000
P964=-92.0000 ;50.4210
P965=-92.5000 ;50.0630
P966=-92.5840 ;50.0000
P967=-93.0000 ;49.7400
P968=-93.3000 ;49.5000
P969=-93.5000 ;49.3480
P970=-93.9060 ;49.0000
P971=-94.0000 ;48.9100
P972=-94.4500 ;48.5000
P973=-94.5000 ;48.4450
P974=-94.9750 ;48.0000
P975=-95.0000 ;47.9710
P976=-95.5000 ;47.5200
P977=-95.5440 ;47.5000
P978=-96.0000 ;47.1950
P979=-96.2350 ;47.5000
P980=-96.1270 ;48.0000
P981=-96.0000 ;48.3630
P982=-95.9390 ;48.5000
P983=-95.6570 ;49.0000
P984=-95.5000 ;49.3100
P985=-95.3850 ;49.5000
P986=-95.0860 ;50.0000
P987=-95.0000 ;50.1480
P988=-94.7590 ;50.5000
P989=-94.5000 ;50.9150
P990=-94.4390 ;51.0000
P991=-94.0470 ;51.5000
P992=-94.0000 ;51.5570
P993=-93.6210 ;52.0000
P994=-93.5000 ;52.1400
P995=-93.1850 ;52.5000
P996=-93.0000 ;52.6930
P997=-92.7150 ;53.0000
P998=-92.5000 ;53.2330
P999=-92.2570 ;53.5000
P1000=-92.0000 ;53.7410
P1001=-91.7360 ;54.0000
P1002=-91.5000 ;54.2020
P1003=-91.1760 ;54.5000
P1004=-91.0000 ;54.6350
P1005=-90.5790 ;55.0000

P1006=-90.5000 ;55.0670
P1007=-90.0300 ;55.5000
P1008=-90.0000 ;55.5220
P1009=-89.5000 ;55.8780
P1010=-89.3470 ;56.0000
P1011=-89.0000 ;56.2470
P1012=-88.6930 ;56.5000
P1013=-88.5000 ;56.6660
P1014=-88.1070 ;57.0000
P1015=-88.0000 ;57.0740
P1016=-87.5000 ;57.4010
P1017=-87.3660 ;57.5000
P1018=-87.0000 ;57.7680
P1019=-86.6600 ;58.0000
P1020=-86.5000 ;58.0920
P1021=-86.0000 ;58.4180
P1022=-85.8810 ;58.5000
P1023=-85.5000 ;58.7460
P1024=-85.0000 ;58.9950
P1025=-84.9910 ;59.0000
P1026=-84.5000 ;59.2810
P1027=-84.1140 ;59.5000
P1028=-84.0000 ;59.5770
P1029=-83.5000 ;59.7970
P1030=-83.0200 ;60.0000
P1031=-83.0000 ;60.0110
P1032=-82.5000 ;60.2710
P1033=-82.0000 ;60.4990
P1034=-81.9980 ;60.5000
P1035=-81.5000 ;60.6900
P1036=-81.0000 ;60.8610
P1037=-80.6580 ;61.0000
P1038=-80.5000 ;61.0810
P1039=-80.0000 ;61.2900
P1040=-79.5000 ;61.4980
P1041=-79.4960 ;61.5000
P1042=-79.0000 ;61.6450
P1043=-78.5000 ;61.7570
P1044=-78.0000 ;61.9440
P1045=-77.8620 ;62.0000
P1046=-77.5000 ;62.1340
P1047=-77.0000 ;62.3340
P1048=-76.6290 ;62.5000
P1049=-76.5000 ;62.5650
P1050=-76.0000 ;62.6740
P1051=-75.5000 ;62.7270
P1052=-75.0000 ;62.8390
P1053=-74.6130 ;63.0000
P1054=-74.5000 ;63.0310
P1055=-74.0000 ;63.1590
P1056=-73.5000 ;63.3010
P1057=-73.0000 ;63.4600
P1058=-72.8580 ;63.5000
P1059=-72.5000 ;63.6220
P1060=-72.0000 ;63.7490
P1061=-71.5000 ;63.8640
P1062=-71.0000 ;63.9830

P1063=-70.9210 ;64.0000
P1064=-70.5000 ;64.1470
P1065=-70.0000 ;64.2550
P1066=-69.5000 ;64.3290
P1067=-69.0000 ;64.3960
P1068=-68.5000 ;64.4630
P1069=-68.1760 ;64.5000
P1070=-68.0000 ;64.5210
P1071=-67.5000 ;64.5760
P1072=-67.0000 ;64.6130
P1073=-66.5000 ;64.6390
P1074=-66.0000 ;64.6610
P1075=-65.5000 ;64.6620
P1076=-65.0000 ;64.6340
P1077=-64.5440 ;64.5000
P1078=-64.5000 ;64.4950
P1079=-64.0000 ;64.4380
P1080=-63.5000 ;64.3570
P1081=-63.0000 ;64.3080
P1082=-62.5000 ;64.2640
P1083=-62.0000 ;64.2100
P1084=-61.5000 ;64.2050
P1085=-61.0000 ;64.1380
P1086=-60.8970 ;64.0000
P1087=-60.5000 ;63.7730
P1088=-60.0000 ;63.6470
P1089=-59.5000 ;63.5510
P1090=-59.3720 ;63.5000
P1091=-59.3850 ;63.0000
P1092=-59.0000 ;62.7770
P1093=-58.6890 ;62.5000
P1094=-58.5000 ;62.2460
P1095=-58.0550 ;62.0000
P1096=-58.3840 ;61.5000
P1097=-58.0000 ;61.1070

[C2]

gain=-40.00

n_point=183

P1=-60.5000 ;58.7520
P2=-60.4480 ;58.5000
P3=-60.4950 ;58.0000
P4=-60.4960 ;57.5000
P5=-60.4840 ;57.0000
P6=-60.5000 ;56.8990
P7=-60.5800 ;56.5000
P8=-60.7030 ;56.0000
P9=-60.8320 ;55.5000
P10=-60.9710 ;55.0000
P11=-61.0000 ;54.9270
P12=-61.2040 ;54.5000
P13=-61.3930 ;54.0000
P14=-61.5000 ;53.6750
P15=-61.5730 ;53.5000
P16=-61.7530 ;53.0000
P17=-61.9340 ;52.5000
P18=-62.0000 ;52.3470
P19=-62.1750 ;52.0000

P20=-62.4080 ;51.5000
P21=-62.5000 ;51.2880
P22=-62.6520 ;51.0000
P23=-62.8870 ;50.5000
P24=-63.0000 ;50.2160
P25=-63.1080 ;50.0000
P26=-63.3330 ;49.5000
P27=-63.5000 ;49.0980
P28=-63.5520 ;49.0000
P29=-63.8150 ;48.5000
P30=-64.0000 ;48.0970
P31=-64.0570 ;48.0000
P32=-64.3290 ;47.5000
P33=-64.5000 ;47.1190
P34=-64.5710 ;47.0000
P35=-64.8700 ;46.5000
P36=-65.0000 ;46.2610
P37=-65.1900 ;46.0000
P38=-65.4970 ;45.5000
P39=-65.5000 ;45.4950
P40=-65.9030 ;45.0000
P41=-66.0000 ;44.8490
P42=-66.3960 ;44.5000
P43=-66.5000 ;44.3810
P44=-67.0000 ;44.4520
P45=-67.0140 ;44.5000
P46=-67.1350 ;45.0000
P47=-67.2250 ;45.5000
P48=-67.2080 ;46.0000
P49=-67.1590 ;46.5000
P50=-67.1390 ;47.0000
P51=-67.1580 ;47.5000
P52=-67.1250 ;48.0000
P53=-67.0910 ;48.5000
P54=-67.0730 ;49.0000
P55=-67.0850 ;49.5000
P56=-67.0730 ;50.0000
P57=-67.0870 ;50.5000
P58=-67.1540 ;51.0000
P59=-67.2760 ;51.5000
P60=-67.3720 ;52.0000
P61=-67.4690 ;52.5000
P62=-67.5000 ;52.6350
P63=-67.5650 ;53.0000
P64=-67.7240 ;53.5000
P65=-67.9190 ;54.0000
P66=-68.0000 ;54.1500
P67=-68.1870 ;54.5000
P68=-68.5000 ;54.9180
P69=-68.5590 ;55.0000
P70=-68.9530 ;55.5000
P71=-69.0000 ;55.5530
P72=-69.4550 ;56.0000
P73=-69.5000 ;56.0350
P74=-70.0000 ;56.3850
P75=-70.2270 ;56.5000
P76=-70.5000 ;56.6340

P77=-71.0000 ;56.8350
P78=-71.5000 ;56.9810
P79=-71.5810 ;57.0000
P80=-72.0000 ;57.1220
P81=-72.5000 ;57.2380
P82=-73.0000 ;57.3270
P83=-73.5000 ;57.3920
P84=-74.0000 ;57.4380
P85=-74.5000 ;57.4690
P86=-75.0000 ;57.4880
P87=-75.5000 ;57.4980
P88=-76.0000 ;57.4980
P89=-76.5000 ;57.4860
P90=-77.0000 ;57.4660
P91=-77.5000 ;57.4390
P92=-78.0000 ;57.4060
P93=-78.5000 ;57.3630
P94=-79.0000 ;57.3140
P95=-79.5000 ;57.2650
P96=-80.0000 ;57.2000
P97=-80.5000 ;57.1180
P98=-81.0000 ;57.0110
P99=-81.0450 ;57.0000
P100=-81.5000 ;56.9310
P101=-82.0000 ;56.8320
P102=-82.5000 ;56.7040
P103=-83.0000 ;56.5280
P104=-83.0740 ;56.5000
P105=-83.5000 ;56.4170
P106=-84.0000 ;56.3220
P107=-84.5000 ;56.2140
P108=-85.0000 ;56.0910
P109=-85.3910 ;56.0000
P110=-85.5000 ;55.9850
P111=-85.6540 ;56.0000
P112=-85.6550 ;56.5000
P113=-85.5000 ;56.6330
P114=-85.1620 ;57.0000
P115=-85.0000 ;57.1000
P116=-84.5000 ;57.4810
P117=-84.4790 ;57.5000
P118=-84.0000 ;57.8180
P119=-83.7790 ;58.0000
P120=-83.5000 ;58.1440
P121=-83.0000 ;58.4430
P122=-82.9070 ;58.5000
P123=-82.5000 ;58.6900
P124=-82.0000 ;58.9930
P125=-81.9890 ;59.0000
P126=-81.5000 ;59.2230
P127=-81.0000 ;59.4990
P128=-80.9990 ;59.5000
P129=-80.5000 ;59.6940
P130=-80.0000 ;59.9350
P131=-79.8720 ;60.0000
P132=-79.5000 ;60.1520
P133=-79.0000 ;60.3800

P134=-78.7430 ;60.5000
P135=-78.5000 ;60.5780
P136=-78.0000 ;60.7550
P137=-77.5000 ;60.9590
P138=-77.4040 ;61.0000
P139=-77.0000 ;61.1380
P140=-76.5000 ;61.3170
P141=-76.0150 ;61.5000
P142=-76.0000 ;61.5040
P143=-75.5000 ;61.6310
P144=-75.0000 ;61.7760
P145=-74.5000 ;61.9370
P146=-74.3130 ;62.0000
P147=-74.0000 ;62.0750
P148=-73.5000 ;62.1900
P149=-73.0000 ;62.3000
P150=-72.5000 ;62.4080
P151=-72.0610 ;62.5000
P152=-72.0000 ;62.5120
P153=-71.5000 ;62.6000
P154=-71.0000 ;62.6830
P155=-70.5000 ;62.7600
P156=-70.0000 ;62.8200
P157=-69.5000 ;62.8750
P158=-69.0000 ;62.9150
P159=-68.5000 ;62.9400
P160=-68.0000 ;62.9600
P161=-67.5000 ;62.9560
P162=-67.0000 ;62.9450
P163=-66.5000 ;62.9180
P164=-66.0000 ;62.8740
P165=-65.5000 ;62.8190
P166=-65.0000 ;62.7310
P167=-64.5000 ;62.6340
P168=-64.0710 ;62.5000
P169=-64.0000 ;62.4760
P170=-63.5000 ;62.3080
P171=-63.0000 ;62.0830
P172=-62.8230 ;62.0000
P173=-62.5000 ;61.7770
P174=-62.1230 ;61.5000
P175=-62.0000 ;61.3670
P176=-61.6960 ;61.0000
P177=-61.5000 ;60.8220
P178=-61.2290 ;60.5000
P179=-61.0000 ;60.1520
P180=-60.8900 ;60.0000
P181=-60.7620 ;59.5000
P182=-60.5760 ;59.0000
P183=-60.5000 ;58.7520
[C3]
gain=-50.00
n_point=249
P1=-68.0000 ;49.6650
P2=-68.1450 ;50.0000
P3=-68.2810 ;50.5000
P4=-68.3620 ;51.0000

P5=-68.4300 ;51.5000
P6=-68.4720 ;52.0000
P7=-68.5000 ;52.2290
P8=-68.5070 ;52.5000
P9=-68.6880 ;53.0000
P10=-69.0000 ;53.3510
P11=-69.2230 ;53.5000
P12=-69.5000 ;53.9420
P13=-69.5330 ;54.0000
P14=-69.8700 ;54.5000
P15=-70.0000 ;54.5770
P16=-70.1860 ;55.0000
P17=-70.5000 ;55.2390
P18=-70.9660 ;55.5000
P19=-71.0000 ;55.5220
P20=-71.5000 ;55.6920
P21=-72.0000 ;55.6720
P22=-72.1890 ;56.0000
P23=-72.5000 ;56.1430
P24=-73.0000 ;56.2330
P25=-73.5000 ;56.2330
P26=-74.0000 ;56.0710
P27=-74.1350 ;56.0000
P28=-74.0000 ;55.7490
P29=-73.7690 ;55.5000
P30=-73.5000 ;55.4750
P31=-73.2570 ;55.5000
P32=-73.0000 ;55.5430
P33=-72.5000 ;55.6610
P34=-72.2010 ;55.5000
P35=-72.1380 ;55.0000
P36=-72.0000 ;54.9440
P37=-71.5000 ;54.8820
P38=-71.4240 ;54.5000
P39=-71.0000 ;54.1490
P40=-70.8050 ;54.0000
P41=-70.5000 ;53.6670
P42=-70.4070 ;53.5000
P43=-70.0000 ;53.0660
P44=-69.9090 ;53.0000
P45=-69.8780 ;52.5000
P46=-69.9320 ;52.0000
P47=-69.5550 ;51.5000
P48=-69.5000 ;51.3600
P49=-69.2290 ;51.0000
P50=-69.1760 ;50.5000
P51=-69.1320 ;50.0000
P52=-69.1390 ;49.5000
P53=-69.0800 ;49.0000
P54=-69.0000 ;48.7100
P55=-68.9060 ;48.5000
P56=-69.0000 ;48.0730
P57=-69.0110 ;48.0000
P58=-69.1520 ;47.5000
P59=-69.0730 ;47.0000
P60=-69.1650 ;46.5000
P61=-69.2640 ;46.0000

P62=-69.2810 ;45.5000
P63=-69.4290 ;45.0000
P64=-69.5000 ;44.5500
P65=-69.5180 ;44.5000
P66=-69.6480 ;44.0000
P67=-69.6780 ;43.5000
P68=-69.8260 ;43.0000
P69=-69.8860 ;42.5000
P70=-69.9810 ;42.0000
P71=-70.0000 ;41.9640
P72=-70.2510 ;41.5000
P73=-70.2530 ;41.0000
P74=-70.4290 ;40.5000
P75=-70.5000 ;40.2660
P76=-70.6290 ;40.0000
P77=-70.7740 ;39.5000
P78=-70.8990 ;39.0000
P79=-71.0000 ;38.7370
P80=-71.0900 ;38.5000
P81=-71.3080 ;38.0000
P82=-71.4870 ;37.5000
P83=-71.5000 ;37.4770
P84=-71.7380 ;37.0000
P85=-71.9060 ;36.5000
P86=-72.0000 ;36.3390
P87=-72.1740 ;36.0000
P88=-72.3760 ;35.5000
P89=-72.5000 ;35.2930
P90=-72.6570 ;35.0000
P91=-72.9260 ;34.5000
P92=-73.0000 ;34.3790
P93=-73.1870 ;34.0000
P94=-73.5000 ;33.5610
P95=-73.5400 ;33.5000
P96=-73.8270 ;33.0000
P97=-74.0000 ;32.7790
P98=-74.1980 ;32.5000
P99=-74.5000 ;32.0890
P100=-74.5680 ;32.0000
P101=-74.9030 ;31.5000
P102=-75.0000 ;31.3710
P103=-75.2890 ;31.0000
P104=-75.5000 ;30.7500
P105=-75.7260 ;30.5000
P106=-76.0000 ;30.1280
P107=-76.1180 ;30.0000
P108=-76.4910 ;29.5000
P109=-76.5000 ;29.4860
P110=-76.9410 ;29.0000
P111=-77.0000 ;28.9270
P112=-77.4110 ;28.5000
P113=-77.5000 ;28.3970
P114=-77.9050 ;28.0000
P115=-78.0000 ;27.9010
P116=-78.4240 ;27.5000
P117=-78.5000 ;27.4310
P118=-78.9550 ;27.0000

P119=-79.0000 ;26.9650
P120=-79.5000 ;26.5400
P121=-79.5430 ;26.5000
P122=-80.0000 ;26.1200
P123=-80.1250 ;26.0000
P124=-80.5000 ;25.6860
P125=-80.6930 ;25.5000
P126=-81.0000 ;25.2520
P127=-81.2810 ;25.0000
P128=-81.5000 ;24.8450
P129=-81.9130 ;24.5000
P130=-82.0000 ;24.4550
P131=-82.5000 ;24.1270
P132=-82.6640 ;24.0000
P133=-83.0000 ;23.7980
P134=-83.3820 ;23.5000
P135=-83.5000 ;23.4130
P136=-84.0000 ;23.1350
P137=-84.1890 ;23.0000
P138=-84.5000 ;22.8280
P139=-84.9850 ;22.5000
P140=-85.0000 ;22.4880
P141=-85.5000 ;22.2750
P142=-85.9280 ;22.0000
P143=-86.0000 ;21.9650
P144=-86.5000 ;21.7660
P145=-86.9290 ;21.5000
P146=-87.0000 ;21.4210
P147=-87.5000 ;21.2180
P148=-88.0000 ;21.0650
P149=-88.1860 ;21.0000
P150=-88.0000 ;20.8460
P151=-87.5000 ;20.7360
P152=-87.0000 ;20.7290
P153=-86.5000 ;20.8490
P154=-86.2010 ;21.0000
P155=-86.0000 ;21.0580
P156=-85.5000 ;21.2540
P157=-85.1160 ;21.5000
P158=-85.0000 ;21.5730
P159=-84.5000 ;21.7880
P160=-84.1660 ;22.0000
P161=-84.0000 ;22.0880
P162=-83.5000 ;22.3180
P163=-83.1940 ;22.5000
P164=-83.0000 ;22.5760
P165=-82.5000 ;22.7650
P166=-82.1150 ;23.0000
P167=-82.0000 ;23.0440
P168=-81.5000 ;23.3080
P169=-81.2370 ;23.5000
P170=-81.0000 ;23.6210
P171=-80.5260 ;24.0000
P172=-80.5000 ;24.0160
P173=-80.0000 ;24.3520
P174=-79.8370 ;24.5000
P175=-79.5000 ;24.7750

P176=-79.2770 ;25.0000
P177=-79.0000 ;25.2920
P178=-78.8100 ;25.5000
P179=-78.5000 ;25.8540
P180=-78.3670 ;26.0000
P181=-78.0000 ;26.3630
P182=-77.8580 ;26.5000
P183=-77.5000 ;26.8710
P184=-77.3740 ;27.0000
P185=-77.0000 ;27.3970
P186=-76.9070 ;27.5000
P187=-76.5000 ;27.9530
P188=-76.4590 ;28.0000
P189=-76.0120 ;28.5000
P190=-76.0000 ;28.5110
P191=-75.5510 ;29.0000
P192=-75.5000 ;29.0710
P193=-75.1380 ;29.5000
P194=-75.0000 ;29.7260
P195=-74.7800 ;30.0000
P196=-74.5000 ;30.4820
P197=-74.4860 ;30.5000
P198=-74.0810 ;31.0000
P199=-74.0000 ;31.1470
P200=-73.7310 ;31.5000
P201=-73.5080 ;32.0000
P202=-73.5000 ;32.0140
P203=-73.1880 ;32.5000
P204=-73.0000 ;32.8280
P205=-72.8770 ;33.0000
P206=-72.6440 ;33.5000
P207=-72.5000 ;33.7430
P208=-72.3290 ;34.0000
P209=-72.0670 ;34.5000
P210=-72.0000 ;34.6240
P211=-71.7860 ;35.0000
P212=-71.5000 ;35.4890
P213=-71.4930 ;35.5000
P214=-71.2390 ;36.0000
P215=-71.0000 ;36.4260
P216=-70.9530 ;36.5000
P217=-70.7240 ;37.0000
P218=-70.5000 ;37.4650
P219=-70.4800 ;37.5000
P220=-70.2310 ;38.0000
P221=-70.0390 ;38.5000
P222=-70.0000 ;38.5930
P223=-69.7720 ;39.0000
P224=-69.6420 ;39.5000
P225=-69.5000 ;39.9310
P226=-69.4630 ;40.0000
P227=-69.2480 ;40.5000
P228=-69.1280 ;41.0000
P229=-69.0390 ;41.5000
P230=-69.0000 ;41.7470
P231=-68.9380 ;42.0000
P232=-68.8290 ;42.5000

P233=-68.6950 ;43.0000
P234=-68.6980 ;43.5000
P235=-68.5690 ;44.0000
P236=-68.5780 ;44.5000
P237=-68.5000 ;44.6250
P238=-68.3880 ;45.0000
P239=-68.4560 ;45.5000
P240=-68.2150 ;46.0000
P241=-68.3700 ;46.5000
P242=-68.1770 ;47.0000
P243=-68.1180 ;47.5000
P244=-68.2720 ;48.0000
P245=-68.1620 ;48.5000
P246=-68.0610 ;49.0000
P247=-68.0000 ;49.3850
P248=-67.9620 ;49.5000
P249=-68.0000 ;49.6650
[C4]
gain=-50.00
n_point=96
P1=-75.0000 ;56.5960
P2=-75.5000 ;56.6730
P3=-76.0000 ;56.7190
P4=-76.5000 ;56.7540
P5=-77.0000 ;56.7630
P6=-77.5000 ;56.7430
P7=-78.0000 ;56.6890
P8=-78.5000 ;56.6040
P9=-78.9430 ;56.5000
P10=-79.0000 ;56.4860
P11=-79.5000 ;56.3780
P12=-80.0000 ;56.2730
P13=-80.5000 ;56.1440
P14=-80.9170 ;56.0000
P15=-81.0000 ;55.7920
P16=-81.5000 ;55.7300
P17=-82.0000 ;55.7720
P18=-82.5000 ;55.7120
P19=-82.7255 ;55.6060
P20=-82.9510 ;55.5000
P21=-83.0000 ;55.4610
P22=-83.2500 ;55.3270
P23=-83.5000 ;55.1930
P24=-83.7500 ;55.0970
P25=-84.0000 ;55.0010
P26=-84.0030 ;55.0000
P27=-84.5000 ;54.8760
P28=-84.7500 ;54.7485
P29=-85.0000 ;54.6210
P30=-85.2060 ;54.5000
P31=-85.5000 ;54.2560
P32=-85.7500 ;54.1700
P33=-86.0000 ;54.0840
P34=-86.1490 ;54.0000
P35=-86.3245 ;53.8570
P36=-86.5000 ;53.7140
P37=-86.6925 ;53.6070

P38=-86.8850 ;53.5000
P39=-87.0000 ;53.4000
P40=-87.2500 ;53.2855
P41=-87.5000 ;53.1710
P42=-87.7870 ;53.0000
P43=-88.0000 ;52.7320
P44=-88.2500 ;52.6420
P45=-88.5000 ;52.5520
P46=-88.5880 ;52.5000
P47=-88.5440 ;52.3015
P48=-88.5000 ;52.1030
P49=-88.2500 ;52.2300
P50=-88.0000 ;52.3570
P51=-87.7280 ;52.5000
P52=-87.5000 ;52.6750
P53=-87.2500 ;52.7530
P54=-87.0000 ;52.8310
P55=-86.6690 ;53.0000
P56=-86.5000 ;53.1900
P57=-86.2500 ;53.2490
P58=-86.0000 ;53.3080
P59=-85.6110 ;53.5000
P60=-85.5000 ;53.6280
P61=-85.2500 ;53.7385
P62=-85.0000 ;53.8490
P63=-84.7500 ;53.9210
P64=-84.5000 ;53.9930
P65=-84.4880 ;54.0000
P66=-84.2440 ;54.1120
P67=-84.0000 ;54.2240
P68=-83.7500 ;54.3505
P69=-83.5000 ;54.4770
P70=-83.4560 ;54.5000
P71=-83.2280 ;54.5955
P72=-83.0000 ;54.6910
P73=-82.5000 ;54.6970
P74=-82.2500 ;54.7985
P75=-82.0000 ;54.9000
P76=-81.7520 ;55.0000
P77=-81.5000 ;55.2390
P78=-81.2500 ;55.3405
P79=-81.0000 ;55.4420
P80=-80.7030 ;55.5000
P81=-80.5000 ;55.5800
P82=-80.0000 ;55.5980
P83=-79.5000 ;55.6080
P84=-79.0000 ;55.6190
P85=-78.5000 ;55.6350
P86=-78.0000 ;55.6570
P87=-77.5000 ;55.6850
P88=-77.0000 ;55.7170
P89=-76.5000 ;55.7780
P90=-76.0000 ;55.8690
P91=-75.5000 ;55.9860
P92=-75.4270 ;56.0000
P93=-75.0000 ;56.1770
P94=-74.7810 ;56.3385

P95=-74.5620 ;56.5000
P96=-75.0000 ;56.5960
[C5]
gain=-40.00
n_point=159
P1=-70.0000 ;50.4870
P2=-69.8680 ;50.0000
P3=-69.8130 ;49.5000
P4=-69.8000 ;49.0000
P5=-69.7700 ;48.5000
P6=-69.7800 ;48.0000
P7=-69.8250 ;47.5000
P8=-69.8580 ;47.0000
P9=-69.8840 ;46.5000
P10=-69.9740 ;46.0000
P11=-70.0000 ;45.8140
P12=-70.0760 ;45.5000
P13=-70.1570 ;45.0000
P14=-70.2930 ;44.5000
P15=-70.3900 ;44.0000
P16=-70.4670 ;43.5000
P17=-70.5000 ;43.3730
P18=-70.6470 ;43.0000
P19=-70.7960 ;42.5000
P20=-70.9260 ;42.0000
P21=-71.0000 ;41.7260
P22=-71.0960 ;41.5000
P23=-71.2520 ;41.0000
P24=-71.4600 ;40.5000
P25=-71.5000 ;40.3790
P26=-71.7080 ;40.0000
P27=-71.9510 ;39.5000
P28=-72.0000 ;39.3750
P29=-72.2830 ;39.0000
P30=-72.5000 ;38.5920
P31=-73.0000 ;38.8260
P32=-73.0210 ;39.0000
P33=-73.0100 ;39.5000
P34=-73.0570 ;40.0000
P35=-73.0710 ;40.5000
P36=-73.0950 ;41.0000
P37=-73.1310 ;41.5000
P38=-73.1350 ;42.0000
P39=-73.2380 ;42.5000
P40=-73.2710 ;43.0000
P41=-73.3800 ;43.5000
P42=-73.5000 ;43.9060
P43=-73.5110 ;44.0000
P44=-73.5830 ;44.5000
P45=-73.7360 ;45.0000
P46=-73.8470 ;45.5000
P47=-74.0000 ;45.8440
P48=-74.0390 ;46.0000
P49=-74.2050 ;46.5000
P50=-74.4090 ;47.0000
P51=-74.5000 ;47.1370
P52=-74.6890 ;47.5000

P53=-74.9810 ;48.0000
P54=-75.0000 ;48.0250
P55=-75.3740 ;48.5000
P56=-75.5000 ;48.6510
P57=-75.8010 ;49.0000
P58=-76.0000 ;49.1880
P59=-76.4410 ;49.5000
P60=-76.5000 ;49.5430
P61=-77.0000 ;49.8610
P62=-77.3370 ;50.0000
P63=-77.5000 ;50.0790
P64=-78.0000 ;50.2730
P65=-78.5000 ;50.4150
P66=-79.0000 ;50.4790
P67=-79.2260 ;50.5000
P68=-79.5000 ;50.5630
P69=-80.0000 ;50.6410
P70=-80.5000 ;50.6830
P71=-81.0000 ;50.6990
P72=-81.5000 ;50.6890
P73=-82.0000 ;50.6530
P74=-82.5000 ;50.5900
P75=-82.9910 ;50.5000
P76=-83.0000 ;50.4990
P77=-83.5000 ;50.4440
P78=-84.0000 ;50.3790
P79=-84.5000 ;50.2800
P80=-85.0000 ;50.1400
P81=-85.3950 ;50.0000
P82=-85.5000 ;49.9740
P83=-86.0000 ;49.8610
P84=-86.5000 ;49.6980
P85=-86.9420 ;49.5000
P86=-87.0000 ;49.4830
P87=-87.5000 ;49.3370
P88=-88.0000 ;49.1350
P89=-88.2890 ;49.0000
P90=-88.5000 ;48.9340
P91=-89.0000 ;48.7760
P92=-89.5000 ;48.5730
P93=-89.8120 ;48.5000
P94=-90.0000 ;48.4720
P95=-90.0740 ;48.5000
P96=-90.0000 ;48.8920
P97=-89.9860 ;49.0000
P98=-89.5840 ;49.5000
P99=-89.5000 ;49.5830
P100=-89.1180 ;50.0000
P101=-89.0000 ;50.1020
P102=-88.5900 ;50.5000
P103=-88.5000 ;50.5680
P104=-88.0030 ;51.0000
P105=-88.0000 ;51.0020
P106=-87.5000 ;51.3650
P107=-87.3400 ;51.5000
P108=-87.0000 ;51.7260
P109=-86.6460 ;52.0000

P110=-86.5000 ;52.0870
P111=-86.0000 ;52.4200
P112=-85.8880 ;52.5000
P113=-85.5000 ;52.6980
P114=-85.0030 ;53.0000
P115=-85.0000 ;53.0010
P116=-84.5000 ;53.2150
P117=-84.0000 ;53.4840
P118=-83.9690 ;53.5000
P119=-83.5000 ;53.6780
P120=-83.0000 ;53.9120
P121=-82.8140 ;54.0000
P122=-82.5000 ;54.1070
P123=-82.0000 ;54.2800
P124=-81.5000 ;54.4600
P125=-81.3770 ;54.5000
P126=-81.0000 ;54.5710
P127=-80.5000 ;54.6700
P128=-80.0000 ;54.7710
P129=-79.5000 ;54.8670
P130=-79.0000 ;54.9550
P131=-78.6990 ;55.0000
P132=-78.5000 ;55.0180
P133=-78.0000 ;55.0550
P134=-77.5000 ;55.0870
P135=-77.0000 ;55.0970
P136=-76.5000 ;55.0920
P137=-76.0000 ;55.0760
P138=-75.5000 ;55.0520
P139=-75.0000 ;55.0020
P140=-74.9850 ;55.0000
P141=-74.5000 ;54.8680
P142=-74.0000 ;54.7260
P143=-73.5000 ;54.5910
P144=-73.2280 ;54.5000
P145=-73.0000 ;54.3690
P146=-72.5000 ;54.0740
P147=-72.3640 ;54.0000
P148=-72.0000 ;53.7180
P149=-71.7910 ;53.5000
P150=-71.5000 ;53.2040
P151=-71.3250 ;53.0000
P152=-71.0000 ;52.6140
P153=-70.9280 ;52.5000
P154=-70.6450 ;52.0000
P155=-70.5000 ;51.7660
P156=-70.3680 ;51.5000
P157=-70.1870 ;51.0000
P158=-70.0050 ;50.5000
P159=-70.0000 ;50.4870
[C6]
gain=-50.00
n_point=72
P1=-74.5000 ;45.6470
P2=-74.5278 ;45.7353
P3=-74.5555 ;45.8235
P4=-74.5832 ;45.9118

P5=-74.6110 ;46.0000
P6=-74.6244 ;46.1000
P7=-74.6378 ;46.2000
P8=-74.6512 ;46.3000
P9=-74.6646 ;46.4000
P10=-74.6780 ;46.5000
P11=-74.7172 ;46.6000
P12=-74.7564 ;46.7000
P13=-74.7956 ;46.8000
P14=-74.8348 ;46.9000
P15=-74.8740 ;47.0000
P16=-74.9370 ;47.0795
P17=-75.0000 ;47.1590
P18=-75.0625 ;47.2443
P19=-75.1250 ;47.3295
P20=-75.1875 ;47.4147
P21=-75.2500 ;47.5000
P22=-75.3125 ;47.5790
P23=-75.3750 ;47.6580
P24=-75.4375 ;47.7370
P25=-75.5000 ;47.8160
P26=-75.5835 ;47.7370
P27=-75.6670 ;47.6580
P28=-75.7505 ;47.5790
P29=-75.8340 ;47.5000
P30=-75.8280 ;47.4000
P31=-75.8220 ;47.3000
P32=-75.8160 ;47.2000
P33=-75.8100 ;47.1000
P34=-75.8040 ;47.0000
P35=-75.7432 ;46.9026
P36=-75.6824 ;46.8052
P37=-75.6216 ;46.7078
P38=-75.5608 ;46.6104
P39=-75.5000 ;46.5130
P40=-75.4880 ;46.5000
P41=-75.4482 ;46.4000
P42=-75.4084 ;46.3000
P43=-75.3686 ;46.2000
P44=-75.3288 ;46.1000
P45=-75.2890 ;46.0000
P46=-75.2312 ;45.9070
P47=-75.1734 ;45.8140
P48=-75.1156 ;45.7210
P49=-75.0578 ;45.6280
P50=-75.0000 ;45.5350
P51=-74.9035 ;45.5175
P52=-74.8070 ;45.5000
P53=-74.7768 ;45.4000
P54=-74.7466 ;45.3000
P55=-74.7164 ;45.2000
P56=-74.6862 ;45.1000
P57=-74.6560 ;45.0000
P58=-74.6170 ;44.9200
P59=-74.5780 ;44.8400
P60=-74.5390 ;44.7600
P61=-74.5000 ;44.6800

P62=-74.4697 ;44.7600
P63=-74.4395 ;44.8400
P64=-74.4092 ;44.9200
P65=-74.3790 ;45.0000
P66=-74.3912 ;45.1000
P67=-74.4034 ;45.2000
P68=-74.4156 ;45.3000
P69=-74.4278 ;45.4000
P70=-74.4400 ;45.5000
P71=-74.4700 ;45.5735
P72=-74.5000 ;45.6470
[C7]
gain=-50.00
n_point=90
P1=-74.0000 ;42.9660
P2=-74.1297 ;42.8107
P3=-74.2593 ;42.6553
P4=-74.3890 ;42.5000
P5=-74.2887 ;42.3333
P6=-74.1883 ;42.1667
P7=-74.0880 ;42.0000
P8=-74.1780 ;41.8333
P9=-74.2680 ;41.6667
P10=-74.3580 ;41.5000
P11=-74.2873 ;41.3333
P12=-74.2167 ;41.1667
P13=-74.1460 ;41.0000
P14=-74.2090 ;40.8333
P15=-74.2720 ;40.6667
P16=-74.3350 ;40.5000
P17=-74.4175 ;40.3650
P18=-74.5000 ;40.2300
P19=-74.5440 ;40.1150
P20=-74.5880 ;40.0000
P21=-74.5440 ;39.7765
P22=-74.5000 ;39.5530
P23=-74.4730 ;39.5000
P24=-74.5000 ;39.4810
P25=-74.5743 ;39.3207
P26=-74.6487 ;39.1603
P27=-74.7230 ;39.0000
P28=-74.6913 ;38.8333
P29=-74.6597 ;38.6667
P30=-74.6280 ;38.5000
P31=-74.6660 ;38.3333
P32=-74.7040 ;38.1667
P33=-74.7420 ;38.0000
P34=-74.7693 ;37.8333
P35=-74.7967 ;37.6667
P36=-74.8240 ;37.5000
P37=-74.9120 ;37.2850
P38=-75.0000 ;37.0700
P39=-75.0270 ;37.0000
P40=-75.0473 ;36.8333
P41=-75.0677 ;36.6667
P42=-75.0880 ;36.5000
P43=-75.0630 ;36.3333

P44=-75.0380 ;36.1667
P45=-75.0130 ;36.0000
P46=-75.0000 ;35.9490
P47=-74.9870 ;36.0000
P48=-74.9090 ;36.1667
P49=-74.8310 ;36.3333
P50=-74.7530 ;36.5000
P51=-74.6265 ;36.7075
P52=-74.5000 ;36.9150
P53=-74.4740 ;37.0000
P54=-74.3893 ;37.1667
P55=-74.3047 ;37.3333
P56=-74.2200 ;37.5000
P57=-74.2173 ;37.6667
P58=-74.2147 ;37.8333
P59=-74.2120 ;38.0000
P60=-74.2027 ;38.1667
P61=-74.1933 ;38.3333
P62=-74.1840 ;38.5000
P63=-74.1277 ;38.6667
P64=-74.0713 ;38.8333
P65=-74.0150 ;39.0000
P66=-74.0000 ;39.0220
P67=-73.9363 ;39.1813
P68=-73.8727 ;39.3407
P69=-73.8090 ;39.5000
P70=-73.8547 ;39.6667
P71=-73.9003 ;39.8333
P72=-73.9460 ;40.0000
P73=-73.8943 ;40.1667
P74=-73.8427 ;40.3333
P75=-73.7910 ;40.5000
P76=-73.8517 ;40.6667
P77=-73.9123 ;40.8333
P78=-73.9730 ;41.0000
P79=-73.8983 ;41.1667
P80=-73.8237 ;41.3333
P81=-73.7490 ;41.5000
P82=-73.8223 ;41.6667
P83=-73.8957 ;41.8333
P84=-73.9690 ;42.0000
P85=-73.9393 ;42.1667
P86=-73.9097 ;42.3333
P87=-73.8800 ;42.5000
P88=-73.9200 ;42.6553
P89=-73.9600 ;42.8107
P90=-74.0000 ;42.9660
[C8]
gain=-40.00
n_point=165
P1=-75.0000 ;43.3100
P2=-74.9750 ;43.0000
P3=-74.9480 ;42.5000
P4=-74.9420 ;42.0000
P5=-74.9240 ;41.5000
P6=-74.9630 ;41.0000
P7=-74.9550 ;40.5000

P8=-75.0000 ;40.0950
P9=-75.0200 ;40.0000
P10=-75.0650 ;39.5000
P11=-75.1950 ;39.0000
P12=-75.2760 ;38.5000
P13=-75.3900 ;38.0000
P14=-75.4570 ;37.5000
P15=-75.5000 ;37.3080
P16=-75.6240 ;37.0000
P17=-75.7780 ;36.5000
P18=-75.9470 ;36.0000
P19=-76.0000 ;35.8270
P20=-76.1620 ;35.5000
P21=-76.3670 ;35.0000
P22=-76.5000 ;34.7000
P23=-76.6260 ;34.5000
P24=-76.9040 ;34.0000
P25=-77.0000 ;33.8120
P26=-77.2160 ;33.5000
P27=-77.5000 ;33.0360
P28=-77.5290 ;33.0000
P29=-77.9100 ;32.5000
P30=-78.0000 ;32.3640
P31=-78.3050 ;32.0000
P32=-78.5000 ;31.7260
P33=-78.7100 ;31.5000
P34=-79.0000 ;31.1100
P35=-79.1130 ;31.0000
P36=-79.5000 ;30.5080
P37=-79.5100 ;30.5000
P38=-80.0000 ;30.0090
P39=-80.0140 ;30.0000
P40=-80.5000 ;29.6720
P41=-80.7690 ;30.0000
P42=-80.5490 ;30.5000
P43=-80.5000 ;30.5900
P44=-80.2100 ;31.0000
P45=-80.0000 ;31.4290
P46=-79.9530 ;31.5000
P47=-79.6380 ;32.0000
P48=-79.5000 ;32.2250
P49=-79.3110 ;32.5000
P50=-79.0670 ;33.0000
P51=-79.0000 ;33.1410
P52=-78.7950 ;33.5000
P53=-78.6110 ;34.0000
P54=-78.5000 ;34.1830
P55=-78.3210 ;34.5000
P56=-78.1520 ;35.0000
P57=-78.0300 ;35.5000
P58=-78.0000 ;35.5580
P59=-77.8150 ;36.0000
P60=-77.7430 ;36.5000
P61=-77.6090 ;37.0000
P62=-77.5890 ;37.5000
P63=-77.5660 ;38.0000
P64=-77.5750 ;38.5000

P65=-77.6320 ;39.0000
P66=-77.7740 ;39.5000
P67=-77.8950 ;40.0000
P68=-78.0000 ;40.1980
P69=-78.1140 ;40.5000
P70=-78.3120 ;41.0000
P71=-78.5000 ;41.3950
P72=-78.5320 ;41.5000
P73=-78.6470 ;42.0000
P74=-79.0000 ;42.4510
P75=-79.0270 ;42.5000
P76=-79.1430 ;43.0000
P77=-79.5000 ;43.4060
P78=-79.6270 ;43.5000
P79=-80.0000 ;43.9260
P80=-80.2140 ;44.0000
P81=-80.5000 ;44.1850
P82=-80.8650 ;44.5000
P83=-81.0000 ;44.5790
P84=-81.5000 ;44.7200
P85=-82.0000 ;44.9200
P86=-82.4130 ;45.0000
P87=-82.5000 ;45.0120
P88=-83.0000 ;45.1770
P89=-83.5000 ;45.2890
P90=-84.0000 ;45.3270
P91=-84.5000 ;45.3140
P92=-85.0000 ;45.2510
P93=-85.5000 ;45.1300
P94=-85.8870 ;45.0000
P95=-86.0000 ;44.9030
P96=-86.5000 ;44.8270
P97=-87.0000 ;44.7320
P98=-87.5000 ;44.5200
P99=-87.5460 ;44.5000
P100=-88.0000 ;44.3390
P101=-88.5000 ;44.1770
P102=-88.8660 ;44.0000
P103=-89.0000 ;43.9450
P104=-89.5000 ;43.7810
P105=-90.0000 ;43.5430
P106=-90.1160 ;43.5000
P107=-90.5000 ;43.3900
P108=-91.0000 ;43.3050
P109=-91.2550 ;43.5000
P110=-91.1030 ;44.0000
P111=-91.0000 ;44.1530
P112=-90.7800 ;44.5000
P113=-90.5000 ;44.8640
P114=-90.4010 ;45.0000
P115=-90.0000 ;45.4640
P116=-89.9700 ;45.5000
P117=-89.5000 ;45.9800
P118=-89.4810 ;46.0000
P119=-89.0000 ;46.4250
P120=-88.9220 ;46.5000
P121=-88.5000 ;46.8180

P122=-88.2820 ;47.0000
P123=-88.0000 ;47.1800
P124=-87.5700 ;47.5000
P125=-87.5000 ;47.5420
P126=-87.0000 ;47.8140
P127=-86.7070 ;48.0000
P128=-86.5000 ;48.0960
P129=-86.0000 ;48.3360
P130=-85.6800 ;48.5000
P131=-85.5000 ;48.5560
P132=-85.0000 ;48.7080
P133=-84.5000 ;48.8840
P134=-84.1650 ;49.0000
P135=-84.0000 ;49.0360
P136=-83.5000 ;49.1050
P137=-83.0000 ;49.1740
P138=-82.5000 ;49.2410
P139=-82.0000 ;49.2940
P140=-81.5000 ;49.3240
P141=-81.0000 ;49.3230
P142=-80.5000 ;49.2900
P143=-80.0000 ;49.2340
P144=-79.5000 ;49.2120
P145=-79.0000 ;49.1260
P146=-78.7150 ;49.0000
P147=-78.5000 ;48.9070
P148=-78.0000 ;48.7120
P149=-77.6720 ;48.5000
P150=-77.5000 ;48.3700
P151=-77.0780 ;48.0000
P152=-77.0000 ;47.9270
P153=-76.5540 ;47.5000
P154=-76.5000 ;47.4320
P155=-76.2370 ;47.0000
P156=-76.0000 ;46.5940
P157=-75.9710 ;46.5000
P158=-75.7180 ;46.0000
P159=-75.5000 ;45.5230
P160=-75.4930 ;45.5000
P161=-75.3270 ;45.0000
P162=-75.2500 ;44.5000
P163=-75.1210 ;44.0000
P164=-75.0230 ;43.5000
P165=-75.0000 ;43.3100
[C9]
gain=-30.00
n_point=99
P1=-77.0000 ;45.2480
P2=-76.9170 ;45.0000
P3=-76.8630 ;44.7500
P4=-76.8090 ;44.5000
P5=-76.7555 ;44.2500
P6=-76.7020 ;44.0000
P7=-76.7030 ;43.7500
P8=-76.7040 ;43.5000
P9=-76.7150 ;43.2500
P10=-76.7260 ;43.0000

P11=-76.8530 ;42.7500
P12=-76.9800 ;42.5000
P13=-77.0000 ;42.4680
P14=-77.0700 ;42.5000
P15=-77.2850 ;42.5580
P16=-77.5000 ;42.6160
P17=-77.6660 ;42.8080
P18=-77.8320 ;43.0000
P19=-78.0000 ;43.1560
P20=-78.1235 ;43.3280
P21=-78.2470 ;43.5000
P22=-78.3735 ;43.6370
P23=-78.5000 ;43.7740
P24=-78.6640 ;44.0000
P25=-78.8320 ;44.1605
P26=-79.0000 ;44.3210
P27=-79.1920 ;44.5000
P28=-79.3460 ;44.6345
P29=-79.5000 ;44.7690
P30=-79.6585 ;44.8845
P31=-79.8170 ;45.0000
P32=-80.0000 ;45.1250
P33=-80.2500 ;45.2645
P34=-80.5000 ;45.4040
P35=-80.7490 ;45.5000
P36=-81.0000 ;45.6280
P37=-81.2500 ;45.7220
P38=-81.5000 ;45.8160
P39=-81.7500 ;45.8735
P40=-82.0000 ;45.9310
P41=-82.2500 ;45.9650
P42=-82.5000 ;45.9990
P43=-82.5080 ;46.0000
P44=-82.7540 ;46.0470
P45=-83.0000 ;46.0940
P46=-83.2500 ;46.1215
P47=-83.5000 ;46.1490
P48=-83.7500 ;46.1645
P49=-84.0000 ;46.1800
P50=-84.2500 ;46.1980
P51=-84.5000 ;46.2160
P52=-84.7500 ;46.2455
P53=-85.0000 ;46.2750
P54=-85.2500 ;46.3350
P55=-85.5000 ;46.3950
P56=-85.6960 ;46.5000
P57=-85.5980 ;46.6525
P58=-85.5000 ;46.8050
P59=-85.4050 ;47.0000
P60=-85.2025 ;47.1225
P61=-85.0000 ;47.2450
P62=-84.8150 ;47.3725
P63=-84.6300 ;47.5000
P64=-84.5000 ;47.5510
P65=-84.2500 ;47.6395
P66=-84.0000 ;47.7280
P67=-83.7500 ;47.8160

P68=-83.5000 ;47.9040
P69=-83.1930 ;48.0000
P70=-83.0000 ;48.0370
P71=-82.7500 ;48.0740
P72=-82.5000 ;48.1110
P73=-82.2500 ;48.1360
P74=-82.0000 ;48.1610
P75=-81.7500 ;48.1710
P76=-81.5000 ;48.1810
P77=-81.2500 ;48.1740
P78=-81.0000 ;48.1670
P79=-80.7500 ;48.1410
P80=-80.5000 ;48.1150
P81=-80.2500 ;48.0710
P82=-80.0000 ;48.0270
P83=-79.8950 ;48.0000
P84=-79.6975 ;47.9275
P85=-79.5000 ;47.8550
P86=-79.2500 ;47.7435
P87=-79.0000 ;47.6320
P88=-78.7510 ;47.5000
P89=-78.5000 ;47.3160
P90=-78.3090 ;47.1580
P91=-78.1180 ;47.0000
P92=-78.0000 ;46.8820
P93=-77.8355 ;46.6910
P94=-77.6710 ;46.5000
P95=-77.5000 ;46.2550
P96=-77.3520 ;46.0000
P97=-77.2300 ;45.7500
P98=-77.1080 ;45.5000
P99=-77.0000 ;45.2480
[C10]
gain=-40.00
n_point=219
P1=-79.0000 ;40.2970
P2=-78.8940 ;40.0000
P3=-78.7930 ;39.5000
P4=-78.7800 ;39.0000
P5=-78.6180 ;38.5000
P6=-78.7080 ;38.0000
P7=-78.5860 ;37.5000
P8=-78.6250 ;37.0000
P9=-78.7190 ;36.5000
P10=-78.7490 ;36.0000
P11=-78.8140 ;35.5000
P12=-79.0000 ;35.1070
P13=-79.0420 ;35.0000
P14=-79.2000 ;34.5000
P15=-79.3530 ;34.0000
P16=-79.5000 ;33.8240
P17=-79.6720 ;33.5000
P18=-79.9220 ;33.0000
P19=-80.0000 ;32.9010
P20=-80.2510 ;32.5000
P21=-80.5000 ;32.1680
P22=-80.6350 ;32.0000

P23=-81.0000 ;31.5670
P24=-81.0620 ;31.5000
P25=-81.5000 ;31.0430
P26=-81.5450 ;31.0000
P27=-82.0000 ;30.5670
P28=-82.0740 ;30.5000
P29=-82.5000 ;30.1020
P30=-82.6140 ;30.0000
P31=-83.0000 ;29.6840
P32=-83.2190 ;29.5000
P33=-83.5000 ;29.2940
P34=-83.8700 ;29.0000
P35=-84.0000 ;28.9180
P36=-84.5000 ;28.5650
P37=-84.5910 ;28.5000
P38=-85.0000 ;28.2830
P39=-85.4030 ;28.0000
P40=-85.5000 ;27.9350
P41=-86.0000 ;27.6100
P42=-86.1470 ;27.5000
P43=-86.5000 ;27.2270
P44=-86.9590 ;27.0000
P45=-87.0000 ;26.8920
P46=-87.5000 ;26.6020
P47=-88.0000 ;26.5450
P48=-88.5000 ;26.5250
P49=-89.0000 ;26.5220
P50=-89.5000 ;26.5100
P51=-89.5340 ;26.5000
P52=-89.5000 ;26.4930
P53=-89.0000 ;26.4740
P54=-88.5000 ;26.4620
P55=-88.0000 ;26.4360
P56=-87.5000 ;26.4030
P57=-87.0000 ;26.3880
P58=-86.5000 ;26.4080
P59=-86.0000 ;26.4540
P60=-85.5000 ;26.4570
P61=-85.3450 ;26.0000
P62=-85.5000 ;25.8790
P63=-85.8680 ;25.5000
P64=-86.0000 ;25.4290
P65=-86.5000 ;25.0930
P66=-86.6170 ;25.0000
P67=-87.0000 ;24.8340
P68=-87.5000 ;24.5730
P69=-87.6390 ;24.5000
P70=-88.0000 ;24.3720
P71=-88.5000 ;24.2270
P72=-89.0000 ;24.1090
P73=-89.5000 ;24.0360
P74=-90.0000 ;24.0170
P75=-90.5000 ;24.0600
P76=-91.0000 ;24.1640
P77=-91.5000 ;24.3090
P78=-92.0000 ;24.4580
P79=-92.0650 ;24.5000

P80=-92.5000 ;24.7380
P81=-93.0000 ;24.9780
P82=-93.0210 ;25.0000
P83=-93.5000 ;25.4010
P84=-93.6040 ;25.5000
P85=-94.0000 ;25.8600
P86=-94.0780 ;26.0000
P87=-94.5000 ;26.4460
P88=-94.5920 ;26.5000
P89=-94.9460 ;27.0000
P90=-95.0000 ;27.0750
P91=-95.2450 ;27.5000
P92=-95.5000 ;27.8860
P93=-95.5800 ;28.0000
P94=-95.7470 ;28.5000
P95=-96.0000 ;28.9500
P96=-96.0340 ;29.0000
P97=-96.1580 ;29.5000
P98=-96.2610 ;30.0000
P99=-96.3930 ;30.5000
P100=-96.5000 ;30.9440
P101=-96.5090 ;31.0000
P102=-96.5540 ;31.5000
P103=-96.5790 ;32.0000
P104=-96.5960 ;32.5000
P105=-96.5860 ;33.0000
P106=-96.5490 ;33.5000
P107=-96.5000 ;33.9040
P108=-96.4640 ;34.0000
P109=-96.2400 ;34.5000
P110=-96.0140 ;35.0000
P111=-96.0000 ;35.0300
P112=-95.9790 ;35.0000
P113=-95.7110 ;34.5000
P114=-95.5000 ;34.1260
P115=-95.4790 ;34.0000
P116=-95.3710 ;33.5000
P117=-95.2490 ;33.0000
P118=-95.0980 ;32.5000
P119=-95.0000 ;32.3060
P120=-94.8990 ;32.0000
P121=-94.7370 ;31.5000
P122=-94.5000 ;31.0900
P123=-94.3850 ;31.0000
P124=-94.2650 ;30.5000
P125=-94.0000 ;30.1470
P126=-93.8440 ;30.0000
P127=-93.5810 ;29.5000
P128=-93.5000 ;29.4040
P129=-93.2570 ;29.0000
P130=-93.0000 ;28.6930
P131=-92.7710 ;28.5000
P132=-92.5000 ;28.2540
P133=-92.2470 ;28.0000
P134=-92.0000 ;27.7470
P135=-91.7170 ;27.5000
P136=-91.5000 ;27.3310

P137=-91.0000 ;27.4000
P138=-90.9870 ;27.5000
P139=-91.0000 ;27.5080
P140=-91.5000 ;27.7480
P141=-91.7150 ;28.0000
P142=-92.0000 ;28.2710
P143=-92.2290 ;28.5000
P144=-92.5000 ;28.7950
P145=-92.6700 ;29.0000
P146=-93.0000 ;29.4980
P147=-93.0080 ;29.5000
P148=-93.3010 ;30.0000
P149=-93.5000 ;30.3110
P150=-93.6790 ;30.5000
P151=-93.8720 ;31.0000
P152=-94.0000 ;31.3600
P153=-94.1120 ;31.5000
P154=-94.2220 ;32.0000
P155=-94.3560 ;32.5000
P156=-94.4330 ;33.0000
P157=-94.4690 ;33.5000
P158=-94.4780 ;34.0000
P159=-94.4550 ;34.5000
P160=-94.3880 ;35.0000
P161=-94.2890 ;35.5000
P162=-94.1710 ;36.0000
P163=-94.0340 ;36.5000
P164=-94.0000 ;36.5930
P165=-93.8070 ;37.0000
P166=-93.5830 ;37.5000
P167=-93.5000 ;37.6760
P168=-93.2900 ;38.0000
P169=-93.0070 ;38.5000
P170=-93.0000 ;38.5120
P171=-92.6250 ;39.0000
P172=-92.5000 ;39.1840
P173=-92.2440 ;39.5000
P174=-92.0000 ;39.8330
P175=-91.8640 ;40.0000
P176=-91.5000 ;40.4700
P177=-91.4760 ;40.5000
P178=-91.0450 ;41.0000
P179=-91.0000 ;41.0490
P180=-90.5910 ;41.5000
P181=-90.5000 ;41.5910
P182=-90.1060 ;42.0000
P183=-90.0000 ;42.0990
P184=-89.5650 ;42.5000
P185=-89.5000 ;42.5600
P186=-89.0000 ;42.9410
P187=-88.9250 ;43.0000
P188=-88.5000 ;43.2880
P189=-88.1630 ;43.5000
P190=-88.0000 ;43.6260
P191=-87.5000 ;43.8470
P192=-87.1690 ;44.0000
P193=-87.0000 ;44.1280

P194=-86.5000 ;44.2370
P195=-86.0000 ;44.3690
P196=-85.5570 ;44.5000
P197=-85.5000 ;44.5670
P198=-85.0000 ;44.6570
P199=-84.5000 ;44.6550
P200=-84.0000 ;44.6670
P201=-83.5000 ;44.6990
P202=-83.0000 ;44.7460
P203=-82.5940 ;44.5000
P204=-82.5000 ;44.4680
P205=-82.0000 ;44.3260
P206=-81.5000 ;44.2700
P207=-81.3070 ;44.0000
P208=-81.0000 ;43.7730
P209=-80.6050 ;43.5000
P210=-80.5000 ;43.3930
P211=-80.3210 ;43.0000
P212=-80.0250 ;42.5000
P213=-80.0000 ;42.4650
P214=-79.7240 ;42.0000
P215=-79.5000 ;41.6540
P216=-79.4060 ;41.5000
P217=-79.1790 ;41.0000
P218=-79.0670 ;40.5000
P219=-79.0000 ;40.2970

[C11]

gain=-30.00

n_point=120

P1=-79.5000 ;39.2120
P2=-79.4590 ;39.0000
P3=-79.4315 ;38.7500
P4=-79.4040 ;38.5000
P5=-79.3755 ;38.2500
P6=-79.3470 ;38.0000
P7=-79.3455 ;37.7500
P8=-79.3440 ;37.5000
P9=-79.3440 ;37.2500
P10=-79.3440 ;37.0000
P11=-79.3740 ;36.7500
P12=-79.4040 ;36.5000
P13=-79.4440 ;36.2500
P14=-79.4840 ;36.0000
P15=-79.5000 ;35.9140
P16=-79.6330 ;35.5000
P17=-79.7345 ;35.2500
P18=-79.8360 ;35.0000
P19=-79.9180 ;34.7745
P20=-80.0000 ;34.5490
P21=-80.0310 ;34.5000
P22=-80.1815 ;34.2500
P23=-80.3320 ;34.0000
P24=-80.5000 ;33.6840
P25=-80.6730 ;33.5000
P26=-80.8365 ;33.2840
P27=-81.0000 ;33.0680
P28=-81.2080 ;33.0000

P29=-81.5000 ;32.8510
P30=-81.5440 ;33.0000
P31=-81.5325 ;33.2500
P32=-81.5210 ;33.5000
P33=-81.5000 ;33.7250
P34=-81.4400 ;34.0000
P35=-81.3420 ;34.2500
P36=-81.2440 ;34.5000
P37=-81.1865 ;34.7500
P38=-81.1290 ;35.0000
P39=-81.1100 ;35.2500
P40=-81.0910 ;35.5000
P41=-81.0760 ;35.7500
P42=-81.0610 ;36.0000
P43=-81.0305 ;36.2450
P44=-81.0000 ;36.4900
P45=-80.9980 ;36.5000
P46=-81.0000 ;36.5310
P47=-81.0055 ;36.7655
P48=-81.0110 ;37.0000
P49=-81.0000 ;37.2220
P50=-80.9590 ;37.5000
P51=-81.0000 ;37.6430
P52=-81.0380 ;38.0000
P53=-81.0720 ;38.2500
P54=-81.1060 ;38.5000
P55=-81.2630 ;38.7500
P56=-81.4200 ;39.0000
P57=-81.5000 ;39.0890
P58=-81.7210 ;39.5000
P59=-82.0000 ;39.7440
P60=-82.2500 ;39.8695
P61=-82.5000 ;39.9950
P62=-82.5090 ;40.0000
P63=-83.0000 ;40.2370
P64=-83.5000 ;40.4160
P65=-83.7760 ;40.5000
P66=-84.0000 ;40.6000
P67=-84.5000 ;40.7910
P68=-85.0000 ;40.8610
P69=-85.5000 ;40.8540
P70=-86.0000 ;40.8540
P71=-86.5000 ;40.8920
P72=-87.0000 ;40.9320
P73=-87.5000 ;40.9590
P74=-88.0000 ;40.9780
P75=-88.5000 ;40.9760
P76=-88.8380 ;41.0000
P77=-89.0000 ;41.1660
P78=-89.0890 ;41.5000
P79=-89.0000 ;41.6330
P80=-88.7830 ;42.0000
P81=-88.5000 ;42.2850
P82=-88.3020 ;42.5000
P83=-88.0000 ;42.7210
P84=-87.6480 ;43.0000
P85=-87.5000 ;43.0800

P86=-87.2500 ;43.2185
P87=-87.0000 ;43.3570
P88=-86.7500 ;43.5000
P89=-86.5000 ;43.5910
P90=-86.0000 ;43.7700
P91=-85.5000 ;43.9480
P92=-85.3090 ;44.0000
P93=-85.0000 ;44.0470
P94=-84.5000 ;44.0980
P95=-84.0000 ;44.1190
P96=-83.5000 ;44.0990
P97=-83.0000 ;44.0400
P98=-82.7880 ;44.0000
P99=-82.5000 ;43.9020
P100=-82.0000 ;43.6690
P101=-81.6920 ;43.5000
P102=-81.5000 ;43.3550
P103=-81.2860 ;43.1775
P104=-81.0720 ;43.0000
P105=-81.0000 ;42.9170
P106=-80.8540 ;42.7085
P107=-80.7080 ;42.5000
P108=-80.5000 ;42.2010
P109=-80.3950 ;42.0000
P110=-80.2815 ;41.7500
P111=-80.1680 ;41.5000
P112=-80.0000 ;41.0930
P113=-79.9740 ;41.0000
P114=-79.9170 ;40.7500
P115=-79.8600 ;40.5000
P116=-79.7900 ;40.2500
P117=-79.7200 ;40.0000
P118=-79.6570 ;39.7500
P119=-79.5940 ;39.5000
P120=-79.5000 ;39.2120
[C12]
gain=-30.00
n_point=114
P1=-82.0000 ;37.5140
P2=-81.9960 ;37.5000
P3=-81.9515 ;37.2500
P4=-81.9070 ;37.0000
P5=-81.8960 ;36.7500
P6=-81.8850 ;36.5000
P7=-81.8750 ;36.2500
P8=-81.8650 ;36.0000
P9=-81.9170 ;35.7500
P10=-81.9690 ;35.5000
P11=-82.0000 ;35.3770
P12=-82.0610 ;35.0000
P13=-82.1090 ;34.7500
P14=-82.1570 ;34.5000
P15=-82.2195 ;34.2500
P16=-82.2820 ;34.0000
P17=-82.3745 ;33.7500
P18=-82.4670 ;33.5000
P19=-82.5000 ;33.4430

P20=-82.5755 ;33.2215
P21=-82.6510 ;33.0000
P22=-82.7235 ;32.7500
P23=-82.7960 ;32.5000
P24=-83.0000 ;32.1730
P25=-83.0880 ;32.0000
P26=-83.2180 ;31.7500
P27=-83.3480 ;31.5000
P28=-83.5000 ;31.3020
P29=-83.7110 ;31.0000
P30=-84.0000 ;30.6630
P31=-84.1620 ;30.5000
P32=-84.5000 ;30.1920
P33=-84.7860 ;30.0000
P34=-85.0000 ;29.8520
P35=-85.2500 ;29.7395
P36=-85.5000 ;29.6270
P37=-85.9580 ;29.5000
P38=-86.0000 ;29.4830
P39=-86.5000 ;29.3630
P40=-87.0000 ;29.3450
P41=-87.5000 ;29.4210
P42=-87.6170 ;29.5000
P43=-88.0000 ;29.6100
P44=-88.2500 ;29.6925
P45=-88.5000 ;29.7750
P46=-88.9160 ;30.0000
P47=-89.0000 ;30.0480
P48=-89.2500 ;30.1525
P49=-89.5000 ;30.2570
P50=-89.6120 ;30.5000
P51=-89.8060 ;30.6815
P52=-90.0000 ;30.8630
P53=-90.2560 ;31.0000
P54=-90.5000 ;31.2600
P55=-90.7560 ;31.5000
P56=-91.0000 ;31.8100
P57=-91.2290 ;32.0000
P58=-91.3365 ;32.2500
P59=-91.4440 ;32.5000
P60=-91.5000 ;32.6310
P61=-91.7530 ;33.0000
P62=-91.8275 ;33.2500
P63=-91.9020 ;33.5000
P64=-91.9415 ;33.7500
P65=-91.9810 ;34.0000
P66=-92.0000 ;34.2560
P67=-92.0790 ;34.5000
P68=-92.0860 ;34.7500
P69=-92.0930 ;35.0000
P70=-92.0615 ;35.2500
P71=-92.0300 ;35.5000
P72=-92.0000 ;35.6030
P73=-91.9620 ;36.0000
P74=-91.9120 ;36.2500
P75=-91.8620 ;36.5000
P76=-91.7715 ;36.7500

P77=-91.6810 ;37.0000
P78=-91.5000 ;37.2820
P79=-91.3920 ;37.5000
P80=-91.2260 ;37.7500
P81=-91.0600 ;38.0000
P82=-91.0000 ;38.0610
P83=-90.8135 ;38.2805
P84=-90.6270 ;38.5000
P85=-90.5000 ;38.6090
P86=-90.2715 ;38.8045
P87=-90.0430 ;39.0000
P88=-90.0000 ;39.0310
P89=-89.7500 ;39.1770
P90=-89.5000 ;39.3230
P91=-89.2000 ;39.5000
P92=-89.0000 ;39.6080
P93=-88.5000 ;39.7610
P94=-88.0000 ;39.8620
P95=-87.6570 ;40.0000
P96=-87.5000 ;40.0820
P97=-87.0000 ;40.2220
P98=-86.5000 ;40.2870
P99=-86.0000 ;40.2920
P100=-85.5000 ;40.2340
P101=-85.0000 ;40.1580
P102=-84.5000 ;40.0960
P103=-84.3880 ;40.0000
P104=-84.0000 ;39.7920
P105=-83.5000 ;39.6260
P106=-83.3280 ;39.5000
P107=-83.0000 ;39.2230
P108=-82.7800 ;39.0000
P109=-82.5000 ;38.6720
P110=-82.3720 ;38.5000
P111=-82.2510 ;38.2500
P112=-82.1300 ;38.0000
P113=-82.0650 ;37.7570
P114=-82.0000 ;37.5140
[C13]
gain=-20.00
n_point=115
P1=-82.5000 ;37.4360
P2=-82.4735 ;37.2180
P3=-82.4470 ;37.0000
P4=-82.4285 ;36.7500
P5=-82.4100 ;36.5000
P6=-82.4150 ;36.2500
P7=-82.4200 ;36.0000
P8=-82.4465 ;35.7500
P9=-82.4730 ;35.5000
P10=-82.5000 ;35.2950
P11=-82.5640 ;35.0000
P12=-82.6350 ;34.7500
P13=-82.7060 ;34.5000
P14=-82.7885 ;34.2500
P15=-82.8710 ;34.0000
P16=-83.0000 ;33.6180

P17=-83.0560 ;33.5000
P18=-83.1800 ;33.2500
P19=-83.3040 ;33.0000
P20=-83.4020 ;32.8000
P21=-83.5000 ;32.6000
P22=-83.5630 ;32.5000
P23=-83.7325 ;32.2500
P24=-83.9020 ;32.0000
P25=-84.0000 ;31.8610
P26=-84.1555 ;31.6805
P27=-84.3110 ;31.5000
P28=-84.5000 ;31.2940
P29=-84.8220 ;31.0000
P30=-85.0000 ;30.8570
P31=-85.2500 ;30.6925
P32=-85.5000 ;30.5280
P33=-85.5530 ;30.5000
P34=-85.7765 ;30.4025
P35=-86.0000 ;30.3050
P36=-86.2500 ;30.2325
P37=-86.5000 ;30.1600
P38=-86.7500 ;30.1235
P39=-87.0000 ;30.0870
P40=-87.2500 ;30.0885
P41=-87.5000 ;30.0900
P42=-87.7500 ;30.1360
P43=-88.0000 ;30.1820
P44=-88.2500 ;30.2580
P45=-88.5000 ;30.3340
P46=-88.7160 ;30.4170
P47=-88.9320 ;30.5000
P48=-89.0000 ;30.5360
P49=-89.2500 ;30.7085
P50=-89.5000 ;30.8810
P51=-89.6480 ;31.0000
P52=-89.8240 ;31.1610
P53=-90.0000 ;31.3220
P54=-90.1600 ;31.5000
P55=-90.3300 ;31.7060
P56=-90.5000 ;31.9120
P57=-90.5640 ;32.0000
P58=-90.7020 ;32.2500
P59=-90.8400 ;32.5000
P60=-91.0000 ;32.8270
P61=-91.0640 ;33.0000
P62=-91.1355 ;33.2500
P63=-91.2070 ;33.5000
P64=-91.2560 ;33.7500
P65=-91.3050 ;34.0000
P66=-91.3285 ;34.2500
P67=-91.3520 ;34.5000
P68=-91.3480 ;34.7500
P69=-91.3440 ;35.0000
P70=-91.3140 ;35.2500
P71=-91.2840 ;35.5000
P72=-91.2310 ;35.7500
P73=-91.1780 ;36.0000

P74=-91.1040 ;36.2500
P75=-91.0300 ;36.5000
P76=-91.0000 ;36.5740
P77=-90.8950 ;36.7870
P78=-90.7900 ;37.0000
P79=-90.6460 ;37.2500
P80=-90.5020 ;37.5000
P81=-90.5000 ;37.5030
P82=-90.3005 ;37.7515
P83=-90.1010 ;38.0000
P84=-90.0000 ;38.1080
P85=-89.7955 ;38.3040
P86=-89.5910 ;38.5000
P87=-89.5000 ;38.5720
P88=-89.2500 ;38.7525
P89=-89.0000 ;38.9330
P90=-88.8950 ;39.0000
P91=-88.5000 ;39.1860
P92=-88.2500 ;39.2995
P93=-88.0000 ;39.4130
P94=-87.7730 ;39.5000
P95=-87.5000 ;39.5600
P96=-87.0000 ;39.6520
P97=-86.5000 ;39.7110
P98=-86.0000 ;39.7290
P99=-85.5000 ;39.7050
P100=-85.0000 ;39.6360
P101=-84.5000 ;39.5190
P102=-84.4410 ;39.5000
P103=-84.2205 ;39.3890
P104=-84.0000 ;39.2780
P105=-83.7645 ;39.1390
P106=-83.5290 ;39.0000
P107=-83.5000 ;38.9760
P108=-83.2535 ;38.7380
P109=-83.0070 ;38.5000
P110=-83.0000 ;38.4900
P111=-82.8655 ;38.2450
P112=-82.7310 ;38.0000
P113=-82.6225 ;37.7500
P114=-82.5140 ;37.5000
P115=-82.5000 ;37.4360
[C14]
gain=-10.00
n_point=97
P1=-83.5000 ;36.5730
P2=-83.4860 ;36.5000
P3=-83.4715 ;36.2500
P4=-83.4570 ;36.0000
P5=-83.4675 ;35.7500
P6=-83.4780 ;35.5000
P7=-83.5000 ;35.3540
P8=-83.5330 ;35.1770
P9=-83.5660 ;35.0000
P10=-83.6395 ;34.7500
P11=-83.7130 ;34.5000
P12=-83.8030 ;34.2500

P13=-83.8930 ;34.0000
P14=-84.0000 ;33.7550
P15=-84.1350 ;33.5000
P16=-84.2845 ;33.2500
P17=-84.4340 ;33.0000
P18=-84.5000 ;32.9020
P19=-84.6615 ;32.7010
P20=-84.8230 ;32.5000
P21=-85.0000 ;32.3050
P22=-85.1670 ;32.1525
P23=-85.3340 ;32.0000
P24=-85.5000 ;31.8670
P25=-85.7500 ;31.7065
P26=-86.0000 ;31.5460
P27=-86.0960 ;31.5000
P28=-86.2980 ;31.4185
P29=-86.5000 ;31.3370
P30=-86.7500 ;31.2800
P31=-87.0000 ;31.2230
P32=-87.2500 ;31.2110
P33=-87.5000 ;31.1990
P34=-87.7500 ;31.2330
P35=-88.0000 ;31.2670
P36=-88.2500 ;31.3505
P37=-88.5000 ;31.4340
P38=-88.6320 ;31.5000
P39=-88.8160 ;31.6145
P40=-89.0000 ;31.7290
P41=-89.1595 ;31.8645
P42=-89.3190 ;32.0000
P43=-89.5000 ;32.1920
P44=-89.6115 ;32.3460
P45=-89.7230 ;32.5000
P46=-89.8615 ;32.7355
P47=-90.0000 ;32.9710
P48=-90.0140 ;33.0000
P49=-90.0965 ;33.2500
P50=-90.1790 ;33.5000
P51=-90.2275 ;33.7500
P52=-90.2760 ;34.0000
P53=-90.2925 ;34.2500
P54=-90.3090 ;34.5000
P55=-90.2935 ;34.7500
P56=-90.2780 ;35.0000
P57=-90.2305 ;35.2500
P58=-90.1830 ;35.5000
P59=-90.1075 ;35.7500
P60=-90.0320 ;36.0000
P61=-90.0000 ;36.0800
P62=-89.8955 ;36.2900
P63=-89.7910 ;36.5000
P64=-89.6455 ;36.7355
P65=-89.5000 ;36.9710
P66=-89.4790 ;37.0000
P67=-89.2550 ;37.2500
P68=-89.0310 ;37.5000
P69=-89.0000 ;37.5300

P70=-88.7500 ;37.7315
P71=-88.5000 ;37.9330
P72=-88.3990 ;38.0000
P73=-88.1995 ;38.1120
P74=-88.0000 ;38.2240
P75=-87.7500 ;38.3380
P76=-87.5000 ;38.4520
P77=-87.3510 ;38.5000
P78=-87.0000 ;38.5930
P79=-86.7500 ;38.6300
P80=-86.5000 ;38.6670
P81=-86.2500 ;38.6715
P82=-86.0000 ;38.6760
P83=-85.7500 ;38.6455
P84=-85.5000 ;38.6150
P85=-85.2760 ;38.5575
P86=-85.0520 ;38.5000
P87=-85.0000 ;38.4820
P88=-84.7500 ;38.3400
P89=-84.5000 ;38.1980
P90=-84.2470 ;38.0000
P91=-84.1235 ;37.8695
P92=-84.0000 ;37.7390
P93=-83.8380 ;37.5000
P94=-83.7265 ;37.2500
P95=-83.6150 ;37.0000
P96=-83.5575 ;36.7865
P97=-83.5000 ;36.5730

[C15]

gain=-6.00

n_point=94

P1=-84.5000 ;37.0000
P2=-84.4330 ;36.8333
P3=-84.3660 ;36.6667
P4=-84.2990 ;36.5000
P5=-84.2643 ;36.3333
P6=-84.2297 ;36.1667
P7=-84.1950 ;36.0000
P8=-84.1930 ;35.8333
P9=-84.1910 ;35.6667
P10=-84.1890 ;35.5000
P11=-84.2133 ;35.3333
P12=-84.2377 ;35.1667
P13=-84.2620 ;35.0000
P14=-84.3053 ;34.8333
P15=-84.3487 ;34.6667
P16=-84.3920 ;34.5000
P17=-84.4460 ;34.3505
P18=-84.5000 ;34.2010
P19=-84.5880 ;34.0000
P20=-84.6837 ;33.8333
P21=-84.7793 ;33.6667
P22=-84.8750 ;33.5000
P23=-85.0000 ;33.3160
P24=-85.1300 ;33.1580
P25=-85.2600 ;33.0000
P26=-85.3800 ;32.8730

P27=-85.5000 ;32.7460
P28=-85.6475 ;32.6230
P29=-85.7950 ;32.5000
P30=-86.0000 ;32.3530
P31=-86.2500 ;32.2250
P32=-86.5000 ;32.0970
P33=-86.6585 ;32.0485
P34=-86.8170 ;32.0000
P35=-87.0000 ;31.9550
P36=-87.2500 ;31.9405
P37=-87.5000 ;31.9260
P38=-87.7190 ;31.9630
P39=-87.9380 ;32.0000
P40=-88.0000 ;32.0140
P41=-88.2500 ;32.1365
P42=-88.5000 ;32.2590
P43=-88.6515 ;32.3795
P44=-88.8030 ;32.5000
P45=-88.9015 ;32.6005
P46=-89.0000 ;32.7010
P47=-89.1090 ;32.8505
P48=-89.2180 ;33.0000
P49=-89.3030 ;33.1667
P50=-89.3880 ;33.3333
P51=-89.4730 ;33.5000
P52=-89.5000 ;33.5960
P53=-89.5450 ;33.7980
P54=-89.5900 ;34.0000
P55=-89.6033 ;34.1667
P56=-89.6167 ;34.3333
P57=-89.6300 ;34.5000
P58=-89.6197 ;34.6667
P59=-89.6093 ;34.8333
P60=-89.5990 ;35.0000
P61=-89.5495 ;35.2165
P62=-89.5000 ;35.4330
P63=-89.4810 ;35.5000
P64=-89.4087 ;35.6667
P65=-89.3363 ;35.8333
P66=-89.2640 ;36.0000
P67=-89.1760 ;36.1550
P68=-89.0880 ;36.3100
P69=-89.0000 ;36.4650
P70=-88.9760 ;36.5000
P71=-88.8307 ;36.6667
P72=-88.6853 ;36.8333
P73=-88.5400 ;37.0000
P74=-88.5000 ;37.0370
P75=-88.3333 ;37.1633
P76=-88.1667 ;37.2897
P77=-88.0000 ;37.4160
P78=-87.8550 ;37.5000
P79=-87.6775 ;37.5865
P80=-87.5000 ;37.6730
P81=-87.2500 ;37.7555
P82=-87.0000 ;37.8380
P83=-86.7500 ;37.8780

P84=-86.5000 ;37.9180
P85=-86.2500 ;37.9120
P86=-86.0000 ;37.9060
P87=-85.7500 ;37.8465
P88=-85.5000 ;37.7870
P89=-85.2500 ;37.6620
P90=-85.0000 ;37.5370
P91=-84.9510 ;37.5000
P92=-84.8007 ;37.3333
P93=-84.6503 ;37.1667
P94=-84.5000 ;37.0000

[C16]

gain=-4.00

n_point=86

P1=-85.0000 ;36.7010
P2=-84.9415 ;36.6005
P3=-84.8830 ;36.5000
P4=-84.8270 ;36.3333
P5=-84.7710 ;36.1667
P6=-84.7150 ;36.0000
P7=-84.6980 ;35.8333
P8=-84.6810 ;35.6667
P9=-84.6640 ;35.5000
P10=-84.6853 ;35.3333
P11=-84.7067 ;35.1667
P12=-84.7280 ;35.0000
P13=-84.7733 ;34.8333
P14=-84.8187 ;34.6667
P15=-84.8640 ;34.5000
P16=-84.9320 ;34.3280
P17=-85.0000 ;34.1560
P18=-85.0770 ;34.0000
P19=-85.1863 ;33.8333
P20=-85.2957 ;33.6667
P21=-85.4050 ;33.5000
P22=-85.5000 ;33.3820
P23=-85.6313 ;33.2547
P24=-85.7627 ;33.1273
P25=-85.8940 ;33.0000
P26=-86.0000 ;32.9130
P27=-86.1667 ;32.8157
P28=-86.3333 ;32.7183
P29=-86.5000 ;32.6210
P30=-86.6745 ;32.5605
P31=-86.8490 ;32.5000
P32=-87.0000 ;32.4580
P33=-87.1667 ;32.4527
P34=-87.3333 ;32.4473
P35=-87.5000 ;32.4420
P36=-87.6285 ;32.4710
P37=-87.7570 ;32.5000
P38=-87.8785 ;32.5355
P39=-88.0000 ;32.5710
P40=-88.1667 ;32.6787
P41=-88.3333 ;32.7863
P42=-88.5000 ;32.8940
P43=-88.6040 ;33.0000

P44=-88.7230 ;33.1667
P45=-88.8420 ;33.3333
P46=-88.9610 ;33.5000
P47=-89.0000 ;33.5990
P48=-89.0555 ;33.7995
P49=-89.1110 ;34.0000
P50=-89.1280 ;34.1667
P51=-89.1450 ;34.3333
P52=-89.1620 ;34.5000
P53=-89.1507 ;34.6667
P54=-89.1393 ;34.8333
P55=-89.1280 ;35.0000
P56=-89.0857 ;35.1667
P57=-89.0433 ;35.3333
P58=-89.0010 ;35.5000
P59=-89.0000 ;35.5030
P60=-88.9133 ;35.6687
P61=-88.8267 ;35.8343
P62=-88.7400 ;36.0000
P63=-88.6200 ;36.1780
P64=-88.5000 ;36.3560
P65=-88.3740 ;36.5000
P66=-88.2493 ;36.6137
P67=-88.1247 ;36.7273
P68=-88.0000 ;36.8410
P69=-87.8835 ;36.9205
P70=-87.7670 ;37.0000
P71=-87.6335 ;37.0725
P72=-87.5000 ;37.1450
P73=-87.3333 ;37.2043
P74=-87.1667 ;37.2637
P75=-87.0000 ;37.3230
P76=-86.7500 ;37.3625
P77=-86.5000 ;37.4020
P78=-86.2500 ;37.3815
P79=-86.0000 ;37.3610
P80=-85.8333 ;37.2943
P81=-85.6667 ;37.2277
P82=-85.5000 ;37.1610
P83=-85.3870 ;37.0805
P84=-85.2740 ;37.0000
P85=-85.1370 ;36.8505
P86=-85.0000 ;36.7010
[C17]
gain=-2.00
n_point=81
P1=-85.5000 ;36.0680
P2=-85.4630 ;36.0000
P3=-85.4318 ;35.8750
P4=-85.4005 ;35.7500
P5=-85.3692 ;35.6250
P6=-85.3380 ;35.5000
P7=-85.3433 ;35.3750
P8=-85.3485 ;35.2500
P9=-85.3537 ;35.1250
P10=-85.3590 ;35.0000
P11=-85.3910 ;34.8750

P12=-85.4230 ;34.7500
P13=-85.4550 ;34.6250
P14=-85.4870 ;34.5000
P15=-85.5000 ;34.4730
P16=-85.5700 ;34.3547
P17=-85.6400 ;34.2365
P18=-85.7100 ;34.1182
P19=-85.7800 ;34.0000
P20=-85.8533 ;33.9087
P21=-85.9267 ;33.8173
P22=-86.0000 ;33.7260
P23=-86.0847 ;33.6507
P24=-86.1693 ;33.5753
P25=-86.2540 ;33.5000
P26=-86.3770 ;33.4160
P27=-86.5000 ;33.3320
P28=-86.6250 ;33.2885
P29=-86.7500 ;33.2450
P30=-86.8750 ;33.2015
P31=-87.0000 ;33.1580
P32=-87.1667 ;33.1610
P33=-87.3333 ;33.1640
P34=-87.5000 ;33.1670
P35=-87.6250 ;33.2215
P36=-87.7500 ;33.2760
P37=-87.8750 ;33.3305
P38=-88.0000 ;33.3850
P39=-88.0610 ;33.4425
P40=-88.1220 ;33.5000
P41=-88.1995 ;33.6250
P42=-88.2770 ;33.7500
P43=-88.3545 ;33.8750
P44=-88.4320 ;34.0000
P45=-88.4660 ;34.1260
P46=-88.5000 ;34.2520
P47=-88.5215 ;34.3760
P48=-88.5430 ;34.5000
P49=-88.5342 ;34.6250
P50=-88.5255 ;34.7500
P51=-88.5168 ;34.8750
P52=-88.5080 ;35.0000
P53=-88.5000 ;35.0270
P54=-88.4518 ;35.1453
P55=-88.4035 ;35.2635
P56=-88.3552 ;35.3817
P57=-88.3070 ;35.5000
P58=-88.2302 ;35.6210
P59=-88.1535 ;35.7420
P60=-88.0768 ;35.8630
P61=-88.0000 ;35.9840
P62=-87.9860 ;36.0000
P63=-87.8645 ;36.1003
P64=-87.7430 ;36.2005
P65=-87.6215 ;36.3008
P66=-87.5000 ;36.4010
P67=-87.4035 ;36.4505
P68=-87.3070 ;36.5000

P69=-87.1535 ;36.5615
P70=-87.0000 ;36.6230
P71=-86.8333 ;36.6393
P72=-86.6667 ;36.6557
P73=-86.5000 ;36.6720
P74=-86.3333 ;36.6303
P75=-86.1667 ;36.5887
P76=-86.0000 ;36.5470
P77=-85.9230 ;36.5000
P78=-85.8173 ;36.3920
P79=-85.7115 ;36.2840
P80=-85.6058 ;36.1760
P81=-85.5000 ;36.0680

[C18]

gain=-50.00

n_point=96

P1=-78.0000 ;31.1300
P2=-78.1030 ;31.0000
P3=-78.3015 ;30.8450
P4=-78.5000 ;30.6900
P5=-78.6620 ;30.5000
P6=-78.8310 ;30.3125
P7=-79.0000 ;30.1250
P8=-79.1150 ;30.0000
P9=-79.3075 ;29.7670
P10=-79.5000 ;29.5340
P11=-79.5330 ;29.5000
P12=-79.7610 ;29.2500
P13=-79.9890 ;29.0000
P14=-80.0000 ;28.9850
P15=-80.2500 ;28.7540
P16=-80.5000 ;28.5230
P17=-80.5260 ;28.5000
P18=-80.7630 ;28.2960
P19=-81.0000 ;28.0920
P20=-81.1080 ;28.0000
P21=-81.3040 ;27.8375
P22=-81.5000 ;27.6750
P23=-81.7230 ;27.5000
P24=-82.0000 ;27.2850
P25=-82.2065 ;27.1425
P26=-82.4130 ;27.0000
P27=-82.5000 ;26.9400
P28=-82.7500 ;26.7890
P29=-83.0000 ;26.6380
P30=-83.1650 ;26.5000
P31=-83.3325 ;26.4000
P32=-83.5000 ;26.3000
P33=-83.6935 ;26.1500
P34=-83.8870 ;26.0000
P35=-84.0000 ;25.9340
P36=-84.2500 ;25.7535
P37=-84.5000 ;25.5730
P38=-84.5880 ;25.5000
P39=-84.7940 ;25.3815
P40=-85.0000 ;25.2630
P41=-85.1920 ;25.1315

P42=-85.3840 ;25.0000
P43=-85.5000 ;24.8820
P44=-85.7500 ;24.7735
P45=-86.0000 ;24.6650
P46=-86.2640 ;24.5000
P47=-86.1320 ;24.3355
P48=-86.0000 ;24.1710
P49=-85.7500 ;24.1900
P50=-85.5000 ;24.2090
P51=-85.2500 ;24.3120
P52=-85.0000 ;24.4150
P53=-84.8680 ;24.5000
P54=-84.6840 ;24.5520
P55=-84.5000 ;24.6040
P56=-84.2500 ;24.8010
P57=-84.0000 ;24.9980
P58=-83.9980 ;25.0000
P59=-83.7490 ;25.1460
P60=-83.5000 ;25.2920
P61=-83.2460 ;25.5000
P62=-83.0000 ;25.6610
P63=-82.7815 ;25.8305
P64=-82.5630 ;26.0000
P65=-82.5000 ;26.0560
P66=-82.2500 ;26.2325
P67=-82.0000 ;26.4090
P68=-81.8870 ;26.5000
P69=-81.6935 ;26.6320
P70=-81.5000 ;26.7640
P71=-81.3445 ;26.8820
P72=-81.1890 ;27.0000
P73=-81.0000 ;27.1180
P74=-80.7610 ;27.3090
P75=-80.5220 ;27.5000
P76=-80.5000 ;27.5160
P77=-80.2500 ;27.7225
P78=-80.0000 ;27.9290
P79=-79.9300 ;28.0000
P80=-79.7150 ;28.2130
P81=-79.5000 ;28.4260
P82=-79.4330 ;28.5000
P83=-79.2285 ;28.7500
P84=-79.0240 ;29.0000
P85=-79.0000 ;29.0370
P86=-78.8030 ;29.2685
P87=-78.6060 ;29.5000
P88=-78.5000 ;29.6710
P89=-78.3705 ;29.8355
P90=-78.2410 ;30.0000
P91=-78.1205 ;30.2480
P92=-78.0000 ;30.4960
P93=-77.9970 ;30.5000
P94=-77.9240 ;30.7500
P95=-77.8510 ;31.0000
P96=-78.0000 ;31.1300
[C19]
gain=-15.00

n_point=102
P1=-87.8408 ;38.8868
P2=-87.9781 ;38.8256
P3=-88.0638 ;38.7866
P4=-88.4237 ;38.5957
P5=-88.7837 ;38.4048
P6=-89.0020 ;38.2270
P7=-89.2204 ;38.0491
P8=-89.4388 ;37.8713
P9=-89.4676 ;37.8418
P10=-89.6490 ;37.6312
P11=-89.8304 ;37.4205
P12=-90.0118 ;37.2098
P13=-90.1308 ;37.0131
P14=-90.2497 ;36.8163
P15=-90.3457 ;36.6293
P16=-90.4417 ;36.4423
P17=-90.5200 ;36.2325
P18=-90.5982 ;36.0228
P19=-90.6746 ;35.7468
P20=-90.7250 ;35.5392
P21=-90.7711 ;35.1937
P22=-90.8173 ;34.8482
P23=-90.8238 ;34.6672
P24=-90.8252 ;34.4626
P25=-90.7959 ;34.1705
P26=-90.7666 ;33.8784
P27=-90.7053 ;33.5787
P28=-90.6270 ;33.3094
P29=-90.5486 ;33.0402
P30=-90.5335 ;33.0041
P31=-90.4061 ;32.7426
P32=-90.2788 ;32.4810
P33=-90.1865 ;32.3186
P34=-90.0260 ;32.0947
P35=-89.8622 ;31.8967
P36=-89.6983 ;31.6987
P37=-89.5131 ;31.5323
P38=-89.3278 ;31.3658
P39=-89.0772 ;31.1881
P40=-88.8985 ;31.0702
P41=-88.6337 ;30.9542
P42=-88.3688 ;30.8382
P43=-88.2891 ;30.8118
P44=-88.0068 ;30.7459
P45=-87.7246 ;30.6800
P46=-87.4790 ;30.6642
P47=-87.2334 ;30.6484
P48=-87.0269 ;30.6520
P49=-86.7679 ;30.6989
P50=-86.5088 ;30.7458
P51=-86.3014 ;30.8139
P52=-86.0939 ;30.8820
P53=-85.7847 ;31.0474
P54=-85.4755 ;31.2128
P55=-85.3404 ;31.3008
P56=-85.2250 ;31.3798

P57=-84.9663 ;31.6125
P58=-84.7076 ;31.8452
P59=-84.5360 ;32.0413
P60=-84.3645 ;32.2375
P61=-84.1714 ;32.4983
P62=-84.0386 ;32.7158
P63=-83.9057 ;32.9333
P64=-83.7728 ;33.1509
P65=-83.7205 ;33.2485
P66=-83.6712 ;33.3442
P67=-83.5643 ;33.5917
P68=-83.4574 ;33.8392
P69=-83.3505 ;34.0868
P70=-83.2660 ;34.3335
P71=-83.1624 ;34.6645
P72=-83.1122 ;34.8423
P73=-83.0620 ;35.0202
P74=-83.0272 ;35.2073
P75=-82.9924 ;35.3943
P76=-82.9738 ;35.5766
P77=-82.9553 ;35.7588
P78=-82.9467 ;35.9480
P79=-82.9382 ;36.1372
P80=-82.9503 ;36.4688
P81=-82.9658 ;36.6963
P82=-83.0435 ;37.0324
P83=-83.1211 ;37.3686
P84=-83.1768 ;37.4950
P85=-83.2063 ;37.5620
P86=-83.3855 ;37.8674
P87=-83.5647 ;38.1727
P88=-83.7199 ;38.3030
P89=-83.8750 ;38.4333
P90=-84.1853 ;38.6939
P91=-84.4682 ;38.8188
P92=-84.7511 ;38.9437
P93=-85.0340 ;39.0686
P94=-85.4128 ;39.1436
P95=-85.6520 ;39.1683
P96=-85.8913 ;39.1931
P97=-86.2439 ;39.1937
P98=-86.4787 ;39.1755
P99=-86.7135 ;39.1572
P100=-87.0375 ;39.1116
P101=-87.4391 ;38.9992
P102=-87.8408 ;38.8868
[C20]
gain=-8.00
n_point=95
P1=-88.0144 ;37.8118
P2=-88.1189 ;37.7522
P3=-88.2012 ;37.7012
P4=-88.4030 ;37.5423
P5=-88.6049 ;37.3833
P6=-88.8067 ;37.2244
P7=-89.0044 ;37.0009
P8=-89.2021 ;36.7774

P9=-89.3453 ;36.5591
P10=-89.4531 ;36.3574
P11=-89.5609 ;36.1558
P12=-89.6687 ;35.9542
P13=-89.7417 ;35.7607
P14=-89.7580 ;35.7153
P15=-89.7838 ;35.6436
P16=-89.8259 ;35.4285
P17=-89.8681 ;35.2135
P18=-89.9102 ;34.9985
P19=-89.9523 ;34.7835
P20=-89.9614 ;34.6384
P21=-89.9662 ;34.5029
P22=-89.9381 ;34.2486
P23=-89.9100 ;33.9943
P24=-89.8818 ;33.7400
P25=-89.8472 ;33.5928
P26=-89.8353 ;33.5505
P27=-89.8115 ;33.4657
P28=-89.7154 ;33.2578
P29=-89.6193 ;33.0499
P30=-89.5232 ;32.8419
P31=-89.3865 ;32.6440
P32=-89.2497 ;32.4460
P33=-89.1412 ;32.3358
P34=-89.0326 ;32.2255
P35=-88.8102 ;32.0401
P36=-88.5758 ;31.9044
P37=-88.3414 ;31.7686
P38=-88.1707 ;31.7074
P39=-88.0001 ;31.6461
P40=-87.8180 ;31.6135
P41=-87.6360 ;31.5809
P42=-87.3216 ;31.5710
P43=-87.0709 ;31.6008
P44=-86.8201 ;31.6305
P45=-86.6097 ;31.6947
P46=-86.3994 ;31.7589
P47=-86.1910 ;31.8622
P48=-85.9827 ;31.9654
P49=-85.7475 ;32.1292
P50=-85.5123 ;32.2930
P51=-85.3081 ;32.4725
P52=-85.1844 ;32.6004
P53=-85.0606 ;32.7283
P54=-84.9063 ;32.9173
P55=-84.7520 ;33.1063
P56=-84.6080 ;33.3276
P57=-84.5356 ;33.4537
P58=-84.4633 ;33.5799
P59=-84.3186 ;33.8322
P60=-84.2445 ;34.0144
P61=-84.1704 ;34.1966
P62=-84.0963 ;34.3787
P63=-84.0399 ;34.5654
P64=-83.9835 ;34.7521
P65=-83.9412 ;34.9228

P66=-83.8988 ;35.0936
P67=-83.8708 ;35.2682
P68=-83.8427 ;35.4427
P69=-83.8349 ;35.6342
P70=-83.8272 ;35.8256
P71=-83.8333 ;36.0931
P72=-83.8680 ;36.3085
P73=-83.9026 ;36.5239
P74=-83.9643 ;36.7167
P75=-84.0261 ;36.9095
P76=-84.1442 ;37.1093
P77=-84.2623 ;37.3090
P78=-84.3804 ;37.5088
P79=-84.4408 ;37.5739
P80=-84.4990 ;37.6368
P81=-84.7040 ;37.7779
P82=-84.9089 ;37.9190
P83=-85.1138 ;38.0601
P84=-85.3359 ;38.1359
P85=-85.5579 ;38.2118
P86=-85.8576 ;38.2518
P87=-86.1573 ;38.2919
P88=-86.2226 ;38.2920
P89=-86.5336 ;38.2650
P90=-86.8447 ;38.2379
P91=-87.0633 ;38.1848
P92=-87.2820 ;38.1316
P93=-87.5261 ;38.0250
P94=-87.7702 ;37.9184
P95=-88.0144 ;37.8118