

```
[FormatInfo]
format_ver=1
[GeoMain]
ntc_id=9000020
adm=USA
sat_name=USABSS-21
long_nom=-101.0000
n_diag=1
[COHeader]
beam_id=ULLA
emi_rcp=R
polar_disc=X
reason=B
n_bore=1
n_cont=28
[B1]
gain=0.00
p=-120.7240;36.4230
[C1]
gain=-6.00
n_point=5
P1=-87.0000 ;16.0010
P2=-87.0000 ;16.0000
P3=-87.0000 ;15.9990
P4=-87.0010 ;16.0000
P5=-87.0000 ;16.0010
[C2]
gain=-30.00
n_point=274
P1=-140.1048;46.4946
P2=-139.8215;47.1585
P3=-139.5383;47.8224
P4=-138.5890;48.7830
P5=-137.5851;49.6717
P6=-136.9281;50.8521
P7=-136.6584;51.5328
P8=-136.3888;52.2135
P9=-136.1000;52.9446
P10=-135.8111;53.6756
P11=-135.0651;54.8940
P12=-134.0754;55.6692
P13=-132.9129;56.2550
P14=-131.6226;56.8123
P15=-130.2054;57.3405
P16=-128.7659;57.7086
P17=-127.3793;57.8234
P18=-126.0445;57.6867
P19=-124.6982;57.4283
P20=-123.3026;57.1261
P21=-121.8577;56.7800
P22=-120.4584;56.3243
P23=-119.1850;55.7037
P24=-118.0366;54.9191
P25=-116.8645;54.1451
P26=-115.5552;53.5150
P27=-114.1660;52.9709
P28=-113.0450;52.1618
```

P29=-112.2511;51.0284
P30=-111.5709;49.7725
P31=-110.6609;48.7191
P32=-109.6165;47.8064
P33=-108.6621;46.8864
P34=-107.8058;45.8866
P35=-107.4260;45.1837
P36=-107.0462;44.4809
P37=-106.7601;43.6570
P38=-106.4740;42.8331
P39=-106.5882;42.0838
P40=-107.2607;42.2740
P41=-108.1090;43.1543
P42=-108.5828;43.8586
P43=-109.0567;44.5629
P44=-109.4478;45.2263
P45=-109.8389;45.8897
P46=-110.5215;47.0455
P47=-111.3544;47.9550
P48=-112.3929;48.8143
P49=-113.6781;49.8234
P50=-114.3804;50.3322
P51=-115.0827;50.8409
P52=-115.7564;50.9211
P53=-115.5654;49.9979
P54=-114.7138;49.0129
P55=-113.3754;48.1461
P56=-112.1895;47.2113
P57=-111.2373;46.1802
P58=-110.4261;45.0229
P59=-110.0703;44.3842
P60=-109.7144;43.7454
P61=-109.3456;43.1150
P62=-108.9769;42.4847
P63=-108.6003;41.8696
P64=-108.2238;41.2545
P65=-107.9176;40.6172
P66=-107.6114;39.9800
P67=-107.3838;39.3162
P68=-107.1561;38.6524
P69=-107.0120;37.9561
P70=-106.8679;37.2598
P71=-106.7726;36.5429
P72=-106.6774;35.8259
P73=-106.5197;35.1295
P74=-106.3621;34.4331
P75=-106.2702;33.7290
P76=-106.1783;33.0249
P77=-106.2480;32.2918
P78=-106.3176;31.5587
P79=-106.4068;30.8327
P80=-106.4960;30.1067
P81=-106.6098;29.3983
P82=-106.7236;28.6899
P83=-106.9436;28.0041
P84=-107.1637;27.3183
P85=-107.4660;26.6548

P86=-107.7684;25.9913
P87=-108.1297;25.3549
P88=-108.4911;24.7185
P89=-108.9341;24.1600
P90=-109.3772;23.6015
P91=-109.8938;23.1115
P92=-110.4105;22.6215
P93=-110.9282;22.0831
P94=-111.4460;21.5447
P95=-111.9755;21.0208
P96=-112.5050;20.4969
P97=-113.7045;19.9194
P98=-115.0798;19.6484
P99=-115.8832;19.4812
P100=-116.6866;19.3139
P101=-117.6725;18.9611
P102=-116.8702;18.6682
P103=-116.1330;18.6667
P104=-115.3957;18.6653
P105=-114.6867;18.8752
P106=-113.9777;19.0852
P107=-113.3320;19.3927
P108=-112.6863;19.7003
P109=-111.5244;20.4385
P110=-110.9623;20.8794
P111=-110.4002;21.3202
P112=-109.8582;21.8165
P113=-109.3162;22.3127
P114=-108.8100;22.8224
P115=-108.3037;23.3321
P116=-107.8522;23.8750
P117=-107.4008;24.4179
P118=-107.0390;25.0356
P119=-106.6773;25.6533
P120=-106.4041;26.3333
P121=-106.1308;27.0133
P122=-105.9415;27.7290
P123=-105.7522;28.4448
P124=-105.6290;29.1549
P125=-105.5059;29.8650
P126=-105.3364;31.1613
P127=-105.2224;31.9378
P128=-105.1085;32.7143
P129=-104.9424;33.5542
P130=-104.7764;34.3942
P131=-104.4825;34.4177
P132=-104.3553;33.1768
P133=-104.4499;32.4288
P134=-104.5445;31.6808
P135=-104.6651;30.9413
P136=-104.7857;30.2019
P137=-104.9000;29.5066
P138=-105.0144;28.8113
P139=-105.1808;28.1144
P140=-105.3472;27.4176
P141=-105.5784;26.7287
P142=-105.8095;26.0398

P143=-106.1160;25.3740
P144=-106.4225;24.7082
P145=-106.8149;24.1053
P146=-107.2073;23.5024
P147=-107.6948;22.9972
P148=-108.1824;22.4921
P149=-108.6725;21.9812
P150=-109.1627;21.4703
P151=-109.5878;20.8778
P152=-110.0128;20.2853
P153=-110.5162;19.7722
P154=-111.0195;19.2591
P155=-111.6765;18.9106
P156=-112.3334;18.5621
P157=-113.0007;18.2942
P158=-113.6680;18.0262
P159=-114.8366;17.5412
P160=-115.6049;17.4736
P161=-116.3731;17.4061
P162=-117.2780;17.5006
P163=-118.1828;17.5952
P164=-118.3412;17.1860
P165=-117.4539;16.3990
P166=-117.1896;15.9045
P167=-117.5612;15.3205
P168=-118.5205;14.3587
P169=-118.9856;13.3072
P170=-118.6540;12.3318
P171=-118.8786;11.5654
P172=-119.6399;11.3118
P173=-120.3512;12.2716
P174=-121.0032;13.2841
P175=-121.6205;12.7254
P176=-121.7866;12.0228
P177=-121.9528;11.3203
P178=-121.8485;10.5813
P179=-121.7443;9.8422
P180=-121.6590;8.6108
P181=-122.1318;7.8322
P182=-123.0231;7.1333
P183=-123.6227;6.7027
P184=-124.2224;6.2722
P185=-125.0154;5.4249
P186=-125.0531;4.6714
P187=-124.7946;3.7338
P188=-124.5759;2.5609
P189=-125.2067;1.5999
P190=-125.8309;1.1936
P191=-126.4552;0.7874
P192=-126.9595;0.2932
P193=-127.4637;-0.2009
P194=-128.4402;-0.9663
P195=-129.1522;-0.8243
P196=-129.8642;-0.6824
P197=-130.7296;0.1932
P198=-130.4073;1.3150
P199=-129.5627;2.2964

P200=-128.5442;3.0755
P201=-127.9918;3.9686
P202=-127.8350;5.0161
P203=-127.5520;6.2104
P204=-127.1919;7.5006
P205=-126.9757;8.7644
P206=-126.7402;9.9621
P207=-126.1173;11.0206
P208=-125.5025;12.0586
P209=-125.4704;13.2467
P210=-125.5232;14.5115
P211=-125.2187;15.7729
P212=-124.7656;16.8396
P213=-124.2495;17.6975
P214=-123.7624;18.6667
P215=-123.3460;19.7667
P216=-123.1419;20.7963
P217=-123.0670;21.7308
P218=-122.7033;22.5948
P219=-122.2303;23.4258
P220=-122.6578;24.3822
P221=-123.3208;24.9112
P222=-123.9838;25.4402
P223=-124.5932;25.8478
P224=-125.2025;26.2553
P225=-126.1395;26.8223
P226=-126.6707;27.3084
P227=-127.2019;27.7946
P228=-127.8234;28.5214
P229=-128.4449;29.2482
P230=-129.0363;29.6041
P231=-128.7864;28.4728
P232=-128.5315;27.2374
P233=-128.5142;26.3651
P234=-129.1192;26.7862
P235=-129.6651;27.5196
P236=-130.2111;28.2531
P237=-130.6710;28.8565
P238=-131.1309;29.4599
P239=-131.9602;30.3266
P240=-133.1050;30.9648
P241=-134.1890;31.7385
P242=-134.4334;32.4310
P243=-134.6778;33.1235
P244=-135.0021;33.8033
P245=-135.3265;34.4832
P246=-135.9272;34.9569
P247=-136.5279;35.4306
P248=-136.9539;35.3266
P249=-136.5301;34.6495
P250=-136.1063;33.9723
P251=-135.8195;33.2769
P252=-135.5327;32.5815
P253=-135.6567;31.5811
P254=-136.3400;31.7205
P255=-136.9298;32.4304
P256=-137.5197;33.1404

P257=-137.8837;33.8654
P258=-138.2476;34.5903
P259=-138.0981;35.4831
P260=-137.8923;36.1962
P261=-137.9988;36.9056
P262=-138.3716;37.9292
P263=-138.6632;38.6690
P264=-138.9549;39.4088
P265=-139.1702;40.1436
P266=-139.3854;40.8784
P267=-139.5036;41.5551
P268=-139.6218;42.2318
P269=-139.7842;42.9198
P270=-139.9466;43.6078
P271=-140.0959;44.3166
P272=-140.2451;45.0254
P273=-140.1750;45.7600
P274=-140.1048;46.4946
[C3]
gain=-30.00
n_point=145
P1=-137.0000;44.8990
P2=-137.2400;44.5000
P3=-137.3400;44.0000
P4=-137.3200;43.5000
P5=-137.2580;43.0000
P6=-137.1530;42.5000
P7=-137.0000;42.0170
P8=-136.9920;42.0000
P9=-136.8160;41.5000
P10=-136.6870;41.0000
P11=-136.5540;40.5000
P12=-136.5000;40.3660
P13=-136.0000;40.2570
P14=-135.9340;40.5000
P15=-135.9570;41.0000
P16=-135.9170;41.5000
P17=-135.9120;42.0000
P18=-135.9370;42.5000
P19=-135.8720;43.0000
P20=-135.7320;43.5000
P21=-135.5000;43.8690
P22=-135.3970;44.0000
P23=-135.0000;44.3200
P24=-134.8180;44.5000
P25=-134.5000;44.8400
P26=-134.3840;45.0000
P27=-134.0470;45.5000
P28=-134.0000;45.5700
P29=-133.6520;46.0000
P30=-133.5000;46.2160
P31=-133.2400;46.5000
P32=-133.0000;46.7440
P33=-132.7200;47.0000
P34=-132.5000;47.2750
P35=-132.3240;47.5000
P36=-132.1090;48.0000

P37=-132.0000;48.3080
P38=-131.9110;48.5000
P39=-131.8010;49.0000
P40=-131.7260;49.5000
P41=-131.5510;50.0000
P42=-131.5000;50.1390
P43=-131.2990;50.5000
P44=-131.0000;50.8960
P45=-130.8880;51.0000
P46=-130.5000;51.2690
P47=-130.1330;51.5000
P48=-130.0000;51.5640
P49=-129.5000;51.7670
P50=-129.0000;51.9980
P51=-128.9950;52.0000
P52=-128.5000;52.2170
P53=-128.0670;52.5000
P54=-128.0000;52.5380
P55=-127.5000;52.7950
P56=-127.0640;53.0000
P57=-127.0000;53.0230
P58=-126.5000;53.1360
P59=-126.0000;53.1970
P60=-125.5000;53.2280
P61=-125.0000;53.2380
P62=-124.5000;53.2390
P63=-124.0000;53.2450
P64=-123.5000;53.2610
P65=-123.0000;53.3030
P66=-122.5000;53.3240
P67=-122.0000;53.2810
P68=-121.5000;53.1490
P69=-121.2000;53.0000
P70=-121.0000;52.9320
P71=-120.5000;52.7140
P72=-120.1420;52.5000
P73=-120.0000;52.4300
P74=-119.5000;52.2080
P75=-119.1340;52.0000
P76=-119.0000;51.9220
P77=-118.5000;51.7450
P78=-118.0000;51.7390
P79=-117.8610;52.0000
P80=-118.0000;52.1020
P81=-118.4130;52.5000
P82=-118.5000;52.5710
P83=-119.0000;52.9780
P84=-119.0220;53.0000
P85=-119.5000;53.3740
P86=-119.6870;53.5000
P87=-120.0000;53.7180
P88=-120.5000;53.9550
P89=-120.6610;54.0000
P90=-121.0000;54.1210
P91=-121.5000;54.1490
P92=-122.0000;54.0910
P93=-122.5000;54.0410

P94=-123.0000;54.0540
P95=-123.5000;54.1230
P96=-124.0000;54.2310
P97=-124.5000;54.3630
P98=-124.9280;54.5000
P99=-125.0000;54.5190
P100=-125.5000;54.6470
P101=-126.0000;54.7580
P102=-126.5000;54.8490
P103=-127.0000;54.9410
P104=-127.3670;55.0000
P105=-127.5000;55.0370
P106=-128.0000;55.1350
P107=-128.5000;55.1880
P108=-129.0000;55.1830
P109=-129.5000;55.0830
P110=-129.6880;55.0000
P111=-130.0000;54.9000
P112=-130.5000;54.6680
P113=-130.7600;54.5000
P114=-131.0000;54.3910
P115=-131.5000;54.1320
P116=-131.7410;54.0000
P117=-132.0000;53.8740
P118=-132.5000;53.6000
P119=-132.6960;53.5000
P120=-133.0000;53.3350
P121=-133.4310;53.0000
P122=-133.5000;52.9190
P123=-133.7430;52.5000
P124=-133.9450;52.0000
P125=-134.0000;51.6800
P126=-134.0360;51.5000
P127=-134.0520;51.0000
P128=-134.0680;50.5000
P129=-134.1490;50.0000
P130=-134.2020;49.5000
P131=-134.2870;49.0000
P132=-134.5000;48.5390
P133=-134.5300;48.5000
P134=-134.9290;48.0000
P135=-135.0000;47.9100
P136=-135.3350;47.5000
P137=-135.5000;47.2840
P138=-135.7110;47.0000
P139=-135.9520;46.5000
P140=-136.0000;46.3730
P141=-136.2150;46.0000
P142=-136.5000;45.5490
P143=-136.5470;45.5000
P144=-136.9310;45.0000
P145=-137.0000;44.8990
[C4]
gain=-30.00
n_point=98
P1=-131.5000;43.3980
P2=-131.6030;43.1990

P3=-131.7060;43.0000
P4=-131.7910;42.7500
P5=-131.8760;42.5000
P6=-131.9260;42.2500
P7=-131.9760;42.0000
P8=-131.7380;41.8420
P9=-131.5000;41.6840
P10=-131.3480;41.8420
P11=-131.1960;42.0000
P12=-131.0000;42.1950
P13=-130.8850;42.3475
P14=-130.7700;42.5000
P15=-130.6350;42.6570
P16=-130.5000;42.8140
P17=-130.3540;43.0000
P18=-130.1935;43.2500
P19=-130.0330;43.5000
P20=-130.0000;43.5470
P21=-129.8375;43.7735
P22=-129.6750;44.0000
P23=-129.5000;44.3000
P24=-129.3730;44.5000
P25=-129.2300;44.7500
P26=-129.0870;45.0000
P27=-129.0000;45.1300
P28=-128.8710;45.3150
P29=-128.7420;45.5000
P30=-128.6215;45.7500
P31=-128.5010;46.0000
P32=-128.5000;46.0010
P33=-128.2865;46.2505
P34=-128.0730;46.5000
P35=-128.0000;46.6310
P36=-127.8600;46.8155
P37=-127.7200;47.0000
P38=-127.5000;47.2980
P39=-127.3270;47.5000
P40=-127.1635;47.7080
P41=-127.0000;47.9160
P42=-126.9220;48.0000
P43=-126.7110;48.1990
P44=-126.5000;48.3980
P45=-126.3750;48.5000
P46=-126.0000;48.7110
P47=-125.7500;48.8415
P48=-125.5000;48.9720
P49=-125.4280;49.0000
P50=-125.0000;49.1160
P51=-124.7500;49.1895
P52=-124.5000;49.2630
P53=-124.2500;49.3670
P54=-124.0000;49.4710
P55=-123.9340;49.5000
P56=-124.0000;49.6830
P57=-124.1420;50.0000
P58=-124.5000;50.1140
P59=-125.0000;50.2370

P60=-125.5000;50.3210
P61=-126.0000;50.3590
P62=-126.5000;50.3380
P63=-127.0000;50.2130
P64=-127.3600;50.0000
P65=-127.5000;49.9170
P66=-127.7360;49.7085
P67=-127.9720;49.5000
P68=-128.0000;49.4770
P69=-128.2180;49.2385
P70=-128.4360;49.0000
P71=-128.5000;48.9210
P72=-128.6775;48.7105
P73=-128.8550;48.5000
P74=-129.0000;48.3570
P75=-129.1580;48.1785
P76=-129.3160;48.0000
P77=-129.4080;47.8270
P78=-129.5000;47.6540
P79=-129.6150;47.5000
P80=-129.7975;47.2500
P81=-129.9800;47.0000
P82=-130.0000;46.9660
P83=-130.1480;46.7330
P84=-130.2960;46.5000
P85=-130.3875;46.2500
P86=-130.4790;46.0000
P87=-130.5000;45.9550
P88=-130.6245;45.7275
P89=-130.7490;45.5000
P90=-130.8230;45.2500
P91=-130.8970;45.0000
P92=-131.0000;44.6680
P93=-131.0760;44.5000
P94=-131.1930;44.2500
P95=-131.3100;44.0000
P96=-131.3875;43.7500
P97=-131.4650;43.5000
P98=-131.5000;43.3980
[C5]
gain=-30.00
n_point=79
P1=-127.5000;42.3970
P2=-127.5387;42.2647
P3=-127.5773;42.1323
P4=-127.6160;42.0000
P5=-127.6753;41.8333
P6=-127.7347;41.6667
P7=-127.7940;41.5000
P8=-127.8283;41.3333
P9=-127.8627;41.1667
P10=-127.8970;41.0000
P11=-127.6985;40.9175
P12=-127.5000;40.8350
P13=-127.3840;41.0000
P14=-127.3030;41.1667
P15=-127.2220;41.3333

P16=-127.1410;41.5000
P17=-127.0705;41.5920
P18=-127.0000;41.6840
P19=-126.9140;41.8420
P20=-126.8280;42.0000
P21=-126.7187;42.1103
P22=-126.6093;42.2207
P23=-126.5000;42.3310
P24=-126.3750;42.5000
P25=-126.2500;42.6483
P26=-126.1250;42.7967
P27=-126.0000;42.9450
P28=-125.9450;43.0000
P29=-125.8337;43.1213
P30=-125.7225;43.2425
P31=-125.6113;43.3638
P32=-125.5000;43.4850
P33=-125.4830;43.5000
P34=-125.3715;43.6250
P35=-125.2600;43.7500
P36=-125.1485;43.8750
P37=-125.0370;44.0000
P38=-125.0000;44.0490
P39=-124.8770;44.1993
P40=-124.7540;44.3497
P41=-124.6310;44.5000
P42=-124.5655;44.6185
P43=-124.5000;44.7370
P44=-124.4205;44.8685
P45=-124.3410;45.0000
P46=-124.2707;45.1667
P47=-124.2003;45.3333
P48=-124.1300;45.5000
P49=-124.2533;45.6427
P50=-124.3767;45.7853
P51=-124.5000;45.9280
P52=-124.7500;45.8715
P53=-125.0000;45.8150
P54=-125.1303;45.7100
P55=-125.2607;45.6050
P56=-125.3910;45.5000
P57=-125.5000;45.3890
P58=-125.6113;45.2593
P59=-125.7227;45.1297
P60=-125.8340;45.0000
P61=-125.9170;44.8985
P62=-126.0000;44.7970
P63=-126.1395;44.6485
P64=-126.2790;44.5000
P65=-126.3895;44.3490
P66=-126.5000;44.1980
P67=-126.5860;44.0990
P68=-126.6720;44.0000
P69=-126.7747;43.8333
P70=-126.8773;43.6667
P71=-126.9800;43.5000
P72=-127.0000;43.4560

P73=-127.0863;43.3040
P74=-127.1727;43.1520
P75=-127.2590;43.0000
P76=-127.3283;42.8333
P77=-127.3977;42.6667
P78=-127.4670;42.5000
P79=-127.5000;42.3970
[C6]
gain=-20.00
n_point=130
P1=-128.9671;37.0598
P2=-128.7387;37.4514
P3=-128.5103;37.8431
P4=-128.2008;38.1884
P5=-127.8913;38.5337
P6=-127.3052;39.2349
P7=-126.5148;39.5760
P8=-126.0040;38.8477
P9=-125.2442;38.4619
P10=-124.4239;38.9480
P11=-123.5286;39.0152
P12=-122.7937;39.3723
P13=-122.9550;39.8088
P14=-123.1163;40.2453
P15=-123.1314;40.6679
P16=-123.1465;41.0905
P17=-122.8877;41.4924
P18=-122.6289;41.8942
P19=-122.4843;42.6962
P20=-122.7990;43.0464
P21=-123.1136;43.3966
P22=-123.5237;44.1090
P23=-123.2832;44.5162
P24=-123.0428;44.9234
P25=-122.2287;45.3060
P26=-121.3053;45.3899
P27=-120.3864;45.2989
P28=-119.5141;45.0241
P29=-118.7132;44.5617
P30=-117.9883;43.9942
P31=-117.3141;43.3640
P32=-116.6495;42.7231
P33=-115.9380;42.1399
P34=-115.2288;41.5475
P35=-114.6736;40.8287
P36=-114.4243;40.4091
P37=-114.1750;39.9896
P38=-114.2578;39.4088
P39=-115.1441;39.8574
P40=-115.8251;40.4396
P41=-116.5550;41.0055
P42=-117.3455;41.3888
P43=-117.5935;40.8018
P44=-117.2602;40.4324
P45=-116.9268;40.0630
P46=-116.2917;39.4063
P47=-116.0005;39.0506

P48=-115.7092;38.6950
P49=-115.4451;38.3149
P50=-115.1811;37.9349
P51=-114.9081;37.5643
P52=-114.6350;37.1937
P53=-114.3758;36.8135
P54=-114.1165;36.4333
P55=-113.8961;36.0280
P56=-113.6757;35.6226
P57=-113.5232;35.1894
P58=-113.3708;34.7561
P59=-113.2039;34.3273
P60=-113.0369;33.8984
P61=-112.8573;33.4757
P62=-112.6776;33.0529
P63=-112.5329;32.6193
P64=-112.3881;32.1857
P65=-112.3322;31.7292
P66=-112.2762;31.2727
P67=-112.3329;30.8145
P68=-112.3895;30.3562
P69=-112.6004;29.9492
P70=-112.8112;29.5422
P71=-113.0910;29.2010
P72=-113.3708;28.8599
P73=-114.0649;29.1900
P74=-114.2553;29.5813
P75=-114.4456;29.9726
P76=-114.8207;29.2703
P77=-114.6303;28.8766
P78=-114.4399;28.4828
P79=-114.4622;28.0593
P80=-114.4844;27.6358
P81=-114.7350;27.1967
P82=-114.9855;26.7575
P83=-114.7523;26.1418
P84=-113.8546;26.0480
P85=-114.0320;25.6490
P86=-114.2095;25.2501
P87=-114.5397;24.9373
P88=-114.8699;24.6245
P89=-115.2782;24.4163
P90=-115.6865;24.2081
P91=-116.5951;24.2161
P92=-116.9989;24.4618
P93=-117.4026;24.7076
P94=-117.1707;25.4460
P95=-117.2085;26.2517
P96=-117.5210;26.6050
P97=-117.8334;26.9582
P98=-117.8261;27.3903
P99=-117.8188;27.8224
P100=-117.6146;28.6359
P101=-118.3056;29.1653
P102=-118.7626;29.0241
P103=-119.2196;28.8830
P104=-119.4623;29.4654

P105=-119.1948;29.8683
P106=-118.9274;30.2713
P107=-119.4874;30.8826
P108=-119.9226;31.0864
P109=-120.3578;31.2902
P110=-121.1918;31.4822
P111=-121.0868;31.7761
P112=-120.8190;32.1310
P113=-120.5512;32.4859
P114=-120.4312;32.9145
P115=-120.3112;33.3431
P116=-121.1333;33.3555
P117=-122.0389;33.2202
P118=-122.9555;33.1772
P119=-123.8694;33.1191
P120=-124.7873;33.1489
P121=-125.6916;33.3500
P122=-126.5094;33.7629
P123=-127.3285;34.1830
P124=-128.1705;34.5522
P125=-128.4496;34.9122
P126=-128.7287;35.2723
P127=-128.8655;35.7086
P128=-129.0023;36.1448
P129=-128.9847;36.6023
P130=-128.9671;37.0598

[C7]

gain=-30.00

n_point=73

P1=-112.0000;43.8570
P2=-112.0680;43.7677
P3=-112.1360;43.6785
P4=-112.2040;43.5892
P5=-112.2720;43.5000
P6=-112.2176;43.4102
P7=-112.1632;43.3204
P8=-112.1088;43.2306
P9=-112.0544;43.1408
P10=-112.0000;43.0510
P11=-111.9800;43.0000
P12=-111.9310;42.9000
P13=-111.8820;42.8000
P14=-111.8330;42.7000
P15=-111.7840;42.6000
P16=-111.7350;42.5000
P17=-111.6762;42.4067
P18=-111.6175;42.3135
P19=-111.5587;42.2202
P20=-111.5000;42.1270
P21=-111.4590;42.0635
P22=-111.4180;42.0000
P23=-111.3648;41.9000
P24=-111.3116;41.8000
P25=-111.2584;41.7000
P26=-111.2052;41.6000
P27=-111.1520;41.5000
P28=-111.1013;41.4213

P29=-111.0507;41.3427
P30=-111.0000;41.2640
P31=-110.9177;41.1980
P32=-110.8355;41.1320
P33=-110.7533;41.0660
P34=-110.6710;41.0000
P35=-110.6140;40.9323
P36=-110.5570;40.8647
P37=-110.5000;40.7970
P38=-110.4117;40.8647
P39=-110.3233;40.9323
P40=-110.2350;41.0000
P41=-110.2486;41.1000
P42=-110.2622;41.2000
P43=-110.2758;41.3000
P44=-110.2894;41.4000
P45=-110.3030;41.5000
P46=-110.3522;41.6040
P47=-110.4015;41.7080
P48=-110.4508;41.8120
P49=-110.5000;41.9160
P50=-110.5290;42.0000
P51=-110.5622;42.1000
P52=-110.5954;42.2000
P53=-110.6286;42.3000
P54=-110.6618;42.4000
P55=-110.6950;42.5000
P56=-110.7560;42.5978
P57=-110.8170;42.6956
P58=-110.8780;42.7934
P59=-110.9390;42.8912
P60=-111.0000;42.9890
P61=-111.0090;43.0000
P62=-111.0725;43.0833
P63=-111.1360;43.1667
P64=-111.1995;43.2500
P65=-111.2630;43.3333
P66=-111.3265;43.4167
P67=-111.3900;43.5000
P68=-111.4450;43.5570
P69=-111.5000;43.6140
P70=-111.6250;43.6748
P71=-111.7500;43.7355
P72=-111.8750;43.7962
P73=-112.0000;43.8570
[C8]
gain=-30.00
n_point=108
P1=-113.5000;22.2240
P2=-113.8100;22.0000
P3=-113.5000;21.7940
P4=-113.1720;22.0000
P5=-113.0000;22.1450
P6=-112.5560;22.5000
P7=-112.5000;22.5760
P8=-112.0000;22.9820
P9=-111.9790;23.0000

P10=-111.7395;23.2460
P11=-111.5000;23.4920
P12=-111.4890;23.5000
P13=-111.0000;23.9050
P14=-110.8820;24.0000
P15=-110.5000;24.3650
P16=-110.3390;24.5000
P17=-110.0000;24.7970
P18=-109.8180;25.0000
P19=-109.5000;25.3040
P20=-109.3320;25.5000
P21=-109.0430;26.0000
P22=-109.0000;26.0310
P23=-108.6680;26.5000
P24=-108.5000;26.9240
P25=-108.4540;27.0000
P26=-108.2160;27.5000
P27=-108.0500;28.0000
P28=-108.0000;28.1570
P29=-107.8110;28.5000
P30=-107.7150;29.0000
P31=-107.6100;29.5000
P32=-107.5280;30.0000
P33=-107.5000;30.1850
P34=-107.4150;30.5000
P35=-107.3550;31.0000
P36=-107.3470;31.5000
P37=-107.3460;32.0000
P38=-107.3080;32.5000
P39=-107.2630;33.0000
P40=-107.2210;33.5000
P41=-107.1930;34.0000
P42=-107.1890;34.5000
P43=-107.2140;35.0000
P44=-107.2850;35.5000
P45=-107.5000;35.8060
P46=-107.6120;36.0000
P47=-108.0000;36.4680
P48=-108.0240;36.5000
P49=-108.2190;37.0000
P50=-108.3760;37.5000
P51=-108.5000;37.8040
P52=-108.5890;38.0000
P53=-108.7100;38.5000
P54=-108.8070;39.0000
P55=-108.9780;39.5000
P56=-109.0000;39.5470
P57=-109.3510;40.0000
P58=-109.5000;40.1740
P59=-109.6960;40.0000
P60=-109.6800;39.5000
P61=-109.5960;39.0000
P62=-109.5000;38.6890
P63=-109.4200;38.5000
P64=-109.2970;38.0000
P65=-109.2210;37.5000
P66=-109.1050;37.0000

P67=-109.0000;36.7530
P68=-108.8590;36.5000
P69=-108.6570;36.0000
P70=-108.5000;35.7210
P71=-108.3920;35.5000
P72=-108.2930;35.0000
P73=-108.2230;34.5000
P74=-108.1690;34.0000
P75=-108.1480;33.5000
P76=-108.1470;33.0000
P77=-108.1510;32.5000
P78=-108.1400;32.0000
P79=-108.1230;31.5000
P80=-108.1330;31.0000
P81=-108.2180;30.5000
P82=-108.3280;30.0000
P83=-108.3670;29.5000
P84=-108.5000;29.0320
P85=-108.5120;29.0000
P86=-108.7100;28.5000
P87=-108.8900;28.0000
P88=-109.0000;27.6280
P89=-109.0750;27.5000
P90=-109.2950;27.0000
P91=-109.5000;26.5820
P92=-109.5590;26.5000
P93=-109.8170;26.0000
P94=-110.0000;25.7300
P95=-110.1830;25.5000
P96=-110.5000;25.1380
P97=-110.6230;25.0000
P98=-111.0000;24.5320
P99=-111.0290;24.5000
P100=-111.5000;24.0600
P101=-111.5530;24.0000
P102=-112.0000;23.6090
P103=-112.1130;23.5000
P104=-112.5000;23.1650
P105=-112.6750;23.0000
P106=-113.0000;22.7160
P107=-113.2550;22.5000
P108=-113.5000;22.2240
[C9]
gain=-30.00
n_point=86
P1=-111.0000;27.7700
P2=-111.1310;27.5000
P3=-111.0655;27.2900
P4=-111.0000;27.0800
P5=-110.8935;27.2900
P6=-110.7870;27.5000
P7=-110.6435;27.6150
P8=-110.5000;27.7300
P9=-110.3380;28.0000
P10=-110.2295;28.2500
P11=-110.1210;28.5000
P12=-110.0000;28.7080

P13=-109.9235;28.8540
P14=-109.8470;29.0000
P15=-109.7825;29.2500
P16=-109.7180;29.5000
P17=-109.6755;29.7500
P18=-109.6330;30.0000
P19=-109.7335;30.2500
P20=-109.8340;30.5000
P21=-109.6670;30.7040
P22=-109.5000;30.9080
P23=-109.4790;31.0000
P24=-109.5000;31.1770
P25=-109.5605;31.3385
P26=-109.6210;31.5000
P27=-109.5605;31.7220
P28=-109.5000;31.9440
P29=-109.4950;32.0000
P30=-109.4920;32.2500
P31=-109.4890;32.5000
P32=-109.5000;32.6240
P33=-109.5435;32.8120
P34=-109.5870;33.0000
P35=-109.6360;33.2500
P36=-109.6850;33.5000
P37=-109.7080;33.7500
P38=-109.7310;34.0000
P39=-109.7500;34.2500
P40=-109.7690;34.5000
P41=-109.8050;34.7500
P42=-109.8410;35.0000
P43=-109.9205;35.1930
P44=-110.0000;35.3860
P45=-110.1380;35.5000
P46=-110.2415;35.7500
P47=-110.3450;36.0000
P48=-110.4225;36.1520
P49=-110.5000;36.3040
P50=-110.5980;36.1520
P51=-110.6960;36.0000
P52=-110.6540;35.7500
P53=-110.6120;35.5000
P54=-110.5560;35.3110
P55=-110.5000;35.1220
P56=-110.4000;35.0000
P57=-110.3215;34.7500
P58=-110.2430;34.5000
P59=-110.2105;34.2500
P60=-110.1780;34.0000
P61=-110.1575;33.7500
P62=-110.1370;33.5000
P63=-110.1235;33.2500
P64=-110.1100;33.0000
P65=-110.0830;32.7500
P66=-110.0560;32.5000
P67=-110.0470;32.2500
P68=-110.0380;32.0000
P69=-110.0560;31.7500

P70=-110.0740;31.5000
P71=-110.0770;31.2500
P72=-110.0800;31.0000
P73=-110.0575;30.7500
P74=-110.0350;30.5000
P75=-110.1600;30.2500
P76=-110.2850;30.0000
P77=-110.2925;29.7500
P78=-110.3000;29.5000
P79=-110.4000;29.2785
P80=-110.5000;29.0570
P81=-110.5310;29.0000
P82=-110.6465;28.7500
P83=-110.7620;28.5000
P84=-110.7935;28.2500
P85=-110.8250;28.0000
P86=-111.0000;27.7700
[C10]
gain=-30.00
n_point=72
P1=-112.0000;39.1960
P2=-112.0373;39.1307
P3=-112.0747;39.0653
P4=-112.1120;39.0000
P5=-112.0840;38.9222
P6=-112.0560;38.8445
P7=-112.0280;38.7668
P8=-112.0000;38.6890
P9=-111.9597;38.6260
P10=-111.9193;38.5630
P11=-111.8790;38.5000
P12=-111.8578;38.4000
P13=-111.8366;38.3000
P14=-111.8154;38.2000
P15=-111.7942;38.1000
P16=-111.7730;38.0000
P17=-111.7470;37.9167
P18=-111.7210;37.8333
P19=-111.6950;37.7500
P20=-111.6690;37.6667
P21=-111.6430;37.5833
P22=-111.6170;37.5000
P23=-111.5780;37.4270
P24=-111.5390;37.3540
P25=-111.5000;37.2810
P26=-111.4342;37.2107
P27=-111.3685;37.1405
P28=-111.3027;37.0703
P29=-111.2370;37.0000
P30=-111.2080;36.9000
P31=-111.1790;36.8000
P32=-111.1500;36.7000
P33=-111.1210;36.6000
P34=-111.0920;36.5000
P35=-111.0460;36.4070
P36=-111.0000;36.3140
P37=-110.9020;36.3760

P38=-110.8040;36.4380
P39=-110.7060;36.5000
P40=-110.7268;36.6000
P41=-110.7476;36.7000
P42=-110.7684;36.8000
P43=-110.7892;36.9000
P44=-110.8100;37.0000
P45=-110.8385;37.0833
P46=-110.8670;37.1667
P47=-110.8955;37.2500
P48=-110.9240;37.3333
P49=-110.9525;37.4167
P50=-110.9810;37.5000
P51=-111.0000;37.5360
P52=-111.0366;37.6288
P53=-111.0732;37.7216
P54=-111.1098;37.8144
P55=-111.1464;37.9072
P56=-111.1830;38.0000
P57=-111.2090;38.0833
P58=-111.2350;38.1667
P59=-111.2610;38.2500
P60=-111.2870;38.3333
P61=-111.3130;38.4167
P62=-111.3390;38.5000
P63=-111.3927;38.5880
P64=-111.4463;38.6760
P65=-111.5000;38.7640
P66=-111.5790;38.8230
P67=-111.6580;38.8820
P68=-111.7370;38.9410
P69=-111.8160;39.0000
P70=-111.8773;39.0653
P71=-111.9387;39.1307
P72=-112.0000;39.1960
[C11]
gain=-10.00
n_point=135
P1=-124.5000;37.2360
P2=-124.2920;37.5000
P3=-124.0000;37.7450
P4=-123.5000;37.9320
P5=-123.0920;38.0000
P6=-123.0000;38.0090
P7=-122.5000;38.1580
P8=-122.0810;38.5000
P9=-122.0000;38.6210
P10=-121.7590;39.0000
P11=-121.7370;39.2500
P12=-121.7150;39.5000
P13=-121.7675;39.7500
P14=-121.8200;40.0000
P15=-121.8215;40.2500
P16=-121.8230;40.5000
P17=-121.7120;40.7500
P18=-121.6010;41.0000
P19=-121.5000;41.1010

P20=-121.0000;41.3410
P21=-120.5000;41.3540
P22=-120.0000;41.1820
P23=-119.7240;41.0000
P24=-119.5000;40.8020
P25=-119.2440;40.5000
P26=-119.1415;40.2500
P27=-119.0390;40.0000
P28=-119.0645;39.7500
P29=-119.0900;39.5000
P30=-119.1390;39.2500
P31=-119.1880;39.0000
P32=-119.1690;38.7500
P33=-119.1500;38.5000
P34=-119.0000;38.0960
P35=-118.9810;38.0000
P36=-118.9055;37.7500
P37=-118.8300;37.5000
P38=-118.7625;37.2500
P39=-118.6950;37.0000
P40=-118.6645;36.7500
P41=-118.6340;36.5000
P42=-118.6145;36.2500
P43=-118.5950;36.0000
P44=-118.5000;35.6790
P45=-118.0000;35.8950
P46=-117.5210;36.0000
P47=-117.5000;36.0040
P48=-117.4890;36.0000
P49=-117.0000;35.8130
P50=-116.7370;35.5000
P51=-116.5000;35.1900
P52=-116.4190;35.0000
P53=-116.3445;34.7500
P54=-116.2700;34.5000
P55=-116.2435;34.2500
P56=-116.2170;34.0000
P57=-116.2350;33.7500
P58=-116.2530;33.5000
P59=-116.2905;33.2500
P60=-116.3280;33.0000
P61=-116.3830;32.7500
P62=-116.4380;32.5000
P63=-116.0000;32.2490
P64=-115.5000;32.1150
P65=-115.3730;32.0000
P66=-115.2160;31.7500
P67=-115.0590;31.5000
P68=-115.0000;31.2270
P69=-114.9710;31.0000
P70=-115.0000;30.8450
P71=-115.0880;30.5000
P72=-115.2025;30.2500
P73=-115.3170;30.0000
P74=-115.5000;29.6120
P75=-115.6200;29.5000
P76=-115.8100;29.2820

P77=-116.0000;29.0640
P78=-116.5000;29.1010
P79=-116.7500;29.2705
P80=-117.0000;29.4400
P81=-117.0600;29.5000
P82=-117.2215;29.7500
P83=-117.3830;30.0000
P84=-117.3795;30.2500
P85=-117.3760;30.5000
P86=-117.2925;30.7500
P87=-117.2090;31.0000
P88=-117.1260;31.2500
P89=-117.0430;31.5000
P90=-117.5000;31.7340
P91=-118.0000;31.6260
P92=-118.5000;31.5330
P93=-119.0000;31.6000
P94=-119.2500;31.7735
P95=-119.5000;31.9470
P96=-119.5430;32.0000
P97=-119.6185;32.2500
P98=-119.6940;32.5000
P99=-119.6530;32.7500
P100=-119.6120;33.0000
P101=-119.5000;33.4300
P102=-119.4750;33.5000
P103=-119.3390;33.7500
P104=-119.2030;34.0000
P105=-119.1415;34.2500
P106=-119.0800;34.5000
P107=-119.0000;34.8330
P108=-118.9430;35.0000
P109=-119.0000;35.1680
P110=-119.2330;35.0000
P111=-119.5000;34.9510
P112=-119.7500;34.7495
P113=-120.0000;34.5480
P114=-120.0580;34.5000
P115=-120.5000;34.1890
P116=-120.9050;34.0000
P117=-121.0000;33.9600
P118=-121.5000;33.9450
P119=-121.7760;34.0000
P120=-122.0000;34.0690
P121=-122.5000;34.2220
P122=-123.0000;34.3090
P123=-123.5000;34.4070
P124=-123.7330;34.5000
P125=-124.0000;34.6540
P126=-124.3790;35.0000
P127=-124.5000;35.1800
P128=-124.6770;35.5000
P129=-124.7345;35.7500
P130=-124.7920;36.0000
P131=-124.7860;36.2500
P132=-124.7800;36.5000
P133=-124.7105;36.7500

P134=-124.6410;37.0000
P135=-124.5000;37.2360
[C12]
gain=-20.00
n_point=78
P1=-116.0000;36.4330
P2=-116.0725;36.3247
P3=-116.1450;36.2165
P4=-116.2175;36.1083
P5=-116.2900;36.0000
P6=-116.2500;35.8750
P7=-116.2100;35.7500
P8=-116.1700;35.6250
P9=-116.1300;35.5000
P10=-116.0650;35.3935
P11=-116.0000;35.2870
P12=-115.8567;35.1913
P13=-115.7133;35.0957
P14=-115.5700;35.0000
P15=-115.5527;34.8750
P16=-115.5355;34.7500
P17=-115.5182;34.6250
P18=-115.5010;34.5000
P19=-115.5305;34.3750
P20=-115.5600;34.2500
P21=-115.5895;34.1250
P22=-115.6190;34.0000
P23=-115.6443;33.8750
P24=-115.6695;33.7500
P25=-115.6947;33.6250
P26=-115.7200;33.5000
P27=-115.6467;33.3750
P28=-115.5733;33.2500
P29=-115.5000;33.1250
P30=-115.4270;33.0625
P31=-115.3540;33.0000
P32=-115.2360;32.9053
P33=-115.1180;32.8107
P34=-115.0000;32.7160
P35=-114.9190;32.6080
P36=-114.8380;32.5000
P37=-114.7535;32.3910
P38=-114.6690;32.2820
P39=-114.5845;32.1730
P40=-114.5000;32.0640
P41=-114.3750;32.1730
P42=-114.2500;32.2820
P43=-114.1250;32.3910
P44=-114.0000;32.5000
P45=-114.0195;32.6250
P46=-114.0390;32.7500
P47=-114.0585;32.8750
P48=-114.0780;33.0000
P49=-114.1835;33.1060
P50=-114.2890;33.2120
P51=-114.3945;33.3180
P52=-114.5000;33.4240

P53=-114.5820;33.5000
P54=-114.6865;33.6145
P55=-114.7910;33.7290
P56=-114.8955;33.8435
P57=-115.0000;33.9580
P58=-115.0940;34.0000
P59=-115.1950;34.1250
P60=-115.2960;34.2500
P61=-115.3970;34.3750
P62=-115.4980;34.5000
P63=-115.4840;34.6250
P64=-115.4700;34.7500
P65=-115.4560;34.8750
P66=-115.4420;35.0000
P67=-115.4215;35.1250
P68=-115.4010;35.2500
P69=-115.3805;35.3750
P70=-115.3600;35.5000
P71=-115.4067;35.6507
P72=-115.4533;35.8013
P73=-115.5000;35.9520
P74=-115.5150;36.0000
P75=-115.6363;36.1083
P76=-115.7575;36.2165
P77=-115.8787;36.3247
P78=-116.0000;36.4330
[C13]
gain=-6.00
n_point=84
P1=-123.5000;36.5370
P2=-123.3947;36.6527
P3=-123.2895;36.7685
P4=-123.1842;36.8843
P5=-123.0790;37.0000
P6=-123.0000;37.0400
P7=-122.8333;37.1577
P8=-122.6667;37.2753
P9=-122.5000;37.3930
P10=-122.4030;37.5000
P11=-122.2687;37.6033
P12=-122.1343;37.7067
P13=-122.0000;37.8100
P14=-121.8965;37.9050
P15=-121.7930;38.0000
P16=-121.6465;38.1385
P17=-121.5000;38.2770
P18=-121.3535;38.3885
P19=-121.2070;38.5000
P20=-121.1035;38.6180
P21=-121.0000;38.7360
P22=-120.8333;38.7950
P23=-120.6667;38.8540
P24=-120.5000;38.9130
P25=-120.3333;38.8233
P26=-120.1667;38.7337
P27=-120.0000;38.6440
P28=-119.9210;38.5000

P29=-119.8160;38.3750
P30=-119.7110;38.2500
P31=-119.6060;38.1250
P32=-119.5010;38.0000
P33=-119.5000;37.9980
P34=-119.4213;37.8320
P35=-119.3427;37.6660
P36=-119.2640;37.5000
P37=-119.2130;37.3333
P38=-119.1620;37.1667
P39=-119.1110;37.0000
P40=-119.1047;36.8333
P41=-119.0983;36.6667
P42=-119.0920;36.5000
P43=-119.1307;36.3333
P44=-119.1693;36.1667
P45=-119.2080;36.0000
P46=-119.3053;35.8333
P47=-119.4027;35.6667
P48=-119.5000;35.5000
P49=-119.6185;35.3750
P50=-119.7370;35.2500
P51=-119.8555;35.1250
P52=-119.9740;35.0000
P53=-120.0000;34.9790
P54=-120.1667;34.8547
P55=-120.3333;34.7303
P56=-120.5000;34.6060
P57=-120.6370;34.5530
P58=-120.7740;34.5000
P59=-120.8870;34.4675
P60=-121.0000;34.4350
P61=-121.1667;34.4490
P62=-121.3333;34.4630
P63=-121.5000;34.4770
P64=-121.5700;34.5000
P65=-121.7133;34.5733
P66=-121.8567;34.6467
P67=-122.0000;34.7200
P68=-122.1667;34.8133
P69=-122.3333;34.9067
P70=-122.5000;35.0000
P71=-122.5010;35.0000
P72=-122.6673;35.1210
P73=-122.8337;35.2420
P74=-123.0000;35.3630
P75=-123.1030;35.4315
P76=-123.2060;35.5000
P77=-123.3040;35.6483
P78=-123.4020;35.7967
P79=-123.5000;35.9450
P80=-123.5260;36.0000
P81=-123.5250;36.1667
P82=-123.5240;36.3333
P83=-123.5230;36.5000
P84=-123.5000;36.5370
[C14]

```
gain=-4.00
n_point=80
P1=-122.5000;36.5150
P2=-122.4360;36.6362
P3=-122.3720;36.7575
P4=-122.3080;36.8787
P5=-122.2440;37.0000
P6=-122.1627;37.0897
P7=-122.0813;37.1793
P8=-122.0000;37.2690
P9=-121.9035;37.3845
P10=-121.8070;37.5000
P11=-121.7047;37.5927
P12=-121.6023;37.6853
P13=-121.5000;37.7780
P14=-121.3903;37.8520
P15=-121.2807;37.9260
P16=-121.1710;38.0000
P17=-121.0855;38.0610
P18=-121.0000;38.1220
P19=-120.8333;38.1560
P20=-120.6667;38.1900
P21=-120.5000;38.2240
P22=-120.3750;38.1735
P23=-120.2500;38.1230
P24=-120.1250;38.0725
P25=-120.0000;38.0220
P26=-119.9820;38.0000
P27=-119.9028;37.9000
P28=-119.8236;37.8000
P29=-119.7444;37.7000
P30=-119.6652;37.6000
P31=-119.5860;37.5000
P32=-119.5430;37.4135
P33=-119.5000;37.3270
P34=-119.4700;37.2180
P35=-119.4400;37.1090
P36=-119.4100;37.0000
P37=-119.4020;36.8750
P38=-119.3940;36.7500
P39=-119.3860;36.6250
P40=-119.3780;36.5000
P41=-119.4045;36.3750
P42=-119.4310;36.2500
P43=-119.4575;36.1250
P44=-119.4840;36.0000
P45=-119.5000;35.9720
P46=-119.5845;35.8540
P47=-119.6690;35.7360
P48=-119.7535;35.6180
P49=-119.8380;35.5000
P50=-119.9190;35.4130
P51=-120.0000;35.3260
P52=-120.1032;35.2445
P53=-120.2065;35.1630
P54=-120.3098;35.0815
P55=-120.4130;35.0000
```

P56=-120.5000;34.9370
P57=-120.6250;34.9015
P58=-120.7500;34.8660
P59=-120.8750;34.8305
P60=-121.0000;34.7950
P61=-121.1667;34.8273
P62=-121.3333;34.8597
P63=-121.5000;34.8920
P64=-121.6025;34.9460
P65=-121.7050;35.0000
P66=-121.8033;35.0853
P67=-121.9017;35.1707
P68=-122.0000;35.2560
P69=-122.0853;35.3373
P70=-122.1707;35.4187
P71=-122.2560;35.5000
P72=-122.3165;35.6250
P73=-122.3770;35.7500
P74=-122.4375;35.8750
P75=-122.4980;36.0000
P76=-122.5000;36.0930
P77=-122.5037;36.2287
P78=-122.5073;36.3643
P79=-122.5110;36.5000
P80=-122.5000;36.5150
[C15]
gain=-2.00
n_point=76
P1=-121.5000;37.1040
P2=-121.4250;37.1700
P3=-121.3500;37.2360
P4=-121.2750;37.3020
P5=-121.2000;37.3680
P6=-121.1250;37.4340
P7=-121.0500;37.5000
P8=-121.0000;37.5320
P9=-120.9000;37.5456
P10=-120.8000;37.5592
P11=-120.7000;37.5728
P12=-120.6000;37.5864
P13=-120.5000;37.6000
P14=-120.4327;37.5667
P15=-120.3653;37.5333
P16=-120.2980;37.5000
P17=-120.2235;37.4445
P18=-120.1490;37.3890
P19=-120.0745;37.3335
P20=-120.0000;37.2780
P21=-119.9640;37.2085
P22=-119.9280;37.1390
P23=-119.8920;37.0695
P24=-119.8560;37.0000
P25=-119.8427;36.9167
P26=-119.8293;36.8333
P27=-119.8160;36.7500
P28=-119.8027;36.6667
P29=-119.7893;36.5833

P30=-119.7760;36.5000
P31=-119.7975;36.4167
P32=-119.8190;36.3333
P33=-119.8405;36.2500
P34=-119.8620;36.1667
P35=-119.8835;36.0833
P36=-119.9050;36.0000
P37=-119.9525;35.9255
P38=-120.0000;35.8510
P39=-120.0700;35.7808
P40=-120.1400;35.7106
P41=-120.2100;35.6404
P42=-120.2800;35.5702
P43=-120.3500;35.5000
P44=-120.4250;35.4460
P45=-120.5000;35.3920
P46=-120.6000;35.3732
P47=-120.7000;35.3544
P48=-120.8000;35.3356
P49=-120.9000;35.3168
P50=-121.0000;35.2980
P51=-121.0964;35.3384
P52=-121.1928;35.3788
P53=-121.2892;35.4192
P54=-121.3856;35.4596
P55=-121.4820;35.5000
P56=-121.5000;35.5150
P57=-121.5482;35.5958
P58=-121.5963;35.6767
P59=-121.6445;35.7575
P60=-121.6927;35.8383
P61=-121.7408;35.9192
P62=-121.7890;36.0000
P63=-121.7940;36.0833
P64=-121.7990;36.1667
P65=-121.8040;36.2500
P66=-121.8090;36.3333
P67=-121.8140;36.4167
P68=-121.8190;36.5000
P69=-121.7800;36.5833
P70=-121.7410;36.6667
P71=-121.7020;36.7500
P72=-121.6630;36.8333
P73=-121.6240;36.9167
P74=-121.5850;37.0000
P75=-121.5425;37.0520
P76=-121.5000;37.1040
[C16]
gain=-6.00
n_point=75
P1=-119.0000;33.7250
P2=-118.9597;33.8167
P3=-118.9193;33.9083
P4=-118.8790;34.0000
P5=-118.8254;34.1000
P6=-118.7718;34.2000
P7=-118.7182;34.3000

P8=-118.6646;34.4000
P9=-118.6110;34.5000
P10=-118.5555;34.6035
P11=-118.5000;34.7070
P12=-118.4130;34.8047
P13=-118.3260;34.9023
P14=-118.2390;35.0000
P15=-118.1593;35.0747
P16=-118.0797;35.1493
P17=-118.0000;35.2240
P18=-117.8750;35.2552
P19=-117.7500;35.2865
P20=-117.6250;35.3177
P21=-117.5000;35.3490
P22=-117.3750;35.2850
P23=-117.2500;35.2210
P24=-117.1250;35.1570
P25=-117.0000;35.0930
P26=-116.9350;35.0000
P27=-116.8878;34.9000
P28=-116.8406;34.8000
P29=-116.7934;34.7000
P30=-116.7462;34.6000
P31=-116.6990;34.5000
P32=-116.6745;34.3750
P33=-116.6500;34.2500
P34=-116.6255;34.1250
P35=-116.6010;34.0000
P36=-116.6155;33.8750
P37=-116.6300;33.7500
P38=-116.6445;33.6250
P39=-116.6590;33.5000
P40=-116.7004;33.4000
P41=-116.7418;33.3000
P42=-116.7832;33.2000
P43=-116.8246;33.1000
P44=-116.8660;33.0000
P45=-116.9330;32.8985
P46=-117.0000;32.7970
P47=-117.0953;32.6980
P48=-117.1907;32.5990
P49=-117.2860;32.5000
P50=-117.3930;32.4235
P51=-117.5000;32.3470
P52=-117.6250;32.2923
P53=-117.7500;32.2375
P54=-117.8750;32.1828
P55=-118.0000;32.1280
P56=-118.1250;32.1147
P57=-118.2500;32.1015
P58=-118.3750;32.0882
P59=-118.5000;32.0750
P60=-118.6250;32.1410
P61=-118.7500;32.2070
P62=-118.8750;32.2730
P63=-119.0000;32.3390
P64=-119.0560;32.4195

P65=-119.1120;32.5000
P66=-119.1283;32.6250
P67=-119.1445;32.7500
P68=-119.1608;32.8750
P69=-119.1770;33.0000
P70=-119.1513;33.1250
P71=-119.1255;33.2500
P72=-119.0997;33.3750
P73=-119.0740;33.5000
P74=-119.0370;33.6125
P75=-119.0000;33.7250
[C17]
gain=-4.00
n_point=76
P1=-118.5000;34.2190
P2=-118.4365;34.2892
P3=-118.3730;34.3595
P4=-118.3095;34.4297
P5=-118.2460;34.5000
P6=-118.1845;34.5712
P7=-118.1230;34.6425
P8=-118.0615;34.7137
P9=-118.0000;34.7850
P10=-117.9000;34.8090
P11=-117.8000;34.8330
P12=-117.7000;34.8570
P13=-117.6000;34.8810
P14=-117.5000;34.9050
P15=-117.4208;34.8375
P16=-117.3417;34.7700
P17=-117.2625;34.7025
P18=-117.1833;34.6350
P19=-117.1042;34.5675
P20=-117.0250;34.5000
P21=-117.0000;34.4510
P22=-116.9800;34.3608
P23=-116.9600;34.2706
P24=-116.9400;34.1804
P25=-116.9200;34.0902
P26=-116.9000;34.0000
P27=-116.9097;33.9167
P28=-116.9193;33.8333
P29=-116.9290;33.7500
P30=-116.9387;33.6667
P31=-116.9483;33.5833
P32=-116.9580;33.5000
P33=-116.9790;33.4495
P34=-117.0000;33.3990
P35=-117.0510;33.3192
P36=-117.1020;33.2394
P37=-117.1530;33.1596
P38=-117.2040;33.0798
P39=-117.2550;33.0000
P40=-117.3163;32.9360
P41=-117.3775;32.8720
P42=-117.4388;32.8080
P43=-117.5000;32.7440

P44=-117.5850;32.6952
P45=-117.6700;32.6464
P46=-117.7550;32.5976
P47=-117.8400;32.5488
P48=-117.9250;32.5000
P49=-118.0000;32.4700
P50=-118.1000;32.4698
P51=-118.2000;32.4696
P52=-118.3000;32.4694
P53=-118.4000;32.4692
P54=-118.5000;32.4690
P55=-118.5510;32.5000
P56=-118.5968;32.5833
P57=-118.6427;32.6667
P58=-118.6885;32.7500
P59=-118.7343;32.8333
P60=-118.7802;32.9167
P61=-118.8260;33.0000
P62=-118.8157;33.0833
P63=-118.8053;33.1667
P64=-118.7950;33.2500
P65=-118.7847;33.3333
P66=-118.7743;33.4167
P67=-118.7640;33.5000
P68=-118.7383;33.5833
P69=-118.7127;33.6667
P70=-118.6870;33.7500
P71=-118.6613;33.8333
P72=-118.6357;33.9167
P73=-118.6100;34.0000
P74=-118.5733;34.0730
P75=-118.5367;34.1460
P76=-118.5000;34.2190
[C18]
gain=-2.00
n_point=74
P1=-118.0000;34.0810
P2=-117.9583;34.0816
P3=-117.9167;34.0822
P4=-117.8750;34.0827
P5=-117.8333;34.0833
P6=-117.7917;34.0839
P7=-117.7500;34.0845
P8=-117.7083;34.0851
P9=-117.6667;34.0857
P10=-117.6250;34.0863
P11=-117.5833;34.0868
P12=-117.5417;34.0874
P13=-117.5000;34.0880
P14=-117.4850;34.0587
P15=-117.4700;34.0293
P16=-117.4550;34.0000
P17=-117.4579;33.9643
P18=-117.4607;33.9286
P19=-117.4636;33.8929
P20=-117.4664;33.8571
P21=-117.4693;33.8214

P22=-117.4722;33.7857
P23=-117.4750;33.7500
P24=-117.4779;33.7143
P25=-117.4807;33.6786
P26=-117.4836;33.6429
P27=-117.4864;33.6071
P28=-117.4893;33.5714
P29=-117.4921;33.5357
P30=-117.4950;33.5000
P31=-117.5000;33.4900
P32=-117.5333;33.4682
P33=-117.5667;33.4464
P34=-117.6000;33.4246
P35=-117.6333;33.4028
P36=-117.6667;33.3810
P37=-117.7000;33.3592
P38=-117.7333;33.3374
P39=-117.7667;33.3156
P40=-117.8000;33.2938
P41=-117.8333;33.2720
P42=-117.8667;33.2502
P43=-117.9000;33.2284
P44=-117.9333;33.2066
P45=-117.9667;33.1848
P46=-118.0000;33.1630
P47=-118.0201;33.1936
P48=-118.0402;33.2243
P49=-118.0603;33.2549
P50=-118.0804;33.2855
P51=-118.1005;33.3162
P52=-118.1205;33.3468
P53=-118.1406;33.3775
P54=-118.1607;33.4081
P55=-118.1808;33.4387
P56=-118.2009;33.4694
P57=-118.2210;33.5000
P58=-118.2102;33.5357
P59=-118.1994;33.5714
P60=-118.1886;33.6071
P61=-118.1779;33.6429
P62=-118.1671;33.6786
P63=-118.1563;33.7143
P64=-118.1455;33.7500
P65=-118.1347;33.7857
P66=-118.1239;33.8214
P67=-118.1131;33.8571
P68=-118.1024;33.8929
P69=-118.0916;33.9286
P70=-118.0808;33.9643
P71=-118.0700;34.0000
P72=-118.0467;34.0270
P73=-118.0233;34.0540
P74=-118.0000;34.0810
[C19]
gain=-6.00
n_point=72
P1=-116.5000;30.8380

P2=-116.4836;30.8704
P3=-116.4672;30.9028
P4=-116.4508;30.9352
P5=-116.4344;30.9676
P6=-116.4180;31.0000
P7=-116.3800;31.0225
P8=-116.3420;31.0451
P9=-116.3040;31.0676
P10=-116.2660;31.0902
P11=-116.2280;31.1127
P12=-116.1900;31.1353
P13=-116.1520;31.1578
P14=-116.1140;31.1804
P15=-116.0760;31.2029
P16=-116.0380;31.2255
P17=-116.0000;31.2480
P18=-115.9712;31.2204
P19=-115.9424;31.1929
P20=-115.9137;31.1653
P21=-115.8849;31.1378
P22=-115.8561;31.1102
P23=-115.8273;31.0827
P24=-115.7985;31.0551
P25=-115.7698;31.0276
P26=-115.7410;31.0000
P27=-115.7460;30.9615
P28=-115.7510;30.9231
P29=-115.7560;30.8846
P30=-115.7610;30.8462
P31=-115.7660;30.8077
P32=-115.7710;30.7692
P33=-115.7760;30.7308
P34=-115.7810;30.6923
P35=-115.7860;30.6538
P36=-115.7910;30.6154
P37=-115.7960;30.5769
P38=-115.8010;30.5385
P39=-115.8060;30.5000
P40=-115.8302;30.4668
P41=-115.8545;30.4335
P42=-115.8787;30.4002
P43=-115.9030;30.3670
P44=-115.9272;30.3338
P45=-115.9515;30.3005
P46=-115.9758;30.2672
P47=-116.0000;30.2340
P48=-116.0454;30.2414
P49=-116.0909;30.2487
P50=-116.1364;30.2561
P51=-116.1818;30.2635
P52=-116.2273;30.2708
P53=-116.2727;30.2782
P54=-116.3182;30.2855
P55=-116.3636;30.2929
P56=-116.4091;30.3003
P57=-116.4545;30.3076
P58=-116.5000;30.3150

P59=-116.5144;30.3520
P60=-116.5288;30.3890
P61=-116.5432;30.4260
P62=-116.5576;30.4630
P63=-116.5720;30.5000
P64=-116.5640;30.5376
P65=-116.5560;30.5751
P66=-116.5480;30.6127
P67=-116.5400;30.6502
P68=-116.5320;30.6878
P69=-116.5240;30.7253
P70=-116.5160;30.7629
P71=-116.5080;30.8004
P72=-116.5000;30.8380
[C20]
gain=-30.00
n_point=314
P1=-32.0270 ;65.1002
P2=-32.0585 ;65.0955
P3=-33.4619 ;64.8755
P4=-34.8738 ;64.6361
P5=-36.2941 ;64.3775
P6=-37.7229 ;64.0996
P7=-39.1601 ;63.8024
P8=-40.6057 ;63.4859
P9=-42.0598 ;63.1501
P10=-43.5223 ;62.7949
P11=-44.9933 ;62.4205
P12=-46.3115 ;61.9913
P13=-47.2080 ;61.4480
P14=-47.6787 ;60.7897
P15=-47.7647 ;60.0275
P16=-48.2113 ;59.3603
P17=-49.2962 ;58.8624
P18=-51.0132 ;58.5326
P19=-52.7892 ;58.2534
P20=-54.2503 ;57.9483
P21=-55.3973 ;57.6172
P22=-56.5869 ;57.2348
P23=-58.1136 ;56.7800
P24=-59.9753 ;56.2528
P25=-61.5102 ;55.6561
P26=-62.1904 ;54.9919
P27=-62.0159 ;54.2603
P28=-61.6627 ;53.5785
P29=-61.8851 ;53.0775
P30=-62.6708 ;52.7322
P31=-63.8970 ;52.3091
P32=-65.5340 ;51.7510
P33=-66.4781 ;51.4075
P34=-67.4222 ;51.0639
P35=-68.5140 ;50.2851
P36=-68.6188 ;49.4215
P37=-68.0583 ;48.5946
P38=-67.6831 ;48.1256
P39=-67.5413 ;48.0277
P40=-67.8871 ;47.9363

P41=-68.8863 ;47.6138
P42=-70.5242 ;47.0616
P43=-72.1523 ;46.3372
P44=-73.4240 ;45.4713
P45=-74.3571 ;44.4824
P46=-75.3935 ;43.8236
P47=-76.7235 ;43.6902
P48=-78.3113 ;44.0415
P49=-79.4163 ;44.0354
P50=-79.7439 ;43.3370
P51=-79.4911 ;42.0672
P52=-79.7243 ;40.8809
P53=-80.6035 ;39.8765
P54=-81.7966 ;38.9259
P55=-82.5247 ;37.7293
P56=-82.6616 ;37.0187
P57=-82.7986 ;36.3081
P58=-83.0982 ;35.0370
P59=-83.5561 ;34.0196
P60=-84.0915 ;33.1383
P61=-84.4924 ;32.0845
P62=-84.7502 ;30.8434
P63=-85.0649 ;29.5266
P64=-85.3147 ;28.8659
P65=-85.5645 ;28.2052
P66=-85.8808 ;27.5484
P67=-86.1971 ;26.8916
P68=-86.7378 ;25.6397
P69=-87.1602 ;24.4557
P70=-87.6739 ;23.1986
P71=-88.0695 ;22.4708
P72=-88.4650 ;21.7430
P73=-88.9489 ;20.9938
P74=-89.4329 ;20.2446
P75=-89.9351 ;19.6943
P76=-89.8605 ;20.2615
P77=-89.4233 ;21.4096
P78=-89.0925 ;22.1006
P79=-88.7617 ;22.7917
P80=-88.2525 ;23.8870
P81=-88.6438 ;23.6615
P82=-89.2321 ;22.9783
P83=-89.8205 ;22.2951
P84=-90.5640 ;21.6604
P85=-90.5841 ;22.2032
P86=-90.2102 ;23.4580
P87=-90.1085 ;24.4820
P88=-90.2943 ;25.2564
P89=-90.6095 ;26.1071
P90=-90.9717 ;27.2038
P91=-91.4806 ;28.1632
P92=-92.3746 ;28.0703
P93=-93.0095 ;27.4966
P94=-93.6444 ;26.9229
P95=-94.2292 ;26.2804
P96=-94.8139 ;25.6378
P97=-95.6784 ;24.6087

P98=-96.2612 ;23.7106
P99=-96.6103 ;22.6879
P100=-96.7208 ;21.5620
P101=-96.5498 ;20.5370
P102=-96.0889 ;19.6523
P103=-95.7523 ;18.7095
P104=-96.0622 ;17.4583
P105=-96.4922 ;16.7196
P106=-96.9222 ;15.9809
P107=-97.3858 ;15.0788
P108=-97.2202 ;14.9392
P109=-96.5718 ;15.1483
P110=-95.5476 ;15.4850
P111=-95.2825 ;15.1413
P112=-95.7925 ;14.4419
P113=-96.3024 ;13.7425
P114=-96.8993 ;12.9485
P115=-97.4962 ;12.1545
P116=-97.2336 ;11.6481
P117=-96.4529 ;11.4766
P118=-96.6592 ;10.4432
P119=-97.1891 ;9.5488
P120=-97.7191 ;8.6544
P121=-98.0544 ;7.3690
P122=-97.2698 ;6.9058
P123=-96.6190 ;6.4674
P124=-96.8295 ;5.5908
P125=-97.3213 ;4.4621
P126=-97.4013 ;3.3033
P127=-97.1508 ;2.1144
P128=-97.2856 ;0.8907
P129=-97.6229 ;0.2605
P130=-97.9601 ;-0.3696
P131=-98.1807 ;-1.0429
P132=-98.4013 ;-1.7162
P133=-98.2704 ;-2.4477
P134=-98.1394 ;-3.1793
P135=-97.7149 ;-3.9079
P136=-97.2904 ;-4.6366
P137=-96.4490 ;-5.4603
P138=-95.6995 ;-5.5615
P139=-94.9902 ;-5.0740
P140=-94.1552 ;-4.4281
P141=-93.1935 ;-3.6748
P142=-92.2514 ;-3.0451
P143=-91.3732 ;-2.6089
P144=-90.5397 ;-2.3212
P145=-89.6588 ;-1.9662
P146=-88.7365 ;-1.4998
P147=-88.0633 ;-0.6653
P148=-87.7404 ;0.6270
P149=-87.4540 ;1.8656
P150=-86.7214 ;2.2639
P151=-85.6451 ;1.9230
P152=-84.6237 ;1.2480
P153=-83.6964 ;0.2791
P154=-83.0536 ;-0.7467

P155=-82.8204 ; -1.6741
P156=-82.9498 ; -2.4938
P157=-83.0609 ; -3.1296
P158=-83.0318 ; -3.5451
P159=-82.5095 ; -3.5576
P160=-81.4077 ; -3.1223
P161=-80.5061 ; -2.1770
P162=-80.6279 ; -1.4116
P163=-80.7496 ; -0.6462
P164=-81.0170 ; 0.0723
P165=-81.2844 ; 0.7908
P166=-81.1290 ; 1.3549
P167=-80.3580 ; 1.0697
P168=-79.5891 ; 0.1339
P169=-79.2704 ; -0.6186
P170=-78.9516 ; -1.3710
P171=-78.6468 ; -2.0901
P172=-78.3419 ; -2.8093
P173=-77.7227 ; -3.9540
P174=-77.0783 ; -4.9268
P175=-76.3863 ; -5.8962
P176=-75.6462 ; -6.8415
P177=-74.8466 ; -7.2150
P178=-73.9823 ; -6.7795
P179=-73.3265 ; -5.8202
P180=-73.4602 ; -4.9438
P181=-74.2122 ; -4.1381
P182=-74.7441 ; -3.2618
P183=-74.9599 ; -2.2978
P184=-75.2031 ; -1.2188
P185=-75.7038 ; -0.0064
P186=-75.9985 ; 0.6200
P187=-76.2931 ; 1.2464
P188=-76.3116 ; 2.1760
P189=-75.7143 ; 2.7355
P190=-75.1447 ; 2.6165
P191=-74.9010 ; 1.6788
P192=-74.6410 ; 0.5291
P193=-74.1138 ; -0.3876
P194=-73.3578 ; -1.1036
P195=-72.6839 ; -1.8805
P196=-72.1593 ; -2.7750
P197=-71.6056 ; -3.6433
P198=-70.8932 ; -4.3812
P199=-70.1234 ; -5.0738
P200=-69.4712 ; -5.8684
P201=-68.9147 ; -6.7489
P202=-68.1695 ; -7.5043
P203=-67.1553 ; -8.0753
P204=-66.0236 ; -8.3775
P205=-65.3736 ; -8.0767
P206=-65.2667 ; -7.1387
P207=-65.5781 ; -5.9823
P208=-66.1876 ; -5.0107
P209=-67.0280 ; -4.1837
P210=-67.8048 ; -3.3256
P211=-68.4834 ; -2.4159

P212=-69.1513 ; -1.4069
P213=-69.5334 ; -0.8237
P214=-69.9155 ; -0.2406
P215=-70.3127 ; 0.3959
P216=-70.7099 ; 1.0323
P217=-70.4745 ; 1.5992
P218=-69.6816 ; 1.4074
P219=-68.8888 ; 1.2156
P220=-67.7326 ; 1.3048
P221=-67.8368 ; 2.5092
P222=-68.2355 ; 3.7709
P223=-68.6243 ; 4.7613
P224=-68.4834 ; 5.3609
P225=-67.4742 ; 5.4919
P226=-66.6940 ; 5.4429
P227=-65.9137 ; 5.3939
P228=-65.1458 ; 6.0830
P229=-65.2144 ; 6.8470
P230=-65.2830 ; 7.6109
P231=-65.5524 ; 8.3894
P232=-65.8218 ; 9.1679
P233=-66.2146 ; 9.8365
P234=-66.6074 ; 10.5051
P235=-67.2069 ; 11.5505
P236=-66.7349 ; 12.1563
P237=-65.9525 ; 12.2386
P238=-65.1700 ; 12.3208
P239=-64.4016 ; 12.4768
P240=-63.6332 ; 12.6328
P241=-62.9821 ; 13.5426
P242=-63.0903 ; 14.2853
P243=-63.1985 ; 15.0281
P244=-63.6298 ; 16.3024
P245=-63.9204 ; 16.9811
P246=-63.4171 ; 17.2162
P247=-62.6376 ; 17.1424
P248=-61.8582 ; 17.0686
P249=-60.8851 ; 16.9582
P250=-59.9120 ; 16.8478
P251=-58.5979 ; 17.0256
P252=-57.9273 ; 17.6063
P253=-58.0934 ; 18.4112
P254=-58.6697 ; 18.8564
P255=-59.2461 ; 19.3015
P256=-60.0338 ; 19.7587
P257=-60.8214 ; 20.2159
P258=-61.5117 ; 21.0120
P259=-61.3820 ; 21.5552
P260=-60.6853 ; 21.5693
P261=-59.4310 ; 21.0469
P262=-58.6462 ; 20.7689
P263=-57.8615 ; 20.4908
P264=-57.0141 ; 20.3924
P265=-56.1667 ; 20.2941
P266=-55.2641 ; 20.3751
P267=-54.3614 ; 20.4562
P268=-53.1020 ; 20.9482

P269=-52.7404 ;21.7545
P270=-53.1339 ;22.7767
P271=-53.6301 ;23.5647
P272=-54.1486 ;24.0627
P273=-54.2878 ;24.3792
P274=-53.2893 ;24.7186
P275=-52.2207 ;24.9031
P276=-51.1522 ;25.0876
P277=-50.3320 ;25.3700
P278=-49.5118 ;25.6524
P279=-49.4448 ;26.5225
P280=-50.0219 ;27.0612
P281=-50.5990 ;27.6000
P282=-51.0126 ;28.3400
P283=-50.3824 ;28.6584
P284=-48.9797 ;28.7035
P285=-48.2034 ;28.7599
P286=-47.4271 ;28.8163
P287=-46.5882 ;28.9133
P288=-45.7493 ;29.0103
P289=-44.9524 ;29.1733
P290=-44.1556 ;29.3363
P291=-43.0783 ;29.8991
P292=-42.5341 ;30.6956
P293=-42.6573 ;31.4594
P294=-43.5182 ;32.0514
P295=-44.8404 ;32.4930
P296=-45.1089 ;32.9007
P297=-44.0937 ;33.2923
P298=-43.0976 ;33.4692
P299=-42.1015 ;33.6461
P300=-41.2084 ;33.7622
P301=-40.3153 ;33.8783
P302=-38.8527 ;33.9805
P303=-37.6275 ;33.9858
P304=-36.2976 ;34.0261
P305=-34.8278 ;34.1149
P306=-33.2745 ;34.2324
P307=-31.7664 ;34.3338
P308=-30.3085 ;34.4175
P309=-28.8826 ;34.4876
P310=-27.4463 ;34.5543
P311=-25.9980 ;34.6180
P312=-24.5375 ;34.6786
P313=-23.0650 ;34.7362
P314=-21.6000 ;34.7902
[C21]
gain=-20.00
n_point=830
P1=-29.8729 ;62.1584
P2=-30.1500 ;62.0860
P3=-30.4750 ;62.0000
P4=-30.5000 ;61.9960
P5=-31.0000 ;61.9250
P6=-31.5000 ;61.8610
P7=-32.0000 ;61.7880
P8=-32.5000 ;61.6950

P9=-33.0000 ;61.5750
P10=-33.2160 ;61.5000
P11=-33.5000 ;61.4290
P12=-34.0000 ;61.3110
P13=-34.5000 ;61.1950
P14=-35.0000 ;61.0880
P15=-35.3460 ;61.0000
P16=-35.5000 ;60.9540
P17=-36.0000 ;60.7600
P18=-36.5000 ;60.5530
P19=-36.6220 ;60.5000
P20=-37.0000 ;60.3700
P21=-37.5000 ;60.2080
P22=-38.0000 ;60.0150
P23=-38.0310 ;60.0000
P24=-38.5000 ;59.6810
P25=-38.7820 ;59.5000
P26=-39.0000 ;59.3490
P27=-39.5000 ;59.0330
P28=-39.5480 ;59.0000
P29=-39.5880 ;58.5000
P30=-40.0000 ;58.2330
P31=-40.3180 ;58.0000
P32=-40.5000 ;57.9220
P33=-41.0000 ;57.6970
P34=-41.3650 ;57.5000
P35=-41.5000 ;57.4570
P36=-42.0000 ;57.2780
P37=-42.5000 ;57.0960
P38=-42.7300 ;57.0000
P39=-43.0000 ;56.8970
P40=-43.5000 ;56.7070
P41=-44.0000 ;56.5490
P42=-44.1900 ;56.5000
P43=-44.5000 ;56.3910
P44=-45.0000 ;56.2260
P45=-45.5000 ;56.0640
P46=-45.7590 ;56.0000
P47=-46.0000 ;55.9220
P48=-46.5000 ;55.7710
P49=-47.0000 ;55.6650
P50=-47.5000 ;55.5760
P51=-47.9050 ;55.5000
P52=-48.0000 ;55.4740
P53=-48.5000 ;55.4270
P54=-49.0000 ;55.3910
P55=-49.5000 ;55.4530
P56=-49.7430 ;55.5000
P57=-50.0000 ;55.5630
P58=-50.5000 ;55.7880
P59=-50.8330 ;56.0000
P60=-51.0000 ;56.1520
P61=-51.4460 ;56.5000
P62=-51.5000 ;56.5330
P63=-52.0000 ;56.6780
P64=-52.5000 ;56.7480
P65=-53.0000 ;56.7190

P66=-53.5000 ;56.6920
P67=-54.0000 ;56.5910
P68=-54.4660 ;56.5000
P69=-54.5000 ;56.4900
P70=-55.0000 ;56.2890
P71=-55.5000 ;56.1210
P72=-55.8570 ;56.0000
P73=-56.0000 ;55.9310
P74=-56.5000 ;55.6850
P75=-56.8660 ;55.5000
P76=-57.0000 ;55.3390
P77=-57.2410 ;55.0000
P78=-57.2990 ;54.5000
P79=-57.1320 ;54.0000
P80=-57.0000 ;53.7720
P81=-56.8100 ;53.5000
P82=-56.5000 ;53.1650
P83=-56.3470 ;53.0000
P84=-56.0000 ;52.7390
P85=-55.5710 ;52.5000
P86=-55.5000 ;52.4690
P87=-55.0000 ;52.2830
P88=-54.5000 ;52.1360
P89=-54.0000 ;52.1340
P90=-53.5000 ;52.1750
P91=-53.0000 ;52.3050
P92=-52.5000 ;52.4920
P93=-52.4820 ;52.5000
P94=-52.0000 ;52.6610
P95=-51.5000 ;52.8590
P96=-51.0000 ;52.9910
P97=-50.9690 ;53.0000
P98=-50.5000 ;53.1960
P99=-50.0000 ;53.3440
P100=-49.5000 ;53.4610
P101=-49.2720 ;53.5000
P102=-49.0000 ;53.5880
P103=-48.5000 ;53.7080
P104=-48.0000 ;53.7770
P105=-47.5000 ;53.8130
P106=-47.0000 ;53.8530
P107=-46.5000 ;53.8400
P108=-46.0000 ;53.7630
P109=-45.6010 ;53.5000
P110=-46.0000 ;53.0880
P111=-46.0460 ;53.0000
P112=-46.5000 ;52.7270
P113=-46.9800 ;52.5000
P114=-47.0000 ;52.4900
P115=-47.5000 ;52.2650
P116=-48.0000 ;52.0650
P117=-48.1870 ;52.0000
P118=-48.5000 ;51.8630
P119=-49.0000 ;51.6900
P120=-49.5000 ;51.5810
P121=-49.9920 ;51.5000
P122=-50.0000 ;51.4980

P123=-50.5000 ;51.3600
P124=-51.0000 ;51.2670
P125=-51.5000 ;51.2290
P126=-52.0000 ;51.2230
P127=-52.5000 ;51.2380
P128=-53.0000 ;51.2690
P129=-53.5000 ;51.2900
P130=-54.0000 ;51.2530
P131=-54.5000 ;51.1700
P132=-54.9590 ;51.0000
P133=-55.0000 ;50.9900
P134=-55.5000 ;50.8330
P135=-56.0000 ;50.6540
P136=-56.3640 ;50.5000
P137=-56.5000 ;50.4450
P138=-57.0000 ;50.2580
P139=-57.5000 ;50.1060
P140=-57.9740 ;50.0000
P141=-58.0000 ;49.9910
P142=-58.5000 ;49.8980
P143=-59.0000 ;49.8350
P144=-59.5000 ;49.8140
P145=-60.0000 ;49.8470
P146=-60.5000 ;49.9200
P147=-60.8050 ;50.0000
P148=-61.0000 ;50.0650
P149=-61.5000 ;50.4290
P150=-61.5610 ;50.5000
P151=-61.9830 ;51.0000
P152=-62.0000 ;51.0130
P153=-62.5000 ;51.3270
P154=-63.0000 ;51.4790
P155=-63.5000 ;51.4650
P156=-64.0000 ;51.3680
P157=-64.5000 ;51.2230
P158=-65.0000 ;51.0610
P159=-65.1530 ;51.0000
P160=-65.5000 ;50.7650
P161=-65.9290 ;50.5000
P162=-66.0000 ;50.3980
P163=-66.3110 ;50.0000
P164=-66.0000 ;49.6070
P165=-65.8250 ;49.5000
P166=-65.5000 ;49.4400
P167=-65.0000 ;49.3670
P168=-64.5000 ;49.2950
P169=-64.0000 ;49.2020
P170=-63.5000 ;49.0370
P171=-63.4250 ;49.0000
P172=-63.0530 ;48.5000
P173=-63.0480 ;48.0000
P174=-63.0990 ;47.5000
P175=-63.1560 ;47.0000
P176=-63.1970 ;46.5000
P177=-63.2470 ;46.0000
P178=-63.4090 ;45.5000
P179=-63.5000 ;45.3380

P180=-63.6440 ;45.0000
P181=-63.8660 ;44.5000
P182=-64.0000 ;44.1260
P183=-64.0450 ;44.0000
P184=-64.0790 ;43.5000
P185=-64.0000 ;43.3770
P186=-63.5860 ;43.0000
P187=-63.5000 ;42.9610
P188=-63.0000 ;42.8170
P189=-62.5000 ;42.6000
P190=-62.4310 ;42.5000
P191=-62.5000 ;42.3290
P192=-62.5770 ;42.0000
P193=-62.8860 ;41.5000
P194=-63.0000 ;41.4020
P195=-63.5000 ;41.0150
P196=-63.5260 ;41.0000
P197=-64.0000 ;40.8010
P198=-64.5000 ;40.7130
P199=-65.0000 ;40.7560
P200=-65.5000 ;40.9150
P201=-65.7100 ;41.0000
P202=-66.0000 ;41.1220
P203=-66.5000 ;41.3130
P204=-67.0000 ;41.4330
P205=-67.5000 ;41.4060
P206=-67.9490 ;41.0000
P207=-68.0000 ;40.9720
P208=-68.4270 ;40.5000
P209=-68.5000 ;40.4360
P210=-68.8440 ;40.0000
P211=-69.0000 ;39.8310
P212=-69.2550 ;39.5000
P213=-69.5000 ;39.0750
P214=-69.5340 ;39.0000
P215=-69.5710 ;38.5000
P216=-69.5000 ;38.4270
P217=-69.0000 ;38.2310
P218=-68.5000 ;38.1780
P219=-68.0000 ;38.1720
P220=-67.5000 ;38.1860
P221=-67.0000 ;38.2070
P222=-66.5000 ;38.2340
P223=-66.0000 ;38.2520
P224=-65.5000 ;38.2200
P225=-65.0000 ;38.0310
P226=-64.9540 ;38.0000
P227=-64.5000 ;37.7730
P228=-64.1540 ;37.5000
P229=-64.0000 ;37.3800
P230=-63.5940 ;37.0000
P231=-63.5690 ;36.5000
P232=-64.0000 ;36.0210
P233=-64.0240 ;36.0000
P234=-64.5000 ;35.6600
P235=-64.7750 ;35.5000
P236=-65.0000 ;35.3620

P237=-65.5000 ;35.0550
P238=-65.5520 ;35.0000
P239=-66.0000 ;34.7420
P240=-66.4820 ;34.5000
P241=-66.5000 ;34.4910
P242=-67.0000 ;34.2740
P243=-67.5000 ;34.1630
P244=-68.0000 ;34.0830
P245=-68.3680 ;34.0000
P246=-68.5000 ;33.9570
P247=-69.0000 ;33.7930
P248=-69.5000 ;33.7200
P249=-70.0000 ;33.6950
P250=-70.5000 ;33.6610
P251=-71.0000 ;33.6350
P252=-71.5000 ;33.6350
P253=-72.0000 ;33.6750
P254=-72.5000 ;33.7340
P255=-73.0000 ;33.7050
P256=-73.4360 ;33.5000
P257=-73.5000 ;33.4670
P258=-73.8130 ;33.0000
P259=-74.0000 ;32.7330
P260=-74.0850 ;32.5000
P261=-74.5000 ;32.0220
P262=-74.5170 ;32.0000
P263=-75.0000 ;31.5960
P264=-75.2130 ;31.5000
P265=-75.5000 ;31.3080
P266=-76.0000 ;31.0540
P267=-76.0890 ;31.0000
P268=-76.5000 ;30.5230
P269=-76.5200 ;30.5000
P270=-76.5000 ;30.1100
P271=-76.4920 ;30.0000
P272=-76.5000 ;29.9510
P273=-76.5310 ;29.5000
P274=-77.0000 ;29.0080
P275=-77.0040 ;29.0000
P276=-77.5000 ;28.5660
P277=-77.6060 ;28.5000
P278=-78.0000 ;28.1390
P279=-78.1610 ;28.0000
P280=-78.5000 ;27.5690
P281=-78.5630 ;27.5000
P282=-78.7350 ;27.0000
P283=-78.8330 ;26.5000
P284=-79.0000 ;26.3020
P285=-79.1950 ;26.0000
P286=-79.5000 ;25.7380
P287=-79.7790 ;25.5000
P288=-80.0000 ;25.3030
P289=-80.4010 ;25.0000
P290=-80.5000 ;24.8940
P291=-81.0000 ;24.6360
P292=-81.1500 ;25.0000
P293=-81.0000 ;25.4120

P294=-80.9790 ;25.5000
P295=-80.6200 ;26.0000
P296=-80.5000 ;26.1380
P297=-80.1900 ;26.5000
P298=-80.0000 ;26.8250
P299=-79.8770 ;27.0000
P300=-79.9130 ;27.5000
P301=-79.9130 ;28.0000
P302=-79.5000 ;28.4330
P303=-79.4320 ;28.5000
P304=-79.0000 ;28.8440
P305=-78.7740 ;29.0000
P306=-78.5000 ;29.3050
P307=-78.3240 ;29.5000
P308=-78.2080 ;30.0000
P309=-78.5000 ;30.3650
P310=-78.6310 ;30.5000
P311=-78.7890 ;31.0000
P312=-78.5000 ;31.2280
P313=-78.0630 ;31.5000
P314=-78.0000 ;31.5330
P315=-77.5000 ;31.8100
P316=-77.0110 ;32.0000
P317=-77.0000 ;32.0110
P318=-76.5120 ;32.5000
P319=-76.6090 ;33.0000
P320=-77.0000 ;33.1220
P321=-77.5000 ;33.2220
P322=-78.0000 ;33.2900
P323=-78.5000 ;33.3540
P324=-79.0000 ;33.4390
P325=-79.3270 ;33.5000
P326=-79.5000 ;33.5480
P327=-80.0000 ;33.5770
P328=-80.3920 ;33.5000
P329=-80.5000 ;33.4740
P330=-81.0000 ;33.1800
P331=-81.2380 ;33.0000
P332=-81.4360 ;32.5000
P333=-81.1670 ;32.0000
P334=-81.0000 ;31.7470
P335=-80.8290 ;31.5000
P336=-81.0000 ;31.2990
P337=-81.3410 ;31.0000
P338=-81.5000 ;30.9420
P339=-82.0000 ;30.7890
P340=-82.5000 ;30.6480
P341=-82.9290 ;30.5000
P342=-83.0000 ;30.4620
P343=-83.5000 ;30.0550
P344=-83.5430 ;30.0000
P345=-83.6620 ;29.5000
P346=-83.6410 ;29.0000
P347=-83.7460 ;28.5000
P348=-84.0000 ;28.2190
P349=-84.1570 ;28.0000
P350=-84.5000 ;27.5970

P351=-84.5660 ;27.5000
P352=-84.8030 ;27.0000
P353=-84.9930 ;26.5000
P354=-85.0000 ;26.4840
P355=-85.1940 ;26.0000
P356=-85.5000 ;25.6310
P357=-85.6120 ;25.5000
P358=-86.0000 ;25.0880
P359=-86.0700 ;25.0000
P360=-86.3490 ;24.5000
P361=-86.5000 ;24.1420
P362=-86.5380 ;24.0000
P363=-86.6980 ;23.5000
P364=-87.0000 ;23.0590
P365=-87.0270 ;23.0000
P366=-87.4280 ;22.5000
P367=-87.5000 ;22.4130
P368=-87.7400 ;22.0000
P369=-88.0000 ;21.5960
P370=-88.0400 ;21.5000
P371=-88.1490 ;21.0000
P372=-88.1690 ;20.5000
P373=-88.2510 ;20.0000
P374=-88.5000 ;19.5220
P375=-88.5080 ;19.5000
P376=-88.7650 ;19.0000
P377=-89.0000 ;18.6150
P378=-89.0510 ;18.5000
P379=-89.3070 ;18.0000
P380=-89.5000 ;17.7400
P381=-89.7130 ;17.5000
P382=-90.0000 ;17.2010
P383=-90.4970 ;17.0000
P384=-90.5000 ;16.9980
P385=-90.5030 ;17.0000
P386=-90.6080 ;17.5000
P387=-90.5000 ;17.6810
P388=-90.3880 ;18.0000
P389=-90.3300 ;18.5000
P390=-90.5000 ;18.6790
P391=-91.0000 ;18.6430
P392=-91.4880 ;18.5000
P393=-91.5000 ;18.4950
P394=-92.0000 ;18.3530
P395=-92.2580 ;18.5000
P396=-92.1840 ;19.0000
P397=-92.0000 ;19.2850
P398=-91.8740 ;19.5000
P399=-91.5170 ;20.0000
P400=-92.0000 ;20.0580
P401=-92.1410 ;20.0000
P402=-92.5000 ;19.8140
P403=-92.8940 ;19.5000
P404=-93.0000 ;19.4110
P405=-93.3580 ;19.0000
P406=-93.5000 ;18.8340
P407=-93.7010 ;18.5000

P408=-93.8790 ;18.0000
P409=-93.6100 ;17.5000
P410=-93.5940 ;17.0000
P411=-93.8860 ;16.5000
P412=-94.0000 ;16.3600
P413=-94.2110 ;16.0000
P414=-94.5000 ;15.5890
P415=-94.5410 ;15.5000
P416=-94.6830 ;15.0000
P417=-94.5840 ;14.5000
P418=-94.5000 ;14.4330
P419=-94.2810 ;14.0000
P420=-94.4810 ;13.5000
P421=-94.5000 ;13.4660
P422=-94.7730 ;13.0000
P423=-94.9960 ;12.5000
P424=-95.0000 ;12.4920
P425=-95.2060 ;12.0000
P426=-95.5000 ;11.5170
P427=-95.5090 ;11.5000
P428=-95.7640 ;11.0000
P429=-96.0000 ;10.5790
P430=-96.0340 ;10.5000
P431=-96.1310 ;10.0000
P432=-96.0520 ;9.5000
P433=-96.0000 ;9.4320
P434=-95.5000 ;9.2020
P435=-95.4290 ;9.0000
P436=-95.4620 ;8.5000
P437=-95.5000 ;8.3810
P438=-95.6200 ;8.0000
P439=-95.7060 ;7.5000
P440=-95.7440 ;7.0000
P441=-95.7480 ;6.5000
P442=-95.7280 ;6.0000
P443=-95.6920 ;5.5000
P444=-95.6280 ;5.0000
P445=-95.5000 ;4.5350
P446=-95.4810 ;4.5000
P447=-95.2220 ;4.0000
P448=-95.0000 ;3.5350
P449=-94.9830 ;3.5000
P450=-94.5990 ;3.0000
P451=-94.5000 ;2.9100
P452=-94.0000 ;2.8520
P453=-93.5000 ;2.9550
P454=-93.0000 ;2.9870
P455=-92.6250 ;2.5000
P456=-92.5000 ;2.1800
P457=-92.4040 ;2.0000
P458=-92.2290 ;1.5000
P459=-92.2840 ;1.0000
P460=-92.4380 ;0.5000
P461=-92.2050 ;0.0000
P462=-92.0000 ;-0.1000
P463=-91.7010 ;0.0000
P464=-91.5430 ;0.5000

P465=-91.7290 ;1.0000
P466=-91.7620 ;1.5000
P467=-91.5250 ;2.0000
P468=-91.5000 ;2.0300
P469=-91.3950 ;2.5000
P470=-91.0280 ;3.0000
P471=-91.0000 ;3.0190
P472=-90.5000 ;3.3590
P473=-90.0000 ;3.2890
P474=-89.7180 ;3.0000
P475=-89.7120 ;2.5000
P476=-89.8590 ;2.0000
P477=-89.7460 ;1.5000
P478=-89.5000 ;1.2410
P479=-89.0000 ;1.0820
P480=-88.5000 ;1.2830
P481=-88.3790 ;1.5000
P482=-88.2130 ;2.0000
P483=-88.0280 ;2.5000
P484=-88.0000 ;2.5690
P485=-87.9100 ;3.0000
P486=-87.8280 ;3.5000
P487=-87.7630 ;4.0000
P488=-87.6020 ;4.5000
P489=-87.5000 ;4.6980
P490=-87.0000 ;4.7500
P491=-86.7100 ;4.5000
P492=-86.5030 ;4.0000
P493=-86.5370 ;3.5000
P494=-86.5200 ;3.0000
P495=-86.5000 ;2.9470
P496=-86.0000 ;2.7900
P497=-85.5300 ;3.0000
P498=-85.5000 ;3.0150
P499=-85.0000 ;3.3570
P500=-84.6030 ;3.5000
P501=-84.5000 ;3.5680
P502=-84.3940 ;3.5000
P503=-84.1400 ;3.0000
P504=-84.0000 ;2.8480
P505=-83.5000 ;2.8030
P506=-83.0520 ;3.0000
P507=-83.0000 ;3.0310
P508=-82.5910 ;3.5000
P509=-82.5000 ;3.6220
P510=-82.2880 ;4.0000
P511=-82.0000 ;4.4050
P512=-81.9120 ;4.5000
P513=-81.5000 ;4.8900
P514=-81.3060 ;5.0000
P515=-81.0000 ;5.3170
P516=-80.8700 ;5.5000
P517=-80.7360 ;6.0000
P518=-80.6290 ;6.5000
P519=-80.7740 ;7.0000
P520=-80.9480 ;7.5000
P521=-80.9080 ;8.0000

P522=-80.5000 ;8.4260
P523=-80.3020 ;8.5000
P524=-80.0000 ;8.5950
P525=-79.5000 ;8.8760
P526=-79.3680 ;9.0000
P527=-79.0730 ;9.5000
P528=-79.5000 ;9.8800
P529=-80.0000 ;9.6750
P530=-80.2640 ;9.5000
P531=-80.5000 ;9.1850
P532=-80.6270 ;9.0000
P533=-81.0000 ;8.5110
P534=-81.0210 ;8.5000
P535=-81.5000 ;8.2650
P536=-82.0000 ;8.0900
P537=-82.1120 ;8.0000
P538=-82.5000 ;7.5380
P539=-82.5160 ;7.5000
P540=-82.6570 ;7.0000
P541=-82.7100 ;6.5000
P542=-82.5000 ;6.2980
P543=-82.2570 ;6.0000
P544=-82.3210 ;5.5000
P545=-82.5000 ;5.2340
P546=-82.6780 ;5.0000
P547=-83.0000 ;4.7430
P548=-83.5000 ;4.7820
P549=-83.5210 ;5.0000
P550=-83.5000 ;5.0630
P551=-83.3370 ;5.5000
P552=-83.2050 ;6.0000
P553=-83.3800 ;6.5000
P554=-83.5000 ;6.5430
P555=-83.6630 ;7.0000
P556=-83.6340 ;7.5000
P557=-83.5000 ;7.7580
P558=-83.4030 ;8.0000
P559=-83.1230 ;8.5000
P560=-83.0000 ;8.7040
P561=-82.7560 ;9.0000
P562=-82.5000 ;9.2690
P563=-82.1780 ;9.5000
P564=-82.0000 ;9.6270
P565=-81.5000 ;9.9360
P566=-81.3850 ;10.0000
P567=-81.0000 ;10.2930
P568=-80.7350 ;10.5000
P569=-80.5000 ;10.7000
P570=-80.1630 ;11.0000
P571=-80.0000 ;11.1940
P572=-79.6840 ;11.5000
P573=-79.5700 ;12.0000
P574=-79.7440 ;12.5000
P575=-79.8750 ;13.0000
P576=-79.7860 ;13.5000
P577=-79.5000 ;13.9360
P578=-79.4610 ;14.0000

P579=-79.0000 ;14.3810
P580=-78.5000 ;14.3660
P581=-78.2900 ;14.0000
P582=-78.3740 ;13.5000
P583=-78.3400 ;13.0000
P584=-78.4340 ;12.5000
P585=-78.5000 ;12.3780
P586=-78.7470 ;12.0000
P587=-78.8960 ;11.5000
P588=-78.6430 ;11.0000
P589=-78.5000 ;10.9050
P590=-78.0000 ;10.8760
P591=-77.5000 ;10.7310
P592=-77.2460 ;10.5000
P593=-77.3420 ;10.0000
P594=-77.4570 ;9.5000
P595=-77.0030 ;9.0000
P596=-77.0000 ;8.9970
P597=-76.6050 ;8.5000
P598=-76.6480 ;8.0000
P599=-76.5130 ;7.5000
P600=-76.5000 ;7.4960
P601=-76.0000 ;7.4090
P602=-75.5000 ;7.3450
P603=-75.0000 ;7.2280
P604=-74.5120 ;7.0000
P605=-74.5000 ;6.9810
P606=-74.0000 ;6.6510
P607=-73.5000 ;6.6740
P608=-73.0000 ;6.8470
P609=-72.7520 ;7.0000
P610=-72.5000 ;7.4090
P611=-72.4550 ;7.5000
P612=-72.1550 ;8.0000
P613=-72.0000 ;8.1450
P614=-71.5730 ;8.5000
P615=-71.5000 ;8.5490
P616=-71.0000 ;8.7730
P617=-70.5000 ;8.9180
P618=-70.0500 ;9.0000
P619=-70.0000 ;9.0160
P620=-69.5000 ;9.3950
P621=-69.4440 ;9.5000
P622=-69.4390 ;10.0000
P623=-69.4580 ;10.5000
P624=-69.5000 ;10.6380
P625=-69.6090 ;11.0000
P626=-70.0000 ;11.4110
P627=-70.1240 ;11.5000
P628=-70.5000 ;11.6880
P629=-71.0000 ;11.9920
P630=-71.0100 ;12.0000
P631=-71.3390 ;12.5000
P632=-71.0000 ;12.7230
P633=-70.5000 ;12.9400
P634=-70.3220 ;13.0000
P635=-70.0000 ;13.0720

P636=-69.5000 ;13.1800
P637=-69.0000 ;13.2770
P638=-68.5000 ;13.3610
P639=-68.0000 ;13.4270
P640=-67.5000 ;13.4800
P641=-67.3380 ;13.5000
P642=-67.0000 ;13.5640
P643=-66.5000 ;13.7050
P644=-66.0000 ;13.8860
P645=-65.7490 ;14.0000
P646=-65.5000 ;14.1890
P647=-65.1490 ;14.5000
P648=-65.0000 ;14.8330
P649=-64.9400 ;15.0000
P650=-65.0000 ;15.3170
P651=-65.0410 ;15.5000
P652=-65.2750 ;16.0000
P653=-65.5000 ;16.3690
P654=-65.5690 ;16.5000
P655=-65.9810 ;17.0000
P656=-66.0000 ;17.0310
P657=-66.3570 ;17.5000
P658=-66.1620 ;18.0000
P659=-66.0000 ;18.1000
P660=-65.5000 ;18.2560
P661=-65.0000 ;18.3030
P662=-64.5000 ;18.3090
P663=-64.0000 ;18.3150
P664=-63.5000 ;18.3500
P665=-63.0000 ;18.4280
P666=-62.7220 ;18.5000
P667=-62.5000 ;18.6070
P668=-62.0000 ;18.9770
P669=-61.9780 ;19.0000
P670=-61.8630 ;19.5000
P671=-62.0000 ;19.8270
P672=-62.0780 ;20.0000
P673=-62.5000 ;20.3690
P674=-62.6470 ;20.5000
P675=-63.0000 ;20.7640
P676=-63.2090 ;21.0000
P677=-63.5000 ;21.4250
P678=-63.5450 ;21.5000
P679=-63.7780 ;22.0000
P680=-63.6580 ;22.5000
P681=-63.5000 ;22.6350
P682=-63.0000 ;22.8370
P683=-62.5000 ;22.8890
P684=-62.0000 ;22.8830
P685=-61.5000 ;22.8580
P686=-61.0000 ;22.8410
P687=-60.5000 ;22.8430
P688=-60.0000 ;22.8870
P689=-59.6230 ;23.0000
P690=-59.7050 ;23.5000
P691=-60.0000 ;23.7920
P692=-60.1600 ;24.0000

P693=-60.5000 ;24.1600
P694=-61.0000 ;24.4910
P695=-61.0100 ;24.5000
P696=-61.4010 ;25.0000
P697=-61.3020 ;25.5000
P698=-61.0000 ;25.9390
P699=-60.9280 ;26.0000
P700=-60.5000 ;26.3480
P701=-60.0000 ;26.3750
P702=-59.5000 ;26.2790
P703=-59.0000 ;26.1490
P704=-58.5120 ;26.0000
P705=-58.5000 ;25.9980
P706=-58.0000 ;25.8960
P707=-57.5000 ;25.7840
P708=-57.0000 ;25.6880
P709=-56.5000 ;25.6280
P710=-56.0000 ;25.6070
P711=-55.5000 ;25.6170
P712=-55.0000 ;25.6560
P713=-54.5000 ;25.7260
P714=-54.0000 ;25.8340
P715=-53.5000 ;25.9730
P716=-53.4230 ;26.0000
P717=-53.0000 ;26.4890
P718=-52.9910 ;26.5000
P719=-53.0000 ;26.5070
P720=-53.5000 ;26.9850
P721=-53.5090 ;27.0000
P722=-53.8030 ;27.5000
P723=-54.0000 ;27.8600
P724=-54.1140 ;28.0000
P725=-54.5000 ;28.1890
P726=-55.0000 ;28.3050
P727=-55.5000 ;28.3840
P728=-55.9260 ;28.5000
P729=-55.6000 ;29.0000
P730=-55.5000 ;29.0490
P731=-55.0000 ;29.2590
P732=-54.5000 ;29.4420
P733=-54.3270 ;29.5000
P734=-54.0000 ;29.5930
P735=-53.5000 ;29.6980
P736=-53.0000 ;29.7720
P737=-52.5000 ;29.8300
P738=-52.0000 ;29.8750
P739=-51.5000 ;29.9200
P740=-51.0000 ;29.9750
P741=-50.8230 ;30.0000
P742=-50.5000 ;30.0710
P743=-50.0000 ;30.2340
P744=-49.5000 ;30.4620
P745=-49.4340 ;30.5000
P746=-49.0680 ;31.0000
P747=-49.0030 ;31.5000
P748=-49.2590 ;32.0000
P749=-49.5000 ;32.2140

P750=-49.8660 ;32.5000
P751=-49.7620 ;33.0000
P752=-49.5000 ;33.1490
P753=-49.0000 ;33.4980
P754=-48.9980 ;33.5000
P755=-48.5000 ;33.7570
P756=-48.0370 ;34.0000
P757=-48.0000 ;34.0200
P758=-47.5000 ;34.2750
P759=-47.0200 ;34.5000
P760=-47.0000 ;34.5110
P761=-46.5000 ;34.7790
P762=-46.0370 ;35.0000
P763=-46.0000 ;35.0250
P764=-45.5000 ;35.3220
P765=-45.1570 ;35.5000
P766=-45.0000 ;35.6470
P767=-44.5260 ;36.0000
P768=-44.5000 ;36.2120
P769=-44.4490 ;36.5000
P770=-44.5000 ;36.5240
P771=-45.0000 ;36.6960
P772=-45.5000 ;36.8090
P773=-46.0000 ;36.9340
P774=-46.1770 ;37.0000
P775=-46.0000 ;37.1410
P776=-45.7730 ;37.5000
P777=-45.5000 ;37.6020
P778=-45.0000 ;37.7950
P779=-44.5500 ;38.0000
P780=-44.5000 ;38.0170
P781=-44.0000 ;38.1640
P782=-43.5000 ;38.3000
P783=-43.0000 ;38.4200
P784=-42.6940 ;38.5000
P785=-42.5000 ;38.5490
P786=-42.0000 ;38.6420
P787=-41.5000 ;38.7280
P788=-41.0000 ;38.7930
P789=-40.5000 ;38.8540
P790=-40.0000 ;38.9100
P791=-39.5000 ;38.9710
P792=-39.2190 ;39.0000
P793=-39.0000 ;39.0220
P794=-38.5000 ;39.0720
P795=-38.0000 ;39.1160
P796=-37.5000 ;39.1590
P797=-37.0000 ;39.2010
P798=-36.5000 ;39.2420
P799=-36.0000 ;39.2830
P800=-35.5000 ;39.3210
P801=-35.0000 ;39.3620
P802=-34.5000 ;39.4080
P803=-34.0000 ;39.4560
P804=-33.5610 ;39.5000
P805=-33.5000 ;39.5060
P806=-33.0000 ;39.5500

P807=-32.5000 ;39.5950
P808=-32.0000 ;39.6380
P809=-31.5000 ;39.6830
P810=-31.0000 ;39.7280
P811=-30.5000 ;39.7700
P812=-30.0000 ;39.8140
P813=-29.5000 ;39.8630
P814=-29.0000 ;39.9140
P815=-28.5000 ;39.9650
P816=-28.1640 ;40.0000
P817=-28.0000 ;40.0160
P818=-27.5000 ;40.0660
P819=-27.0000 ;40.1160
P820=-26.5000 ;40.1650
P821=-26.0000 ;40.2130
P822=-25.5000 ;40.2580
P823=-25.0000 ;40.3080
P824=-24.5000 ;40.3600
P825=-24.0000 ;40.4120
P826=-23.5000 ;40.4640
P827=-23.1530 ;40.5000
P828=-23.0000 ;40.5160
P829=-22.6600 ;40.5500
P830=-22.4710 ;40.5685
[C22]
gain=-10.00
n_point=179
P1=-62.5000 ;29.5740
P2=-62.3930 ;29.5000
P3=-62.5000 ;29.1580
P4=-62.5360 ;29.0000
P5=-63.0000 ;28.5840
P6=-63.0720 ;28.5000
P7=-63.5000 ;28.1860
P8=-63.7230 ;28.0000
P9=-64.0000 ;27.6890
P10=-64.2070 ;27.5000
P11=-64.2150 ;27.0000
P12=-64.0000 ;26.8130
P13=-63.6660 ;26.5000
P14=-63.5010 ;26.0000
P15=-63.8390 ;25.5000
P16=-64.0000 ;25.3970
P17=-64.5000 ;25.1640
P18=-64.9620 ;25.0000
P19=-65.0000 ;24.9910
P20=-65.5000 ;24.8850
P21=-66.0000 ;24.7820
P22=-66.5000 ;24.6430
P23=-66.8290 ;24.5000
P24=-67.0000 ;24.3760
P25=-67.3980 ;24.0000
P26=-67.0460 ;23.5000
P27=-67.0000 ;23.4760
P28=-66.5000 ;23.2240
P29=-66.1490 ;23.0000
P30=-66.0000 ;22.7230

P31=-65.9230 ;22.5000
P32=-66.0000 ;22.0100
P33=-66.0020 ;22.0000
P34=-66.1990 ;21.5000
P35=-66.5000 ;21.0860
P36=-66.6210 ;21.0000
P37=-67.0000 ;20.7920
P38=-67.5000 ;20.6790
P39=-68.0000 ;20.6460
P40=-68.5000 ;20.6350
P41=-69.0000 ;20.6160
P42=-69.5000 ;20.5530
P43=-69.6690 ;20.5000
P44=-70.0000 ;20.0640
P45=-70.0380 ;20.0000
P46=-70.0000 ;19.9730
P47=-69.5000 ;19.6580
P48=-69.3100 ;19.5000
P49=-69.0000 ;19.0800
P50=-68.9620 ;19.0000
P51=-68.9480 ;18.5000
P52=-69.0000 ;18.3370
P53=-69.1300 ;18.0000
P54=-69.4380 ;17.5000
P55=-69.5000 ;17.4170
P56=-69.9510 ;17.0000
P57=-70.0000 ;16.9510
P58=-70.5000 ;16.6430
P59=-71.0000 ;16.5180
P60=-71.5000 ;16.5060
P61=-72.0000 ;16.5110
P62=-72.5000 ;16.5010
P63=-72.5590 ;16.5000
P64=-73.0000 ;16.4910
P65=-73.1850 ;16.5000
P66=-73.5000 ;16.5160
P67=-74.0000 ;16.6100
P68=-74.5000 ;16.8030
P69=-74.8400 ;17.0000
P70=-74.6880 ;17.5000
P71=-74.5000 ;17.6840
P72=-74.2160 ;18.0000
P73=-74.0000 ;18.2490
P74=-73.7550 ;18.5000
P75=-73.6670 ;19.0000
P76=-74.0000 ;19.2360
P77=-74.2970 ;19.5000
P78=-74.5000 ;19.6810
P79=-74.7480 ;20.0000
P80=-75.0000 ;20.2340
P81=-75.4560 ;20.5000
P82=-75.5000 ;20.5250
P83=-76.0000 ;20.7430
P84=-76.5000 ;20.9290
P85=-76.6480 ;21.0000
P86=-76.7040 ;21.5000
P87=-76.5000 ;21.8140

P88=-76.3650 ;22.0000
P89=-76.0000 ;22.2990
P90=-75.6360 ;22.5000
P91=-75.5000 ;22.5500
P92=-75.0000 ;22.6410
P93=-74.5000 ;22.6360
P94=-74.0000 ;22.5590
P95=-73.7410 ;22.5000
P96=-73.5000 ;22.4010
P97=-73.0000 ;22.1980
P98=-72.5000 ;22.0800
P99=-72.0000 ;22.0530
P100=-71.5000 ;22.1400
P101=-71.0000 ;22.4660
P102=-70.9680 ;22.5000
P103=-70.9340 ;23.0000
P104=-71.0000 ;23.0630
P105=-71.4410 ;23.5000
P106=-71.5000 ;23.5440
P107=-72.0000 ;23.9870
P108=-72.0120 ;24.0000
P109=-72.5000 ;24.4140
P110=-72.6440 ;24.5000
P111=-73.0000 ;24.7550
P112=-73.4710 ;25.0000
P113=-73.5000 ;25.0200
P114=-74.0000 ;25.3270
P115=-74.4900 ;25.5000
P116=-74.5000 ;25.5070
P117=-75.0000 ;25.7070
P118=-75.5000 ;25.8250
P119=-75.8590 ;26.0000
P120=-75.5000 ;26.2290
P121=-75.1840 ;26.5000
P122=-75.0000 ;26.5570
P123=-74.5000 ;26.6770
P124=-74.0000 ;26.7620
P125=-73.5000 ;26.8040
P126=-73.0000 ;26.7950
P127=-72.5000 ;26.7410
P128=-72.0000 ;26.6630
P129=-71.5000 ;26.5840
P130=-71.0000 ;26.5150
P131=-70.8860 ;26.5000
P132=-70.5000 ;26.4040
P133=-70.0000 ;26.3010
P134=-69.5000 ;26.2240
P135=-69.0000 ;26.1770
P136=-68.5000 ;26.1860
P137=-68.0000 ;26.3220
P138=-67.6680 ;26.5000
P139=-67.9950 ;27.0000
P140=-68.0000 ;27.0020
P141=-68.5000 ;27.3910
P142=-68.5900 ;27.5000
P143=-69.0000 ;27.7900
P144=-69.4080 ;28.0000

P145=-69.5000 ;28.0470
P146=-70.0000 ;28.2580
P147=-70.5000 ;28.4190
P148=-70.8110 ;28.5000
P149=-71.0000 ;28.5950
P150=-71.5000 ;28.7780
P151=-72.0000 ;28.8800
P152=-72.5000 ;28.9500
P153=-72.8500 ;29.0000
P154=-72.8570 ;29.5000
P155=-72.5000 ;29.6100
P156=-72.0000 ;29.7440
P157=-71.5000 ;29.8710
P158=-71.0000 ;29.9970
P159=-70.9880 ;30.0000
P160=-70.5000 ;30.0580
P161=-70.0000 ;30.1230
P162=-69.5000 ;30.1930
P163=-69.0000 ;30.2620
P164=-68.5000 ;30.3260
P165=-68.0000 ;30.3810
P166=-67.5000 ;30.4290
P167=-67.0000 ;30.4680
P168=-66.5240 ;30.5000
P169=-66.5000 ;30.5020
P170=-66.0000 ;30.5320
P171=-65.5000 ;30.5560
P172=-65.0000 ;30.5140
P173=-64.9700 ;30.5000
P174=-64.5000 ;30.4180
P175=-64.0000 ;30.2640
P176=-63.5000 ;30.0700
P177=-63.3390 ;30.0000
P178=-63.0000 ;29.8480
P179=-62.5000 ;29.5740
[C23]
gain=-6.00
n_point=80
P1=-65.0000 ;29.1400
P2=-64.9005 ;29.0700
P3=-64.8010 ;29.0000
P4=-64.8375 ;28.8750
P5=-64.8740 ;28.7500
P6=-64.9105 ;28.6250
P7=-64.9470 ;28.5000
P8=-65.0000 ;28.4580
P9=-65.1000 ;28.3884
P10=-65.2000 ;28.3188
P11=-65.3000 ;28.2492
P12=-65.4000 ;28.1796
P13=-65.5000 ;28.1100
P14=-65.6015 ;28.0550
P15=-65.7030 ;28.0000
P16=-65.8020 ;27.9683
P17=-65.9010 ;27.9367
P18=-66.0000 ;27.9050
P19=-66.1250 ;27.8875

P20=-66.2500 ;27.8700
P21=-66.3750 ;27.8525
P22=-66.5000 ;27.8350
P23=-66.6250 ;27.8425
P24=-66.7500 ;27.8500
P25=-66.8750 ;27.8575
P26=-67.0000 ;27.8650
P27=-67.1175 ;27.8988
P28=-67.2350 ;27.9325
P29=-67.3525 ;27.9663
P30=-67.4700 ;28.0000
P31=-67.5000 ;28.0140
P32=-67.6250 ;28.0962
P33=-67.7500 ;28.1785
P34=-67.8750 ;28.2608
P35=-68.0000 ;28.3430
P36=-68.0963 ;28.3953
P37=-68.1927 ;28.4477
P38=-68.2890 ;28.5000
P39=-68.3945 ;28.5990
P40=-68.5000 ;28.6980
P41=-68.6250 ;28.7645
P42=-68.7500 ;28.8310
P43=-68.8750 ;28.8975
P44=-69.0000 ;28.9640
P45=-69.0820 ;29.0000
P46=-69.0410 ;29.1050
P47=-69.0000 ;29.2100
P48=-68.9187 ;29.3067
P49=-68.8373 ;29.4033
P50=-68.7560 ;29.5000
P51=-68.6280 ;29.5145
P52=-68.5000 ;29.5290
P53=-68.3750 ;29.5360
P54=-68.2500 ;29.5430
P55=-68.1250 ;29.5500
P56=-68.0000 ;29.5570
P57=-67.8750 ;29.5595
P58=-67.7500 ;29.5620
P59=-67.6250 ;29.5645
P60=-67.5000 ;29.5670
P61=-67.3750 ;29.5660
P62=-67.2500 ;29.5650
P63=-67.1250 ;29.5640
P64=-67.0000 ;29.5630
P65=-66.8750 ;29.5577
P66=-66.7500 ;29.5525
P67=-66.6250 ;29.5472
P68=-66.5000 ;29.5420
P69=-66.3463 ;29.5280
P70=-66.1927 ;29.5140
P71=-66.0390 ;29.5000
P72=-66.0000 ;29.4940
P73=-65.8750 ;29.4605
P74=-65.7500 ;29.4270
P75=-65.6250 ;29.3935
P76=-65.5000 ;29.3600

P77=-65.3750 ;29.3050
P78=-65.2500 ;29.2500
P79=-65.1250 ;29.1950
P80=-65.0000 ;29.1400
[C24]
gain=-20.00
n_point=71
P1=-73.0000 ;23.5580
P2=-73.0494 ;23.6132
P3=-73.0988 ;23.6685
P4=-73.1481 ;23.7238
P5=-73.1975 ;23.7790
P6=-73.2469 ;23.8343
P7=-73.2962 ;23.8895
P8=-73.3456 ;23.9448
P9=-73.3950 ;24.0000
P10=-73.4475 ;24.0360
P11=-73.5000 ;24.0720
P12=-73.5714 ;24.1013
P13=-73.6429 ;24.1306
P14=-73.7143 ;24.1599
P15=-73.7857 ;24.1891
P16=-73.8571 ;24.2184
P17=-73.9286 ;24.2477
P18=-74.0000 ;24.2770
P19=-74.0714 ;24.2846
P20=-74.1429 ;24.2921
P21=-74.2143 ;24.2997
P22=-74.2857 ;24.3073
P23=-74.3571 ;24.3149
P24=-74.4286 ;24.3224
P25=-74.5000 ;24.3300
P26=-74.5714 ;24.3094
P27=-74.6429 ;24.2889
P28=-74.7143 ;24.2683
P29=-74.7857 ;24.2477
P30=-74.8571 ;24.2271
P31=-74.9286 ;24.2066
P32=-75.0000 ;24.1860
P33=-75.0443 ;24.1240
P34=-75.0887 ;24.0620
P35=-75.1330 ;24.0000
P36=-75.0887 ;23.9647
P37=-75.0443 ;23.9293
P38=-75.0000 ;23.8940
P39=-74.9375 ;23.8599
P40=-74.8750 ;23.8257
P41=-74.8125 ;23.7916
P42=-74.7500 ;23.7575
P43=-74.6875 ;23.7234
P44=-74.6250 ;23.6893
P45=-74.5625 ;23.6551
P46=-74.5000 ;23.6210
P47=-74.4440 ;23.5807
P48=-74.3880 ;23.5403
P49=-74.3320 ;23.5000
P50=-74.2656 ;23.4722

P51=-74.1992 ;23.4444
P52=-74.1328 ;23.4166
P53=-74.0664 ;23.3888
P54=-74.0000 ;23.3610
P55=-73.9286 ;23.3451
P56=-73.8571 ;23.3293
P57=-73.7857 ;23.3134
P58=-73.7143 ;23.2976
P59=-73.6429 ;23.2817
P60=-73.5714 ;23.2659
P61=-73.5000 ;23.2500
P62=-73.4286 ;23.2767
P63=-73.3571 ;23.3034
P64=-73.2857 ;23.3301
P65=-73.2143 ;23.3569
P66=-73.1429 ;23.3836
P67=-73.0714 ;23.4103
P68=-73.0000 ;23.4370
P69=-72.9735 ;23.4685
P70=-72.9470 ;23.5000
P71=-73.0000 ;23.5580
[C25]
gain=-20.00
n_point=70
P1=-76.0000 ;19.7420
P2=-76.0500 ;19.7585
P3=-76.1000 ;19.7750
P4=-76.1500 ;19.7915
P5=-76.2000 ;19.8080
P6=-76.2500 ;19.8245
P7=-76.3000 ;19.8410
P8=-76.3500 ;19.8575
P9=-76.4000 ;19.8740
P10=-76.4500 ;19.8905
P11=-76.5000 ;19.9070
P12=-76.5396 ;19.8700
P13=-76.5793 ;19.8330
P14=-76.6189 ;19.7960
P15=-76.6585 ;19.7590
P16=-76.6982 ;19.7220
P17=-76.7378 ;19.6850
P18=-76.7775 ;19.6480
P19=-76.8171 ;19.6110
P20=-76.8567 ;19.5740
P21=-76.8964 ;19.5370
P22=-76.9360 ;19.5000
P23=-76.9114 ;19.4545
P24=-76.8867 ;19.4091
P25=-76.8621 ;19.3636
P26=-76.8375 ;19.3182
P27=-76.8128 ;19.2727
P28=-76.7882 ;19.2273
P29=-76.7635 ;19.1818
P30=-76.7389 ;19.1364
P31=-76.7143 ;19.0909
P32=-76.6896 ;19.0455
P33=-76.6650 ;19.0000

P34=-76.6375 ;18.9595
P35=-76.6100 ;18.9190
P36=-76.5825 ;18.8785
P37=-76.5550 ;18.8380
P38=-76.5275 ;18.7975
P39=-76.5000 ;18.7570
P40=-76.4500 ;18.7654
P41=-76.4000 ;18.7738
P42=-76.3500 ;18.7822
P43=-76.3000 ;18.7906
P44=-76.2500 ;18.7990
P45=-76.2000 ;18.8074
P46=-76.1500 ;18.8158
P47=-76.1000 ;18.8242
P48=-76.0500 ;18.8326
P49=-76.0000 ;18.8410
P50=-75.9790 ;18.8808
P51=-75.9580 ;18.9205
P52=-75.9370 ;18.9603
P53=-75.9160 ;19.0000
P54=-75.9017 ;19.0500
P55=-75.8874 ;19.1000
P56=-75.8731 ;19.1500
P57=-75.8588 ;19.2000
P58=-75.8445 ;19.2500
P59=-75.8302 ;19.3000
P60=-75.8159 ;19.3500
P61=-75.8016 ;19.4000
P62=-75.7873 ;19.4500
P63=-75.7730 ;19.5000
P64=-75.8054 ;19.5346
P65=-75.8379 ;19.5691
P66=-75.8703 ;19.6037
P67=-75.9027 ;19.6383
P68=-75.9351 ;19.6729
P69=-75.9676 ;19.7074
P70=-76.0000 ;19.7420
[C26]
gain=-10.00
n_point=191
P1=-78.5000 ;19.1320
P2=-78.3400 ;19.0000
P3=-78.1820 ;18.5000
P4=-78.3580 ;18.0000
P5=-78.5000 ;17.7200
P6=-78.6670 ;17.5000
P7=-79.0000 ;17.0970
P8=-79.1440 ;17.0000
P9=-79.5000 ;16.7880
P10=-80.0000 ;16.5470
P11=-80.0740 ;16.5000
P12=-80.5000 ;16.1980
P13=-80.7170 ;16.0000
P14=-81.0000 ;15.6280
P15=-81.0940 ;15.5000
P16=-81.4150 ;15.0000
P17=-81.5000 ;14.8840

P18=-81.8940 ;14.5000
P19=-82.0000 ;14.4140
P20=-82.5000 ;14.1430
P21=-82.7670 ;14.0000
P22=-83.0000 ;13.8700
P23=-83.5000 ;13.5980
P24=-83.6400 ;13.5000
P25=-84.0000 ;13.1900
P26=-84.1840 ;13.0000
P27=-84.5000 ;12.6300
P28=-84.6060 ;12.5000
P29=-85.0000 ;12.0870
P30=-85.0760 ;12.0000
P31=-85.5000 ;11.6270
P32=-85.6070 ;11.5000
P33=-86.0000 ;11.0340
P34=-86.0200 ;11.0000
P35=-86.1720 ;10.5000
P36=-86.0000 ;10.2370
P37=-85.6830 ;10.0000
P38=-85.5000 ;9.8780
P39=-85.2800 ;9.5000
P40=-85.2070 ;9.0000
P41=-85.1460 ;8.5000
P42=-85.0000 ;8.2340
P43=-84.7840 ;8.0000
P44=-84.5850 ;7.5000
P45=-84.6420 ;7.0000
P46=-84.7770 ;6.5000
P47=-84.9980 ;6.0000
P48=-85.0000 ;5.9970
P49=-85.5000 ;5.6510
P50=-86.0000 ;5.6900
P51=-86.2620 ;6.0000
P52=-86.3580 ;6.5000
P53=-86.5000 ;6.9140
P54=-87.0000 ;6.8840
P55=-87.5000 ;6.6430
P56=-87.7440 ;6.5000
P57=-88.0000 ;6.3170
P58=-88.5000 ;6.0070
P59=-88.6880 ;6.0000
P60=-89.0000 ;5.9780
P61=-89.2390 ;6.0000
P62=-89.5000 ;6.0100
P63=-89.5160 ;6.0000
P64=-90.0000 ;5.7260
P65=-90.4700 ;5.5000
P66=-90.5000 ;5.4870
P67=-91.0000 ;5.3560
P68=-91.5000 ;5.4600
P69=-91.5640 ;5.5000
P70=-92.0000 ;5.8890
P71=-92.1170 ;6.0000
P72=-92.5000 ;6.4160
P73=-92.5790 ;6.5000
P74=-92.9450 ;7.0000

P75=-93.0000 ;7.0920
P76=-93.3820 ;7.5000
P77=-93.5000 ;7.5910
P78=-94.0000 ;7.7150
P79=-94.1970 ;8.0000
P80=-94.2630 ;8.5000
P81=-94.2350 ;9.0000
P82=-94.1790 ;9.5000
P83=-94.0980 ;10.0000
P84=-94.0000 ;10.3610
P85=-93.9560 ;10.5000
P86=-93.7710 ;11.0000
P87=-93.5900 ;11.5000
P88=-93.5000 ;11.8460
P89=-93.4540 ;12.0000
P90=-93.4470 ;12.5000
P91=-93.3830 ;13.0000
P92=-93.1680 ;13.5000
P93=-93.0000 ;13.8070
P94=-92.8580 ;14.0000
P95=-92.5260 ;14.5000
P96=-92.5000 ;14.5420
P97=-92.0680 ;15.0000
P98=-92.0000 ;15.0690
P99=-91.5000 ;15.2850
P100=-91.0000 ;15.0990
P101=-90.8800 ;15.0000
P102=-90.5000 ;14.8640
P103=-90.0000 ;14.9330
P104=-89.8400 ;15.0000
P105=-89.5000 ;15.1730
P106=-89.0390 ;15.5000
P107=-89.0000 ;15.5330
P108=-88.5780 ;16.0000
P109=-88.5000 ;16.0890
P110=-88.1770 ;16.5000
P111=-88.0000 ;16.7560
P112=-87.8170 ;17.0000
P113=-87.5550 ;17.5000
P114=-87.5550 ;18.0000
P115=-87.5240 ;18.5000
P116=-87.5000 ;18.5400
P117=-87.1970 ;19.0000
P118=-87.0000 ;19.2160
P119=-86.7170 ;19.5000
P120=-86.5000 ;19.7550
P121=-86.2500 ;20.0000
P122=-86.0000 ;20.4040
P123=-85.9250 ;20.5000
P124=-85.6120 ;21.0000
P125=-85.5000 ;21.1690
P126=-85.1650 ;21.5000
P127=-85.0000 ;21.6510
P128=-84.5000 ;21.5290
P129=-84.4920 ;21.5000
P130=-84.5000 ;21.4720
P131=-84.7150 ;21.0000

P132=-84.9980 ;20.5000
P133=-85.0000 ;20.4970
P134=-85.3800 ;20.0000
P135=-85.4860 ;19.5000
P136=-85.3990 ;19.0000
P137=-85.1990 ;18.5000
P138=-85.2090 ;18.0000
P139=-85.3520 ;17.5000
P140=-85.5000 ;17.0500
P141=-85.5220 ;17.0000
P142=-85.7460 ;16.5000
P143=-85.9060 ;16.0000
P144=-86.0000 ;15.7140
P145=-86.1090 ;15.5000
P146=-86.3490 ;15.0000
P147=-86.5000 ;14.7060
P148=-86.6650 ;14.5000
P149=-87.0000 ;14.0660
P150=-87.0910 ;14.0000
P151=-87.5000 ;13.6330
P152=-87.7670 ;13.5000
P153=-88.0000 ;13.3200
P154=-88.2610 ;13.0000
P155=-88.4060 ;12.5000
P156=-88.3350 ;12.0000
P157=-88.0000 ;11.7560
P158=-87.5000 ;11.7400
P159=-87.0000 ;11.8710
P160=-86.7140 ;12.0000
P161=-86.5000 ;12.1080
P162=-86.0000 ;12.4280
P163=-85.8990 ;12.5000
P164=-85.5000 ;12.7810
P165=-85.2450 ;13.0000
P166=-85.0000 ;13.1980
P167=-84.6400 ;13.5000
P168=-84.5000 ;13.6130
P169=-84.1320 ;14.0000
P170=-84.0000 ;14.1350
P171=-83.7000 ;14.5000
P172=-83.5000 ;14.7280
P173=-83.2830 ;15.0000
P174=-83.0000 ;15.3280
P175=-82.8360 ;15.5000
P176=-82.5000 ;15.8690
P177=-82.3590 ;16.0000
P178=-82.0000 ;16.3930
P179=-81.8950 ;16.5000
P180=-81.5700 ;17.0000
P181=-81.5000 ;17.1570
P182=-81.3210 ;17.5000
P183=-81.1220 ;18.0000
P184=-81.0000 ;18.2150
P185=-80.7540 ;18.5000
P186=-80.5000 ;18.6230
P187=-80.0000 ;18.8540
P188=-79.6690 ;19.0000

P189=-79.5000 ;19.0550
P190=-79.0000 ;19.1650
P191=-78.5000 ;19.1320
[C27]
gain=-6.00
n_point=92
P1=-86.5000 ;8.9950
P2=-86.4570 ;8.7475
P3=-86.4140 ;8.5000
P4=-86.5000 ;8.3690
P5=-86.6735 ;8.1845
P6=-86.8470 ;8.0000
P7=-87.0000 ;7.9030
P8=-87.2500 ;7.8255
P9=-87.5000 ;7.7480
P10=-87.7500 ;7.8070
P11=-88.0000 ;7.8660
P12=-88.2500 ;7.8255
P13=-88.5000 ;7.7850
P14=-88.7500 ;7.6460
P15=-89.0000 ;7.5070
P16=-89.0100 ;7.5000
P17=-89.2550 ;7.3320
P18=-89.5000 ;7.1640
P19=-89.7570 ;7.0000
P20=-90.0000 ;6.8410
P21=-90.2500 ;6.7465
P22=-90.5000 ;6.6520
P23=-90.7500 ;6.7765
P24=-91.0000 ;6.9010
P25=-91.0590 ;7.0000
P26=-91.1640 ;7.2500
P27=-91.2690 ;7.5000
P28=-91.3845 ;7.6660
P29=-91.5000 ;7.8320
P30=-91.6740 ;8.0000
P31=-91.8370 ;8.1365
P32=-92.0000 ;8.2730
P33=-92.1670 ;8.5000
P34=-92.3335 ;8.6760
P35=-92.5000 ;8.8520
P36=-92.7190 ;9.0000
P37=-93.0000 ;9.1730
P38=-93.1550 ;9.3365
P39=-93.3100 ;9.5000
P40=-93.3565 ;9.7500
P41=-93.4030 ;10.0000
P42=-93.3480 ;10.2500
P43=-93.2930 ;10.5000
P44=-93.2000 ;10.7500
P45=-93.1070 ;11.0000
P46=-93.0000 ;11.2510
P47=-92.8690 ;11.5000
P48=-92.7480 ;11.7500
P49=-92.6270 ;12.0000
P50=-92.5000 ;12.2670
P51=-92.3560 ;12.5000

P52=-92.1780 ;12.7395
P53=-92.0000 ;12.9790
P54=-91.9790 ;13.0000
P55=-91.7395 ;13.1860
P56=-91.5000 ;13.3720
P57=-91.2870 ;13.5000
P58=-91.0000 ;13.6400
P59=-90.7500 ;13.7235
P60=-90.5000 ;13.8070
P61=-90.2500 ;13.8440
P62=-90.0000 ;13.8810
P63=-89.7650 ;13.6905
P64=-89.5300 ;13.5000
P65=-89.5565 ;13.2500
P66=-89.5830 ;13.0000
P67=-89.6185 ;12.7500
P68=-89.6540 ;12.5000
P69=-89.6565 ;12.2500
P70=-89.6590 ;12.0000
P71=-89.5895 ;11.7500
P72=-89.5200 ;11.5000
P73=-89.5000 ;11.4550
P74=-89.3740 ;11.2275
P75=-89.2480 ;11.0000
P76=-89.0000 ;10.8000
P77=-88.7500 ;10.7660
P78=-88.5000 ;10.7320
P79=-88.2500 ;10.7360
P80=-88.0000 ;10.7400
P81=-87.7500 ;10.6705
P82=-87.5000 ;10.6010
P83=-87.4130 ;10.5000
P84=-87.3715 ;10.2500
P85=-87.3300 ;10.0000
P86=-87.2970 ;9.7500
P87=-87.2640 ;9.5000
P88=-87.1320 ;9.3255
P89=-87.0000 ;9.1510
P90=-86.7525 ;9.0755
P91=-86.5050 ;9.0000
P92=-86.5000 ;8.9950
[C28]
gain=-4.00
n_point=94
P1=-88.5000 ;10.0600
P2=-88.3250 ;10.0000
P3=-88.2573 ;9.8333
P4=-88.1897 ;9.6667
P5=-88.1220 ;9.5000
P6=-88.1767 ;9.3333
P7=-88.2313 ;9.1667
P8=-88.2860 ;9.0000
P9=-88.3930 ;8.8515
P10=-88.5000 ;8.7030
P11=-88.5820 ;8.6015
P12=-88.6640 ;8.5000
P13=-88.8320 ;8.3525

P14=-89.0000 ;8.2050
P15=-89.1295 ;8.1025
P16=-89.2590 ;8.0000
P17=-89.3795 ;7.9160
P18=-89.5000 ;7.8320
P19=-89.6667 ;7.7830
P20=-89.8333 ;7.7340
P21=-90.0000 ;7.6850
P22=-90.1595 ;7.8425
P23=-90.3190 ;8.0000
P24=-90.3620 ;8.1667
P25=-90.4050 ;8.3333
P26=-90.4480 ;8.5000
P27=-90.5000 ;8.6710
P28=-90.6667 ;8.7780
P29=-90.8333 ;8.8850
P30=-91.0000 ;8.9920
P31=-91.0220 ;9.0000
P32=-91.1813 ;9.0580
P33=-91.3407 ;9.1160
P34=-91.5000 ;9.1740
P35=-91.6287 ;9.2827
P36=-91.7573 ;9.3913
P37=-91.8860 ;9.5000
P38=-92.0000 ;9.5910
P39=-92.1667 ;9.7017
P40=-92.3333 ;9.8123
P41=-92.5000 ;9.9230
P42=-92.5770 ;10.0000
P43=-92.6197 ;10.1667
P44=-92.6623 ;10.3333
P45=-92.7050 ;10.5000
P46=-92.6667 ;10.6667
P47=-92.6283 ;10.8333
P48=-92.5900 ;11.0000
P49=-92.5450 ;11.1160
P50=-92.5000 ;11.2320
P51=-92.4310 ;11.3660
P52=-92.3620 ;11.5000
P53=-92.2747 ;11.6667
P54=-92.1873 ;11.8333
P55=-92.1000 ;12.0000
P56=-92.0000 ;12.1660
P57=-91.8570 ;12.3330
P58=-91.7140 ;12.5000
P59=-91.6070 ;12.6065
P60=-91.5000 ;12.7130
P61=-91.3630 ;12.8087
P62=-91.2260 ;12.9043
P63=-91.0890 ;13.0000
P64=-91.0000 ;13.0490
P65=-90.8333 ;13.0650
P66=-90.6667 ;13.0810
P67=-90.5000 ;13.0970
P68=-90.3840 ;13.0000
P69=-90.3563 ;12.8333
P70=-90.3287 ;12.6667

P71=-90.3010 ;12.5000
P72=-90.3190 ;12.3333
P73=-90.3370 ;12.1667
P74=-90.3550 ;12.0000
P75=-90.3590 ;11.8333
P76=-90.3630 ;11.6667
P77=-90.3670 ;11.5000
P78=-90.3243 ;11.3333
P79=-90.2817 ;11.1667
P80=-90.2390 ;11.0000
P81=-90.1743 ;10.8333
P82=-90.1097 ;10.6667
P83=-90.0450 ;10.5000
P84=-90.0000 ;10.3390
P85=-89.8745 ;10.1695
P86=-89.7490 ;10.0000
P87=-89.6245 ;9.9540
P88=-89.5000 ;9.9080
P89=-89.2910 ;9.9540
P90=-89.0820 ;10.0000
P91=-89.0000 ;10.0100
P92=-88.8333 ;10.0267
P93=-88.6667 ;10.0433
P94=-88.5000 ;10.0600