

## EXHIBIT 14A: GALAXY 16 C-BAND LINK BUDGETS

<b>UPLINK BEAM INFORMATION</b>				
Uplink Beam Name	CONUS	CONUS	CONUS	CONUS
Uplink Frequency (MHz)	6145	6145	6145	6145
Uplink Beam Polarization	Horizontal / Vertical	Horizontal / Vertical	Horizontal / Vertical	Horizontal / Vertical
Uplink Relative Contour Level (dB)	-6	-6	-6	-6
Uplink Contour G/T (dB/K)	-2.2	-2.2	-2.2	-2.2
Uplink SFD (dBW/m <sup>2</sup> )	-88.5	-88.5	-84.5	-84.5
<b>DOWNLINK BEAM INFORMATION</b>				
Downlink Beam Name	CONUS	CONUS	CONUS	CONUS
Downlink Frequency (MHz)	3920	3920	3920	3920
Downlink Beam Polarization	Vertical / Horizontal	Vertical / Horizontal	Vertical / Horizontal	Vertical / Horizontal
Downlink Relative Contour Level (dB)	-4	-4	-4	-4
Downlink Contour EIRP (dBW)	39.7	39.7	39.7	39.7
<b>ADJACENT SATELLITE 1</b>				
Satellite 1 Orbital Location	97 WL	97 WL	97 WL	97 WL
Uplink Power Density (dBW/Hz)	-45	-45	-45	-45
Uplink Polarization Advantage (dB)	0	0	0	0
Downlink EIRP Density (dBW/Hz)	-34	-34	-34	-34
Downlink Polarization Advantage (dB)	0	0	0	0
<b>ADJACENT SATELLITE 2</b>				
Satellite 2 Orbital Location	101 WL	101 WL	101 WL	101 WL
Uplink Power Density (dBW/Hz)	-40	-40	-40	-40
Uplink Polarization Advantage (dB)	0	0	0	0
Downlink EIRP Density (dBW/Hz)	-31.2	-31.2	-31.2	-31.2
Downlink Polarization Advantage (dB)	0	0	0	0
<b>CARRIER INFORMATION</b>				
Carrier ID	1	2	3	4
Emission Designation	36M0F3F	30M1G7W	6M77G7W	77K0G7W
Information Rate (kbps)	n/a	36863	6000	64
Carrier Modulation	TV/FM	QPSK	QPSK	QPSK
Peak to Peak Bandwidth of EDS (MHz)	4	n/a	n/a	n/a
Code Rate	n/a	3/4xRS	1/2xRS	1/2
Occupied Bandwidth (kHz)	36000	30133	6771	77
Allocated Bandwidth (kHz)	36000	36000	10300	100
Minimum C/N (dB)	10	6.1	3.9	6.8
<b>UPLINK EARTH STATION</b>				
Earth Station Diameter (meters)	7.0	7.0	7.0	7.0
Earth Station Gain (dBi)	51.0	51.0	51.0	51.0
Earth Station Elevation Angle	20	20	20	20
<b>DOWNLINK EARTH STATION</b>				
Earth Station Diameter (meters)	6.1	3.5	3.0	3.5
Earth Station Gain (dBi)	46.4	41.0	39.6	41.0
Earth Station G/T, Clear Sky (dB/K)	26.2	20.9	19.1	20.9
Earth Station Elevation Angle	20	20	20	20
<b>UPLINK PERFORMANCE</b>				
Uplink Earth Station EIRP (dBW)	74.4	74.4	68.0	48.8
Uplink Path Loss, Clear Sky (dB)	-200.2	-200.2	-200.2	-200.2
Satellite G/T (dB/K)	-2.2	-2.2	-2.2	-2.2
Boltzman Constant (dBW/K-Hz)	228.6	228.6	228.6	228.6
Carrier Noise Bandwidth (dB-Hz)	-75.6	-74.8	-68.3	-48.9
Uplink C/N (dB)	25.1	25.8	25.9	26.2
<b>DOWNLINK PERFORMANCE</b>				
Downlink EIRP per Carrier (dBW)	39.7	39.7	30.8	11.6
Antenna Pointing Error (dB)	-0.5	-0.5	-0.5	-0.5
Downlink Path Loss, Clear Sky (dB)	-196.3	-196.3	-196.3	-196.3
Earth Station G/T, Clear Sky (dB/K)	26.2	20.9	19.1	20.9
Boltzman Constant (dBW/K-Hz)	228.6	228.6	228.6	228.6
Carrier Noise Bandwidth (dB-Hz)	-75.6	-74.8	-68.3	-48.9
Downlink C/N (dB)	22.1	17.7	13.4	15.5
<b>COMPOSITE LINK PERFORMANCE</b>				
C/N Uplink (dB)	25.1	25.8	25.9	26.2
C/N Downlink (dB)	22.1	17.7	13.4	15.5
C/I Intermodulation (dB)	n/a	n/a	19.0	19.3
C/I Uplink Co-Channel (dB)*	24.0	24.0	24.0	25.0
C/I Downlink Co-Channel (dB)*	24.0	24.0	24.0	25.0
C/I Uplink Adjacent Satellite 1 (dB)	19.8	20.6	20.7	20.9
C/I Downlink Adjacent Satellite 1 (dB)	22.1	15.0	7.5	12.8
C/I Uplink Adjacent Satellite 2 (dB)	14.8	15.6	15.7	15.9
C/I Downlink Adjacent Satellite 2 (dB)	21.2	17.1	13.5	15.0
C/(N+I) Composite (dB)	11.3	9.4	4.9	7.8
Required System Margin (dB)	-1.0	-1.0	-1.0	-1.0
Net C/(N+I) Composite (dB)	10.3	8.4	3.9	6.8
Minimum Required C/N (dB)	-10.0	-6.1	-3.9	-6.8
Excess Link Margin (dB)	0.3	2.3	0.0	0.0
<b>Carrier Density Levels</b>				
Uplink Power Density (dBW/Hz)	-42.6	-51.4	-51.3	-51.1
Downlink EIRP Density At Beam Peak	-22.3	-31.1	-33.5	-33.3

\* Note: The C/I level is adjusted depending on the signal level and transponder mode of operation.

## EXHIBIT 14B: GALAXY 16 Ku-BAND LINK BUDGETS

<b>UPLINK BEAM INFORMATION</b>						
Uplink Beam Name	Conus	Conus	Conus	Conus	Conus	Conus
Uplink Frequency (MHz)	14260	14260	14260	14260	14260	14260
Uplink Beam Polarization	Horizontal/Vertical	Horizontal/Vertical	Horizontal/Vertical	Horizontal/Vertical	Horizontal/Vertical	Horizontal/Vertical
Uplink Relative Contour Level (dB)	-6	-6	-6	-6	-6	-6
Uplink Contour G/T (dB/K)	0.1	0.1	0.1	0.1	0.1	0.1
Uplink SFD (dBW/m <sup>2</sup> )	-81.1	-81.1	-81.1	-81.1	-81.1	-81.1
Rain Rate (mm/hr)	42.0	42.0	42.0	42.0	42.0	42.0
<b>DOWNLINK BEAM INFORMATION</b>						
Downlink Beam Name	Conus	Conus	Conus	Conus	Conus	Conus
Downlink Frequency (MHz)	11960	11960	11960	11960	11960	11960
Downlink Beam Polarization	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal
Downlink Relative Contour Level (dB)	-6	-6	-6	-6	-6	-6
Downlink Contour EIRP (dBW)	45.9	45.9	45.9	45.9	45.9	45.9
Rain Rate (mm/hr)	42.0	42.0	42.0	42.0	42.0	42.0
<b>ADJACENT SATELLITE 1</b>						
Satellite 1 Orbital Location	97 WL	97 WL	97 WL	97 WL	97 WL	97 WL
Uplink Power Density (dBW/Hz)	-45.0	-45.0	-45.0	-45.0	-45.0	-45.0
Uplink Polarization Advantage (dB)	0	0	0	0	0	0
Downlink EIRP Density (dBW/Hz)	-23.30	-23.30	-23.30	-23.30	-23.30	-23.30
Downlink Polarization Advantage (dB)	0	0	0	0	0	0
<b>ADJACENT SATELLITE 2</b>						
Satellite 2 Orbital Location	101 WL	101 WL	101 WL	101 WL	101 WL	101 WL
Uplink Power Density (dBW/Hz)	-41.0	-41.0	-41.0	-41.0	-41.0	-41.0
Uplink Polarization Advantage (dB)	0	0	0	0	0	0
Downlink EIRP Density (dBW/Hz)	-21.8	-21.8	-21.8	-21.8	-21.8	-21.8
Downlink Polarization Advantage (dB)	0	0	0	0	0	0
<b>CARRIER INFORMATION</b>						
Carrier ID	1	1	1	2	2	2
Emission Designation	36M0F3F	36M0F3F	36M0F3F	30M1G7W	30M1G7W	30M1G7W
Information Rate (kbps)	n/a	n/a	n/a	36863	36863	36863
Carrier Modulation	TV/FM	TV/FM	TV/FM	QPSK	QPSK	QPSK
Peak to Peak Bandwidth of EDS (MHz)	4	4	4	n/a	n/a	n/a
Code Rate	n/a	n/a	n/a	3/4xRS	3/4xRS	3/4xRS
Occupied Bandwidth (kHz)	36000	36000	36000	30133	30133	30133
Allocated Bandwidth (kHz)	36000	36000	36000	36000	36000	36000
Minimum C/N, Clear Sky (dB)	10	10	10	6.1	6.1	6.1
Minimum C/N, Rain (dB)	10	10	10	6.1	6.1	6.1
<b>UPLINK EARTH STATION</b>						
Earth Station Diameter (meters)	7	7	7	7	7	7
Earth Station Gain (dBi)	58.1	58.1	58.1	58.1	58.1	58.1
Earth Station Elevation Angle	20	20	20	20	20	20
<b>DOWNLINK EARTH STATION</b>						
Earth Station Diameter (meters)	3	3	3	1.8	1.8	1.8
Earth Station Gain (dBi)	49.2	49.2	49.2	44.8	44.8	44.8
Earth Station G/T, Clear Sky (dB/K)	26.7	26.7	24.1	22.3	22.3	19.4
Earth Station Elevation Angle	20	20	20	20	20	20
<b>LINK FADE TYPE</b>						
	Clear Sky	Uplink Fade	Downlink Fade	Clear Sky	Uplink Fade	Downlink Fade
<b>UPLINK PERFORMANCE</b>						
Uplink Earth Station EIRP (dBW)	81.8	81.8	81.8	81.8	81.8	81.8
Uplink Path Loss, Clear Sky (dB)	-207.5	-207.5	-207.5	-207.5	-207.5	-207.5
Uplink Rain Attenuation (dB)	0.0	-4.4	0.0	0.0	-6.4	0.0
Satellite G/T (dB/K)	0.1	0.1	0.1	0.1	0.1	0.1
Boltzman Constant (dBW/K-Hz)	228.6	228.6	228.6	228.6	228.6	228.6
Carrier Noise Bandwidth (dB-Hz)	-75.6	-75.6	-75.6	-74.8	-74.8	-74.8
Uplink C/N (dB)	27.6	23.2	27.6	28.3	21.9	28.3
<b>DOWNLINK PERFORMANCE</b>						
Downlink EIRP per Carrier (dBW)	45.9	44.6	45.9	45.9	42.9	45.9
Antenna Pointing Error (dB)	-0.5	-0.5	-0.5	-0.5	-0.5	-0.5
Downlink Path Loss, Clear Sky (dB)	-206.0	-206.0	-206.0	-206.0	-206.0	-206.0
Downlink Rain Attenuation (dB)	0.0	0.0	0.0	-3.2	0.0	-4.1
Earth Station G/T, Clear Sky (dB/K)	26.7	26.7	24.1	22.3	22.3	19.4
Boltzman Constant (dBW/K-Hz)	228.6	228.6	228.6	228.6	228.6	228.6
Carrier Noise Bandwidth (dB-Hz)	-75.6	-75.6	-75.6	-74.8	-74.8	-74.8
Downlink C/N (dB)	19.2	17.8	13.4	15.5	12.5	8.6
<b>COMPOSITE LINK PERFORMANCE</b>						
C/N Uplink (dB)	27.6	23.2	27.6	28.3	21.9	28.3
C/N Downlink (dB)	19.2	17.8	13.4	15.5	12.5	8.6
C/I Intermodulation (dB)	n/a	n/a	n/a	n/a	n/a	n/a
C/I Uplink Co-Channel (dB)*	24.0	19.6	24.0	24.0	17.6	24.0
C/I Downlink Co-Channel (dB)*	24.0	22.7	24.0	24.0	21.0	24.0
C/I Uplink Adjacent Satellite 1 (dB)	27.2	22.9	27.2	28.0	21.6	28.0
C/I Downlink Adjacent Satellite 1 (dB)	20.7	19.4	20.7	16.6	13.6	16.6
C/I Uplink Adjacent Satellite 2 (dB)	23.2	18.9	23.2	24.0	17.6	24.0
C/I Downlink Adjacent Satellite 2 (dB)	20.5	19.1	20.5	17.2	14.2	17.2
C/(N+I) Composite (dB)	13.4	11.0	11.0	10.8	7.1	7.1
Required System Margin (dB)	-1.0	-1.0	-1.0	-1.0	-1.0	-1.0
Net C/(N+I) Composite (dB)	12.4	10.0	10.0	9.8	6.1	6.1
Minimum Required C/N (dB)	-10.0	-10.0	-10.0	-6.1	-6.1	-6.1
Excess Link Margin (dB)	2.4	0.0	0.0	3.6	0.0	0.0
<b>Carrier Density Levels</b>						
Uplink Power Density (dBW/Hz)	-42.3	-42.3	-42.3	-51.1	-51.1	-51.1
Downlink EIRP Density At Beam Peak	-14.1	-15.4	-14.1	-22.9	-25.9	-22.9

\* Note: The C/I level is adjusted depending on the signal level and transponder mode of operation.

## EXHIBIT 14B: GALAXY 16 Ku-BAND LINK BUDGETS (continued)

<b>UPLINK BEAM INFORMATION</b>						
Uplink Beam Name	Conus	Conus	Conus	Conus	Conus	Conus
Uplink Frequency (MHz)	14260	14260	14260	14260	14260	14260
Uplink Beam Polarization	Horizontal/Vertical	Horizontal/Vertical	Horizontal/Vertical	Horizontal/Vertical	Horizontal/Vertical	Horizontal/Vertical
Uplink Relative Contour Level (dB)	-6	-6	-6	-6	-6	-6
Uplink Contour G/T (dB/K)	0.1	0.1	0.1	0.1	0.1	0.1
Uplink SFD (dBW/m <sup>2</sup> )	-85.1	-85.1	-85.1	-85.1	-85.1	-85.1
Rain Rate (mm/hr)	42.0	42.0	42.0	42.0	42.0	42.0
<b>DOWNLINK BEAM INFORMATION</b>						
Downlink Beam Name	Conus	Conus	Conus	Conus	Conus	Conus
Downlink Frequency (MHz)	11960	11960	11960	11960	11960	11960
Downlink Beam Polarization	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal
Downlink Relative Contour Level (dB)	-6	-6	-6	-4	-4	-4
Downlink Contour EIRP (dBW)	45.9	45.9	45.9	47.9	47.9	47.9
Rain Rate (mm/hr)	42.0	42.0	42.0	42.0	42.0	42.0
<b>ADJACENT SATELLITE 1</b>						
Satellite 1 Orbital Location	97 WL	97 WL	97 WL	97 WL	97 WL	97 WL
Uplink Power Density (dBW/Hz)	-45.0	-45.0	-45.0	-45.0	-45.0	-45.0
Uplink Polarization Advantage (dB)	0	0	0	0	0	0
Downlink EIRP Density (dBW/Hz)	-23.30	-23.30	-23.30	-23.30	-23.30	-23.30
Downlink Polarization Advantage (dB)	0	0	0	0	0	0
<b>ADJACENT SATELLITE 2</b>						
Satellite 2 Orbital Location	101 WL	101 WL	101 WL	101 WL	101 WL	101 WL
Uplink Power Density (dBW/Hz)	-41.0	-41.0	-41.0	-41.0	-41.0	-41.0
Uplink Polarization Advantage (dB)	0	0	0	0	0	0
Downlink EIRP Density (dBW/Hz)	-21.8	-21.8	-21.8	-21.8	-21.8	-21.8
Downlink Polarization Advantage (dB)	0	0	0	0	0	0
<b>CARRIER INFORMATION</b>						
Carrier ID	3	3	3	4	4	4
Emission Designation	6M77G7W	6M77G7W	6M77G7W	77K0G7W	77K0G7W	77K0G7W
Information Rate (kbps)	6000	6000	6000	64	64	64
Carrier Modulation	QPSK	QPSK	QPSK	QPSK	QPSK	QPSK
Peak to Peak Bandwidth of EDS (MHz)	n/a	n/a	n/a	n/a	n/a	n/a
Code Rate	1/2xRS	1/2xRS	1/2xRS	1/2	1/2	1/2
Occupied Bandwidth (kHz)	6771	6771	6771	77	77	77
Allocated Bandwidth (kHz)	10300	10300	10300	100	100	100
Minimum C/N, Clear Sky (dB)	3.9	3.9	3.9	6.8	6.8	6.1
Minimum C/N, Rain (dB)	3.6	3.6	3.6	5.7	5.7	5.7
<b>UPLINK EARTH STATION</b>						
Earth Station Diameter (meters)	7	7	7	7	7	7
Earth Station Gain (dBi)	58.1	58.1	58.1	58.1	58.1	58.1
Earth Station Elevation Angle	20	20	20	20	20	20
<b>DOWNLINK EARTH STATION</b>						
Earth Station Diameter (meters)	1.8	1.8	1.8	1.8	1.8	1.8
Earth Station Gain (dBi)	44.8	44.8	44.8	44.8	44.8	44.8
Earth Station G/T, Clear Sky (dB/K)	22.3	22.3	19.6	22.3	22.3	19.4
Earth Station Elevation Angle	20	20	20	20	20	20
<b>LINK FADE TYPE</b>						
	Clear Sky	Uplink Fade	Downlink Fade	Clear Sky	Uplink Fade	Downlink Fade
<b>UPLINK PERFORMANCE</b>						
Uplink Earth Station EIRP (dBW)	66.3	66.3	66.3	48.0	48.0	48.0
Uplink Path Loss, Clear Sky (dB)	-207.5	-207.5	-207.5	-207.5	-207.5	-207.5
Uplink Rain Attenuation (dB)	0.0	-2.7	0.0	0.0	-2.5	0.0
Satellite G/T (dB/K)	0.1	0.1	0.1	0.1	0.1	0.1
Boltzman Constant (dBW/K-Hz)	228.6	228.6	228.6	228.6	228.6	228.6
Carrier Noise Bandwidth (dB-Hz)	-68.3	-68.3	-68.3	-48.9	-48.9	-48.9
Uplink C/N (dB)	19.2	16.6	19.2	20.3	17.8	20.3
<b>DOWNLINK PERFORMANCE</b>						
Downlink EIRP per Carrier (dBW)	36.9	34.5	36.9	20.6	18.0	20.6
Antenna Pointing Error (dB)	-0.5	-0.5	-0.5	-0.5	-0.5	-0.5
Downlink Path Loss, Clear Sky (dB)	-206.0	-206.0	-206.0	-206.0	-206.0	-206.0
Downlink Rain Attenuation (dB)	0.0	0.0	-3.4	0.0	0.0	-4.0
Earth Station G/T, Clear Sky (dB/K)	22.3	22.3	19.6	22.3	22.3	19.4
Boltzman Constant (dBW/K-Hz)	228.6	228.6	228.6	228.6	228.6	228.6
Carrier Noise Bandwidth (dB-Hz)	-68.3	-68.3	-68.3	-48.9	-48.9	-48.9
Downlink C/N (dB)	13.1	10.6	7.0	16.1	13.6	9.3
<b>COMPOSITE LINK PERFORMANCE</b>						
C/N Uplink (dB)	19.2	16.6	19.2	20.3	17.8	20.3
C/N Downlink (dB)	13.1	10.6	7.0	16.1	13.6	9.3
C/I Intermodulation (dB)	18.6	17.4	18.6	19.7	17.2	19.7
C/I Uplink Co-Channel (dB)*	24.0	21.3	24.0	25.7	23.2	25.7
C/I Downlink Co-Channel (dB)*	24.0	21.5	24.0	25.7	23.2	25.7
C/I Uplink Adjacent Satellite 1 (dB)	19.0	16.4	19.0	20.1	17.6	20.1
C/I Downlink Adjacent Satellite 1 (dB)	14.1	11.7	14.1	17.2	14.7	17.2
C/I Uplink Adjacent Satellite 2 (dB)	15.0	12.4	15.0	16.1	13.6	16.1
C/I Downlink Adjacent Satellite 2 (dB)	14.7	12.3	14.7	17.8	15.3	17.8
C/(N+I) Composite (dB)	7.0	4.6	4.6	9.2	6.7	6.7
Required System Margin (dB)	-1.0	-1.0	-1.0	-1.0	-1.0	-1.0
Net C/(N+I) Composite (dB)	6.0	3.6	3.6	8.2	5.7	5.7
Minimum Required C/N (dB)	-3.9	-3.6	-3.6	-6.8	-5.7	-5.7
Excess Link Margin (dB)	2.1	0.0	0.0	1.4	0.0	0.0
<b>Carrier Density Levels</b>						
Uplink Power Density (dBW/Hz)	-60.1	-60.1	-60.1	-59.0	-59.0	-59.0
Downlink EIRP Density At Beam Peak	-25.4	-27.8	-25.4	-24.3	-26.9	-24.3

\* Note: The C/I level is adjusted depending on the signal level and transponder mode of operation.

## EXHIBIT 14B: GALAXY 16 Ku-BAND LINK BUDGETS (continued)

UPLINK BEAM INFORMATION						
Uplink Beam Name	Conus	Conus	Conus	Conus	Conus	Conus
Uplink Frequency (MHz)	14260	14260	14260	14260	14260	14260
Uplink Beam Polarization	Horizontal/Vertical	Horizontal/Vertical	Horizontal/Vertical	Horizontal/Vertical	Horizontal/Vertical	Horizontal/Vertical
Uplink Relative Contour Level (dB)	-4	-4	-4	-4	-4	-4
Uplink Contour G/T (dB/K)	2.1	2.1	2.1	2.1	2.1	2.1
Uplink SFD (dBW/m <sup>2</sup> )	-87.1	-87.1	-87.1	-87.1	-87.1	-87.1
Rain Rate (mm/hr)	42.0	42.0	42.0	42.0	42.0	42.0
DOWNLINK BEAM INFORMATION						
Downlink Beam Name	Conus	Conus	Conus	Conus	Conus	Conus
Downlink Frequency (MHz)	11960	11960	11960	11960	11960	11960
Downlink Beam Polarization	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal
Downlink Relative Contour Level (dB)	-4	-4	-4	-4	-4	-4
Downlink Contour EIRP (dBW)	47.9	47.9	47.9	47.9	47.9	47.9
Rain Rate (mm/hr)	42.0	42.0	42.0	42.0	42.0	42.0
ADJACENT SATELLITE 1						
Satellite 1 Orbital Location	97 WL	97 WL	97 WL	97 WL	97 WL	97 WL
Uplink Power Density (dBW/Hz)	-45.0	-45.0	-45.0	-45.0	-45.0	-45.0
Uplink Polarization Advantage (dB)	0	0	0	0	0	0
Downlink EIRP Density (dBW/Hz)	-23.30	-23.30	-23.30	-23.30	-23.30	-23.30
Downlink Polarization Advantage (dB)	0	0	0	0	0	0
ADJACENT SATELLITE 2						
Satellite 2 Orbital Location	101 WL	101 WL	101 WL	101 WL	101 WL	101 WL
Uplink Power Density (dBW/Hz)	-41.0	-41.0	-41.0	-41.0	-41.0	-41.0
Uplink Polarization Advantage (dB)	0	0	0	0	0	0
Downlink EIRP Density (dBW/Hz)	-21.8	-21.8	-21.8	-21.8	-21.8	-21.8
Downlink Polarization Advantage (dB)	0	0	0	0	0	0
CARRIER INFORMATION						
Carrier ID	5	5	5	6	6	6
Emission Designation	1M23G7W	1M23G7W	1M23G7W	307KG7W	307KG7W	307KG7W
Information Rate (kbps)	512	512	512	128	128	128
Carrier Modulation	BPSK	BPSK	BPSK	BPSK	BPSK	BPSK
Peak to Peak Bandwidth of EDS (MHz)	n/a	n/a	n/a	n/a	n/a	n/a
Code Rate	1/2	1/2	1/2	1/2	1/2	1/2
Occupied Bandwidth (kHz)	1229	1229	1229	307	307	307
Allocated Bandwidth (kHz)	1450	1450	1450	400	400	400
Minimum C/N, Clear Sky (dB)	3.4	3.4	3.4	3.4	3.4	3.4
Minimum C/N, Rain (dB)	2.7	2.7	2.7	2.7	2.7	2.7
UPLINK EARTH STATION						
Earth Station Diameter (meters)	7	7	7	1.8	1.8	1.8
Earth Station Gain (dBi)	58.1	58.1	58.1	46.4	46.4	46.4
Earth Station Elevation Angle	20	20	20	20	20	20
DOWNLINK EARTH STATION						
Earth Station Diameter (meters)	1.8	1.8	1.8	7.0	7.0	7.0
Earth Station Gain (dBi)	44.8	44.8	44.8	57.0	57.0	57.0
Earth Station G/T, Clear Sky (dB/K)	22.3	22.3	19.4	34.6	34.6	30.7
Earth Station Elevation Angle	20	20	20	20	20	20
LINK FADE TYPE						
	Clear Sky	Uplink Fade	Downlink Fade	Clear Sky	Uplink Fade	Downlink Fade
UPLINK PERFORMANCE						
Uplink Earth Station EIRP (dBW)	55.0	55.0	55.0	45.9	45.9	45.9
Uplink Path Loss, Clear Sky (dB)	-207.5	-207.5	-207.5	-207.5	-207.5	-207.5
Uplink Rain Attenuation (dB)	0.0	-2.5	0.0	0.0	-2.2	0.0
Satellite G/T (dB/K)	2.1	2.1	2.1	2.1	2.1	2.1
Boltzman Constant (dBW/K-Hz)	228.6	228.6	228.6	228.6	228.6	228.6
Carrier Noise Bandwidth (dB-Hz)	-60.9	-60.9	-60.9	-54.9	-54.9	-54.9
Uplink C/N (dB)	17.3	14.8	17.3	14.2	12.0	14.2
DOWNLINK PERFORMANCE						
Downlink EIRP per Carrier (dBW)	29.6	27.1	29.6	20.5	18.3	20.5
Antenna Pointing Error (dB)	-0.5	-0.5	-0.5	-0.5	-0.5	-0.5
Downlink Path Loss, Clear Sky (dB)	-206.0	-206.0	-206.0	-206.0	-206.0	-206.0
Downlink Rain Attenuation (dB)	0.0	0.0	0.0	-4.0	0.0	-11.0
Earth Station G/T, Clear Sky (dB/K)	22.3	22.3	19.4	34.6	34.6	30.7
Boltzman Constant (dBW/K-Hz)	228.6	228.6	228.6	228.6	228.6	228.6
Carrier Noise Bandwidth (dB-Hz)	-60.9	-60.9	-60.9	-54.9	-54.9	-54.9
Downlink C/N (dB)	13.1	10.6	6.3	22.4	20.2	7.5
COMPOSITE LINK PERFORMANCE						
C/N Uplink (dB)	17.3	14.8	17.3	14.2	12.0	14.2
C/N Downlink (dB)	13.1	10.6	6.3	22.4	20.2	7.5
C/I Intermodulation (dB)	16.6	14.3	16.6	13.6	11.4	13.6
C/I Uplink Co-Channel (dB)*	23.1	20.6	23.1	19.6	17.4	19.6
C/I Downlink Co-Channel (dB)*	23.1	20.6	23.1	19.6	17.4	19.6
C/I Uplink Adjacent Satellite 1 (dB)	17.1	14.5	17.1	14.0	11.8	14.0
C/I Downlink Adjacent Satellite 1 (dB)	14.2	11.7	14.2	24.2	22.0	24.2
C/I Uplink Adjacent Satellite 2 (dB)	13.1	10.5	13.1	10.0	7.8	10.0
C/I Downlink Adjacent Satellite 2 (dB)	14.8	12.3	14.8	23.2	21.0	23.2
C/(N+I) Composite (dB)	6.2	3.7	3.7	5.9	3.7	3.7
Required System Margin (dB)	-1.0	-1.0	-1.0	-1.0	-1.0	-1.0
Net C/(N+I) Composite (dB)	5.2	2.7	2.7	4.9	2.7	2.7
Minimum Required C/N (dB)	-3.4	-2.7	-2.7	-3.4	-2.7	-2.7
Excess Link Margin (dB)	1.8	0.0	0.0	1.5	0.0	0.0
Carrier Density Levels						
Uplink Power Density (dBW/Hz)	-64.0	-64.0	-64.0	-55.4	-55.4	-55.4
Downlink EIRP Density At Beam Peak	-27.3	-29.8	-27.3	-30.4	-32.6	-30.4

\* Note: The C/I level is adjusted depending on the signal level and transponder mode of operation.