FCC	312	
Sche	dule	S

FEDERAL COMMUNICATIONS COMMISSION SATELLITE SPACE STATION AUTHORIZATIONS (Technical and Operational Description)

Page 1: General, Frequency Bands, and GSO Orbit

S1. G	SENERAL	INFORMATION	Complete for a	all satellite	applications
-------	---------	-------------	----------------	---------------	--------------

a. Space Station or Satellite No GEOEYE-1	etwork Name:	e. Estimated Date of Placement into Service: 2/20/2009	i Will the space station(s) operate on a Common Carrier N	Basis:
b. Construction Commenceme 9/29/2004	nt Date:	f. Estimated Lifetime of Satellite(s): 7 Yea	j. Number of transponders offered on a common carrier of transponders of trans	basis:
c. Construction Completion Da 1/3/2007	te:	g. Total Number of Transponders: 0	k. Total Common Carrier Transponder Bandwidth: 0 MHz	Z
d1. Est Launch Date Begin: 9/6/2008	d2. Est Launch Date End: 9/6/2008	h. Total Transponder Bandwidth (no. transponders x B 0 MH		

S2. OPERATING FREQUENCY BANDS Identify the frequency range and transmit/receive mode for all frequency bands in which this station will oper Also indicate the nature of service(s) for each frequency band.

	Frequency Band Limits				f.
Lower Frequency (ower Frequency (_Hz) Upper Frequency (_Hz)		e. T/R Mode	Nature of Service(s): List all that apply to this band	
a. Numeric	b. Unit (K/M/G)	c. Numeric	d. Unit (K/M/G)		11,7
8025	M	8400	M	Т	Earth Exploration Satellite Service
2025	М	2100	М	R	Earth Exploration Satellite Service

S3. ORBITAL INFORMATION FOR GEOSTATIONARY SATELLITES ONLY:

Page 2: NGSO Orbits

FCC Form 312 - Schedule S: (Technical and Operational Description)

S4. ORBITAL INFORMATION FOR NON-GEOSTATIONARY SATELLITES ONLY

S4a. Total Number of Satellites in Network or System:

1 S4c. Celestial Reference Body (Earth, Sun, Moon, etc.): E

S4b. Total Number of Orbital Planes in Network or System: 1 S4d. Orbit Epoch Date: 9/18/2013

For each Orbital Plane Provide:

	(e) Orbital Plane No.	(f) No. of Satellites in Plane	(g) Inclination Angle (degrees)	(h) Orbital Period (Seconds)	(i) Apogee (km)	(j) Perigee (km)	(k) Right Ascension of the Ascending Node (Deg.)	(I) Argument of Perigee (Degrees)	rvice Arc Rang (n) End Angle	
[1	1	98.47	6006	796	779	335.161	90		

S5. INITIAL SATELLITE PHASE ANGLE For each satellite in each orbital plane, provide the initial phase angle.

(a) Orbital Plane No.	(b) Satellite Number	(c) Initial Phase Angle (Degrees)
1	1	0

FCC Form 312 - Schedule S: (Technical and Operational Description)

S6. SERVICE AREA CHARACTERISTICS for each service area provide:

	(a) Service Area ID	(b) Type of Associated Station (Earth or Space)		(d) Service Area Description. Provide list of geographic areas (state postal codes or ITU 3-ltr codes), satellites or Figure No. of Service Area Diagram.
1	0	E	not applicable.txt	N/A

Page 3: Service Areas

Page 4: Antenna Beams

FCC Form 312 - Schedule S: (Technical and Operational Description)

S7. SPACE STATION ANTENNA BEAM CHARACTERISTICS For each antenna beam provide:

(a)	(b)	Isotropic	Antenna	(e)	(f)	(g) Min.	(h) Polar-	(i) Polarization	(j) Service		Transmit			Receive			
Beam	T/R	Ga	ain		Rotational	Cross-	ization	Alignment Rel.	Area ID	(k) Input	(I) Effective	(m)	(n)	(o) G/T	(p) Min.	Input Attent	uator (dB)
ID	Mode	(c) Peak (dBi)	(d) Edge (dBi)	Error (Degrees)		Polar Iso- lation (dB)	Switch- able?	Equatorial Plane (Degrees)		Losses (dB)	Output Power (W)	Max. EIRP	System Noice	Max. Gain Pt.	Saturation Flux Density	(q) Max.	(r) Step
		(dDI)	(ubi)	(13 111)	(13 111)	,	(Y/N)	((42)		(dBW)	Temp (k)		(dBW/m2)	Value	Size
WB-L	Т	26	3	1		21	N			9	10	26.7					
WB-	T	26	3	1		21	Ν			9	10	26.7					
NB	Т	5	-7	0		19	Ν			10	1	-4.5					
CMD	R	5	-7	0		19	N						290	-40	-50.1		

FCC Form 312 - Schedule S: (Technical and Operational Description)

S8. ANTENNA BEAM DIAGRAMS For each beam pattern provide the reference to the graphic image and numerical data:

Also provide the power flux density levels in each beam that result from the emission with the highest power flux density.

(a)	(b)	(c) Co-or	(d) GSO	(e) NGSO Antenna Gain	(f) GSO Antenna		Max. Power F	Tux Density (dB	W/M2/Hz)	
Beam	T/R	Cross	Ref.	Contour Description	Gain Contour Data	At Angle of Arrival above horizontal (for emission with highest PF			hest PFD)	
ID	Mode	Polar	Orbital	(Figure/Table/ Exhibit)	(GXT File)	(g) 5 Deg	(h) 10 Deg	(i) 15 Deg	(j) 20 Deg	(k) 25 Deg
		Mode ("C" or" X")	Longitude (Dea. E/W)			(0)	, ,	.,	<i>3,</i>	, ,
		OI A)	(Deg. E/W)							

Page 5: Beam Diagrams

Page 6: Channels and Transponders

FCC Form 312 - Schedule S: (Technical and Operational Description)

S9. SPACE STATION CHANNELS For each frequency channel provide: S10. SPACE STATION TRANSPONDERS For each transponder provide:

(a) Channel No.	(B) Assigned Bandwidth (kHz)	(c) T/R Mode	(d) Center Frequency (MHz)	(e) Polarization (H, V, L, R)	(f) TTC or Comm Channel (T or C)
WB-L	370000	T	8210	L	С
WB-R	370000	Т	8210	R	С
NB	59.7	T	8394	R	T
CMD	128	R	2092.6	R	Т

(a)	(b)	Receive	Band	Transmit Band		
Transponder	Transponder	(c) Channel	(d) Beam	(e) Channel	(f) Beam ID	
ID	Gain (dB)	No.	ID	No.		

Page 7: Digital Modulation

FCC Form 312 - Schedule S: (Technical and Operational Description)

S11. DIGITAL MODULATION PARAMETERS For each digital emission provide:

(a) Digital Mod. ID	(b) Emission Designator	(c) Assigned Bandwidth (kHz)	(d) No. of Phases	(e)Uncoded Data Rate (kbps)	(f) FEC Error Correction Coding Rate	(g) CDMA Processing Gain (dB)	(h) Total C/N Performance Objective (dB)	(i) Single Entry C/I Objective (dB)
WB-L	370MG1D	370000	4	370000				9.8
WB-R	370MG1D	370000	4	370000				9.8
NB	59K1D	59.7	4	59.7				9.8
CMD	128KG1D	128	2	128				9.8

Page 8: Analog Modulation

FCC Form 312 - Schedule S: (Technical and Operational Description)

S12. ANALOG MODULATION PARAMETERS For each analog emission provide:

(a)	(b) Emission	(c)	(d) Signal	(e)	Multi-channel Telephony				(j) Video	(k) Video	(I) Video	(m) SCPC/FM	(n) Total C/N	(o) Single
Analog Mod. ID		Assigned Bandwidth (kHz)	Туре	Channels per Carrier	Companded	(g) Bottom Baseband Freq. (MHz)	(h) Top Baseband Freq. (MHz)	(i) RMS Modulation Index	Standard NTSC, PAL, etc.	Noise- Weighting (dB)	and SCPC/FM Modulation Index	Compander, Preemphasis, and Noise Weighting (dB)	Performance Objective (dB)	Entry C/I Objective (dB)

Page 9: Typical Emissions

FCC Form 312 - Schedule S: (Technical and Operational Description)

S13. TYPICAL EMISSIONS For each planned type of emission provide:

Associated				(e) Carriers	()	() - 3)	Receive Band (Assoc. Transmit Stn)			Transmit Band (This Space Station)			tion)	
	er ID Range	(c) Digital (Table S11)	(d) Analog (Table S12)	per Transponder	Spacing (kHz)	Reference (Table No.)	Dispersal Bandwidth	(i)Assoc. Stn. Max.	Assoc. Stati Power	on Transmit (dBW)	EIRP	(dBW)	(n) Max. Power Flux Density	(o)Assoc. Stn Rec.
(a) Start	(b) End	(13.312 211)	(**************************************				(kHz)	Antenna Gain (dBi)	(j) Min.	(k) Max.	(I) Min.	(m) Max.	(dBW/m2/Hz)	G/T (dB/K)

FEDERAL COMMUNICATIONS COMMISSION SATELLITE SPACE STATION AUTHORIZATIONS FCC Form 312 - Schedule S: (Technical and Operational Description)

Page 10: TT and C

S14. Is the space station(s) controlled and monitored remotely? If Yes, provide the location and telephone number of the TT and C control point(s): Yes

Remote Control (TT C) Location(s):

S14a: Street Address: 1601 Dry Creek Drive Suite 260								
S14b. City: S14c. County: Longmont Boulder			S14d. State/Country CO	S14e. Zip Code: 80503				
\$14f. Telephone Number: 303-684-4000		S14g. Call Sign of Control Stat	Lion (if appropriate):					

FEDERAL COMMUNICATIONS COMMISSION SATELLITE SPACE STATION AUTHORIZATIONS FCC Form 312 - Schedule S: (Technical and Operational Description)

Page 11: Characteristics and Certifications

S15. SPACECRAFT PHYSICAL CHARACTERISTICS:

S16. SPACECRAFT ELECTRICAL CHARACTERISTICS:

S17. CERTIFICATIONS:

a. Are the power flux density limits of § 25.208 met?:	YES	NO	X N/A					
b. Are the appropriate service area coverage requirements of § 25.143(b)(ii) and (iii), or § 25.145(c)(1) and (2)) met? YES	NO	X N/A					
c. Are the frequency tolerances of § 25.202(e) and the out-of-band emission limits of § 25.202(f)(1), (2) and (3	3) met? X YES	NO	N/A					
In addition to the information required in this Form, the space station applicant is required to provide all the information specified in Section 25.114 of the								

In addition to the information required in this Form, the space station applicant is required to provide all the information specified in Section 25.114 of the Commission's rules, 47 C.F.R § 25.114.