

Kymeta

ENGINEERING EMC TEST REPORT FOR

**mTenna, Model: mTenna U7
and
Block Up-Converter, Model: NJT8319UNMR**

ENGINEERING REPORT FOR RF EXPOSURE
PER CUSTOMER REQUIREMENTS

Report No.: 99962-7

Date of issue: May 30, 2017

We strive to create long-term, trust based relationships by providing sound, adaptive, customer first testing services. We embrace each of our customers' unique EMC challenges, not as an interruption to set processes, but rather as the reason we are in business.

TABLE OF CONTENTS

Administrative Information	3
Test Report Information	3
Report Authorization	3
Test Facility Information	4
Software Versions	4
Site Registration & Accreditation Information	4
Equipment Under Test	5
EUT Setup	5
Test Data	6
Antenna @ 75°	6
Antenna @ 90°	105

ADMINISTRATIVE INFORMATION

Test Report Information

REPORT PREPARED FOR:

Kymeta
12277 134th Ct. NE
Redmond, WA 98052

Representative: Dean Busch

DATE OF EQUIPMENT RECEIPT:

DATE(S) OF TESTING:

REPORT PREPARED BY:

Dianne Dudley
CKC Laboratories, Inc.
5046 Sierra Pines Drive
Mariposa, CA 95338

Project Number: 99962

May 22, 2017

May 22-24, 2017

Report Authorization

The test data contained in this report documents the observed testing parameters pertaining to and are relevant for only the sample equipment tested in the agreed upon operational mode(s) and configuration(s) as identified herein. Compliance assessment remains the client's responsibility. This report may not be used to claim product endorsement by A2LA or any government agencies. This test report has been authorized for release under quality control from CKC Laboratories, Inc.



Steve Behm
Director of Quality Assurance & Engineering Services
CKC Laboratories, Inc.

Test Facility Information



Our laboratories are configured to effectively test a wide variety of product types. CKC utilizes first class test equipment, anechoic chambers, data acquisition and information services to create accurate, repeatable and affordable test results.

TEST LOCATION(S):
CKC Laboratories, Inc.
1120 Fulton Place
Fremont, CA 94539

Software Versions

CKC Laboratories Proprietary Software	Version
EMITest Emissions	5.03.02
EMITest Immunity	5.03.02

Site Registration & Accreditation Information

Location	CB #	TAIWAN	CANADA	FCC	JAPAN
Fremont, CA	US0082	SL2-IN-E-1148R	3082B-1	US1023	A-0149

EQUIPMENT UNDER TEST

During testing, numerous configurations may have been utilized. The configurations listed below support compliance to the standard(s) listed in the Summary of Results section.

Configuration 1

Equipment Tested:

Device	Manufacturer	Model #	S/N
Block Up-Converter	NJRC	NJT8319UNMR	NA
mTenna	Kymeta	mTenna U7	mTenna 4.3-47R06-06

Support Equipment:

Device	Manufacturer	Model #	S/N
Laptop	Dell	Latitude E7470	None
IO Box	Kymeta	TRCB3_2	None
Vector Signal Generator	Rohde&Schwarz	1470.6004K02	None
Power Supply	goplus	EP20571-110V	None
DC Power Supply	HP	6267B	2712A-10825

EUT Setup

Test Equipment


Asset#	Description	Manufacturer	Model	Cal Date	Cal Due
03589	Field Probe	Amplifier Research	FL7060	11/22/2016	11/22/2017
03591	Probe Interface	Amplifier Research	FI7000M1	3/15/2017	3/15/2019
03585	Field Monitor	Amplifier Research	FM7004	3/15/2017	3/15/2019

Equipment Setup: The EUT is placed on the non-conducted table and set up as intended. The Vector Signal Generator is connected to the EUT. 1.7MHz signal from the Vector Signal is sent to the EUT. The EUT is connected to the laptop which is outside of the chamber to monitor the RF power of the EUT. Measuring RF exposure is performed at 14.5GHz. All cables which are connected to the Vector Signal and Buck Upper Converter are verified for loss to make sure the RF output power is at 4W.


TEST DATA

Antenna @ 75°


Radial Distance 0cm




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	0	0	51.08	40.57
30	0	0	86.33	76.97
60	0	0	25.14	19.97
90	0	0	36.74	33.56
120	0	0	55.13	44.91
150	0	0	27.35	23.54
180	0	0	39.8	34.18
210	0	0	29.29	24.41
240	0	0	53.11	39.44
270	0	0	25.25	19.6
300	0	0	49.34	38.89
330	0	0	53.02	40.12




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	10	0	36.61	30.74
30	10	0	32.15	27.5
60	10	0	20.7	18.89
90	10	0	29.61	25.47
120	10	0	20.98	19.29
150	10	0	37.61	33.24
180	10	0	19.97	17.84
210	10	0	51.19	44.91
240	10	0	42.05	33.81
270	10	0	36.16	30.73
300	10	0	36.21	26.98
330	10	0	34.14	30.21




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	20	0	14.53	12.31
30	20	0	15.83	12.79
60	20	0	41.77	36
90	20	0	31.34	26.51
120	20	0	23.85	21.14
150	20	0	25.17	21.24
180	20	0	19.69	17.93
210	20	0	28.87	25.37
240	20	0	20.12	17.43
270	20	0	29.55	26.08
300	20	0	27.17	23.84
330	20	0	31.09	28.57




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	30	0	28.31	25.6
30	30	0	21.97	18.37
60	30	0	22.7	19.86
90	30	0	11.92	9.84
120	30	0	13.8	12.14
150	30	0	20.38	18.33
180	30	0	20.52	18.13
210	30	0	10.21	7.9
240	30	0	8.26	6.86
270	30	0	17.07	14.11
300	30	0	19.7	17.57
330	30	0	25.85	22.87




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	40	0	14.36	12.73
30	40	0	11.82	10.04
60	40	0	16.39	14.72
90	40	0	19.96	17.79
120	40	0	12.74	11.27
150	40	0	10.09	8.13
180	40	0	14.42	12.58
210	40	0	20.62	18.37
240	40	0	6.22	5.16
270	40	0	14.14	12.26
300	40	0	14.17	11.9
330	40	0	11.76	10.47




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	50	0	16.15	13.84
30	50	0	16.32	14
60	50	0	11.12	8.72
90	50	0	14.96	13.58
120	50	0	18.61	16.27
150	50	0	6.8	5.89
180	50	0	18.98	17.18
210	50	0	17.77	15.75
240	50	0	13.86	12.61
270	50	0	10.11	8.37
300	50	0	10.34	9.02
330	50	0	17.66	15.43



Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	100	0	19.04	17.61
30	100	0	4.71	3.59
60	100	0	8.57	7.68
90	100	0	8.49	7.37
120	100	0	11.42	10.38
150	100	0	9.8	8.54
180	100	0	11.13	10.2
210	100	0	9.84	8.9
240	100	0	4.66	3.62
270	100	0	4.98	4.31
300	100	0	11.91	10.98
330	100	0	6.29	5.58




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	200	0	5.45	4.7
30	200	0	6.72	6.03
60	200	0	3.89	3.21
90	200	0	9.5	8.66
120	200	0	3.13	2.01
150	200	0	3.76	3.03
180	200	0	4.98	4.34
210	200	0	3.06	1.84
240	200	0	3.56	2.6
270	200	0	2.89	1.66
300	200	0	5.99	5.17
330	200	0	9.07	8.14




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	300	0	3.76	3.36
30	300	0	3.11	2.38
60	300	0	5.11	4.67
90	300	0	4.99	4.46
120	300	0	4.39	3.74
150	300	0	2.72	1.73
180	300	0	3.76	3.29
210	300	0	3.85	3.26
240	300	0	2.07	1.47
270	300	0	3.89	3.1
300	300	0	2.9	1.47
330	300	0	5.78	5.23


Radial Distance 10cm




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	0	10	55.25	35.48
30	0	10	34.07	31.55
60	0	10	54.99	41.67
90	0	10	19.1	17.35
120	0	10	37.81	30.97
150	0	10	32.51	26.93
180	0	10	29.66	24.05
210	0	10	48.08	35.72
240	0	10	43.66	33.05
270	0	10	52.05	43.14
300	0	10	50.44	40.11
330	0	10	32.37	26.81



Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	10	10	40.84	35.32
30	10	10	25.17	23.34
60	10	10	31.53	28.16
90	10	10	32.89	27.98
120	10	10	34.66	32.02
150	10	10	27.73	25.49
180	10	10	29.44	25.48
210	10	10	28.57	23.09
240	10	10	16.72	13.14
270	10	10	49.01	43.49
300	10	10	46.15	35.99
330	10	10	31.7	28.41




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	20	10	15.11	13.02
30	20	10	17.36	14.4
60	20	10	15.48	13.57
90	20	10	21.93	19.09
120	20	10	23.84	20.62
150	20	10	26.48	22.14
180	20	10	9.69	7.95
210	20	10	21.58	17.11
240	20	10	29.24	26.14
270	20	10	28.58	25.21
300	20	10	39.51	34.25
330	20	10	34.6	31.13




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	30	10	11.62	9.91
30	30	10	29.21	26
60	30	10	20.18	17.9
90	30	10	23.73	21.96
120	30	10	21.16	18.81
150	30	10	17.99	15.76
180	30	10	15.1	13.08
210	30	10	23.41	20.57
240	30	10	26.46	22.79
270	30	10	15.05	12.77
300	30	10	35.28	28.5
330	30	10	20.03	17.36


Radial Distance at 10cm and Probe Height at 40cm




Turning Table Degree	Probe High (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	40	10	16.96	14.94
30	40	10	19.5	17.11
60	40	10	9.47	7.58
90	40	10	14.79	13.35
120	40	10	16.02	14.56
150	40	10	18.24	15.48
180	40	10	21.13	18.94
210	40	10	17.02	14.19
240	40	10	10.59	8.93
270	40	10	17.93	15.79
300	40	10	23.41	20.92
330	40	10	9.63	7.61




Turning Table Degree	Probe High (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	50	10	17.48	14.87
30	50	10	15.28	13.92
60	50	10	21.66	17.99
90	50	10	15.01	12.68
120	50	10	15.39	12.89
150	50	10	14.1	12.01
180	50	10	12.33	10.44
210	50	10	13.06	11.41
240	50	10	18.09	16.59
270	50	10	13.26	11.51
300	50	10	27.59	23.55
330	50	10	14.73	12.93



Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	100	10	16.83	15.53
30	100	10	9.93	8.82
60	100	10	13.25	12.07
90	100	10	8.09	7.02
120	100	10	9.58	8.72
150	100	10	11.15	10.42
180	100	10	7.51	6.01
210	100	10	8.51	7.09
240	100	10	9.86	8.94
270	100	10	5.57	4.46
300	100	10	17.45	15.54
330	100	10	12.87	11.56




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	200	10	4.37	3.49
30	200	10	9.36	8.53
60	200	10	4.12	3.44
90	200	10	3.79	3.13
120	200	10	5.06	4.6
150	200	10	3.93	3.19
180	200	10	3.47	2.6
210	200	10	2.38	1.68
240	200	10	6.59	5.87
270	200	10	8.1	7.15
300	200	10	5.36	4.43
330	200	10	7.18	6.53




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	300	10	4.58	4.04
30	300	10	4.53	4.03
60	300	10	5.03	4.54
90	300	10	3.79	3.02
120	300	10	4.02	3.51
150	300	10	4.12	3.73
180	300	10	2.87	2.4
210	300	10	3.79	3.26
240	300	10	3.7	3.02
270	300	10	4.65	4.07
300	300	10	4.63	4.04
330	300	10	3.98	3.43


Radial Distance 20cm




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	0	20	36.65	32.45
30	0	20	34.65	31.15
60	0	20	21.18	19.33
90	0	20	22.62	21.02
120	0	20	20.18	16.8
150	0	20	21.6	14.53
180	0	20	36.21	31.27
210	0	20	51.63	42.94
240	0	20	33.47	25.31
270	0	20	51.22	42.2
300	0	20	47.28	39.78
330	0	20	25.69	23.55




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	10	20	23.61	21.25
30	10	20	36.85	32.93
60	10	20	13.48	11.35
90	10	20	24.76	19.84
120	10	20	23.11	20.2
150	10	20	22.6	18.36
180	10	20	28.77	21.49
210	10	20	43.07	30.46
240	10	20	20.42	16.32
270	10	20	15.19	12.18
300	10	20	34.29	30.76
330	10	20	34.24	29.64



Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	20	20	19.55	17.99
30	20	20	11.54	9.55
60	20	20	27.91	24.53
90	20	20	16.67	14.3
120	20	20	18.9	17.03
150	20	20	25.21	21.89
180	20	20	24.84	20.95
210	20	20	16.32	13.37
240	20	20	28.68	23.25
270	20	20	23.22	19.52
300	20	20	40.25	35.11
330	20	20	36.37	32.19




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	30	20	21.19	19.24
30	30	20	15.78	13.3
60	30	20	21.63	18.83
90	30	20	16.09	14.11
120	30	20	14.49	12.34
150	30	20	11.15	8.68
180	30	20	24.85	21.6
210	30	20	20.68	17.41
240	30	20	16.78	13.61
270	30	20	16.57	14.69
300	30	20	40.96	36.76
330	30	20	17.49	16.15




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	40	20	14.36	12.32
30	40	20	23.38	20.53
60	40	20	20.2	17.89
90	40	20	12.47	11.15
120	40	20	17.35	15.48
150	40	20	10.57	8.53
180	40	20	9.67	7.92
210	40	20	18.46	16.36
240	40	20	18.42	15.84
270	40	20	9.2	7.27
300	40	20	16.7	14.82
330	40	20	13.28	11.53


Radial Distance at 20cm and Probe Height at 50cm



Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	50	20	9.67	8.6
30	50	20	20.02	17.17
60	50	20	32.54	28.97
90	50	20	16.6	14.49
120	50	20	17.17	15.01
150	50	20	11.03	9.57
180	50	20	6.82	5.69
210	50	20	14.62	12.45
240	50	20	19.03	17.27
270	50	20	17.97	16.02
300	50	20	16.18	13.98
330	50	20	12.48	10.5




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	100	20	8.85	7.81
30	100	20	4.85	3.72
60	100	20	9.64	8.68
90	100	20	8.65	7.2
120	100	20	8.13	6.65
150	100	20	5.09	4.15
180	100	20	8.37	7.4
210	100	20	4.95	3.9
240	100	20	15.29	14.1
270	100	20	15.49	14.25
300	100	20	6.72	5.54
330	100	20	12.54	11.49




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	200	20	9.03	8.24
30	200	20	5.8	5.09
60	200	20	5.25	4.5
90	200	20	4.49	3.9
120	200	20	4.95	3.99
150	200	20	5.57	4.69
180	200	20	3.58	2.8
210	200	20	6.98	6.31
240	200	20	5.79	4.91
270	200	20	6.98	6.25
300	200	20	9.2	8.21
330	200	20	3.46	2.84

Radial Distance at 20cm and Probe Height at 300cm




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	300	20	3.05	2.16
30	300	20	3.98	3.41
60	300	20	3.78	3.31
90	300	20	3.13	1.92
120	300	20	2.93	1.47
150	300	20	3.51	2.67
180	300	20	2.72	1.78
210	300	20	5.2	4.54
240	300	20	6.69	6.1
270	300	20	3.57	2.85
300	300	20	3.11	2.01
330	300	20	4.22	3.48

Radial Distance 30cm




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	0	30	44.55	38.58
30	0	30	36.6	33.81
60	0	30	20.36	18.81
90	0	30	6.83	6.2
120	0	30	9.41	7.72
150	0	30	21.25	18.44
180	0	30	19.39	15.96
210	0	30	32.2	26.72
240	0	30	33.62	27.18
270	0	30	35.93	28.74
300	0	30	23.22	20.49
330	0	30	22.62	21.18




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	10	30	20.75	19.12
30	10	30	14.44	12.95
60	10	30	8.47	7.36
90	10	30	13.59	11.96
120	10	30	9.33	8.04
150	10	30	9.51	7.17
180	10	30	20.27	17.26
210	10	30	26.38	21.66
240	10	30	34.27	29.89
270	10	30	21.32	17.29
300	10	30	21.15	17.62
330	10	30	15.39	12.35

Radial Distance at 30cm and Probe Height at 20cm




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	20	30	12.98	11.66
30	20	30	12.37	11.23
60	20	30	15.79	14.83
90	20	30	12.82	11.53
120	20	30	14.75	12.82
150	20	30	11.46	9.58
180	20	30	22.2	19.43
210	20	30	20.99	18.46
240	20	30	17.2	13.26
270	20	30	30.4	25.36
300	20	30	18.94	14.25
330	20	30	19.7	17.69




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	30	30	15.06	13.14
30	30	30	14	12.13
60	30	30	11.33	9.74
90	30	30	9.82	8.02
120	30	30	12.18	10.35
150	30	30	16.08	13.92
180	30	30	15.69	12.9
210	30	30	13.42	11.15
240	30	30	12.85	10.48
270	30	30	27.92	24.76
300	30	30	12.52	11.1
330	30	30	17.79	15.43

Radial Distance at 30cm and Probe Height at 40cm




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	40	30	18.39	16.83
30	40	30	14.21	12.07
60	40	30	23.73	20.06
90	40	30	16.45	15.14
120	40	30	12.56	10.73
150	40	30	16.48	13.73
180	40	30	24.67	22.73
210	40	30	13.13	9.57
240	40	30	12.03	10.27
270	40	30	14.1	12.53
300	40	30	20.23	17.53
330	40	30	8.78	7.14


Radial Distance at 30cm and Probe Height at 50cm




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	50	30	13.97	12.97
30	50	30	13.58	11.37
60	50	30	9.54	7.29
90	50	30	9.92	8.7
120	50	30	9.47	7.96
150	50	30	16.11	14.33
180	50	30	9.88	7.83
210	50	30	11.24	9.66
240	50	30	17.43	14.72
270	50	30	18.57	16.71
300	50	30	26.91	23.56
330	50	30	9.07	7.67



Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	100	30	9.06	7.47
30	100	30	8.86	7.68
60	100	30	8.56	7.35
90	100	30	6.63	5.46
120	100	30	9.03	7.63
150	100	30	8.06	7.33
180	100	30	9.42	8.13
210	100	30	9.86	8.84
240	100	30	9.84	8.88
270	100	30	10.81	9.5
300	100	30	10.27	9.37
330	100	30	9.18	8.11




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	200	30	7.41	6.75
30	200	30	7.19	6.38
60	200	30	5.51	4.88
90	200	30	5.81	5.11
120	200	30	6.55	6.07
150	200	30	5.97	5.22
180	200	30	4.66	4.01
210	200	30	5.29	4.66
240	200	30	4.35	3.56
270	200	30	7.97	7.23
300	200	30	8.54	7.89
330	200	30	6.11	5.11




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	300	30	4.03	3.45
30	300	30	6.39	5.86
60	300	30	3.41	2.85
90	300	30	2.59	1.47
120	300	30	2.51	1.47
150	300	30	1.97	1.47
180	300	30	4.86	4.33
210	300	30	5.56	5.08
240	300	30	3.16	2.48
270	300	30	3.22	2.64
300	300	30	4.69	3.72
330	300	30	3.48	2.72


Radial Distance 40cm



Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	0	40	8.71	7.83
30	0	40	16.34	15.14
60	0	40	9.41	8.84
90	0	40	6.96	6.34
120	0	40	9.29	8.17
150	0	40	12.61	10.99
180	0	40	18.93	16.43
210	0	40	32.71	28.79
240	0	40	28.69	23.24
270	0	40	30.94	25.54
300	0	40	19.57	18.4
330	0	40	16.64	15.6




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	10	40	18.72	16.81
30	10	40	20.48	19.22
60	10	40	8.59	7.85
90	10	40	8.94	7.97
120	10	40	7.52	6.25
150	10	40	13.26	11.19
180	10	40	20.33	17.74
210	10	40	23.25	19.89
240	10	40	23.7	19.5
270	10	40	26.3	22.66
300	10	40	11.12	9.55
330	10	40	12.39	10.76




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	20	40	15.4	12.82
30	20	40	14.37	12.36
60	20	40	15.94	15.07
90	20	40	12.33	10.84
120	20	40	9.19	7.2
150	20	40	6.49	5.04
180	20	40	20.36	18.17
210	20	40	15.45	12.31
240	20	40	23.26	20.8
270	20	40	17.99	15.75
300	20	40	16.78	14.95
330	20	40	16.83	14.86

Radial Distance at 40cm and Probe Height at 30cm




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	30	40	10.65	8.94
30	30	40	7.39	6.02
60	30	40	10.18	9.07
90	30	40	12.04	9.81
120	30	40	9.56	8.06
150	30	40	12.59	10.73
180	30	40	14.75	12.21
210	30	40	20.7	18.25
240	30	40	20.84	17.67
270	30	40	25.44	22.19
300	30	40	18.56	16.25
330	30	40	19.76	17.24




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	40	40	14.37	12.42
30	40	40	12.93	11.87
60	40	40	7.78	6.19
90	40	40	10.12	8.89
120	40	40	11.08	8.85
150	40	40	15.29	13.86
180	40	40	13.43	11.84
210	40	40	25.96	22.89
240	40	40	15.88	14.4
270	40	40	16.27	14.5
300	40	40	20.87	19.3
330	40	40	14.2	13.41

Radial Distance at 40cm and Probe Height at 50cm




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	50	40	15.38	14.23
30	50	40	8.32	6.72
60	50	40	9.88	8.8
90	50	40	6.96	5.55
120	50	40	11.7	9.7
150	50	40	14.16	12.22
180	50	40	9.24	7.73
210	50	40	16.91	14.83
240	50	40	14.21	12.38
270	50	40	12.4	10.23
300	50	40	13.69	12.41
330	50	40	21.53	18.86




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	100	40	7.86	7.02
30	100	40	14.45	13.26
60	100	40	5.17	4.13
90	100	40	2.9	1.47
120	100	40	6.77	5.77
150	100	40	11.58	10.04
180	100	40	7.48	6.34
210	100	40	13.69	12.74
240	100	40	10.09	8.41
270	100	40	8.48	7.08
300	100	40	6.56	5.56
330	100	40	10.49	9.74

Radial Distance at 40cm and Probe Height at 200cm




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	200	40	4.96	4.34
30	200	40	4.23	3.71
60	200	40	4.65	3.91
90	200	40	3.91	3.08
120	200	40	5.93	5.35
150	200	40	3.98	3.11
180	200	40	3.77	2.91
210	200	40	13.54	12.91
240	200	40	7.27	6.44
270	200	40	7.05	6.68
300	200	40	6.43	5.51
330	200	40	4.41	3.74




Turning Table Degree	Probe High (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	300	40	7.73	7.43
30	300	40	2.16	1.71
60	300	40	4.23	3.73
90	300	40	2.89	2.46
120	300	40	3.84	3.04
150	300	40	4.92	4.34
180	300	40	2.99	2.01
210	300	40	6.41	5.9
240	300	40	3.95	2.85
270	300	40	3.94	3.51
300	300	40	7.11	6.6
330	300	40	3.56	3

Radial Distance 50cm




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	0	50	11.24	10.65
30	0	50	7.87	7.31
60	0	50	5.5	5.08
90	0	50	6.21	5.66
120	0	50	6.08	4.63
150	0	50	7.78	7.01
180	0	50	8.12	6.62
210	0	50	10.88	9.48
240	0	50	20.28	18.68
270	0	50	12.48	9.87
300	0	50	24.41	23.05
330	0	50	14.09	13.06

Radial Distance at 50cm and Probe Height at 10cm




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	10	50	24.85	22.98
30	10	50	14.93	13.97
60	10	50	10.03	9.46
90	10	50	10.03	8.58
120	10	50	6.16	5.39
150	10	50	11.54	9.55
180	10	50	5.96	4.36
210	10	50	13.18	11.18
240	10	50	14.6	12.42
270	10	50	8.79	6.88
300	10	50	24.62	22.12
330	10	50	13.29	11.91




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	20	50	10.07	8.66
30	20	50	15.15	13.92
60	20	50	7.97	7.17
90	20	50	11.32	10.3
120	20	50	8.11	6.85
150	20	50	7.42	5.96
180	20	50	11.19	9.69
210	20	50	15.13	12.41
240	20	50	11.41	9.73
270	20	50	17.86	16.43
300	20	50	10.99	8.96
330	20	50	18.62	17.58

Radial Distance at 50cm and Probe Height at 30cm




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	30	50	19.6	18.23
30	30	50	7.38	6.53
60	30	50	10.46	9.2
90	30	50	7.38	6.43
120	30	50	12.7	11
150	30	50	9.85	8.26
180	30	50	13.14	11.05
210	30	50	10.98	9.29
240	30	50	11.96	9.94
270	30	50	9.01	7.39
300	30	50	28.55	26.25
330	30	50	13.8	12.73

Radial Distance at 50cm and Probe Height at 40cm




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	40	50	13.49	11.84
30	40	50	7.14	6.28
60	40	50	6.66	5.83
90	40	50	10.01	9.02
120	40	50	15.09	13.84
150	40	50	14.75	13.45
180	40	50	15.09	12.68
210	40	50	18.65	16.16
240	40	50	20.54	18.62
270	40	50	11.1	9.73
300	40	50	14.64	13.46
330	40	50	7.83	6.9

Radial Distance at 50cm and Probe Height at 50cm




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	50	50	15.85	14.04
30	50	50	9.64	8.35
60	50	50	5.87	4.69
90	50	50	7.13	6.29
120	50	50	8.49	6.94
150	50	50	11.87	10.06
180	50	50	9.55	8
210	50	50	13.08	11.23
240	50	50	15.91	13.57
270	50	50	15.11	13.13
300	50	50	9.82	8.61
330	50	50	15.55	14.36




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	100	50	7	6.08
30	100	50	9.36	7.57
60	100	50	7.6	6.35
90	100	50	6.64	5.45
120	100	50	7.55	6.01
150	100	50	6.33	5.27
180	100	50	9.1	7.44
210	100	50	9.47	8.49
240	100	50	10.43	9.38
270	100	50	7.01	5.7
300	100	50	12.05	10.7
330	100	50	12.92	11.85

Radial Distance at 50cm and Probe Height at 200cm




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	200	50	4.05	3.37
30	200	50	4.63	4.07
60	200	50	4.19	3.39
90	200	50	4.44	3.74
120	200	50	7	6.1
150	200	50	5.05	4.37
180	200	50	5.14	4.58
210	200	50	6.6	6
240	200	50	6.37	5.91
270	200	50	4.22	3.52
300	200	50	7.08	6.49
330	200	50	5.9	5.49




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	300	50	4.81	4.13
30	300	50	4.29	3.87
60	300	50	2.76	1.72
90	300	50	4.34	3.6
120	300	50	3.1	2.54
150	300	50	3.32	2.86
180	300	50	3.19	1.86
210	300	50	4.3	3.57
240	300	50	4.76	4.22
270	300	50	4.43	3.82
300	300	50	4.8	4.4
330	300	50	3.93	3.21


Radial Distance 60cm




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	0	60	12.22	11.13
30	0	60	4.21	3.51
60	0	60	5.2	4.62
90	0	60	4.92	4.04
120	0	60	6.3	5.58
150	0	60	5.12	4.29
180	0	60	8.64	7.7
210	0	60	8.64	7.72
240	0	60	9.24	7.54
270	0	60	13.23	11.97
300	0	60	9.77	8.64
330	0	60	15.85	14.93



Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	10	60	22.71	20.06
30	10	60	8.17	7.34
60	10	60	10.84	9.97
90	10	60	5.32	4.57
120	10	60	9.29	7.92
150	10	60	6.36	5.29
180	10	60	12.97	11.46
210	10	60	15.38	13.47
240	10	60	17.3	15.51
270	10	60	8.65	7.54
300	10	60	9.92	8.66
330	10	60	10.61	9.35




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	20	60	9.93	8.98
30	20	60	5.79	4.99
60	20	60	5.19	4.5
90	20	60	9.69	8.72
120	20	60	7.35	6.09
150	20	60	7.8	6.45
180	20	60	5.45	4.61
210	20	60	14.28	12.8
240	20	60	13.13	11.3
270	20	60	18.59	17.03
300	20	60	8.23	7.24
330	20	60	12.2	10.8




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	30	60	11.89	10.88
30	30	60	9.61	8.78
60	30	60	4.23	3.57
90	30	60	8.07	7.36
120	30	60	6.3	4.85
150	30	60	5.51	4.39
180	30	60	5.62	4.49
210	30	60	16.84	14.57
240	30	60	12.15	10.92
270	30	60	14.78	12.87
300	30	60	10.46	9.4
330	30	60	5.61	4.5


Radial Distance at 60cm and Probe Height at 40cm




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	40	60	9.84	8.63
30	40	60	6.46	5.21
60	40	60	4.65	3.61
90	40	60	5.38	4.33
120	40	60	8.88	7.38
150	40	60	8.51	7.44
180	40	60	6.32	5.39
210	40	60	11.28	9.59
240	40	60	9.75	8.41
270	40	60	12.93	11.84
300	40	60	12.75	11.69
330	40	60	12.7	11




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	50	60	7.47	6.26
30	50	60	8.88	7.61
60	50	60	6.21	5.37
90	50	60	5.05	3.99
120	50	60	11.49	10.07
150	50	60	6.73	5.45
180	50	60	7.47	6.29
210	50	60	12.12	10.67
240	50	60	10.73	9.29
270	50	60	10.52	9.59
300	50	60	13.28	12.27
330	50	60	6.33	5.16



Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	100	60	8.19	7.22
30	100	60	4	3.26
60	100	60	8.03	6.82
90	100	60	5.4	4.51
120	100	60	8.78	7.89
150	100	60	7.3	5.98
180	100	60	9.61	8.87
210	100	60	8.84	7.97
240	100	60	5.61	4.48
270	100	60	6.53	5.83
300	100	60	12.53	11.25
330	100	60	10.07	8.89




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	200	60	6.45	5.45
30	200	60	3.77	2.77
60	200	60	6.02	5.13
90	200	60	2.44	1.47
120	200	60	6.12	5.35
150	200	60	3.38	2.64
180	200	60	3.01	2.07
210	200	60	7.65	7.1
240	200	60	4.15	3.55
270	200	60	3.23	2.46
300	200	60	3.96	3.27
330	200	60	5.57	4.77




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	300	60	3.92	3.35
30	300	60	6.57	6.01
60	300	60	3.66	2.98
90	300	60	3.24	2.55
120	300	60	4.43	3.82
150	300	60	2.41	1.47
180	300	60	4.53	3.86
210	300	60	4.18	3.48
240	300	60	4.15	3.41
270	300	60	5.16	4.58
300	300	60	2.82	2.17
330	300	60	5.35	4.72

Radial Distance 80cm




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	0	80	3.41	2.65
30	0	80	3.65	3.15
60	0	80	3.55	3.1
90	0	80	2.27	1.56
120	0	80	3.36	2.53
150	0	80	2.47	1.66
180	0	80	3.47	2.66
210	0	80	5.07	4.46
240	0	80	4.75	4.18
270	0	80	7.61	7.05
300	0	80	2.73	1.71
330	0	80	4.12	3.64

Radial Distance at 80cm and Probe Height at 10cm




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	10	80	12.21	11.53
30	10	80	4.43	3.99
60	10	80	5.61	5.04
90	10	80	6.55	5.8
120	10	80	8.58	7.58
150	10	80	4.16	3.58
180	10	80	5.43	4.81
210	10	80	7.2	6.31
240	10	80	7.99	7.08
270	10	80	11.38	10.75
300	10	80	2.86	2.06
330	10	80	3.99	3.33




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	20	80	20.01	17.93
30	20	80	6.14	5.62
60	20	80	5.95	5.03
90	20	80	6.01	5.38
120	20	80	5.97	5.24
150	20	80	10.75	10.03
180	20	80	7.2	6.08
210	20	80	5.02	3.94
240	20	80	8.08	6.72
270	20	80	8.16	7.17
300	20	80	4.42	3.72
330	20	80	4.06	3.47

Radial Distance at 80cm and Probe Height at 30cm




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	30	80	6.99	6.27
30	30	80	4.17	3.6
60	30	80	2.95	1.94
90	30	80	7.57	6.83
120	30	80	7.34	6.33
150	30	80	6.71	5.49
180	30	80	8.78	7.07
210	30	80	10.85	9.81
240	30	80	8.44	6.99
270	30	80	12.87	11.79
300	30	80	7.84	6.87
330	30	80	8.96	8.22


Radial Distance at 80cm and Probe Height at 40cm




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	40	80	5.93	5.27
30	40	80	4.05	3.39
60	40	80	5.85	5.03
90	40	80	9.72	8.98
120	40	80	7.47	6.75
150	40	80	9.9	7.16
180	40	80	8.58	7.27
210	40	80	12.23	11.11
240	40	80	8.35	7.05
270	40	80	7.33	6.25
300	40	80	6.76	6
330	40	80	6.08	5.31




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	50	80	4.68	4.08
30	50	80	4.65	3.97
60	50	80	5.07	4.33
90	50	80	7.29	6.83
120	50	80	5.89	5.21
150	50	80	8.43	7.08
180	50	80	4.72	3.86
210	50	80	5.89	4.92
240	50	80	7.19	6.2
270	50	80	9.22	8.05
300	50	80	6.68	5.81
330	50	80	4.84	4.17



Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	100	80	9.74	8.73
30	100	80	4.25	3.73
60	100	80	8.51	7.47
90	100	80	4.38	3.65
120	100	80	7.37	6.58
150	100	80	7.09	6.12
180	100	80	4.55	3.61
210	100	80	12.86	10.12
240	100	80	4.45	3.39
270	100	80	3.24	2.22
300	100	80	7.71	6.96
330	100	80	6.6	5.77




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	200	80	9.15	8.21
30	200	80	2.74	1.98
60	200	80	3.21	2.32
90	200	80	3.94	3.27
120	200	80	4.51	3.88
150	200	80	5.07	4.42
180	200	80	2.85	1.91
210	200	80	3.69	3.18
240	200	80	2.26	1.47
270	200	80	2.69	2.04
300	200	80	3	2.26
330	200	80	3.49	2.73




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	300	80	2.65	2.14
30	300	80	3.62	3.08
60	300	80	2.63	1.6
90	300	80	3.21	2.67
120	300	80	5.01	4.5
150	300	80	1.77	1.47
180	300	80	2.86	1.92
210	300	80	3.17	2.34
240	300	80	2.88	2.18
270	300	80	4.36	3.78
300	300	80	3.84	3.12
330	300	80	4.24	3.54


Radial Distance 100cm




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	0	100	3.43	2.97
30	0	100	2.51	1.72
60	0	100	2.87	1.84
90	0	100	3.05	2.48
120	0	100	2.37	1.71
150	0	100	2.6	2.14
180	0	100	2.95	2.35
210	0	100	4.81	4.31
240	0	100	2.13	1.47
270	0	100	2.36	1.66
300	0	100	2.85	1.9
330	0	100	2.22	1.47




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	10	100	4.8	3.96
30	10	100	3.67	3.18
60	10	100	4.15	3.72
90	10	100	3.66	3.01
120	10	100	2.21	1.47
150	10	100	2.66	1.92
180	10	100	5.11	4.26
210	10	100	4.51	3.82
240	10	100	4.55	3.43
270	10	100	6.66	5.93
300	10	100	4.37	3.68
330	10	100	3.63	3.18




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	20	100	14.57	13.19
30	20	100	4.21	3.54
60	20	100	4.91	4.41
90	20	100	3.71	3.17
120	20	100	5.23	4.34
150	20	100	5.42	4.66
180	20	100	4.87	4.12
210	20	100	3.26	2.2
240	20	100	4.87	4.05
270	20	100	4.49	3.75
300	20	100	4.19	3.41
330	20	100	4.99	4.31




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	30	100	11.01	9.99
30	30	100	3.95	3.06
60	30	100	4.63	4.01
90	30	100	5.63	4.97
120	30	100	5.03	4.33
150	30	100	3.44	2.58
180	30	100	7.71	6.7
210	30	100	4.45	3.76
240	30	100	5.54	4.65
270	30	100	7.92	7.26
300	30	100	4.52	3.83
330	30	100	3.37	2.44




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	40	100	5.43	4.87
30	40	100	2.7	2.02
60	40	100	3.94	3.29
90	40	100	7.33	6.61
120	40	100	4.12	3.37
150	40	100	4.19	3.41
180	40	100	8.23	7.43
210	40	100	4.48	3.38
240	40	100	5.09	4.53
270	40	100	11.18	10.65
300	40	100	3.84	3
330	40	100	2.95	2.38




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	50	100	6.65	5.8
30	50	100	3.21	2.64
60	50	100	3.3	2.68
90	50	100	6.96	6.46
120	50	100	5.85	5.36
150	50	100	5.83	5.01
180	50	100	5.75	4.64
210	50	100	6.95	6.17
240	50	100	5.67	4.97
270	50	100	8.45	7.74
300	50	100	5.44	4.75
330	50	100	5.13	4.28



Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	100	100	11.2	10.48
30	100	100	4.1	3.44
60	100	100	4.63	4.14
90	100	100	2.57	1.92
120	100	100	3.03	2.44
150	100	100	5.13	4.47
180	100	100	5.02	4.17
210	100	100	4.07	3.18
240	100	100	7.82	6.58
270	100	100	7.11	6.37
300	100	100	8.32	7.7
330	100	100	5.57	5




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	200	100	4.73	4.04
30	200	100	4.17	3.34
60	200	100	3.33	2.8
90	200	100	7.09	6.34
120	200	100	6.02	5.33
150	200	100	4.56	3.76
180	200	100	4.46	3.87
210	200	100	5.51	4.62
240	200	100	6.5	5.82
270	200	100	3.9	3.21
300	200	100	3.88	3.21
330	200	100	2.78	1.98




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	300	100	3.86	3.31
30	300	100	2.69	1.47
60	300	100	2.53	1.64
90	300	100	2.06	1.47
120	300	100	2.94	2.08
150	300	100	3.37	2.95
180	300	100	2.71	1.93
210	300	100	4.86	4.42
240	300	100	4.69	4.19
270	300	100	2.71	2.1
300	300	100	2.79	2.08
330	300	100	2.53	1.76


Radial Distance 200cm




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	0	200	1.89	1.47
30	0	200	1.71	1.47
60	0	200	2.04	1.47
90	0	200	1.81	1.47
120	0	200	3.33	2.5
150	0	200	2.04	1.47
180	0	200	2.49	1.76
210	0	200	1.76	1.47
240	0	200	1.93	1.47
270	0	200	1.69	1.46
300	0	200	2.03	1.47
330	0	200	1.85	1.47




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	10	200	3.19	2.2
30	10	200	1.82	1.47
60	10	200	1.82	1.47
90	10	200	1.78	1.47
120	10	200	2.45	2.04
150	10	200	1.7	1.47
180	10	200	2.29	1.47
210	10	200	1.96	1.47
240	10	200	1.85	1.47
270	10	200	1.71	1.47
300	10	200	1.76	1.47
330	10	200	1.68	1.47




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	20	200	4.8	4.21
30	20	200	2.43	1.47
60	20	200	1.69	1.47
90	20	200	2.32	1.47
120	20	200	2.62	1.96
150	20	200	1.98	1.47
180	20	200	2.56	1.68
210	20	200	2.08	1.47
240	20	200	1.9	1.47
270	20	200	2.13	1.76
300	20	200	2.28	1.63
330	20	200	2.32	1.47




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	30	200	5.99	5.42
30	30	200	2.44	1.76
60	30	200	1.91	1.47
90	30	200	3.28	2.41
120	30	200	3.91	3.47
150	30	200	3.86	3.32
180	30	200	2.9	2.26
210	30	200	1.91	1.47
240	30	200	3.17	2.14
270	30	200	3.6	2.9
300	30	200	3.38	2.77
330	30	200	2.76	1.99




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	40	200	6.36	5.7
30	40	200	2.09	1.47
60	40	200	2.24	1.47
90	40	200	4.03	3.52
120	40	200	5.77	5.23
150	40	200	5.46	4.92
180	40	200	3.31	2.63
210	40	200	2.74	1.92
240	40	200	3.56	2.81
270	40	200	4.32	3.89
300	40	200	2.68	1.47
330	40	200	2.5	1.64




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	50	200	11.04	10.01
30	50	200	2.23	1.47
60	50	200	3.13	2.6
90	50	200	4.21	3.68
120	50	200	4.77	4.36
150	50	200	4.93	4.2
180	50	200	2.87	2.21
210	50	200	2.63	1.62
240	50	200	2.16	1.47
270	50	200	4.11	3.68
300	50	200	3.32	2.4
330	50	200	2.54	1.93



Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	100	200	6.18	5.73
30	100	200	2.38	1.47
60	100	200	2.04	1.47
90	100	200	3.27	2.58
120	100	200	4.89	4.39
150	100	200	4.8	4.26
180	100	200	4.28	3.53
210	100	200	2.45	1.47
240	100	200	2.63	1.47
270	100	200	4.64	4.23
300	100	200	3.91	3.1
330	100	200	3.35	2.32




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	200	200	4.62	4.17
30	200	200	2.88	1.96
60	200	200	2.79	1.96
90	200	200	2.24	1.66
120	200	200	2.52	2.1
150	200	200	3.53	2.81
180	200	200	2.28	1.47
210	200	200	2.9	1.83
240	200	200	3.15	2.35
270	200	200	4.18	3.68
300	200	200	6.08	5.68
330	200	200	2.47	1.47




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	300	200	1.86	1.47
30	300	200	2.75	2.3
60	300	200	2.27	1.47
90	300	200	3.79	3.26
120	300	200	4.63	4.14
150	300	200	1.74	1.47
180	300	200	4.54	3.84
210	300	200	4.63	4.11
240	300	200	2.4	1.47
270	300	200	2.33	1.47
300	300	200	2.83	1.8
330	300	200	3.13	2.39


Radial Distance 300cm




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	0	300	1.71	1.47
30	0	300	1.69	1.47
60	0	300	1.74	1.47
90	0	300	1.79	1.47
120	0	300	2.12	1.72
150	0	300	1.81	1.47
180	0	300	1.73	1.47
210	0	300	1.98	1.47
240	0	300	1.7	1.47
270	0	300	1.82	1.47
300	0	300	1.87	1.47
330	0	300	1.71	1.47




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	10	300	2.04	1.47
30	10	300	1.71	1.47
60	10	300	1.69	1.47
90	10	300	1.79	1.47
120	10	300	2.19	1.47
150	10	300	1.68	1.47
180	10	300	1.74	1.47
210	10	300	2.06	1.47
240	10	300	1.81	1.47
270	10	300	1.92	1.47
300	10	300	1.79	1.47
330	10	300	1.8	1.47




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	20	300	2.32	1.47
30	20	300	1.76	1.47
60	20	300	1.69	1.46
90	20	300	1.82	1.47
120	20	300	2.04	1.47
150	20	300	1.69	1.47
180	20	300	1.9	1.47
210	20	300	1.99	1.47
240	20	300	2.02	1.47
270	20	300	2.06	1.47
300	20	300	1.83	1.47
330	20	300	2.05	1.47




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	30	300	2.7	1.94
30	30	300	1.7	1.47
60	30	300	1.67	1.47
90	30	300	1.71	1.47
120	30	300	1.83	1.47
150	30	300	1.78	1.47
180	30	300	2.2	1.6
210	30	300	2.16	1.47
240	30	300	2.13	1.47
270	30	300	2.17	1.69
300	30	300	1.78	1.47
330	30	300	2.14	1.47




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	40	300	3.02	2.22
30	40	300	1.73	1.47
60	40	300	1.91	1.47
90	40	300	1.79	1.47
120	40	300	1.93	1.47
150	40	300	2.11	1.47
180	40	300	2.31	1.71
210	40	300	1.69	1.47
240	40	300	2.31	1.62
270	40	300	2.35	1.97
300	40	300	2.09	1.47
330	40	300	2.39	1.47




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	50	300	3.72	2.88
30	50	300	1.82	1.47
60	50	300	2.1	1.47
90	50	300	2.64	1.9
120	50	300	2.43	1.78
150	50	300	2.36	1.47
180	50	300	2.34	1.67
210	50	300	1.72	1.47
240	50	300	2.42	1.47
270	50	300	2.35	2.01
300	50	300	2.05	1.47
330	50	300	2.33	1.61



Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	100	300	6.77	6
30	100	300	1.88	1.47
60	100	300	1.87	1.47
90	100	300	1.78	1.47
120	100	300	3.07	2.45
150	100	300	2.06	1.47
180	100	300	3.01	2.34
210	100	300	1.74	1.47
240	100	300	1.99	1.47
270	100	300	2.75	2.05
300	100	300	1.68	1.46
330	100	300	2.23	1.47




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	200	300	2.38	1.88
30	200	300	2.36	2.05
60	200	300	2.22	1.6
90	200	300	2.81	2.37
120	200	300	2.38	1.7
150	200	300	2.24	1.47
180	200	300	2.62	1.67
210	200	300	2.48	1.47
240	200	300	1.93	1.47
270	200	300	2.35	1.47
300	200	300	2.53	1.77
330	200	300	3.01	2.13



Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	300	300	4.48	4.05
30	300	300	2.39	1.75
60	300	300	2.17	1.61
90	300	300	2.18	1.47
120	300	300	2.43	2.08
150	300	300	2.03	1.47
180	300	300	2.59	1.94
210	300	300	2.13	1.47
240	300	300	1.88	1.47
270	300	300	2.19	1.47
300	300	300	3.03	2.29
330	300	300	1.8	1.47

Antenna @ 90°


Radial Distance 0cm



Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	0	0	37.74	30.9
5	0	0	38.56	29.02
10	0	0	41.56	27.49
15	0	0	35.58	29.54
20	0	0	17.14	12.69
25	0	0	20.85	13.37
30	0	0	21.49	17.43
35	0	0	24.88	19.98
40	0	0	19.04	15.1
45	0	0	18.97	16.32
50	0	0	52.59	42.76
55	0	0	41.17	33.85
60	0	0	43.82	32.64
65	0	0	38.45	32.82
70	0	0	36.85	32.59
75	0	0	19.93	16.53
80	0	0	23.34	20.13
85	0	0	23.44	21.12
90	0	0	19.68	16.97

95	0	0	22.91	19.85
100	0	0	17.29	15.72
105	0	0	20.43	18.23
110	0	0	18.41	15.58
115	0	0	15.08	13.03
120	0	0	10.4	8.6
125	0	0	19.37	16.31
130	0	0	28.09	24.48
135	0	0	27.89	23.48
140	0	0	15.08	12.6
145	0	0	14.67	12.43
150	0	0	14.76	13.11
155	0	0	13.65	11.71
160	0	0	16.63	13.96
165	0	0	14.42	12.16
170	0	0	17.27	15.08
175	0	0	17.7	14.6
180	0	0	16.73	14.01
185	0	0	21.65	19.43
190	0	0	26.7	24.69
195	0	0	22.9	20.9
200	0	0	23.63	19.67
205	0	0	17.65	13.98
210	0	0	27.41	23.08
215	0	0	23.58	21.34
220	0	0	39.67	34.23
225	0	0	44.53	39.42
230	0	0	30.18	25.99
235	0	0	20.07	16.23
240	0	0	35.48	30.19
245	0	0	20.61	17.09
250	0	0	13.08	10.31
255	0	0	39.16	30.64
260	0	0	24.52	18.52
265	0	0	30.59	23.48
270	0	0	30.15	23.98
275	0	0	32.65	24.5


280	0	0	35.3	28.93
285	0	0	42.58	34.74
290	0	0	25.41	22.6
295	0	0	37.99	33.82
300	0	0	28.37	22.05
305	0	0	32.24	26.1
310	0	0	30.35	24.06
315	0	0	46.93	35.98
320	0	0	37.92	29.3
325	0	0	52.85	34.58
330	0	0	45.87	34.5
335	0	0	52.01	34.33
340	0	0	36.4	28.31
345	0	0	54.9	42.07
350	0	0	38.88	26.05
355	0	0	68.72	44.83



Turning Table Degree	Probe Height (cm)	Radial Distance (cm)		MAX (V/m)	MIN (V/m)
		0	10		
0	10	0	10	60.64	45.8
5	10	0	10	40.42	36.36
10	10	0	10	40.87	31.99
15	10	0	10	34.43	27.08
20	10	0	10	21.03	17.74
25	10	0	10	23.23	19.69
30	10	0	10	23.01	18.08
35	10	0	10	28.25	23.63
40	10	0	10	35.39	30.43
45	10	0	10	33.33	26.85
50	10	0	10	37.97	31.38
55	10	0	10	23.28	20.99
60	10	0	10	47.41	36.54
65	10	0	10	23.44	21.27
70	10	0	10	36.07	32.16
75	10	0	10	30.04	24.56
80	10	0	10	32.37	27.65
85	10	0	10	31.22	27.35
90	10	0	10	22.91	20.56
95	10	0	10	14.15	12.37
100	10	0	10	22.84	21.26
105	10	0	10	24.04	20.79

110	10	0	17.45	14.55
115	10	0	16.1	14.41
120	10	0	12.82	11.06
125	10	0	14.73	12.74
130	10	0	24.68	22.35
135	10	0	24.73	20.45
140	10	0	18.41	15.51
145	10	0	15.91	13.89
150	10	0	16.74	14.59
155	10	0	18.77	16.43
160	10	0	22.85	19.77
165	10	0	30.29	25.21
170	10	0	15.17	12.7
175	10	0	19.23	16.3
180	10	0	21.01	18.05
185	10	0	17.9	14.14
190	10	0	23.6	19.88
195	10	0	37.48	31.85
200	10	0	33.44	27.09
205	10	0	36.45	31.86
210	10	0	30.94	25.07
215	10	0	19.04	16.45
220	10	0	20.24	16.15
225	10	0	31.54	27.76
230	10	0	24.45	21.84
235	10	0	21.06	17.77
240	10	0	19.87	15.69
245	10	0	28.63	24.57
250	10	0	29.93	26.18
255	10	0	19.42	16.16
260	10	0	26.67	22.14
265	10	0	17.67	14.28
270	10	0	27.61	24.15
275	10	0	32.57	28.63
280	10	0	29.15	25.92
285	10	0	34.96	30.14
290	10	0	24.94	20.5


295	10	0	39.28	35.42
300	10	0	33.17	26.8
305	10	0	28.23	23.83
310	10	0	22.74	20.3
315	10	0	34.73	30.02
320	10	0	26.32	22.32
325	10	0	29.84	24.85
330	10	0	42.98	36.11
335	10	0	29.09	25.55
340	10	0	55.2	43.03
345	10	0	24.12	20.2
350	10	0	60.1	48.54
355	10	0	27.92	20.46



Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	20	0	66.42	46.87
5	20	0	51.93	37.1
10	20	0	33.27	27.64
15	20	0	20.43	16.87
20	20	0	27.09	23.07
25	20	0	26.54	22.22
30	20	0	30	24.76
35	20	0	19.73	15.68
40	20	0	21.33	18.06
45	20	0	40.93	32.46
50	20	0	29.58	24.82
55	20	0	32.74	29.5
60	20	0	24.28	21.02
65	20	0	20.43	16.61
70	20	0	19.37	16.72
75	20	0	24.87	19.84
80	20	0	27.47	22.94
85	20	0	17.41	14.46
90	20	0	21.14	18.2
95	20	0	22.28	20.44
100	20	0	20.98	19.08
105	20	0	11.73	10.2

110	20	0	10.87	8.92
115	20	0	15.98	14.17
120	20	0	12.85	11.53
125	20	0	16.78	15.16
130	20	0	22.25	19.78
135	20	0	19.44	17.06
140	20	0	14.45	12.72
145	20	0	22.39	20.08
150	20	0	20.5	18.29
155	20	0	17.08	14.51
160	20	0	17.91	15.17
165	20	0	17.32	14.56
170	20	0	22.01	20.04
175	20	0	15.8	12.77
180	20	0	22.58	20.43
185	20	0	27.1	23.05
190	20	0	21.81	19.53
195	20	0	26.09	23.17
200	20	0	19.53	17.45
205	20	0	29.19	24.47
210	20	0	26.44	21.89
215	20	0	26.6	22.3
220	20	0	24.36	22.23
225	20	0	33.33	28.85
230	20	0	28.53	23.56
235	20	0	22.44	18.55
240	20	0	22.7	20.22
245	20	0	25.87	22.3
250	20	0	23.62	20.69
255	20	0	27.34	23.5
260	20	0	15.56	12.68
265	20	0	34.64	30.93
270	20	0	24.42	21.46
275	20	0	20.18	17.83
280	20	0	21.07	18.83
285	20	0	32.81	29.66
290	20	0	42.6	37.19


295	20	0	26.82	23.09
300	20	0	11.88	9.74
305	20	0	23.78	20.65
310	20	0	35.86	26.24
315	20	0	19.69	17.07
320	20	0	24.71	21.5
325	20	0	21.64	17.39
330	20	0	19.35	16.74
335	20	0	27.68	24.36
340	20	0	42.7	31.53
345	20	0	38.1	30.08
350	20	0	64.18	47.39
355	20	0	39.64	30.39




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	30	0	40.51	31.28
5	30	0	43.29	32.49
10	30	0	42.31	35.88
15	30	0	16.24	13.5
20	30	0	16.15	13.73
25	30	0	21.22	19.93
30	30	0	22.63	17.04
35	30	0	29.85	20.45
40	30	0	26.07	23.29
45	30	0	25.78	22.22
50	30	0	25.63	21.87
55	30	0	28.17	25.97
60	30	0	23.75	20.79
65	30	0	17.71	14.51
70	30	0	25.96	21.73
75	30	0	22.32	19.61
80	30	0	24.93	22.32
85	30	0	35.23	28.89
90	30	0	36.84	29.48
95	30	0	27.07	23.42
100	30	0	24.42	21.17
105	30	0	17.8	14.92

110	30	0	17.24	14.16
115	30	0	18.14	15.7
120	30	0	16.36	13.64
125	30	0	14.63	12.28
130	30	0	15.02	12.22
135	30	0	15.15	13.13
140	30	0	21.12	19.08
145	30	0	19.65	16.79
150	30	0	17.39	14.81
155	30	0	15.96	14.37
160	30	0	20.2	17.59
165	30	0	14.85	11.71
170	30	0	14.16	12.05
175	30	0	12.86	10.21
180	30	0	21.48	19.28
185	30	0	23.09	20.45
190	30	0	18.19	16.42
195	30	0	29.14	26.42
200	30	0	22.94	20.56
205	30	0	18	15.39
210	30	0	19.9	17
215	30	0	22.16	18.88
220	30	0	30.42	26.3
225	30	0	30.31	27.57
230	30	0	26.66	23.42
235	30	0	29.09	24.98
240	30	0	33.09	27.02
245	30	0	20.19	17.07
250	30	0	24.54	21.96
255	30	0	22.8	19.64
260	30	0	18.82	17.09
265	30	0	15.83	13.36
270	30	0	15.17	13.02
275	30	0	17.67	14.87
280	30	0	17.87	15.67
285	30	0	19.09	15.94
290	30	0	24.22	21.71


295	30	0	22.9	20.88
300	30	0	20.47	17.55
305	30	0	31.93	28.29
310	30	0	17.49	13.94
315	30	0	22.11	19.3
320	30	0	26.36	24.25
325	30	0	32.35	28.04
330	30	0	27.77	24.97
335	30	0	23.25	18.67
340	30	0	55.19	45.78
345	30	0	61.72	48.15
350	30	0	42.26	31.4
355	30	0	67.43	51.95




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	40	0	86.69	62.69
30	40	0	33.98	25.7
60	40	0	24.11	21.99
90	40	0	24.86	22.35
120	40	0	17.63	15.4
150	40	0	12.31	10.63
180	40	0	16.7	14.69
210	40	0	23.8	21.67
240	40	0	23.42	19.47
270	40	0	17.92	15.52
300	40	0	14.27	12.71
330	40	0	31.88	28.36




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	50	0	36.14	30.23
30	50	0	10.88	9.35
60	50	0	15.81	12.74
90	50	0	22.81	21.49
120	50	0	15.48	13.94
150	50	0	11.14	9.29
180	50	0	16.94	15.55
210	50	0	14.29	12.25
240	50	0	17.51	15.33
270	50	0	12.54	11.32
300	50	0	25.1	23.09
330	50	0	36.8	33.34



Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	100	0	41.17	33.62
30	100	0	20.01	16.5
60	100	0	21.16	18.62
90	100	0	18.44	17.25
120	100	0	12.02	10.6
150	100	0	7.37	6.71
180	100	0	13.07	11.89
210	100	0	8.09	7.04
240	100	0	18.53	16.73
270	100	0	15.01	13.4
300	100	0	13.97	12.71
330	100	0	34.61	31.85




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	200	0	19.18	17.08
30	200	0	30.54	27.26
60	200	0	9.87	8.59
90	200	0	13.61	12.72
120	200	0	12.18	10.9
150	200	0	9.88	9.47
180	200	0	9.26	8.41
210	200	0	8.06	7.55
240	200	0	8.12	7.57
270	200	0	13.77	12.61
300	200	0	12.28	11.59
330	200	0	11.7	10.25




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	300	0	20.37	17.57
30	300	0	13.09	11.6
60	300	0	11.55	10.83
90	300	0	10.93	10.34
120	300	0	13.37	12.89
150	300	0	8.81	8.38
180	300	0	7.05	6.53
210	300	0	5.24	4.62
240	300	0	5.27	4.71
270	300	0	14.19	13.25
300	300	0	3.15	2.38
330	300	0	6.41	5.43


Radial Distance 10cm




Turning Table Degree	Probe Height (cm)	Radial Distance(cm)	MAX (V/m)	MIN (V/m)
0	0	10	68.51	60.62
30	0	10	58.19	44.79
60	0	10	36.9	29.11
90	0	10	21.02	18.77
120	0	10	26.17	22.44
150	0	10	31.32	28.01
180	0	10	30.03	25.46
210	0	10	17.45	13.17
240	0	10	30.91	23.43
270	0	10	50.3	44.57
300	0	10	48.42	37.26
330	0	10	43.26	30.37




Turning Table Degree	Probe Height (cm)	Radial Distance		MAX (V/m)	MIN (V/m)
		(cm)	(cm)		
0	10	10	10	43.77	38.96
30	10	10	10	30.68	26.43
60	10	10	10	22.48	19.12
90	10	10	10	18.78	17.2
120	10	10	10	28	25.61
150	10	10	10	35.93	29.08
180	10	10	10	28.54	24.55
210	10	10	10	21.36	19.32
240	10	10	10	45.68	39.21
270	10	10	10	34.28	27.31
300	10	10	10	34.57	32.16
330	10	10	10	57.33	37.5




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	20	10	22.39	18.49
30	20	10	20.72	16.63
60	20	10	23.02	20.37
90	20	10	16.63	14.79
120	20	10	23.66	20.68
150	20	10	30.38	26.79
180	20	10	28.66	25.48
210	20	10	22.83	20.35
240	20	10	24.77	19.48
270	20	10	21.93	19.7
300	20	10	35.36	28.16
330	20	10	54.13	46.85




Turning Table Degree	Probe High (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	30	10	25.03	20.67
30	30	10	23.54	20.76
60	30	10	22.39	18.2
90	30	10	18.67	17.15
120	30	10	17.9	14.98
150	30	10	13.91	12.23
180	30	10	17.3	14.69
210	30	10	32.34	26.59
240	30	10	27.65	24.96
270	30	10	16.59	13.67
300	30	10	39.74	35.3
330	30	10	27.21	24.63




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	40	10	29.33	22.92
30	40	10	24.88	22.07
60	40	10	16.82	13.36
90	40	10	12.75	10.91
120	40	10	20.87	18.32
150	40	10	21.16	18.75
180	40	10	19.01	16.86
210	40	10	23.01	18.64
240	40	10	25.54	22.81
270	40	10	36.23	32.3
300	40	10	39.91	35.12
330	40	10	33.55	25.99




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	50	10	37.58	29.93
30	50	10	29.54	26.92
60	50	10	27.24	24.68
90	50	10	22.86	21.39
120	50	10	12.45	10.13
150	50	10	18.49	16.62
180	50	10	14.77	13.37
210	50	10	16.46	14.17
240	50	10	27.31	25.09
270	50	10	19.21	16.54
300	50	10	36.42	34.28
330	50	10	40.56	37.28



Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	100	10	28.43	25.62
30	100	10	15.01	14.2
60	100	10	22.37	20.21
90	100	10	23.53	22.11
120	100	10	11.02	9.89
150	100	10	16.72	15.11
180	100	10	8.06	7.04
210	100	10	18.08	15.98
240	100	10	15.83	14.59
270	100	10	16.87	15.62
300	100	10	27.31	25.29
330	100	10	30.97	28.58




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	200	10	22.35	20.69
30	200	10	26.22	25.11
60	200	10	6.52	5.57
90	200	10	6.32	5.29
120	200	10	9.34	8.56
150	200	10	10.26	9.88
180	200	10	4.9	3.95
210	200	10	12.27	11.59
240	200	10	16.76	15.85
270	200	10	4.99	4.29
300	200	10	8.53	7.24
330	200	10	17.05	15.13




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	300	10	6.59	5.84
30	300	10	8.82	8.01
60	300	10	14.6	13.86
90	300	10	14.79	14.32
120	300	10	10.74	10.44
150	300	10	9.45	9.07
180	300	10	5.32	4.7
210	300	10	8.68	7.97
240	300	10	8.71	7.97
270	300	10	4.51	4.11
300	300	10	12.57	11.3
330	300	10	17.17	15.27


Radial Distance 20cm




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	0	20	33.41	29.57
30	0	20	24.87	21.88
60	0	20	16.62	14.72
90	0	20	14.35	12.16
120	0	20	18.36	16.1
150	0	20	35.72	29.55
180	0	20	48.69	39.48
210	0	20	25.66	22.32
240	0	20	53.8	47.67
270	0	20	62.45	44.48
300	0	20	37.24	31.74
330	0	20	34.62	30.45




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	10	20	12.74	10.62
30	10	20	15.78	14.3
60	10	20	17.31	15.21
90	10	20	13.16	11.55
120	10	20	15.01	13.4
150	10	20	20.29	16.49
180	10	20	30.02	26.03
210	10	20	27.67	24.55
240	10	20	36.44	31.54
270	10	20	33.72	27.81
300	10	20	62.44	53.46
330	10	20	28.52	26.08




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	20	20	20.02	18.06
30	20	20	29.76	27.12
60	20	20	18.35	16.25
90	20	20	14.63	12.72
120	20	20	17.39	15.47
150	20	20	15.23	13.25
180	20	20	29.74	26.02
210	20	20	26.01	22.14
240	20	20	38.13	30.42
270	20	20	41.05	35.17
300	20	20	24.56	21.4
330	20	20	18.63	16.39




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	30	20	17.33	14.29
30	30	20	26.95	23.11
60	30	20	15.53	13.35
90	30	20	9.1	7.47
120	30	20	19.91	17.06
150	30	20	18.51	16.04
180	30	20	21.04	18.19
210	30	20	38.8	34.34
240	30	20	37.17	32.28
270	30	20	28.59	24.09
300	30	20	32.12	29.3
330	30	20	10.05	8.74




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	40	20	14.25	12.61
30	40	20	22.59	18.96
60	40	20	9.78	8.31
90	40	20	12.72	10.87
120	40	20	19.34	17.18
150	40	20	14.43	12.77
180	40	20	15.99	13.78
210	40	20	16.84	14.84
240	40	20	31.26	27.53
270	40	20	17.89	16.05
300	40	20	25.66	22.26
330	40	20	29	25.07




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	50	20	14.66	12.52
30	50	20	26.75	23.05
60	50	20	11.97	10.15
90	50	20	15.54	13.45
120	50	20	8.8	6.99
150	50	20	10.03	8.02
180	50	20	15.5	13.75
210	50	20	21.8	18.97
240	50	20	26.74	23.89
270	50	20	21.06	18.26
300	50	20	20.01	16.03
330	50	20	12.31	10.61



Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	100	20	10.2	8.92
30	100	20	19.93	18.18
60	100	20	20	18.4
90	100	20	9.17	7.66
120	100	20	8.65	7.26
150	100	20	16.94	15.85
180	100	20	16.72	15.67
210	100	20	18.52	16.7
240	100	20	14.14	11.98
270	100	20	30.46	26.53
300	100	20	36.13	32.78
330	100	20	22.86	21.51




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	200	20	17.89	16.83
30	200	20	18.09	16.16
60	200	20	13.36	12.54
90	200	20	7.94	7.24
120	200	20	5.37	4.71
150	200	20	8.84	7.59
180	200	20	7.67	7.24
210	200	20	8.4	7.64
240	200	20	9.39	8.89
270	200	20	18.32	16.61
300	200	20	31.73	30.9
330	200	20	13.29	12.29




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	300	20	10.17	9.4
30	300	20	16.45	15.91
60	300	20	10.75	10.07
90	300	20	9.77	9.23
120	300	20	6.57	5.82
150	300	20	3.66	2.79
180	300	20	11.47	10.95
210	300	20	5.73	5.18
240	300	20	5.96	5.46
270	300	20	16.89	15.12
300	300	20	15.95	14.15
330	300	20	9.23	8.6


Radial Distance 30cm




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	0	30	12.08	9.68
30	0	30	13.84	12.13
60	0	30	10.18	9.05
90	0	30	10.88	9.49
120	0	30	8.12	7.02
150	0	30	9.84	6.7
180	0	30	21.85	15.7
210	0	30	23.43	18.8
240	0	30	27.8	21.71
270	0	30	21.97	18.53
300	0	30	18.75	15.78
330	0	30	13.49	12.27




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	10	30	10.33	8.51
30	10	30	16.4	13.14
60	10	30	11.23	9.77
90	10	30	7.77	6.27
120	10	30	8.48	6.98
150	10	30	11.2	8.7
180	10	30	18.36	15.38
210	10	30	31.85	28.44
240	10	30	19.72	15.47
270	10	30	20.8	18.61
300	10	30	17.34	15.74
330	10	30	17.72	16.42




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	20	30	14.43	12.77
30	20	30	18.65	16.49
60	20	30	12.18	10.54
90	20	30	8.06	6.78
120	20	30	13.27	11.15
150	20	30	11.52	9.62
180	20	30	10.19	8.86
210	20	30	30.02	25.12
240	20	30	17.86	15.11
270	20	30	10.26	8.95
300	20	30	13.23	11.8
330	20	30	18.77	16.75




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	30	30	12.19	10.17
30	30	30	17.33	14.86
60	30	30	17.28	15.87
90	30	30	6.89	6.18
120	30	30	10.68	8.5
150	30	30	23.8	20.9
180	30	30	20.9	18.66
210	30	30	26.87	23.97
240	30	30	14.18	12.05
270	30	30	23.94	21.43
300	30	30	13.31	11.26
330	30	30	16.39	14.37




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	40	30	16.89	15.68
30	40	30	17.36	15.52
60	40	30	9.38	7.87
90	40	30	9.55	8.35
120	40	30	8.3	6.51
150	40	30	13.54	11.76
180	40	30	21.11	18.4
210	40	30	28.68	25.94
240	40	30	26.21	24.07
270	40	30	14.28	12.83
300	40	30	20.06	18.3
330	40	30	10.64	9.42




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	50	30	11.64	9.74
30	50	30	13.64	11.35
60	50	30	12.3	10.5
90	50	30	10.95	9.44
120	50	30	10.77	9.3
150	50	30	15.16	13.58
180	50	30	16.72	14.54
210	50	30	26.53	24.05
240	50	30	22.43	20.95
270	50	30	10.99	9.6
300	50	30	17.18	15.25
330	50	30	15.68	13.88



Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	100	30	13.88	12.13
30	100	30	12.27	11.17
60	100	30	7.27	6.07
90	100	30	8.67	7.91
120	100	30	7.48	6.68
150	100	30	12.5	11.49
180	100	30	6.84	5.99
210	100	30	21.14	18.86
240	100	30	26.52	24.37
270	100	30	24.65	23.14
300	100	30	25.49	23.68
330	100	30	10.48	9.2




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	200	30	17.36	15.99
30	200	30	9.76	9.14
60	200	30	8.78	8.04
90	200	30	4.47	3.58
120	200	30	4.72	3.98
150	200	30	5.59	4.71
180	200	30	5.48	4.92
210	200	30	10.07	9.03
240	200	30	17.75	16.76
270	200	30	21.53	19.72
300	200	30	16.1	15.35
330	200	30	11.28	10.51




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	300	30	8.09	7.56
30	300	30	16.12	15.38
60	300	30	6.61	6.1
90	300	30	4.64	3.98
120	300	30	5.04	4.5
150	300	30	4.72	4.13
180	300	30	4.75	4.19
210	300	30	8.61	8.21
240	300	30	15.95	14.91
270	300	30	15.04	14.69
300	300	30	21.52	20.55
330	300	30	11.19	10.63


Radial Distance 40cm




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	0	40	9.57	8.52
30	0	40	7.03	6.18
60	0	40	6.45	5.7
90	0	40	10.82	9.82
120	0	40	8.69	7.52
150	0	40	7.27	6.18
180	0	40	11.58	9.63
210	0	40	10.57	8.74
240	0	40	24.73	20.84
270	0	40	31.51	26.4
300	0	40	20.02	17.93
330	0	40	13.53	11.48




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	10	40	9.43	8.39
30	10	40	10.03	9.06
60	10	40	10.71	9.59
90	10	40	9.05	7.67
120	10	40	10.65	9.15
150	10	40	12.26	10.16
180	10	40	22.24	19.09
210	10	40	10.31	6.86
240	10	40	26.49	21.86
270	10	40	18.65	16.49
300	10	40	22.3	20.3
330	10	40	10.29	8.84




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	20	40	7.36	6.05
30	20	40	14.63	12.86
60	20	40	9.03	7.61
90	20	40	6.22	4.44
120	20	40	11.24	9.45
150	20	40	10.52	8.01
180	20	40	18.78	16.64
210	20	40	13.67	11.1
240	20	40	26.9	23.26
270	20	40	29.55	26.08
300	20	40	28.71	26.15
330	20	40	10.16	8.47




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	30	40	12.37	10.48
30	30	40	6.45	5.12
60	30	40	10.29	9.26
90	30	40	5.15	3.53
120	30	40	6.18	4.72
150	30	40	22.4	19.66
180	30	40	14.15	11.9
210	30	40	20.07	16.96
240	30	40	19.93	17.15
270	30	40	25.23	23.55
300	30	40	17.99	16.44
330	30	40	16.71	15.57




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	40	40	7.46	6.28
30	40	40	7.03	5.84
60	40	40	5.61	4.34
90	40	40	5.82	4.61
120	40	40	7.73	6.43
150	40	40	13.98	11.68
180	40	40	16.29	13.22
210	40	40	16.51	13.38
240	40	40	28.46	26.1
270	40	40	19.7	18.38
300	40	40	11.19	9.36
330	40	40	18.91	17.61




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	50	40	11.78	10.5
30	50	40	10.35	8.44
60	50	40	12.24	11.16
90	50	40	7.44	5.51
120	50	40	6.54	5.15
150	50	40	5.33	3.5
180	50	40	7.24	6.01
210	50	40	20.94	17.91
240	50	40	23.45	20.63
270	50	40	23.81	21.87
300	50	40	15.28	13.2
330	50	40	8.99	7.35



Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	100	40	11.72	10.75
30	100	40	13.82	12.26
60	100	40	7.44	6.47
90	100	40	8.61	7.68
120	100	40	12.05	10.87
150	100	40	11.61	10.21
180	100	40	9.12	7.59
210	100	40	7.23	5.85
240	100	40	8.71	7.16
270	100	40	14.79	13.3
300	100	40	8.72	7.13
330	100	40	9.63	8.13




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	200	40	11.88	10.58
30	200	40	12.95	12.22
60	200	40	5.08	4.42
90	200	40	4.82	4.03
120	200	40	6.44	5.95
150	200	40	10.52	9.6
180	200	40	6.25	5.65
210	200	40	7.6	6.33
240	200	40	6.93	6.22
270	200	40	12.37	11.41
300	200	40	9.22	8.56
330	200	40	6.54	5.63




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	300	40	8.18	7.32
30	300	40	6.62	6.00
60	300	40	6.10	5.43
90	300	40	4.72	4.20
120	300	40	4.32	3.84
150	300	40	3.66	2.59
180	300	40	4.71	4.19
210	300	40	7.49	6.73
240	300	40	11.00	10.29
270	300	40	18.96	18.27
300	300	40	18.29	17.65
330	300	40	10.14	9.50


Radial Distance 50cm




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	0	50	7.73	6.73
30	0	50	4.31	3.6
60	0	50	6.29	5.5
90	0	50	4.56	3.82
120	0	50	2.82	2.17
150	0	50	3.85	2.32
180	0	50	10.65	8.65
210	0	50	6.96	5.8
240	0	50	15.62	14.38
270	0	50	23.63	20.64
300	0	50	6.77	5.93
330	0	50	4.03	2.72




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	10	50	11.63	10.46
30	10	50	9.91	8.85
60	10	50	6.34	5.66
90	10	50	8.66	7.98
120	10	50	6.42	5.2
150	10	50	11.38	9.92
180	10	50	6.04	5.06
210	10	50	8.63	6.85
240	10	50	19.17	17.28
270	10	50	8.89	7.35
300	10	50	17.32	15.73
330	10	50	5.07	3.92




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	20	50	9.76	8.79
30	20	50	6.66	5.67
60	20	50	9.02	7.95
90	20	50	3.16	1.47
120	20	50	10.62	9.09
150	20	50	14.7	13.12
180	20	50	12.38	10.66
210	20	50	10.31	8.32
240	20	50	13.34	12.01
270	20	50	12.55	11.32
300	20	50	4.82	4.11
330	20	50	7.62	6.38




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	30	50	6.56	5.49
30	30	50	7.34	6.17
60	30	50	7.38	6.01
90	30	50	6.54	5.4
120	30	50	10.18	8.94
150	30	50	12.82	11.18
180	30	50	15.69	13.53
210	30	50	14.04	10.53
240	30	50	19.38	17.34
270	30	50	9.24	8.06
300	30	50	8.93	7.67
330	30	50	9.02	8.16




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	40	50	8.69	7.95
30	40	50	7.31	5.99
60	40	50	5.81	4.8
90	40	50	4.93	3.11
120	40	50	5.19	3.9
150	40	50	12.13	10.12
180	40	50	11.49	10.1
210	40	50	16.13	13.86
240	40	50	20.97	18.27
270	40	50	12.83	11.41
300	40	50	10.04	8.89
330	40	50	7.24	6.23




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	50	50	11.85	10.57
30	50	50	5.54	4.67
60	50	50	6.39	5.33
90	50	50	6.31	5.17
120	50	50	6.43	5.22
150	50	50	7.92	6.82
180	50	50	8.08	6.04
210	50	50	8.11	6.4
240	50	50	12.25	11.18
270	50	50	12.98	11.76
300	50	50	12.6	11.01
330	50	50	10.44	8.9



Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	100	50	8.38	7.51
30	100	50	10.06	8.79
60	100	50	7.13	6.18
90	100	50	5.61	4.53
120	100	50	6.84	6.11
150	100	50	6.31	4.67
180	100	50	9.12	8.16
210	100	50	19.72	17.84
240	100	50	10.85	9.5
270	100	50	8.94	7.6
300	100	50	6.4	5.18
330	100	50	6.84	5.44




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	200	50	6.59	5.71
30	200	50	8.73	7.99
60	200	50	7.47	6.56
90	200	50	3.82	2.26
120	200	50	4.61	3.85
150	200	50	4.86	4.06
180	200	50	10.8	9.96
210	200	50	4.38	3.35
240	200	50	7.15	6.22
270	200	50	6.33	5.49
300	200	50	8.18	7.54
330	200	50	7.62	6.61




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	300	50	6.51	5.6
30	300	50	5.92	5.46
60	300	50	3.28	2.17
90	300	50	3.15	1.47
120	300	50	3.66	2.46
150	300	50	3.14	1.47
180	300	50	3.27	2.69
210	300	50	5.07	4.49
240	300	50	5.83	5.12
270	300	50	6.43	5.73
300	300	50	14.02	13.49
330	300	50	7.38	6.73


Radial Distance 60cm




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	0	60	4.97	4.38
30	0	60	4.56	3.84
60	0	60	4.38	3.93
90	0	60	4.24	3.57
120	0	60	5.14	4.18
150	0	60	3.79	3.08
180	0	60	5.11	4.12
210	0	60	5.43	4.37
240	0	60	7.7	6.65
270	0	60	15.28	13.81
300	0	60	5.25	4.4
330	0	60	8.88	8.11




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	10	60	4.72	3.76
30	10	60	5.54	4.61
60	10	60	6.21	5.45
90	10	60	5.32	4.68
120	10	60	6.92	5.66
150	10	60	8.8	7.62
180	10	60	4.56	3.37
210	10	60	10.09	8.57
240	10	60	6.24	4.48
270	10	60	11.11	9.92
300	10	60	6.92	5.74
330	10	60	7.95	6.91




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	20	60	7.14	6.41
30	20	60	8.91	7.75
60	20	60	3.74	2.87
90	20	60	4.73	3.78
120	20	60	5.83	4.78
150	20	60	6.55	5.34
180	20	60	6.69	5.55
210	20	60	12.22	10.41
240	20	60	10.2	9.12
270	20	60	10.42	9.26
300	20	60	6.57	5.57
330	20	60	5.39	4.67




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	30	60	8.04	7
30	30	60	5.19	3.97
60	30	60	5.84	5.08
90	30	60	5.1	4.46
120	30	60	6.32	5.25
150	30	60	7.54	6.45
180	30	60	12.21	10.97
210	30	60	11.32	9.56
240	30	60	15.78	14.28
270	30	60	9.13	8.23
300	30	60	10.86	9.39
330	30	60	5.69	5.06




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	40	60	6.31	5.31
30	40	60	4.01	3.04
60	40	60	2.4	1.85
90	40	60	3.68	2.91
120	40	60	7.02	5.94
150	40	60	6.91	5.65
180	40	60	10.11	8.92
210	40	60	8.43	6.69
240	40	60	10.53	9.25
270	40	60	11.38	9.99
300	40	60	5.25	4.17
330	40	60	5.6	4.25




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	50	60	8.92	8.08
30	50	60	3.83	2.98
60	50	60	3.66	2.45
90	50	60	7.84	7.1
120	50	60	6.14	5
150	50	60	4.14	3.11
180	50	60	6.89	5.45
210	50	60	8.63	7.65
240	50	60	10.2	8.78
270	50	60	11.48	10.36
300	50	60	7.61	6.58
330	50	60	6.1	4.87



Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	100	60	6.37	5.64
30	100	60	5.42	4.72
60	100	60	2.78	1.75
90	100	60	5.73	5.05
120	100	60	5.58	4.53
150	100	60	8.48	7.61
180	100	60	5.69	4.17
210	100	60	5.8	4.92
240	100	60	7.39	6.64
270	100	60	8.51	7.22
300	100	60	4.57	3.5
330	100	60	6.88	6.05




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	200	60	5.24	4.69
30	200	60	5.34	4.45
60	200	60	4.13	3.17
90	200	60	4.45	3.82
120	200	60	6.6	5.99
150	200	60	3.83	3.12
180	200	60	4.98	4.51
210	200	60	7.86	7.19
240	200	60	9.02	8.01
270	200	60	4.04	3.27
300	200	60	8.54	7.77
330	200	60	5.84	5.33




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	300	60	5.09	4.4
30	300	60	5.54	4.82
60	300	60	4.51	3.61
90	300	60	3.79	3.07
120	300	60	3.33	2.46
150	300	60	6.47	6.08
180	300	60	3.83	3.19
210	300	60	3.28	2.69
240	300	60	3.02	2.49
270	300	60	6.32	5.76
300	300	60	6.28	5.68
330	300	60	4.03	3.4


Radial Distance 80cm




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	0	80	5.31	4.46
30	0	80	4.18	3.49
60	0	80	3.21	2.31
90	0	80	3.98	2.73
120	0	80	3.45	2.82
150	0	80	3.14	2.53
180	0	80	2.05	1.47
210	0	80	2.93	2.4
240	0	80	3.43	2.56
270	0	80	5.47	4.5
300	0	80	3.56	2.66
330	0	80	3.63	2.96




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	10	80	5.01	4.31
30	10	80	2.63	1.47
60	10	80	5.36	4.7
90	10	80	4.99	4.34
120	10	80	5.15	4.49
150	10	80	6.12	5.37
180	10	80	5.84	5.12
210	10	80	7.9	7.29
240	10	80	5.88	4.69
270	10	80	6.07	5.1
300	10	80	4.57	3.3
330	10	80	4.92	4.05




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	20	80	5.9	4.96
30	20	80	5.75	4.78
60	20	80	4.65	3.63
90	20	80	4.17	3.47
120	20	80	5.51	4.83
150	20	80	6.89	6.07
180	20	80	5.21	4.2
210	20	80	5.46	4.36
240	20	80	4.59	3.82
270	20	80	9.31	8.38
300	20	80	4.85	3.56
330	20	80	5.49	4.72




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	30	80	5.95	5.43
30	30	80	8.12	7.4
60	30	80	3.21	1.47
90	30	80	3.38	2.45
120	30	80	5.98	5.2
150	30	80	6.91	6.05
180	30	80	5.16	4.47
210	30	80	4.98	4.03
240	30	80	6.26	5.32
270	30	80	10.59	9.69
300	30	80	3.58	2.7
330	30	80	4.41	3.54




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	40	80	2.99	2.12
30	40	80	3.2	2.26
60	40	80	4.36	3.61
90	40	80	4.28	3.24
120	40	80	4.96	4.16
150	40	80	7.04	6.3
180	40	80	4.36	3.24
210	40	80	7.58	6.81
240	40	80	6.88	5.91
270	40	80	7.42	6.52
300	40	80	4.85	3.89
330	40	80	5.82	5.23




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	50	80	3.77	2.57
30	50	80	5.02	4.36
60	50	80	2.87	2.02
90	50	80	3.6	2.89
120	50	80	3.64	2.44
150	50	80	5.91	5.16
180	50	80	6.81	6.04
210	50	80	6.61	5.28
240	50	80	4.15	3.15
270	50	80	4.78	3.62
300	50	80	5.51	4.95
330	50	80	6.13	5.54



Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	100	80	5.52	4.61
30	100	80	4.13	3.18
60	100	80	4.36	3.5
90	100	80	4.71	3.97
120	100	80	5.46	4.67
150	100	80	5.19	4.28
180	100	80	5.61	4.81
210	100	80	5.25	4.34
240	100	80	5.28	4.45
270	100	80	7.36	6.55
300	100	80	4.77	4.14
330	100	80	3.88	3.07




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	200	80	6.06	5.12
30	200	80	4.14	3.15
60	200	80	3.37	1.99
90	200	80	3.54	2.93
120	200	80	4.19	3.51
150	200	80	3.14	1.47
180	200	80	5.77	5.09
210	200	80	4.29	3.25
240	200	80	3.98	3.13
270	200	80	4.78	4.03
300	200	80	2.97	1.99
330	200	80	3.77	2.67




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	300	80	4.13	3.7
30	300	80	4.52	3.97
60	300	80	5.25	4.69
90	300	80	3.33	2.66
120	300	80	4.24	3.32
150	300	80	2.87	1.75
180	300	80	4.32	3.81
210	300	80	6.99	6.45
240	300	80	4.26	3.79
270	300	80	4.6	3.53
300	300	80	4.9	4.33
330	300	80	4.19	3.62


Radial Distance 100cm




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	0	100	3.88	2.56
30	0	100	2.82	2.03
60	0	100	2.6	1.71
90	0	100	3.52	2.82
120	0	100	2.95	1.86
150	0	100	4.33	3.56
180	0	100	2.36	1.47
210	0	100	2.11	1.47
240	0	100	1.97	1.47
270	0	100	2.49	1.47
300	0	100	3.88	3.01
330	0	100	2.19	1.83




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	10	100	3	1.98
30	10	100	2.06	1.47
60	10	100	3.16	1.66
90	10	100	4.03	3.31
120	10	100	3.06	2.31
150	10	100	3.61	2.84
180	10	100	2.97	2.04
210	10	100	4.13	3.45
240	10	100	3.86	2.96
270	10	100	4.81	4.11
300	10	100	4.23	3.45
330	10	100	3.42	2.34




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	20	100	4.53	3.88
30	20	100	2.4	1.47
60	20	100	4.57	3.88
90	20	100	3.63	3.06
120	20	100	6.08	5.31
150	20	100	4.94	4.27
180	20	100	4.64	4.07
210	20	100	4.79	4.2
240	20	100	3.49	2.69
270	20	100	5.34	4.62
300	20	100	4.61	4.16
330	20	100	3.39	2.57




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	30	100	5.27	4.53
30	30	100	3.31	2.25
60	30	100	3.92	3.39
90	30	100	5.33	4.48
120	30	100	5.33	4.61
150	30	100	6.6	5.91
180	30	100	6.18	5.52
210	30	100	3.69	2.72
240	30	100	3.76	3.18
270	30	100	10.06	9.33
300	30	100	3.81	2.71
330	30	100	3.56	2.59




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	40	100	2.89	2.02
30	40	100	6.95	6.45
60	40	100	2.81	1.88
90	40	100	3.67	2.96
120	40	100	4.43	3.91
150	40	100	6.65	6.07
180	40	100	5.07	4.55
210	40	100	3.32	2.33
240	40	100	2.98	1.78
270	40	100	4.81	4.06
300	40	100	2.48	1.99
330	40	100	5.21	4.18




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	50	100	3.83	3
30	50	100	2.78	1.87
60	50	100	4.56	3.84
90	50	100	3.95	2.9
120	50	100	4.86	4
150	50	100	6.41	5.7
180	50	100	3.17	1.47
210	50	100	3.7	2.94
240	50	100	5.66	4.87
270	50	100	6.53	5.98
300	50	100	3.15	2.2
330	50	100	3.83	3.34



Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	100	100	5.89	4.96
30	100	100	4.15	3.5
60	100	100	1.8	1.47
90	100	100	3.77	2.67
120	100	100	3.39	2.17
150	100	100	5.61	4.74
180	100	100	5.22	4.35
210	100	100	7.61	6.79
240	100	100	5.57	4.79
270	100	100	4.02	3.3
300	100	100	2.57	1.47
330	100	100	3.24	2.86




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	200	100	5.67	5.13
30	200	100	3.93	2.76
60	200	100	4.09	3.29
90	200	100	3.59	2.52
120	200	100	3.49	3.02
150	200	100	3.12	1.68
180	200	100	4.61	3.78
210	200	100	5.2	4.68
240	200	100	3.8	3.05
270	200	100	5.92	5.15
300	200	100	3.6	2.96
330	200	100	4.14	3.1




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	300	100	4.74	4.25
30	300	100	4.53	4.07
60	300	100	4.44	4
90	300	100	2.48	1.47
120	300	100	5.03	4.57
150	300	100	3.59	2.64
180	300	100	3.47	2.35
210	300	100	6.14	5.42
240	300	100	4.13	3.64
270	300	100	3.47	2.58
300	300	100	4.3	3.61
330	300	100	3.46	2.64


Radial Distance 200cm




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	0	200	1.88	1.47
30	0	200	2.36	1.47
60	0	200	2.06	1.71
90	0	200	1.71	1.47
120	0	200	1.69	1.47
150	0	200	2.15	1.46
180	0	200	2.01	1.47
210	0	200	1.91	1.47
240	0	200	1.77	1.47
270	0	200	2.53	1.88
300	0	200	1.68	1.46
330	0	200	1.72	1.47




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	10	200	1.75	1.47
30	10	200	2.07	1.47
60	10	200	1.99	1.66
90	10	200	1.61	1.46
120	10	200	1.9	1.46
150	10	200	1.69	1.47
180	10	200	1.82	1.47
210	10	200	2.03	1.47
240	10	200	1.78	1.47
270	10	200	2.11	1.47
300	10	200	1.63	1.46
330	10	200	1.83	1.47




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	20	200	1.68	1.46
30	20	200	2.03	1.47
60	20	200	2.35	1.67
90	20	200	1.7	1.47
120	20	200	2.05	1.69
150	20	200	2.21	1.47
180	20	200	2.64	2.1
210	20	200	2.35	1.47
240	20	200	1.7	1.47
270	20	200	2.7	2.35
300	20	200	2.32	1.47
330	20	200	1.67	1.46




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	30	200	1.86	1.47
30	30	200	1.69	1.47
60	30	200	2.39	1.47
90	30	200	1.86	1.47
120	30	200	2.3	1.47
150	30	200	2.61	2.03
180	30	200	3.3	2.29
210	30	200	2	1.47
240	30	200	2.21	1.47
270	30	200	3.08	2.37
300	30	200	2.56	1.89
330	30	200	1.7	1.47




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	40	200	2.1	1.71
30	40	200	2.12	1.47
60	40	200	3	2.55
90	40	200	2.18	1.83
120	40	200	2.86	2.46
150	40	200	2.21	1.47
180	40	200	3.09	1.75
210	40	200	3.58	3.05
240	40	200	2.22	1.46
270	40	200	1.99	1.47
300	40	200	1.72	1.47
330	40	200	1.77	1.47




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	50	200	3.33	2.5
30	50	200	3.26	2.47
60	50	200	3.47	3.07
90	50	200	2.03	1.69
120	50	200	3.28	2.81
150	50	200	2.19	1.47
180	50	200	2.48	1.79
210	50	200	3.67	3.28
240	50	200	1.79	1.47
270	50	200	1.79	1.47
300	50	200	2.03	1.69
330	50	200	1.94	1.47



Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	100	200	3.57	2.93
30	100	200	2.88	1.47
60	100	200	2.69	1.97
90	100	200	3.13	2.13
120	100	200	3.75	3.1
150	100	200	2.73	1.78
180	100	200	2.94	2.26
210	100	200	3.49	2.76
240	100	200	2.76	1.47
270	100	200	2.18	1.47
300	100	200	2.14	1.47
330	100	200	2.34	1.47




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	200	200	3.42	2.99
30	200	200	1.97	1.47
60	200	200	1.73	1.47
90	200	200	2.2	1.47
120	200	200	2.34	1.85
150	200	200	1.74	1.47
180	200	200	3.19	2
210	200	200	3.29	2.64
240	200	200	2.77	1.47
270	200	200	2.83	2.42
300	200	200	1.85	1.47
330	200	200	2.29	1.47




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	300	200	1.85	1.47
30	300	200	3.13	2.17
60	300	200	1.72	1.47
90	300	200	1.89	1.47
120	300	200	1.89	1.47
150	300	200	2.02	1.47
180	300	200	3.35	2.58
210	300	200	4.32	3.72
240	300	200	2.67	1.47
270	300	200	2.86	2.48
300	300	200	4.08	3.38
330	300	200	1.99	1.47


Radial Distance 300cm




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	0	300	1.76	1.47
30	0	300	2	1.47
60	0	300	1.86	1.47
90	0	300	1.77	1.47
120	0	300	1.89	1.47
150	0	300	1.71	1.47
180	0	300	1.72	1.47
210	0	300	1.72	1.46
240	0	300	1.84	1.47
270	0	300	1.75	1.47
300	0	300	1.69	1.47
330	0	300	1.8	1.46




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	10	300	1.78	1.47
30	10	300	1.99	1.47
60	10	300	1.88	1.47
90	10	300	1.78	1.47
120	10	300	2.02	1.63
150	10	300	1.82	1.47
180	10	300	1.82	1.47
210	10	300	1.71	1.47
240	10	300	1.85	1.47
270	10	300	1.71	1.47
300	10	300	1.64	1.46
330	10	300	1.69	1.47




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	20	300	1.72	1.47
30	20	300	2.19	1.47
60	20	300	1.78	1.47
90	20	300	1.72	1.46
120	20	300	2.01	1.47
150	20	300	1.74	1.46
180	20	300	1.93	1.47
210	20	300	1.81	1.47
240	20	300	1.78	1.47
270	20	300	1.75	1.47
300	20	300	1.73	1.46
330	20	300	1.75	1.47




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	30	300	1.74	1.46
30	30	300	1.87	1.47
60	30	300	1.85	1.47
90	30	300	1.72	1.47
120	30	300	1.73	1.47
150	30	300	1.73	1.47
180	30	300	2.06	1.64
210	30	300	1.92	1.47
240	30	300	1.8	1.47
270	30	300	1.73	1.47
300	30	300	1.73	1.46
330	30	300	1.73	1.46




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	40	300	1.93	1.47
30	40	300	1.82	1.47
60	40	300	1.69	1.47
90	40	300	1.81	1.47
120	40	300	1.93	1.47
150	40	300	1.73	1.47
180	40	300	2.34	1.62
210	40	300	1.71	1.47
240	40	300	1.78	1.47
270	40	300	2.02	1.47
300	40	300	1.96	1.47
330	40	300	1.69	1.46




Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	50	300	2.28	1.47
30	50	300	1.69	1.47
60	50	300	2.12	1.47
90	50	300	2.18	1.47
120	50	300	1.84	1.47
150	50	300	2.16	1.47
180	50	300	3.04	2.45
210	50	300	2.13	1.61
240	50	300	1.88	1.47
270	50	300	2.09	1.47
300	50	300	2.06	1.47
330	50	300	2.67	1.47



Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	100	300	2.27	1.95
30	100	300	2.42	1.47
60	100	300	2.05	1.47
90	100	300	1.77	1.47
120	100	300	1.82	1.47
150	100	300	2.07	1.47
180	100	300	1.95	1.47
210	100	300	1.96	1.47
240	100	300	2.11	1.47
270	100	300	2.34	1.66
300	100	300	2	1.47
330	100	300	2.11	1.47



Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	200	300	2.51	2.03
30	200	300	2.94	2.16
60	200	300	1.95	1.47
90	200	300	2.21	1.81
120	200	300	2.41	2.05
150	200	300	1.99	1.47
180	200	300	1.99	1.47
210	200	300	1.78	1.47
240	200	300	1.83	1.47
270	200	300	1.8	1.47
300	200	300	1.76	1.47
330	200	300	1.9	1.47



Turning Table Degree	Probe Height (cm)	Radial Distance (cm)	MAX (V/m)	MIN (V/m)
0	300	300	2.47	1.69
30	300	300	1.93	1.47
60	300	300	2	1.63
90	300	300	1.91	1.47
120	300	300	2.04	1.64
150	300	300	1.96	1.46
180	300	300	2	1.47
210	300	300	2.07	1.7
240	300	300	1.77	1.47
270	300	300	1.89	1.47
300	300	300	1.87	1.47
330	300	300	1.99	1.47

Test Setup Photo(s)

