

July 11, 2019

By Electronic Filing

Jose P. Albuquerque Chief, Satellite Division, International Bureau Federal Communications Commission 445 12th St., SW Washington, D.C. 20554

Re: HNS Licensee Sub, LLC IBFS File Nos. SES-AMD-20190221-00282 through SES-AMD-20190221-00285, SES-AMD-20190221-00288; SES-AMD-20190221-00293 through SES-AMD-20190221-00299; SES-AMD-20190221-00302 through SES-AMD-20190221-00305; SES-AMD-20190221-00307 through SES-AMD-20190221-00310 Call Signs: E170151 through E170170

Dear Mr. Albuquerque:

HNS License Sub, LLC ("HNS") submits this supplemental letter to clarify that prior coordination notification letters were sent to existing and proposed terrestrial 28 GHz licensees without any stated assumption regarding secondary earth station operations. Accordingly, the attached Comsearch coordination reports have been revised to delete reference to any assumption of secondary operations.

Further, as requested by Commission staff, Comsearch sent the following additional notice to existing and proposed terrestrial 28 GHz licensees: "Pursuant to Section 101.103(d)(2)(ix) of the Commission's Rules, you are being notified that the associated applications for the coordination reports referenced above and previously forwarded in December 2018 are being amended to clarify that, in the frequency band 27.5-28.35 GHz, the applicant is seeking an authorization pursuant to Section 25.136(a)(4) of the Commission's Rules. No response is required."

Please contact the undersigned with any further questions.

Sincerely,

<u>/s/ Kimberly M. Baum</u> Kimberly M. Baum Vice President, Regulatory Affairs

Stephen Duall

Attachments cc: Karl Kensinger Kerry Murray

Kathyrn Medley Paul Blais

Hughes Network Systems 11717 Exploration Lane • Germantown, MD 20876 • Tel: 301.428.5500 • www.hughes.com

Ka-Band Earth Station – North Platte, NE Frequency Coordination Report 28 GHz



Prepared on Behalf of HUGHES NETWORK SYSTEMS LIMITED

January 9, 2019





Table of Contents

1.	Summary of Results	- 1 -
2.	28 GHz Common Carrier and LTTS Coordination	- 1 -
3.	28 GHz UMFUS Coordination	- 2 -
4.	Earth Station Coordination Data	- 3 -
5.	Contact Information	- 7 -



1. Summary of Results

On behalf of HUGHES NETWORK SYSTEMS LIMITED, Comsearch performed a coordination notice under Section 25.136(a)(4) of the FCC's rules for all existing and proposed terrestrial licenses within the coordination contours of their proposed Ka-Band earth station in North Platte, NE, which will transmit at 28 GHz¹. Prior-notification letters were sent to the licensees and a copy of the notification data is provided in section four of this report. The earth station coordination was finalized on January 4, 2019.

No objections were received from any of the incumbent 28 GHz licensees.

2. 28 GHz Common Carrier and LTTS Coordination

In accordance with FCC Rules and Regulations, the Ka-Band earth station in North Platte, NE was prior-coordinated by Comsearch. A notification letter and datasheets for this earth station were sent to the following 28 GHz common carrier fixed microwave licensees. These licensees are authorized to operate temporary fixed operations from 27.5 – 29.5 GHz on a nationwide basis or local basis.

Licensee	Authorized Geographic Area
Frontier Southwest Incorporated	Nationwide

A notification letter and datasheets for the Ka-Band earth station in North Platte, NE were also sent to the following 28 GHz local television transmission licensee. This licensee is authorized to operate temporary fixed operations from 27.5 – 29.5 GHz on a nationwide basis.

Licensee	Authorized Geographic Area
Information Super Station, LLC	Continental US

No objections were received from the common carrier or local television transmission service incumbents.

¹ The proposed earth station will operate in the 27.5 – 28.6 GHz portion of the Ka-Band.



3. 28 GHz UMFUS Coordination

A Notification letter was sent to the following 28 GHz UMFUS licensees. The proposed earth station will operate on frequencies that overlap Channel L1 & L2 of the UMFUS service. The total frequency allocation for Channels L1 & L2 of the UMFUS spectrum appears below.

Channel:	L1	27.500 - 27.925 GHz
	L2	27.925 - 28.350 GHz

Licensee	Channel	Market	Market Name
No Licensees Identified	-	-	-

There were no UMFUS incumbents identified in the North Platte, NE area.



4. Earth Station Coordination Data

This section presents the data pertinent to the proposed Ka-Band earth station in North Platte, NE. This data was circulated to all incumbent licensees in the shared 28 GHz frequency ranges.



Administrative Information Call Sign Licensee Code Licensee Name Site Information Latitude (NAD 83) Longitude (NAD 83) Climate Zone Rain Zone Ground Elevation (AMSL) Link Information Satellite Type Mode Modulation Satellite Arc Azimuth Range Corresponding Elevation Angles Antenna Centerline (AGL)		E170170 HUNESY HUGHES NETWORK SYSTEMS LIMITED NORTH PLATTE, NE 41° 5' 26.8" N 100° 45' 10.4" W A 2 858.5 m / 2816.6 ft Geostationary TO - Transmit-Only Digital 95.2° W to 95.2° West Longitude 171.6° to 171.6° 42.2° / 42.2° 5.49 m / 18.0 ft						
						Antenna Information Manufacturer Model Gain / Diameter 3-dB / 15-dB Beamwid		Transmit SED 10.0M 67.1 dBi / 10.0 m 0.08° / 0.16°
						Max Available RF Power	(dBW/4 kł (dBW/MH	1
Maximum EIRP	(dBW/4 kł (dBW/MH							
Interference Objectives:	Long Term Short Term	-151.0 dBW/4 kHz 20% -128.0 dBW/4 kHz 0.0025%						
Frequency Information Emission / Frequency Range (MHz)		Transmit 28.0 GHz 450MG7W - 470MG7W / 27500.0 - 28600.0						
Max Great Circle Coordina Precipitation Scatter Conto	of a first second se	100.0 km / 62.1 mi 100.0 km / 62.1 mi						



Coordinatic Licensee Nan Latitude (NAE Longitude (NA Ground Eleva Antenna Cen Antenna Mod Interference (Max Available	ne D 83) AD 83) ation (AMSL) terline (AGL) le Dbjectives: Long Tr Short T		GHz GHz KHZ 20% KHZ 0.0025%			
		Transmit 28.0 GHz				
	Horizon	Antenna	Horizon	Coordination		
Azimuth (°)	Elevation (°)	Discrimination (°)	Gain (dBi)	Distance (km)		
0	0.00	137.16	-10.00	100.00		
5	0.00	136.14	-10.00	100.00		
10	0.00	134.69	-10.00	100.00		
15	0.00	132.86	-10.00	100.00		
20	0.00	130.69	-10.00	100.00		
25	0.00	128.22	-10.00	100.00		
30	0.00	125.51	-10.00	100.00		
35	0.00	122.58	-10.00	100.00		
40	0.00	119.47	-10.00	100.00		
45	0.00	116.22	-10.00	100.00		
50	0.00	112.85	-10.00	100.00		
55	0.00	109.37	-10.00	100.00		
60	0.00	105.83	-10.00	100.00		
65	0.00	102.22	-10.00	100.00		
70	0.00	98.56	-10.00	100.00		
75	0.00	94.88	-10.00	100.00		
80	0.00	91.18	-10.00	100.00		
85	0.00	87.47	-10.00	100.00		
90	0.00	83.78	-10.00	100.00		
95	0.00	80.10	-10.00	100.00		
100	0.00	76.46	-10.00	100.00		
105	0.00	72.87	-10.00	100.00		
110	0.00	69.35	-10.00	100.00		
115	0.37	65.76	-10.00	100.00		
120	0.52	62.33	-10.00	100.00		
125	0.81	58.95	-10.00	100.00		
130	0.81	55.85	-10.00	100.00		
135	0.90	52.88	-10.00	100.00		
140	0.81	50.26	-10.00	100.00		
45	1.15	47.56	-9.93	100.00		
150	1.34	45.29	-9.40	100.00		
155	1.55	43.32	-8.92	100.00		
60	1.39	42.11	-8.61	100.00		
165	1.45	41.16	-8.36	100.00		
170	1.89	40.30	-8.13	100.00		
175	1.68	40.61	-8.21	100.00		
180	1.67	41.22	-8.38	100.00		
105	4 47	10.40	0.70	100.00		

1.47

185

-8.70

100.00

42.48



$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Coordination Values Licensee Name Latitude (NAD 83) Longitude (NAD 83) Ground Elevation (AMSL) Antenna Centerline (AGL) Antenna Mode Interference Objectives: Long Te Short Te Max Available RF Power			GHz I KHZ 20% KHZ 0.0025%		
HorizonAntennaHorizonCoordinationAzimuth (°)Elevation (°)Discrimination (°)Gain (dBi)Distance (km)190 1.59 43.89 -9.06 100.00 195 1.72 45.70 -9.50 100.00 200 1.91 47.83 -9.99 100.00 205 2.11 50.29 -10.00 100.00 215 1.79 56.40 -10.00 100.00 225 1.19 63.25 -10.00 100.00 226 1.48 59.78 -10.00 100.00 235 0.85 70.36 -10.00 100.00 240 0.76 73.98 -10.00 100.00 255 0.39 85.09 -10.00 100.00 260 0.28 88.82 -10.00 100.00 275 0.00 99.90 -10.00 100.00 280 0.00 103.54 -10.00 100.00 280 0.00 107.13 -10.00 100.00 285 0.00 114.09 -10.00 100.00 285 0.00 117.42 -10.00 100.00 290 0.00 114.09 -10.00 100.00 300 0.00 122.62 -10.00 100.00 310 0.00 122.67 -10.00 100.00 325 0.00 135.57 -10.00 100.00 326 0.00 135.57 -10.00 100.00 327 0.00 </th <th></th> <th></th> <th></th> <th colspan="2">Transmit 28.0 GHz</th> <th></th>				Transmit 28.0 GHz		
Azimuth (°)Elevation (°)Discrimination (°)Gain (dBi)Distance (km)190 1.59 43.89 -9.06 100.00 195 1.72 45.70 -9.50 100.00 200 1.91 47.83 -9.99 100.00 205 2.11 50.29 -10.00 100.00 216 1.78 53.35 -10.00 100.00 215 1.79 56.40 -10.00 100.00 220 1.48 59.78 -10.00 100.00 235 0.85 70.36 -10.00 100.00 236 1.00 66.78 -10.00 100.00 237 0.85 70.36 -10.00 100.00 240 0.76 73.98 -10.00 100.00 255 0.39 85.09 -10.00 100.00 260 0.28 88.82 -10.00 100.00 275 0.00 99.90 -10.00 100.00 285 0.25 92.54 -10.00 100.00 286 0.00 103.54 -10.00 100.00 285 0.00 114.09 -10.00 100.00 285 0.00 117.42 -10.00 100.00 300 0.00 123.67 -10.00 100.00 310 0.00 126.52 -10.00 100.00 326 0.00 135.76 -10.00 100.00 327 0.00 123.57 -10.00 100.00 335 0		Horizon	Antenna	and the second se		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Azimuth (°)					
$\begin{array}{cccccccccccccccccccccccccccccccccccc$						
200 1.91 47.83 -9.99 100.00 205 2.11 50.29 -10.00 100.00 210 1.78 53.35 -10.00 100.00 215 1.79 56.40 -10.00 100.00 220 1.48 59.78 -10.00 100.00 225 1.19 63.25 -10.00 100.00 230 1.00 66.78 -10.00 100.00 235 0.85 70.36 -10.00 100.00 240 0.76 73.98 -10.00 100.00 245 0.53 77.68 -10.00 100.00 255 0.39 85.09 -10.00 100.00 260 0.28 88.82 -10.00 100.00 270 0.00 96.22 -10.00 100.00 270 0.00 99.90 -10.00 100.00 280 0.00 103.54 -10.00 100.00 290 0.00 117.42 -10.00 100.00 295 0.00 123.67 -10.00 100.00 305 0.00 126.52 -10.00 100.00 315 0.00 126.52 -10.00 100.00 325 0.00 133.57 -10.00 100.00 330 0.00 135.26 -10.00 100.00						
205 2.11 50.29 -10.00 100.00 210 1.78 53.35 -10.00 100.00 215 1.79 56.40 -10.00 100.00 220 1.48 59.78 -10.00 100.00 225 1.19 63.25 -10.00 100.00 230 1.00 66.78 -10.00 100.00 235 0.85 70.36 -10.00 100.00 240 0.76 73.98 -10.00 100.00 245 0.53 77.68 -10.00 100.00 255 0.39 85.09 -10.00 100.00 256 0.25 92.54 -10.00 100.00 270 0.00 96.22 -10.00 100.00 275 0.00 99.90 -10.00 100.00 286 0.00 107.13 -10.00 100.00 285 0.00 117.42 -10.00 100.00 290 0.00 112.65 -10.00 100.00 310 0.00 123.67 -10.00 100.00 315 0.00 126.52 -10.00 100.00 315 0.00 131.51 -10.00 100.00 325 0.00 131.51 -10.00 100.00 3335 0.00 135.26 -10.00 100.00						
$\begin{array}{cccccccccccccccccccccccccccccccccccc$						
215 1.79 56.40 -10.00 100.00 220 1.48 59.78 -10.00 100.00 225 1.19 63.25 -10.00 100.00 230 1.00 66.78 -10.00 100.00 235 0.85 70.36 -10.00 100.00 240 0.76 73.98 -10.00 100.00 245 0.53 77.68 -10.00 100.00 250 0.57 81.36 -10.00 100.00 265 0.28 88.82 -10.00 100.00 265 0.25 92.54 -10.00 100.00 270 0.00 96.22 -10.00 100.00 280 0.00 103.54 -10.00 100.00 285 0.00 107.13 -10.00 100.00 295 0.00 114.09 -10.00 100.00 300 0.00 123.67 -10.00 100.00 310 0.0						
2201.48 59.78 -10.00 100.00 225 1.19 63.25 -10.00 100.00 230 1.00 66.78 -10.00 100.00 235 0.85 70.36 -10.00 100.00 240 0.76 73.98 -10.00 100.00 245 0.53 77.68 -10.00 100.00 250 0.57 81.36 -10.00 100.00 255 0.39 85.09 -10.00 100.00 260 0.28 88.82 -10.00 100.00 265 0.25 92.54 -10.00 100.00 270 0.00 96.22 -10.00 100.00 285 0.00 103.54 -10.00 100.00 285 0.00 107.13 -10.00 100.00 295 0.00 114.09 -10.00 100.00 295 0.00 126.52 -10.00 100.00 310 0.00 123.67 -10.00 100.00 320 0.00 135.51 -10.00 100.00 325 0.00 131.51 -10.00 100.00 330 0.00 133.57 -10.00 100.00 335 0.00 135.26 -10.00 100.00						
225 1.19 63.25 -10.00 100.00 230 1.00 66.78 -10.00 100.00 235 0.85 70.36 -10.00 100.00 240 0.76 73.98 -10.00 100.00 245 0.53 77.68 -10.00 100.00 250 0.57 81.36 -10.00 100.00 255 0.39 85.09 -10.00 100.00 260 0.28 88.82 -10.00 100.00 265 0.25 92.54 -10.00 100.00 270 0.00 99.90 -10.00 100.00 280 0.00 103.54 -10.00 100.00 285 0.00 107.13 -10.00 100.00 285 0.00 117.42 -10.00 100.00 300 0.00 120.62 -10.00 100.00 310 0.00 123.67 -10.00 100.00 325 0.00 121.51 -10.00 100.00 320 0.00 12						
230 1.00 66.78 -10.00 100.00 235 0.85 70.36 -10.00 100.00 240 0.76 73.98 -10.00 100.00 245 0.53 77.68 -10.00 100.00 250 0.57 81.36 -10.00 100.00 255 0.39 85.09 -10.00 100.00 260 0.28 88.82 -10.00 100.00 265 0.25 92.54 -10.00 100.00 270 0.00 96.22 -10.00 100.00 275 0.00 99.90 -10.00 100.00 280 0.00 107.13 -10.00 100.00 285 0.00 107.13 -10.00 100.00 290 0.00 114.09 -10.00 100.00 300 0.00 123.67 -10.00 100.00 310 0.00 126.52 -10.00 100.00 320 0.						
$\begin{array}{cccccccccccccccccccccccccccccccccccc$						
240 0.76 73.98 -10.00 100.00 245 0.53 77.68 -10.00 100.00 250 0.57 81.36 -10.00 100.00 255 0.39 85.09 -10.00 100.00 260 0.28 88.82 -10.00 100.00 265 0.25 92.54 -10.00 100.00 270 0.00 96.22 -10.00 100.00 275 0.00 99.90 -10.00 100.00 280 0.00 107.13 -10.00 100.00 295 0.00 110.65 -10.00 100.00 290 0.00 114.09 -10.00 100.00 300 0.00 126.62 -10.00 100.00 310 0.00 123.67 -10.00 100.00 320 0.00 126.52 -10.00 100.00 325 0.00 131.51 -10.00 100.00 325						
$\begin{array}{cccccccccccccccccccccccccccccccccccc$						
2500.5781.36-10.00100.002550.3985.09-10.00100.002600.2888.82-10.00100.002650.2592.54-10.00100.002700.0096.22-10.00100.002750.0099.90-10.00100.002800.00103.54-10.00100.002850.00107.13-10.00100.002900.00110.65-10.00100.002950.00117.42-10.00100.003000.00120.62-10.00100.003100.00126.52-10.00100.003250.00129.15-10.00100.003250.00131.51-10.00100.003300.00133.57-10.00100.003350.00135.26-10.00100.00						
$\begin{array}{cccccccccccccccccccccccccccccccccccc$						
$\begin{array}{cccccccccccccccccccccccccccccccccccc$						
$\begin{array}{cccccccccccccccccccccccccccccccccccc$						
$\begin{array}{cccccccccccccccccccccccccccccccccccc$						
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	270					
280 0.00 103.54 -10.00 100.00 285 0.00 107.13 -10.00 100.00 290 0.00 110.65 -10.00 100.00 295 0.00 114.09 -10.00 100.00 300 0.00 117.42 -10.00 100.00 305 0.00 120.62 -10.00 100.00 310 0.00 123.67 -10.00 100.00 315 0.00 126.52 -10.00 100.00 320 0.00 129.15 -10.00 100.00 325 0.00 131.51 -10.00 100.00 330 0.00 133.57 -10.00 100.00 335 0.00 135.26 -10.00 100.00	275					
2850.00107.13-10.00100.002900.00110.65-10.00100.002950.00114.09-10.00100.003000.00117.42-10.00100.003050.00120.62-10.00100.003100.00123.67-10.00100.003150.00126.52-10.00100.003200.00129.15-10.00100.003250.00131.51-10.00100.003300.00133.57-10.00100.003350.00135.26-10.00100.00	280	0.00				
295 0.00 114.09 -10.00 100.00 300 0.00 117.42 -10.00 100.00 305 0.00 120.62 -10.00 100.00 310 0.00 123.67 -10.00 100.00 325 0.00 126.52 -10.00 100.00 320 0.00 129.15 -10.00 100.00 325 0.00 131.51 -10.00 100.00 330 0.00 133.57 -10.00 100.00 335 0.00 135.26 -10.00 100.00	285					
295 0.00 114.09 -10.00 100.00 300 0.00 117.42 -10.00 100.00 305 0.00 120.62 -10.00 100.00 310 0.00 123.67 -10.00 100.00 325 0.00 126.52 -10.00 100.00 320 0.00 129.15 -10.00 100.00 325 0.00 131.51 -10.00 100.00 330 0.00 133.57 -10.00 100.00 335 0.00 135.26 -10.00 100.00	290	0.00	110.65	-10.00	100.00	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	295				100.00	
305 0.00 120.62 -10.00 100.00 310 0.00 123.67 -10.00 100.00 315 0.00 126.52 -10.00 100.00 320 0.00 129.15 -10.00 100.00 325 0.00 131.51 -10.00 100.00 330 0.00 133.57 -10.00 100.00 335 0.00 135.26 -10.00 100.00	300	0.00	117.42	-10.00	100.00	
3150.00126.52-10.00100.003200.00129.15-10.00100.003250.00131.51-10.00100.003300.00133.57-10.00100.003350.00135.26-10.00100.00	305	0.00		-10.00	100.00	
320 0.00 129.15 -10.00 100.00 325 0.00 131.51 -10.00 100.00 330 0.00 133.57 -10.00 100.00 335 0.00 135.26 -10.00 100.00	310	0.00	123.67	-10.00	100.00	
325 0.00 131.51 -10.00 100.00 330 0.00 133.57 -10.00 100.00 335 0.00 135.26 -10.00 100.00	315	0.00	126.52	-10.00	100.00	
330 0.00 133.57 -10.00 100.00 335 0.00 135.26 -10.00 100.00	320	0.00		-10.00	100.00	
330 0.00 133.57 -10.00 100.00 335 0.00 135.26 -10.00 100.00	325		131.51	-10.00	100.00	
	330					
10 0.00 100.00 100.00	335					
	340	0.00	136.56	-10.00	100.00	
345 0.00 137.42 -10.00 100.00	345	0.00	137.42	-10.00	100.00	
	350			-10.00		

0.00

355

-10.00

100.00

137.72



5. Contact Information

For questions or information regarding the 28 GHz Frequency Coordination Report, please contact:

Contact person:	Dennis Jimeno
Title:	Engineer III, Telecommunications
Company:	Comsearch
Address:	19700 Janelia Farm Blvd., Ashburn, VA 20147
Telephone:	703-726-5858
Fax:	703-726-5599
Email:	DJimeno@Comsearch.com
Web site:	www.comsearch.com