

FREQUENCY COORDINATION AND INTERFERENCE ANALYSIS REPORT

Prepared for
State of Alaska
NULATO, AK
Satellite Earth Station

Prepared By:
COMSEARCH
19700 Janelia Farm Boulevard
Ashburn, VA 20147
September 01, 2021

TABLE OF CONTENTS

1. CONCLUSIONS	3
2. SUMMARY OF RESULTS	4
3. SUPPLEMENTAL SHOWING	5
4. EARTH STATION COORDINATION DATA.....	6
5. CERTIFICATION.....	10

1. CONCLUSIONS

An interference study considering all existing, proposed and prior coordinated microwave facilities within the coordination contours of the proposed earth station demonstrates that this site will operate satisfactorily with the common carrier microwave environment. Further, there will be no restrictions of its operation due to interference considerations.

2. SUMMARY OF RESULTS

A number of great circle interference cases were identified during the interference study of the proposed earth station. Each of the cases, which exceeded the interference objective on a line-of-sight basis, was profiled and the propagation losses estimated using NBS TN101 (Revised) techniques. The losses were found to be sufficient to reduce the signal levels to acceptable magnitudes in every case.

3. SUPPLEMENTAL SHOWING

Pursuant to Part 25.203(c) of the FCC Rules and Regulations, the satellite earth station proposed in this application was coordinated by Comsearch using computer techniques and in accordance with Part 25 of the FCC Rules and Regulations.

Coordination data for this earth station was sent to the below listed carriers with a letter dated 07/22/2021.

Company

DRS Global Enterprise Solutions, Inc.

DRS Technical Services, Inc.

Unicom, Inc.

4. EARTH STATION COORDINATION DATA

This section presents the data pertinent to frequency coordination of the proposed earth station that was circulated to all carriers within its coordination contours.

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Date: 09/01/2021
Job Number: 210722COMSGE02

Administrative Information

Status ENGINEER PROPOSAL
Call Sign
Licensee Code ALASKA
Licensee Name State of Alaska

Site Information NULATO, AK

Venue Name
Latitude (NAD 83) 64° 43' 49.4" N
Longitude (NAD 83) 158° 4' 30.7" W
Climate Zone A
Rain Zone 2
Ground Elevation (AMSL) 98.7 m / 323.8 ft

Link Information

Satellite Type Geostationary
Mode TR - Transmit-Receive
Modulation Digital
Satellite Arc 115° W to 150° West Longitude
Azimuth Range 134.0° to 171.1°
Corresponding Elevation Angles 9.6° / 16.7°
Antenna Centerline (AGL) 2.74 m / 9.0 ft

Antenna Information

Manufacturer Skyware Global
Model 2.4 meter
Gain / Diameter 38.0 dBi / 2.4 m
3-dB / 15-dB Beamwidth 1.70° / 3.40°

Receive - FCC32

Manufacturer Skyware Global
Model 2.4 meter
Gain / Diameter 38.0 dBi / 2.4 m
3-dB / 15-dB Beamwidth 1.70° / 3.40°

Transmit - FCC32

Manufacturer Skyware Global
Model 2.4 meter
Gain / Diameter 42.2 dBi / 2.4 m
3-dB / 15-dB Beamwidth 1.10° / 2.60°

Max Available RF Power (dBW/4 kHz)
(dBW/MHz)

-9.2
14.8

Maximum EIRP (dBW/4 kHz)
(dBW/MHz)

33.0
57.0

Interference Objectives: Long Term -156.0 dBW/MHz 20%
Short Term -146.0 dBW/MHz 0.01%

-154.0 dBW/4 kHz 20%
-131.0 dBW/4 kHz 0.0025%

Frequency Information

Emission / Frequency Range (MHz) 255KG7W / 3700.0 - 4200.0

Receive 4.0 GHz

Emission / Frequency Range (MHz) 255KG7W / 3700.0 - 4200.0

Transmit 6.1 GHz

255KG7W / 5925.0 - 5929.0
255KG7W / 5961.0 - 6181.0
255KG7W / 6213.0 - 6425.0

Max Great Circle Coordination Distance 417.5 km / 259.4 mi
Precipitation Scatter Contour Radius 544.6 km / 338.4 mi

211.0 km / 131.1 mi
100.0 km / 62.1 mi

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Coordination Values

NULATO, AK

Licensee Name State of Alaska
Latitude (NAD 83) 64° 43' 49.4" N
Longitude (NAD 83) 158° 4' 30.7" W
Ground Elevation (AMSL) 98.7 m / 323.8 ft
Antenna Centerline (AGL) 2.74 m / 9.0 ft
Antenna Model Skyware Global 2.4 meter
Antenna Mode Receive 4.0 GHz Transmit 6.1 GHz
Interference Objectives: Long Term -156.0 dBW/MHz 20% -154.0 dBW/4 kHz 20%
Short Term -146.0 dBW/MHz 0.01% -131.0 dBW/4 kHz 0.0025%
Max Available RF Power -9.2 (dBW/4 kHz)

Azimuth (°)	Horizon Elevation (°)	Antenna Discrimination (°)	Receive 4.0 GHz		Transmit 6.1 GHz	
			Horizon Gain (dBi)	Coordination Distance (km)	Horizon Gain (dBi)	Coordination Distance (km)
0	0.00	133.28	-10.00	285.28	-10.00	145.65
5	0.65	128.49	-10.00	240.12	-10.00	114.54
10	1.26	123.64	-10.00	212.49	-10.00	100.00
15	1.23	118.71	-10.00	213.14	-10.00	100.00
20	1.57	113.80	-10.00	206.20	-10.00	100.00
25	2.05	108.88	-10.00	193.35	-10.00	100.00
30	2.42	103.94	-10.00	185.01	-10.00	100.00
35	2.35	98.97	-10.00	186.44	-10.00	100.00
40	2.08	94.01	-10.00	192.71	-10.00	100.00
45	2.14	89.06	-10.00	191.36	-10.00	100.00
50	2.28	84.10	-10.00	188.19	-10.00	100.00
55	3.73	79.11	-10.00	153.30	-10.00	100.00
60	3.73	74.13	-10.00	153.30	-10.00	100.00
65	4.14	69.15	-10.00	145.80	-10.00	100.00
70	3.33	64.21	-10.00	162.01	-10.00	100.00
75	3.16	59.26	-10.00	165.96	-10.00	100.00
80	3.16	54.31	-10.00	165.97	-10.00	100.00
85	1.49	49.54	-10.00	205.99	-10.00	100.00
90	1.49	44.64	-9.24	209.46	-9.24	100.00
95	0.28	39.97	-8.04	288.26	-8.04	144.68
100	0.28	35.15	-6.65	297.57	-6.65	149.33
105	0.28	30.38	-5.06	308.52	-5.06	154.89
110	0.28	25.69	-3.24	322.22	-3.24	161.68
115	0.00	21.25	-1.18	347.63	-1.18	179.65
120	0.00	16.96	1.27	366.40	1.27	189.10
125	0.00	13.16	4.02	387.67	4.02	199.65
130	0.00	10.40	6.57	408.84	6.57	207.76
135	0.00	9.64	7.40	417.55	7.40	211.04
140	0.00	10.91	6.05	404.47	6.05	205.77
145	0.00	12.26	4.78	393.90	4.78	202.56
150	0.00	13.47	3.77	386.25	3.77	198.68
155	0.00	14.51	2.96	379.76	2.96	195.59
160	0.00	15.38	2.33	374.75	2.33	193.18
165	0.00	16.06	1.86	371.02	1.86	191.36
170	0.00	16.55	1.53	368.44	1.53	190.10
175	0.00	17.11	1.17	365.62	1.17	188.71
180	0.00	18.85	0.12	357.52	0.12	184.68
185	0.00	21.59	-1.36	346.33	-1.36	178.98

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Coordination Values


NULATO, AK

Licensee Name State of Alaska
Latitude (NAD 83) 64° 43' 49.4" N
Longitude (NAD 83) 158° 4' 30.7" W
Ground Elevation (AMSL) 98.7 m / 323.8 ft
Antenna Centerline (AGL) 2.74 m / 9.0 ft
Antenna Model Skyware Global 2.4 meter
Antenna Mode Receive 4.0 GHz Transmit 6.1 GHz
Interference Objectives: Long Term -156.0 dBW/MHz 20% -154.0 dBW/4 kHz 20%
Short Term -146.0 dBW/MHz 0.01% -131.0 dBW/4 kHz 0.0025%
Max Available RF Power -9.2 (dBW/4 kHz)

Azimuth (°)	Horizon Elevation (°)	Antenna Discrimination (°)	Receive 4.0 GHz		Transmit 6.1 GHz	
			Horizon Gain (dBi)	Coordination Distance (km)	Horizon Gain (dBi)	Coordination Distance (km)
190	0.00	25.01	-2.95	334.47	-2.95	172.79
195	0.00	28.87	-4.51	323.17	-4.51	165.10
200	0.00	33.01	-5.97	312.86	-5.97	159.59
205	0.00	37.35	-7.31	303.00	-7.31	154.74
210	0.00	41.81	-8.53	294.79	-8.53	150.50
215	0.00	46.36	-9.65	287.49	-9.65	146.77
220	0.00	50.98	-10.00	285.28	-10.00	145.65
225	0.00	55.65	-10.00	285.28	-10.00	145.65
230	0.00	60.35	-10.00	285.28	-10.00	145.65
235	0.36	65.04	-10.00	265.98	-10.00	133.00
240	0.83	69.75	-10.00	229.39	-10.00	106.26
245	1.13	74.52	-10.00	216.39	-10.00	100.00
250	1.16	79.32	-10.00	215.30	-10.00	100.00
255	0.93	84.14	-10.00	224.23	-10.00	102.13
260	1.15	88.95	-10.00	215.57	-10.00	100.00
265	0.00	93.75	-10.00	285.28	-10.00	145.65
270	0.00	98.54	-10.00	285.28	-10.00	145.65
275	0.00	103.32	-10.00	285.28	-10.00	145.65
280	0.00	108.09	-10.00	285.28	-10.00	145.65
285	0.00	112.85	-10.00	285.28	-10.00	145.65
290	0.00	117.59	-10.00	285.28	-10.00	145.65
295	0.72	122.44	-10.00	236.26	-10.00	111.61
300	1.26	127.27	-10.00	212.37	-10.00	100.00
305	1.23	131.95	-10.00	213.21	-10.00	100.00
310	1.22	136.59	-10.00	213.43	-10.00	100.00
315	1.60	141.29	-10.00	205.24	-10.00	100.00
320	1.84	145.88	-10.00	198.73	-10.00	100.00
325	2.19	150.41	-10.00	190.11	-10.00	100.00
330	1.84	154.42	-10.00	198.76	-10.00	100.00
335	1.67	157.66	-10.00	203.52	-10.00	100.00
340	1.16	152.80	-10.00	215.39	-10.00	100.00
345	0.92	147.97	-10.00	224.44	-10.00	102.30
350	0.53	143.07	-10.00	247.61	-10.00	120.08
355	0.00	138.13	-10.00	285.28	-10.00	145.65

5. CERTIFICATION

I HEREBY CERTIFY THAT I AM THE TECHNICALLY QUALIFIED PERSON RESPONSIBLE FOR THE PREPARATION OF THE FREQUENCY COORDINATION DATA CONTAINED IN THIS APPLICATION, THAT I AM FAMILIAR WITH PARTS 101 AND 25 OF THE FCC RULES AND REGULATIONS, THAT I HAVE EITHER PREPARED OR REVIEWED THE FREQUENCY COORDINATION DATA SUBMITTED WITH THIS APPLICATION, AND THAT IT IS COMPLETE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

BY: 

Gary K. Edwards
Senior Manager
COMSEARCH
19700 Janelia Farm Boulevard
Ashburn, VA 20147

DATED: September 01, 2021