

FREQUENCY COORDINATION AND INTERFERENCE ANALYSIS REPORT

Prepared for
Federal Aviation Administration
KENAI, AK
Satellite Earth Station

Prepared By:
COMSEARCH
19700 Janelia Farm Boulevard
Ashburn, VA 20147
June 13, 2017

TABLE OF CONTENTS

| | |
|---|----|
| 1. CONCLUSIONS | 3 |
| 2. SUMMARY OF RESULTS | 4 |
| 3. SUPPLEMENTAL SHOWING | 5 |
| 4. EARTH STATION COORDINATION DATA..... | 6 |
| 5. CERTIFICATION..... | 10 |

1. CONCLUSIONS

An interference study considering all existing, proposed and prior coordinated microwave facilities within the coordination contours of the proposed earth station demonstrates that this site will operate satisfactorily with the common carrier microwave environment. Further, there will be no restrictions of its operation due to interference considerations.

2. SUMMARY OF RESULTS

A number of great circle interference cases were identified during the interference study of the proposed earth station. Each of the cases, which exceeded the interference objective on a line-of-sight basis, was profiled and the propagation losses estimated using NBS TN101 (Revised) techniques. The losses were found to be sufficient to reduce the signal levels to acceptable magnitudes in every case.

The following companies reported potential great circle interference conflicts that did not meet the objectives on a line-of-sight basis. When over-the-horizon losses are considered on the interfering paths, sufficient blockage exists to negate harmful interference from occurring with the proposed transmit-receive earth station.

Company

Homer Electric Association
GCI Communications Corp.

No other carriers reported potential interference cases.

3. SUPPLEMENTAL SHOWING

Pursuant to Part 25.203(c) of the FCC Rules and Regulations, the satellite earth station proposed in this application was coordinated by Comsearch using computer techniques and in accordance with Part 25 of the FCC Rules and Regulations.

Coordination data for this earth station was sent to the below listed carriers with a letter dated 05/09/2017.

Company

ACS Long Distance License Sub, Inc.
ACS Wireless License Sub, Inc.
ACS of Anchorage License Sub, Inc.
ACS of the Northland License Sub, LLC
AT&T Mobility Spectrum LLC - AK
Alascom Inc
Alaska Pipeline Company
Alaska Public Telecommunications, Inc.
Alaska Railroad Corporation
Alaska Wireless Network, LLC
Chugach Electric Association, Inc.
Enstar Natural Gas Company
GCI Communications Corp.
Homer Electric Association
Kodiak Microwave System
MATANUSKA KENAI INC
Matanuska Telephone Association, Inc.
Matanuska-Susitna, Borough of
Norstar Pipeline Company
State of Alaska
Verizon Wireless (VAW) LLC - Alaska

4. EARTH STATION COORDINATION DATA

This section presents the data pertinent to frequency coordination of the proposed earth station that was circulated to all carriers within its coordination contours.

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Date: 06/13/2017
Job Number: 170509COMSGE01

Administrative Information

Status ENGINEER PROPOSAL
Call Sign E960365
Licensee Code FEDFAA
Licensee Name Federal Aviation Administration

Site Information

KENAI, AK
Venue Name
Latitude (NAD 83) 60° 34' 3.7" N
Longitude (NAD 83) 151° 14' 18.4" W
Climate Zone A
Rain Zone 2
Ground Elevation (AMSL) 27.2 m / 89.2 ft

Link Information

Satellite Type Geostationary
Mode TR - Transmit-Receive
Modulation Digital
Satellite Arc 115° W to 150° West Longitude
Azimuth Range 139.9° to 178.6°
Corresponding Elevation Angles 14.9° / 21.3°
Antenna Centerline (AGL) 4.88 m / 16.0 ft

Antenna Information

| | Receive - FCC32 | Transmit - FCC32 |
|------------------------------------|------------------------|--------------------------|
| Manufacturer | Scientific-Atlanta | Scientific-Atlanta |
| Model | 8016A | 8016A |
| Gain / Diameter | 52.2 dBi / 11.3 m | 55.7 dBi / 11.3 m |
| 3-dB / 15-dB Beamwidth | 0.43° / 0.86° | 0.29° / 0.58° |
| Max Available RF Power (dBW/4 kHz) | | -15.1 |
| (dBW/MHz) | | 8.9 |
| Maximum EIRP (dBW/4 kHz) | | 40.6 |
| (dBW/MHz) | | 64.6 |
| Interference Objectives: | | |
| Long Term | -156.0 dBW/MHz 20% | -154.0 dBW/4 kHz 20% |
| Short Term | -146.0 dBW/MHz 0.01% | -131.0 dBW/4 kHz 0.0025% |

Frequency Information

| | Receive 4.0 GHz | Transmit 6.1 GHz |
|--|-------------------------------------|-------------------------------------|
| Emission / Frequency Range (MHz) | 3M34G7D - 7M56G7D / 3700.0 - 4200.0 | 3M34G7D - 7M56G7D / 5925.0 - 6425.0 |
| Max Great Circle Coordination Distance | 377.2 km / 234.3 mi | 171.6 km / 106.6 mi |
| Precipitation Scatter Contour Radius | 518.9 km / 322.4 mi | 100.0 km / 62.1 mi |

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Coordination Values

KENAI, AK

Licensee Name Federal Aviation Administration
Latitude (NAD 83) 60° 34' 3.7" N
Longitude (NAD 83) 151° 14' 18.4" W
Ground Elevation (AMSL) 27.2 m / 89.2 ft
Antenna Centerline (AGL) 4.88 m / 16.0 ft
Antenna Model Scientific-Atlanta 8016A
Antenna Mode Receive 4.0 GHz Transmit 6.1 GHz
Interference Objectives: Long Term -156.0 dBW/MHz 20% -154.0 dBW/4 kHz 20%
Short Term -146.0 dBW/MHz 0.01% -131.0 dBW/4 kHz 0.0025%
Max Available RF Power -15.1 (dBW/4 kHz)

| Azimuth (°) | Horizon Elevation (°) | Antenna Discrimination (°) | Receive 4.0 GHz | | Transmit 6.1 GHz | |
|-------------|-----------------------|----------------------------|--------------------|----------------------------|--------------------|----------------------------|
| | | | Horizon Gain (dBi) | Coordination Distance (km) | Horizon Gain (dBi) | Coordination Distance (km) |
| 0 | 0.00 | 137.67 | -10.00 | 285.28 | -10.00 | 129.90 |
| 5 | 0.00 | 133.02 | -10.00 | 285.28 | -10.00 | 129.90 |
| 10 | 0.00 | 128.32 | -10.00 | 285.28 | -10.00 | 129.90 |
| 15 | 0.00 | 123.58 | -10.00 | 285.28 | -10.00 | 129.90 |
| 20 | 0.00 | 118.81 | -10.00 | 285.28 | -10.00 | 129.90 |
| 25 | 0.00 | 114.02 | -10.00 | 285.28 | -10.00 | 129.90 |
| 30 | 0.00 | 109.22 | -10.00 | 285.28 | -10.00 | 129.90 |
| 35 | 0.00 | 104.41 | -10.00 | 285.28 | -10.00 | 129.90 |
| 40 | 0.00 | 99.58 | -10.00 | 285.28 | -10.00 | 129.90 |
| 45 | 0.00 | 94.75 | -10.00 | 285.28 | -10.00 | 129.90 |
| 50 | 0.00 | 89.92 | -10.00 | 285.28 | -10.00 | 129.90 |
| 55 | 0.00 | 85.09 | -10.00 | 285.28 | -10.00 | 129.90 |
| 60 | 0.00 | 80.27 | -10.00 | 285.28 | -10.00 | 129.90 |
| 65 | 0.00 | 75.44 | -10.00 | 285.28 | -10.00 | 129.90 |
| 70 | 0.00 | 70.63 | -10.00 | 285.28 | -10.00 | 129.90 |
| 75 | 0.00 | 65.83 | -10.00 | 285.28 | -10.00 | 129.90 |
| 80 | 0.00 | 61.04 | -10.00 | 285.28 | -10.00 | 129.90 |
| 85 | 0.00 | 56.27 | -10.00 | 285.28 | -10.00 | 129.90 |
| 90 | 0.00 | 51.53 | -10.00 | 285.28 | -10.00 | 129.90 |
| 95 | 0.00 | 46.83 | -9.76 | 286.79 | -9.76 | 130.53 |
| 100 | 0.00 | 42.19 | -8.63 | 294.15 | -8.63 | 133.57 |
| 105 | 0.00 | 37.61 | -7.38 | 302.48 | -7.38 | 135.75 |
| 110 | 0.00 | 33.13 | -6.01 | 311.95 | -6.01 | 139.74 |
| 115 | 0.00 | 28.81 | -4.49 | 323.32 | -4.49 | 144.41 |
| 120 | 0.00 | 24.72 | -2.83 | 335.39 | -2.83 | 149.84 |
| 125 | 0.00 | 21.00 | -1.06 | 348.58 | -1.06 | 155.99 |
| 130 | 0.00 | 17.88 | 0.69 | 361.93 | 0.69 | 162.43 |
| 135 | 0.00 | 15.72 | 2.09 | 372.85 | 2.09 | 169.45 |
| 140 | 0.00 | 14.95 | 2.64 | 377.17 | 2.64 | 171.57 |
| 145 | 0.00 | 15.77 | 2.06 | 372.58 | 2.06 | 169.31 |
| 150 | 0.00 | 17.19 | 1.12 | 365.26 | 1.12 | 164.06 |
| 155 | 0.00 | 18.42 | 0.37 | 359.44 | 0.37 | 161.21 |
| 160 | 0.00 | 19.45 | -0.22 | 354.90 | -0.22 | 159.01 |
| 165 | 0.00 | 20.27 | -0.67 | 351.49 | -0.67 | 157.37 |
| 170 | 0.00 | 20.86 | -0.98 | 349.14 | -0.98 | 156.25 |
| 175 | 0.00 | 21.21 | -1.17 | 347.75 | -1.17 | 155.59 |
| 180 | 0.00 | 21.37 | -1.25 | 347.15 | -1.25 | 155.31 |
| 185 | 0.00 | 22.23 | -1.67 | 343.95 | -1.67 | 153.80 |

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Coordination Values


KENAI, AK

Licensee Name Federal Aviation Administration
Latitude (NAD 83) 60° 34' 3.7" N
Longitude (NAD 83) 151° 14' 18.4" W
Ground Elevation (AMSL) 27.2 m / 89.2 ft
Antenna Centerline (AGL) 4.88 m / 16.0 ft
Antenna Model Scientific-Atlanta 8016A
Antenna Mode Receive 4.0 GHz Transmit 6.1 GHz
Interference Objectives: Long Term -156.0 dBW/MHz 20% -154.0 dBW/4 kHz 20%
Short Term -146.0 dBW/MHz 0.01% -131.0 dBW/4 kHz 0.0025%
Max Available RF Power -15.1 (dBW/4 kHz)

| Azimuth (°) | Horizon Elevation (°) | Antenna Discrimination (°) | Receive 4.0 GHz | | Transmit 6.1 GHz | |
|-------------|-----------------------|----------------------------|--------------------|----------------------------|--------------------|----------------------------|
| | | | Horizon Gain (dBi) | Coordination Distance (km) | Horizon Gain (dBi) | Coordination Distance (km) |
| 190 | 0.00 | 24.06 | -2.53 | 337.54 | -2.53 | 150.83 |
| 195 | 0.00 | 26.68 | -3.65 | 329.35 | -3.65 | 147.09 |
| 200 | 0.00 | 29.87 | -4.88 | 320.54 | -4.88 | 143.18 |
| 205 | 0.00 | 33.46 | -6.11 | 311.20 | -6.11 | 139.42 |
| 210 | 0.00 | 37.35 | -7.31 | 302.99 | -7.31 | 135.96 |
| 215 | 0.00 | 41.44 | -8.44 | 295.42 | -8.44 | 134.09 |
| 220 | 0.00 | 45.69 | -9.50 | 288.51 | -9.50 | 131.25 |
| 225 | 0.00 | 50.05 | -10.00 | 285.28 | -10.00 | 129.90 |
| 230 | 0.00 | 54.48 | -10.00 | 285.28 | -10.00 | 129.90 |
| 235 | 0.00 | 58.99 | -10.00 | 285.28 | -10.00 | 129.90 |
| 240 | 0.00 | 63.54 | -10.00 | 285.28 | -10.00 | 129.90 |
| 245 | 0.00 | 68.12 | -10.00 | 285.28 | -10.00 | 129.90 |
| 250 | 0.00 | 72.73 | -10.00 | 285.28 | -10.00 | 129.90 |
| 255 | 0.00 | 77.36 | -10.00 | 285.28 | -10.00 | 129.90 |
| 260 | 0.00 | 82.01 | -10.00 | 285.28 | -10.00 | 129.90 |
| 265 | 0.00 | 86.66 | -10.00 | 285.28 | -10.00 | 129.90 |
| 270 | 0.00 | 91.32 | -10.00 | 285.28 | -10.00 | 129.90 |
| 275 | 0.00 | 95.98 | -10.00 | 285.28 | -10.00 | 129.90 |
| 280 | 0.00 | 100.63 | -10.00 | 285.28 | -10.00 | 129.90 |
| 285 | 0.00 | 105.27 | -10.00 | 285.28 | -10.00 | 129.90 |
| 290 | 0.00 | 109.89 | -10.00 | 285.28 | -10.00 | 129.90 |
| 295 | 0.00 | 114.49 | -10.00 | 285.28 | -10.00 | 129.90 |
| 300 | 0.00 | 119.05 | -10.00 | 285.28 | -10.00 | 129.90 |
| 305 | 0.00 | 123.58 | -10.00 | 285.28 | -10.00 | 129.90 |
| 310 | 0.00 | 128.04 | -10.00 | 285.28 | -10.00 | 129.90 |
| 315 | 0.00 | 132.44 | -10.00 | 285.28 | -10.00 | 129.90 |
| 320 | 0.00 | 136.74 | -10.00 | 285.28 | -10.00 | 129.90 |
| 325 | 0.00 | 140.90 | -10.00 | 285.28 | -10.00 | 129.90 |
| 330 | 0.00 | 144.89 | -10.00 | 285.28 | -10.00 | 129.90 |
| 335 | 0.00 | 148.62 | -10.00 | 285.28 | -10.00 | 129.90 |
| 340 | 0.00 | 152.00 | -10.00 | 285.28 | -10.00 | 129.90 |
| 345 | 0.00 | 151.05 | -10.00 | 285.28 | -10.00 | 129.90 |
| 350 | 0.00 | 146.73 | -10.00 | 285.28 | -10.00 | 129.90 |
| 355 | 0.00 | 142.25 | -10.00 | 285.28 | -10.00 | 129.90 |

5. CERTIFICATION

I HEREBY CERTIFY THAT I AM THE TECHNICALLY QUALIFIED PERSON RESPONSIBLE FOR THE PREPARATION OF THE FREQUENCY COORDINATION DATA CONTAINED IN THIS APPLICATION, THAT I AM FAMILIAR WITH PARTS 101 AND 25 OF THE FCC RULES AND REGULATIONS, THAT I HAVE EITHER PREPARED OR REVIEWED THE FREQUENCY COORDINATION DATA SUBMITTED WITH THIS APPLICATION, AND THAT IT IS COMPLETE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

BY: 

Gary K. Edwards
Senior Manager
COMSEARCH
19700 Janelia Farm Boulevard
Ashburn, VA 20147

DATED: June 13, 2017