Date & Time Filed: May 12 2004 4:05:09:606PM File Number: SES-LIC-INTR2004-00959

Callsign/Satellite ID:

APPLICATION FOR EARTH STATION AUTHORIZATIONS FCC Use Only

FCC 312 MAIN FORM FOR OFFICIAL USE ONLY

APPLICANT INFORMATION

Enter a description of this application to identify it on the main menu:

CCSS SECOND LICENSE

1–8. Legal Name of Applicant						
Nar	ne:	Clear Channel Satellite Services	Phone Number:	303-925-1708 x32		
DBA Nar			Fax Number:	303-925-1714		
Stre	eet:	7042 South Revere Parkway	E-Mail:	lizkarr@clearchannel.com		
		Suite 450				
City	y :	Centennial	State:	CO		
Cou	ıntry:	USA	Zipcode:	80112 –		
Atto	ention:	Mrs Liz Karr				

9–16. Name of Contact Representative (If other than applicant)

Name: Liz Karr Phone Number: 303–925–1708

Company: Clear Channel Satellite Services **Fax Number:** 303–925–1714

Street: 7042 S Revere Parkway E–Mail: lizkarr@clearchannel.com

Suite 450

City: Centennial State: CO

Country: USA Zipcode: 80112-

Contact Office Manager **Relationship:** Same

Title:

CLASSIFICATION OF FILING

17. Choose the button next to the classification that applies to this filing for both questions a. and b. Choose only one for 17a and only one for 17b.

a.

a1. Earth Station

(N/A) a2. Space Station

h.

b1. Application for License of New Station

b2. Application for Registration of New Domestic Receive–Only Station

(N/A) b3. Amendment to a Pending Application

(N/A) b4. Modification of License or Registration

(N/A) b5. Assignment of License or Registration

(N/A) b6. Transfer of Control of License or Registration

(N/A) b7. Notification of Minor Modification

(N/A) b8. Application for License of New Receive-Only Station Using Non-U.S. Licensed Satellite

(N/A) b9. Letter of Intent to Use Non-U.S. Licensed Satellite to Provide Service in the United States

o b10. Other (Please specify)

• b11. Application for Earth Station to Access a Non–U.S.satellite Not Currently Authorized to Provide the Proposed Service in the Proposed Frequencies in the United States.

17c. Is a fee submitted with this applied. If Yes, complete and attach FCC For	eation? m 159. If No, indicate reason for fee exemption	on (see 47 C FR Section 1 1114)
Governmental Entity Noncom		in (500 17 C.I. ICDOCTION 1.1117).
Other(please explain):		
17d.		
Fee Classification BGV – Fixed Satellit	e VSAT System	
18. If this filing is in reference to an existing station, enter: (a) Call sign of station:	19. If this filing is an amendment to a pending (a) Date pending application was filed:	ng application enter: (b) File number of pending application:
Not Applicable	Not Applicable	Not Applicable
TYPE OF SERVICE		
20. NATURE OF SERVICE: This filing i	s for an authorization to provide or use the follow	wing type(s) of service(s): Select all that apply:
a. Fixed Satellite b. Mobile Satellite c. Radiodetermination Satellite d. Earth Exploration Satellite		
e. Direct to Home Fixed Satellite f. Digital Audio Radio Service		
g. Other (please specify)		

21. STATUS: Choose the button next to the applicable status. Choose	22. If earth station applicant, check all that apply.
only one.	Using U.S. licensed satellites
Common Carrier Non–Common Carrier	Using Non–U.S. licensed satellites
facilities:	service, see instructions regarding Sec. 214 filings. Choose one. Are these
Connected to a Public Switched Network Not connected	to a Public Switched Network N/A
24. FREQUENCY BAND(S): Place an "X" in the box(es) next to all a	pplicable frequency band(s).
a. C–Band (4/6 GHz) Section b. Ku–Band (12/14 GHz)	
c.Other (Please specify upper and lower frequencies in MHz.)	
Frequency Lower: Frequency Upper:	
TYPE OF STATION	
25. CLASS OF STATION: Choose the button next to the class of station	that applies. Choose only one.
a. Fixed Earth Station	
 b. Temporary–Fixed Earth Station 	
c. 12/14 GHz VSAT Network	
d. Mobile Earth Station	
(N/A) e. Geostationary Space Station	
(N/A) f. Non–Geostationary Space Station	
g. Other (please specify)VSAT Network	
26. TYPE OF EARTH STATION FACILITY: Choose only one.	
	A

PURPOSE OF MODIFICATION

TOM OSE OF MODIFICATION			
27. The purpose of this proposed modification is to: (Place an 'X' in the box(es) next to all that apply.)			
Not Applicable			
ENVIRONMENTAL POLICY			
28. Would a Commission grant of any proposal in this application or amendment have a significant environmental impact as defined by 47 CFR 1.1307? If YES, submit the statement as required by Sections 1.1308 and 1.1311 of the Commission's rules, 47 C.F.R. §§ 1.1308 and 1.1311, as an exhibit to this application. A Radiation Hazard Study must accompany all applications for new transmitting facilities, major modifications, or major amendments.	O Yes	S No	
ALIEN OWNERSHIP Earth station applicants not proposing to provide broadcast, common carrier, aeronateronautical fixed radio station services are not required to respond to Items 30–34.	autical en roi	ute or	
29. Is the applicant a foreign government or the representative of any foreign government?	O Yes ●	No O N/A	
30. Is the applicant an alien or the representative of an alien?	O Yes ●	No O N/A	

31. Is the applicant a corporation organized under the laws of any foreign government?	O Yes	● No	O N/A
32. Is the applicant a corporation of which more than one–fifth of the capital stock is owned of record or voted by aliens or their representatives or by a foreign government or representative thereof or by any corporation organized under the laws of a foreign country?	O Yes	⊗ No	o o N/A
33. Is the applicant a corporation directly or indirectly controlled by any other corporation of which more than one–fourth of the capital stock is owned of record or voted by aliens, their representatives, or by a foreign government or representative thereof or by any corporation organized under the laws of a foreign country?	O Yes	⊚ No	o o N/A
34. If any answer to questions 29, 30, 31, 32 and/or 33 is Yes, attach as an exhibit an identification of the aliens or foreign entities, their nationality, their relationship to the applicant, and the percentage of stock they own or vote.			
BASIC QUALIFICATIONS			
35. Does the Applicant request any waivers or exemptions from any of the Commission's Rules? If Yes, attach as an exhibit, copies of the requests for waivers or exceptions with supporting documents.	٥	Yes	No

36. Has the applicant or any party to this application or amendment had any FCC station authorization or license revoked or had any application for an initial, modification or renewal of FCC station authorization, license, or construction permit denied by the Commission? If Yes, attach as an exhibit, an explination of circumstances.	Yes Prev App Lette	O No
37. Has the applicant, or any party to this application or amendment, or any party directly or indirectly controlling the applicant ever been convicted of a felony by any state or federal court? If Yes, attach as an exhibit, an explination of circumstances.	O Yes	⊚ No
38. Has any court finally adjudged the applicant, or any person directly or indirectly controlling the applicant, guilty of unlawfully monopolizing or attempting unlawfully to monopolize radio communication, directly or indirectly, through control of manufacture or sale of radio apparatus, exclusive traffic arrangement or any other means or unfair methods of competition? If Yes, attach as an exhibit, an explanation of circumstances	O Yes	⊚ No
39. Is the applicant, or any person directly or indirectly controlling the applicant, currently a party in any pending matter referred to in the preceding two items? If yes, attach as an exhinit, an explanation of the circumstances.	O Yes	No

40. If the applicant is a corporation and is applying for a space station license, attach as an exhibit the names, address, and citizenship of those stockholders owning a record and/or voting 10 percent or more of the Filer's voting stock and the percentages so held. In the case of fiduciary control, indicate the beneficiary(ies) or class of beneficiaries. Also list the names and addresses of the officers and directors of the Filer.		
41. By checking Yes, the undersigned certifies, that neither applicant nor any other party to the application is subject to a denial of Federal benefits that includes FCC benefits pursuant to Section 5301 of the Anti–Drug Act of 1988, 21 U.S.C. Section 862, because of a conviction for possession or distribution of a controlled substance. See 47 CFR 1.2002(b) for the meaning of "party to the application" for these purposes.	Yes	O No
42a. Does the applicant intend to use a non–U.S. licensed satellite to provide service in the United States? If Yes, answer 42b and attach an exhibit providing the information specified in 47 C.F.R. 25.137, as appropriate. If No, proceed to question 43.	○ Yes	⊚ No
42b. What administration has licensed or is in the process of licensing the space station? If no license will be issued, w coordinated or is in the process of coordinating the space station?	hat administr	ation has

43. Description. (Summarize the nature of the application and the services to be provided). (If the complete description does not appear box, please go to the end of the form to view it in its entirety.)	in this
Enable the applicant to distribute audio and data to their locations and clients.	
CERTIFICATION	
The Applicant waives any claim to the use of any particular frequency or of the electromagnetic spectrum as against the regulatory power United States because of the previous use of the same, whether by license or otherwise, and requests an authorization in accordance with tapplication. The applicant certifies that grant of this application would not cause the applicant to be in violation of the spectrum aggregation 47 CFR Part 20. All statements made in exhibits are a material part hereof and are incorporated herein as if set out in full in this applicant true, complete and correct to the best of his or her knowledge and belief, and are made in good faith.	his on limit tion.
44. Applicant is a (an): (Choose the button next to applicable response.)	
O Individual O Unincorporated Association	
O Partnership	
Corporation	
Governmental Entity	
Other (please specify)	

45. Name of Person Signing Liz Karr		46. Title of Person S Office Manager	igning	
47. Please supply any need attachments. Attachment 1: Attachment			Attachment 3:	
(U.S. Code, Tit		R REVOCATION OF AN	E BY FINE AND / OR IMPRISONMENT Y STATION AUTHORIZATION Code, Title 47, Section 503).	

Location of Earth Station Site

E1: Site Identifier: Amigo AUSTIN E5. Call Sign: X

E2: Contact Name E.J. Pryor Jr. E6. Phone 972–692–3310

Number:

E3. Street: 2211 S 1 H-35, E7. City: Austin

#401

E8. County: Travis

E4. State TX E9. Zip Code 78741

E10. Area of Operation: ALSAT

E11. Latitude: 30 °14 '13.0 "N

E12. Longitude: 97 °44 '44.0 "W

E13. Lat/Lon Coordinates are: NAD-27 NAD-83 N/A

E14. Site Elevation (AMSL): 230.1 meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide asSpecs Plots a technical analysis showing compliance with two–degree spacing policy.		Yes	O No	O N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	0,	Yes	O No	⊚ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	0	Yes	•	. No
E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes	•	No No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	•	. No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.		Yes	•	. No
POINTS OF COMMUNICATION				
Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:				

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:
ANTENNA	•

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi atGHz)
Amigo AUSTIN	AUS 1_8	1	Prodelin	1184	1.8	45.0 dBi at 11.85
						46.5 dBi at 14.25

Id	Diameter		(meters)	Height Above Ground	Input Power at antenna flange 	Maximum Antenna Height	E40. Total EIRP for al carriers (dBW)
AUS 1_8	1.8/1.8	28.0	258.1	25.0	4.0	3.0	49.52

FREQUENCY

E28. Antenna Id	E43/44.	E45. T/R Mode	E46. Antenna	E47. Emission	E48. Maximum	E49. Maximum
	Frequency Bands		Polarization(H,V,	Designator	EIRP per Carrier	ERIP Density per
	(MHz)		L,R)		(dBW)	Carrier
						(dBW/4kHz)
	(MITZ)		L,K)		(==)	

AUS 1_8	11700 12200	R	Horizontal and Vertical	400KG1D	49.52	29.5	
E50. Modulation entirety.)	and Services (If t	he complete descr	ription does not appear	in this box, please	go to the end of th	ne form to view it in its	
QPSK							
AUS 1_8	14000 14500	Т	Horizontal and Vertical	400KG1D	49.52	29.5	
E50. Modulation entirety.)	n and Services (If t	he complete descr	ription does not appear	in this box, please	go to the end of th	ne form to view it in its	

E28. Antenna Id	E51. Satellite Orbit Type	Frequency Limits(MHz)	Range of Satellite Arc E/W Limit	Station Azimuth Angle	Antenna Elevation Angle Eastern Limit	Station Azimuth Angle	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
AUS 1_8	Geostationary	11700 12200	72.0/ 139.0	136.54	45.23	240.47	33.04	-5.97

	Geostationary	14000 14500	72.0/ 139.0	136.54		45.23	240.47	33.04	-5.97	
REMOTE CO	NTROL POIN	T LOCATION		•					•	
E61. Call Si	gn				E65	. Phone Number	•			
NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.										
E62. Street	Address			•						
E63. City			E67. County	ý			E64/68. State/Country	E66	. Zip Code	

Location of Earth Station Site

E1: Site Identifier: Amigo DALLAS E5. Call Sign: X

E2: Contact Name E.J. Pryor Jr. E6. Phone 972–692–3310

Number:

E3. Street: 8828 N. Stemmons E7. City: Dallas

Freeway

#106 E8. County: Dallas

E4. State TX E9. Zip Code 75247

E10. Area of Operation: ALSAT

E11. Latitude: 32 °50 '3.0 "N

E12. Longitude: 96 °52 '47.0 "W

E13. Lat/Lon Coordinates are: NAD-27 NAD-83 N/A

E14. Site Elevation (AMSL): 146.0 meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide asSpecs Plots a technical analysis showing compliance with two–degree spacing policy.	● Yes	s o	No	O N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes	s O	No	● N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	O Yo	es	•	No
E18. Is frequency coordination required? If YES, attach a frequency coordination report as	O Ye	es	•	No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	O Yo	es	•	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	O Ye	es	•	No
POINTS OF COMMUNICATION				
Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:				

E21. Common Name:	E22. ITU Name:					
E23. Orbit Location:	E24. Country:					
POINTS OF COMMUNICATION (Destination Points)						
E25. Site Identifier:						
E26. Common Name:	E27. Country:					
ANTENNA						

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer		E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi atGHz)
Amigo DALLAS	DAL 1_8	1	Prodelin	1184	1.8	45.0 dBi at 11.85
						46.5 dBi at 14.25

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	(meters)	Height Above Ground Level 	Input Power at antenna flange 	Maximum Antenna Height	E40. Total EIRP for al carriers (dBW)
DAL 1_8	1.8/1.8	38.0	184.0	35.0	4.0	3.0	49.52

FREQUENCY

E28. Antenna Id	E43/44.	E45. T/R Mode	E46. Antenna	E47. Emission	E48. Maximum	E49. Maximum
	Frequency Bands		Polarization(H,V,	Designator	EIRP per Carrier	ERIP Density per
	(MHz)		L , R)		(dBW)	Carrier
						(dBW/4kHz)

DAL 1_8	11700 12200	R	Horizontal and Vertical	400KG1D	49.52	29.5	
E50. Modulation entirety.)	and Services (If	the complete de	scription does not appear	in this box, please	go to the end of th	ne form to view it in its	s
QPSK							
DAL 1_8	14000 14500	Т	Horizontal and Vertical	400KG1D	49.52	29.5	
E50. Modulation entirety.) QPSK	a and Services (If	the complete de	scription does not appear	in this box, please	go to the end of th	ne form to view it in its	3

E28. Antenna Id		Limits(MHz)	Range of Satellite Arc E/W Limit	Station Azimuth Angle		E58. Earth Station Azimuth Angle Western Limit	Antenna Elevation Angle Western	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
DAL 1_8	Geostationary	11700 12200	72.0/ 139.0	139.66	43.85	239.59	31.02	-5.29

	Geostationary	14000 14500	72.0/ 139.0	139.66		43.85	239.59	31.02	-5.29
REMOTE CO	ONTROL POIN	T LOCATION		1		l	L		
E61. Call S	ign				E65	. Phone Number	er		
callsign for wh	ase enter the calls nich this applicati	-	-	t the					
E62. Street	Address								
E63. City			E67. County	y			E64/68. State/Country	 	E66. Zip Code

Location of Earth Station Site E1: Site Identifier: WOAI TV E5. Call Sign: X E2: Contact Name Harold E6. Phone 210-476-1060 Friesehnahn Number: E3. Street: E7. City: E8. County: E4. State TXE9. Zip Code ALSAT E10. Area of Operation: E11. Latitude: 0 °0 '0.0 "N E12. Longitude: 0 °0 '0.0 "W E13. Lat/Lon Coordinates are: NAD-27 NAD-83 N/A E14. Site Elevation (AMSL): 0.0 meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide asSpecs a technical analysis showing compliance with two–degree spacing policy.	• ,	Yes	O No	O N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	0,	Yes	O No	⊚ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	0	Yes	•	, No
E18 Is frequency coordination required? If VES, attach a frequency coordination report as				
E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes	•	No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as RHS	0	Yes	•	, No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.		Yes	•	, No
POINTS OF COMMUNICATION				
Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:				

E21. Common N	Vame:						E22. ITU	Name:				
E23. Orbit Loca							E24. Cou	ntry:				
		MUNICAT:	ION	(Destination	Points	.)	i					
E25. Site Identif	fier:											
E26. Common N	Vame:						E27. Cou	ntry:				
ANTENNA								_				
Site ID	E	228. Antenna	Id	E29. Quanti	ity	E30. Manufac	turer	E31. N	Iodel		Antenna <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
WOAI TV	D	OSNG 1_2M		1		AvL Tech	nologies	1200		1.2		42.0 dBi at 11.95
												43.5 dBi at 14.25
E28. Antenna Id	Min	meter	Gro	el 	E36. A Level< (meter		E37. Buil Height A Ground Level <bl (meters)</bl 	bove	E38. Total Input Powe antenna flange <br (Watts)</br 		E39. Maximum Antenna Heig Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
DSNG 1_2M	1.2/	1.2	0.0		0.0		0.0		125.0		0.0	57.52
FREQUENCY												•
E28. Antenna I	F	C43/44. Frequency Bar MHz)		E45. T/R M	ode	E46. Anto Polarizat L,R)		E47. E Design	Emission nator		Maximum P per Carrier W)	E49. Maximum ERIP Density po Carrier (dBW/4kHz)

DSNG 1_2M	11700 12200	R	Horizontal and Vertical	6M00G1D	57.52	37.48	
E50. Modulatio entirety.)	on and Services (If	the complete d	escription does not appear	in this box, please	go to the end of th	e form to view it in its	;
QPSK							
DSNG 1_2M	14000 14500	Т	Horizontal and Vertical	6M00G1D	57.52	37.48	
E50. Modulatio entirety.) QPSK	on and Services (If	the complete d	escription does not appear	in this box, please	go to the end of th	e form to view it in its	;

	E51. Satellite Orbit Type	Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	Station Azimuth Angle		Station Azimuth Angle	Elevation Angle	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
DSNG 1_2M	Geostationary	11700 12200	72.0/ 139.0	0.0	0.0	0.0	0.0	0.0

	Geostationary	14000 14500	72.0/ 139.0	0.0		0.0	0.0	0.0	0.0
REMOTE CO	ONTROL POIN	T LOCATION	1				I		.
E61. Call S	ign				E65	. Phone Numb	er		
callsign for wh	ase enter the calls sich this applicati	-	-	ot the					
E62. Street	Address								
E63. City			E67. County	y			E64/68. State/Country		E66. Zip Code

Location of Earth Station Site

E1: Site Identifier: Wellpoint CA E5. Call Sign: X

E2: Contact Name Sidney Eli E6. Phone 805–331–5703

Number:

E3. Street: 5150 Camino Ruiz E7. City: Camarillo

E8. County: Ventura

E4. State CA E9. Zip Code 93012

E10. Area of Operation: ALSAT

E11. Latitude: 34 °12 '17.0 "N

E12. Longitude: 119 °0 '6.0 "W

E13. Lat/Lon Coordinates are: NAD-27 NAD-83 N/A

E14. Site Elevation (AMSL): 230.0 meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide asSpecs Plots a technical analysis showing compliance with two–degree spacing policy.	● Yes	O No	O N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes	O No	⊚ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	O Yes	•	No
E18. Is frequency coordination required? If YES, attach a frequency coordination report as			
	O Yes	•	No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	O Yes	•	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	O Yes	•	No
POINTS OF COMMUNICATION	<u> </u>		
Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:			

n:					Name:				
				E24. Cour	ntry:				
OMMUNICATIO	N (Destination	on Points)	1					
:									
ne:				E27. Cour	ntry:				
				1					
E28. Antenna Id	E29. Quai	ntity	E30. Manufac		E31. M	Iodel		<meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
WP CamCA	1		Suman		SM-T	3.7R	3.7		51.5 dBi at 12.50
									52.3 dBi at 14.25
Diameter C Minor/Major I	Fround Level 	Level<	BR>	Height Al Ground	oove	antenna		Maximum	E40. Total EIRP for al carriers (dBW)
3.7/3.7 7	.0	243.0		10.0		125.0		3.0	72.27
	E28. Antenna Id WP CamCA WP CamCA E33/34. Diameter Minor/Major meters)	E28. Antenna Id E29. Quante WP CamCA 1 WP CamCA 1 E33/34. E35. Above Ground Level (meters)	E28. Antenna Id E29. Quantity WP CamCA 1 E33/34. E35. Above Ground Level Minor/Major Meters (meters)	E28. Antenna Id E29. Quantity E30. Manufact WP CamCA 1 Suman E33/34. Diameter Ground Level (meters) (meters)	E28. Antenna Id E29. Quantity E30. Manufacturer WP CamCA 1 Suman E33/34. Diameter Minor/Major meters) E35. Above Ground Level (meters) Ground Level <td>E28. Antenna Id E29. Quantity E30. Manufacturer SM-T3 WP CamCA 1 Suman SM-T3 E33/34. Diameter Ground Level (meters) (meters) E27. Country: E31. Manufacturer E31. Manufacturer SM-T3 E34. Above Sea Level (meters) (meters)</td> <td>E28. Antenna Id E29. Quantity E30. Manufacturer WP CamCA I Suman SM-T3.7R E33/34. Diameter Ground Level (meters) (meters) E36. Above Sea Level (meters) (meters) E37. Building Height Above Ground Level (meters) (meters) (meters)</td> <td>E28. Antenna Id E29. Quantity E30. Manufacturer Size- WP CamCA 1 Suman SM-T3.7R 3.7 E33/34. Diameter Minor/Major meters Ground Level (meters) (meters) (meters) (meters) (meters) (meters) (meters) (meters)</td> <td>E28. Antenna Id</td>	E28. Antenna Id E29. Quantity E30. Manufacturer SM-T3 WP CamCA 1 Suman SM-T3 E33/34. Diameter Ground Level (meters) (meters) E27. Country: E31. Manufacturer E31. Manufacturer SM-T3 E34. Above Sea Level (meters) (meters)	E28. Antenna Id E29. Quantity E30. Manufacturer WP CamCA I Suman SM-T3.7R E33/34. Diameter Ground Level (meters) (meters) E36. Above Sea Level (meters) (meters) E37. Building Height Above Ground Level (meters) (meters) (meters)	E28. Antenna Id E29. Quantity E30. Manufacturer Size- WP CamCA 1 Suman SM-T3.7R 3.7 E33/34. Diameter Minor/Major meters Ground Level (meters) (meters) (meters) (meters) (meters) (meters) (meters) (meters)	E28. Antenna Id

E46. Antenna

L,R)

Polarization(H,V,

E47. Emission

Designator

E49. Maximum

Carrier (dBW/4kHz)

ERIP Density per

E48. Maximum

(dBW)

EIRP per Carrier

E28. Antenna Id

E43/44.

Frequency Bands (MHz)

E45. T/R Mode

WP CamCA	11700 12200	R	Horizontal and Vertical	800MG1D	72.27	52.24	
E50. Modulation entirety.)	n and Services (If the complete d	description does not appear	in this box, please	go to the end of th	ne form to view it in it	S
QPSK							
WP CamCA	14000 14500	Т	Horizontal and Vertical	800MG1D	72.27	52.24	
E50. Modulation entirety.) QPSK	a and Services (I	If the complete d	description does not appear	in this box, please	go to the end of th	ne form to view it in it	s

		Frequency Limits(MHz)	Range of Satellite Arc E/W Limit	Station Azimuth Angle	Antenna Elevation Angle Eastern Limit	Station Azimuth Angle		E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WP CamCA	Geostationary	11700 12200	72.0/ 139.0	117.61	26.6	212.98	44.92	-3.62

	Geostationary	14000 14500	72.0/ 139.0	117.61		26.6	212.98	44.92	-3.62	2
REMOTE CO	NTROL POIN	T LOCATION		•		•	•	•		
E61. Call Si	gn				E65	. Phone Numbe	er			
	se enter the calls ich this application	•	•	t the						
E62. Street A	Address									
E63. City			E67. County	ý			E64/68. State/Countr	у	E66. Zip (Code

Location of Earth Station Site E1: Site Identifier: Wellpoint STL E5. Call Sign: X E2: Contact Name Scott Klosterman E6. Phone 314-923-4030 Number: 1831 Chestnut E7. City: E3. Street: St. Louis Street E8. County: St. Louis E4. State MO E9. Zip Code 63103 E10. Area of Operation: ALSAT E11. Latitude: 38 °37 '60.0 "N E12. Longitude: 90°12'40.0"W E13. Lat/Lon Coordinates are: ● NAD-27 NAD-83 N/A E14. Site Elevation (AMSL): 180.0 meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as Specs Plots a technical analysis showing compliance with two-degree spacing policy.	● Yes	O No	O N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes	O No	⊚ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	O Yes	•	No
E18. Is frequency coordination required? If YES, attach a frequency coordination report as	O Yes	•	No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as Extra Form Letter	O Yes	•	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	O Yes	•	No
POINTS OF COMMUNICATION	!		-
Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:			

E21. Common Name:					E22. ITU Name:				
E23. Orbit Location:					untry:				
POINTS OF O	COMMUNICATION	(Destination Poin	nts)	I					
E25. Site Identifie	er:								
E26. Common Na	ame:			E27. Country:					
ANTENNA									
Site ID	E28. Antenna Id	E29. Quantity	E30. Manufac	turer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi atGHz)		
Wellpoint STL	WP 3 7STL	1	Suman		SM-T3.7R	3.7	52.3 dBi at 14.0		

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	(meters)	Height Above Ground Level 	Input Power at antenna flange 	Maximum Antenna Height	E40. Total EIRP for al carriers (dBW)
WP 3_7STL	3.7/3.7	42.0	222.0	40.0	125.0	2.0	72.27

51.5 dBi at 12.50

FREQUENCY

I	E28. Antenna Id	E43/44.	E45. T/R Mode	E46. Antenna	E47. Emission	E48. Maximum	E49. Maximum
١		Frequency Bands		Polarization(H,V,	Designator	EIRP per Carrier	ERIP Density per
		(MHz)		L , R)		(dBW)	Carrier
							(dBW/4kHz)

WP 3_7STL	11700 12200	R	Horizontal and Vertical	800MG1D	72.27	52.24
E50. Modulation	and Services (If the	ne complete description	on does not appear in	this box, please go to	o the end of the form	to view it in its
entirety.)						
QPSK						
WP 3_7STL	14000 14500	Т	Horizontal and Vertical	800MG1D	72.27	52.24
E50. Modulation entirety.)	and Services (If the	ne complete description	on does not appear in	this box, please go to	o the end of the form	to view it in its
QPSK						

		Limits(MHz)	Range of Satellite Arc E/W Limit	Station Azimuth Angle		E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WP 3_7STL	Geostationary	0 0	0.0/ 0.0	0.0	0.0	0.0	0.0	0.0

Geostationary	0 0	0.0/ 0.0	0.0	0.0	0.0	0.0	0.0
Geostationary	11700 12200	72.0/ 139.0	152.2	41.68	241.55	23.04	-2.06
Geostationary	14000 14500	72.0/ 139.0	152.2	41.68	241.55	23.04	-2.06

REMOTE CONTROL POINT LOCATION

E61. Call Sign		E65. Phone Number		
NOTE: Please enter the callsign of the control callsign for which this application is being filed.				
E62. Street Address				
E63. City	E67. County		E64/68. State/Country	E66. Zip Code

Location of Earth Station Site E1: Site Identifier: WP MRV101 E5. Call Sign: X E2: Contact Name Sidney Eli E6. Phone 805-331-5703 Number: E7. City: E3. Street: E8. County: CA E4. State E9. Zip Code ALSAT E10. Area of Operation: E11. Latitude: 0 °0 '0.0 "N E12. Longitude: 0 °0 '0.0 "W E13. Lat/Lon Coordinates are: NAD-27 NAD-83 N/A E14. Site Elevation (AMSL): 0.0 meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide asSpecs a technical analysis showing compliance with two–degree spacing policy.	• Yes	O No	O N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes	O No	● N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	O Yes	•	No
E18. Is frequency coordination required? If YES, attach a frequency coordination report as	O Yes	• •	No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as Plots	O Yes	•	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	O Yes	•	No
POINTS OF COMMUNICATION			
Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:			

E21. Common N	lame	e:					E22. ITU	Name:					
E23. Orbit Locat	tion	:					E24. Country:						
POINTS OF	CC	MMUNICAT	ION	(Destination	Points	s)	<u> </u>						
E25. Site Identif	ier:												
E26. Common N	lame	e:					E27. Cou	ntry:					
ANTENNA							!						
Site ID		E28. Antenna	Id	E29. Quant	ity	E30. Manufac	turer	E31. M	Iodel		Antenna <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi atGHz)	
WP MRV101		WP MRV101		1		Patriot		180KU	J	1.8		45.0 dBi at 11.73	
												46.7 dBi at 14.13	
E28. Antenna Id	Di M	33/34. iameter linor/Major neters)	Gro	el 	E36. A Level< (meter		E37. Buil Height A Ground Level <bi (meters)</bi 	bove	E38. Total Input Powe antenna flange (Watts)	er at	E39. Maximum Antenna Heig Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)	
WP MRV101	1.	8/1.8	0.0		0.0		0.0		50.0		0.0	59.69	
FREQUENCY												<u> </u>	
E28. Antenna Io	d	E43/44. Frequency Ba (MHz)		E45. T/R M	ode	E46. Anto Polarizat L,R)		E47. E Design	mission actor		Maximum P per Carrier W)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)	

WP MRV101	11700 12200	R	Horizontal and Vertical	800MG1D	59.69	39.63	
E50. Modulation entirety.)	and Services (If	the complete des	scription does not appear	in this box, please	go to the end of th	ne form to view it in its	
QPSK							
WP MRV101	14000 145000	Т	Horizontal and Vertical	800MG1D	59.69	39.63	
E50. Modulation entirety.) QPSK	and Services (If	the complete des	scription does not appear	in this box, please	go to the end of th	ne form to view it in its	

E28. Antenna Id		Frequency Limits(MHz)	Range of Satellite Arc E/W Limit	Station	Antenna Elevation Angle	Station Azimuth Angle	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WP MRV101	Geostationary	11700 1220	72.0/ 139.0	0.0	0.0	0.0	0.0	0.0

	Geostationary	14000 14500	72.0/ 139.0	0.0		0.0	0.0	0.0	0.0
REMOTE CO	NTROL POIN	T LOCATION	ı	1		ı	1	1	ı
E61. Call Si	gn				E65	. Phone Number			
NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.									
E62. Street A	Address								
E(2, G')			F.67. G				F(4/60	FCC	7: 0.1
E63. City			E67. County	<i>I</i>			E64/68. State/Country	E66	. Zip Code

Location of Earth Station Site E1: Site Identifier: TT 1_2020 E5. Call Sign: X E2: Contact Name Liz Karr E6. Phone 303-925-1708 Number: 7042 S Revere E7. City: Centennial E3. Street: Parkway E8. County: Suite 450 Arapahoe E4. State CO E9. Zip Code 80112 E10. Area of Operation: ALSAT E11. Latitude: 0 °0 '0.0 "N E12. Longitude: 0 °0 '0.0 "W E13. Lat/Lon Coordinates are: NAD-27 NAD-83 N/A E14. Site Elevation (AMSL): 0.0 meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide asPlots a technical analysis showing compliance with two–degree spacing policy.	● Yes	O No	O N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes	O No	● N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	O Yes	•	No
E18. Is frequency coordination required? If YES, attach a frequency coordination report as	O Yes	•	No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as RHS	O Yes	•	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	O Yes	•	No
POINTS OF COMMUNICATION			
Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:			

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:
1.3 700003 73 74	•

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi atGHz)
TT 1_2020	TT 1_2020	10	Channel Master	Type 121	1.2	41.8 dBi at 11.95
						43.3 dBi at 14.25

E28. Antenna Id	Diameter	E35. Above Ground Level (meters)	(meters)	Height Above Ground	Input Power at antenna flange 	Maximum Antenna Height	E40. Total EIRP for al carriers (dBW)
TT 1_2020	1.2/1.2	0.0	0.0	0.0	20.0	0.0	48.81

E28. Antenna Id	E43/44.	E45. T/R Mode	E46. Antenna	E47. Emission	E48. Maximum	E49. Maximum
	Frequency Bands		Polarization(H,V,	Designator	EIRP per Carrier	ERIP Density per
	(MHz)		L , R)		(dBW)	Carrier
						(dBW/4kHz)

TT 1_2020	11700 12200	R	Horizontal and Vertical	6M00G1D	48.81	28.78
E50. Modulation entirety.)	and Services (If the	ne complete description	on does not appear in	this box, please go to	o the end of the form	to view it in its
QPSK						
TT 1_2020	14000 14500	Т	Horizontal and Vertical	6M00G1D	48.81	28.78
E50. Modulation entirety.) QPSK	and Services (If the	ne complete description	on does not appear in	this box, please go to	o the end of the form	to view it in its

E28. Antenna Id		Frequency Limits(MHz)	Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	Antenna Elevation Angle	E58. Earth Station Azimuth Angle Western Limit	Angle Western	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
TT 1_2020	Geostationary	11700 12200	72.0/ 139.0	0.0	0.0	0.0	0.0	0.0

	Geostationary	14000 14500	72.0/ 139.0	0.0		0.0	0.0	0.0	0.0	
REMOTE CONTROL POINT LOCATION										
E61. Call Sign					E65. Phone Number					
NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.										
E62. Street	Address									
E63. City			E67. County	у			E64/68. State/Country	E66	6. Zip Code	

Location of Earth Station Site E1: Site Identifier: TT_96008 E5. Call Sign: X E2: Contact Name Liz Karr E6. Phone 303-925-1708 Number: 7042 S Revere E7. City: Centennial E3. Street: Parkway E8. County: Arapahoe E4. State CO E9. Zip Code 80112 E10. Area of Operation: ALSAT E11. Latitude: 0 °0 '0.0 "N E12. Longitude: 0 °0 '0.0 "W E13. Lat/Lon Coordinates are: NAD-27 NAD-83 N/A E14. Site Elevation (AMSL): 0.0 meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide asSpecs Plots a technical analysis showing compliance with two–degree spacing policy.	⊗ Ye	es	O No	O N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yo	es	O No	⊗ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	0,	Yes	•	No
E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0,	Yes	•	No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0,	Yes	•	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	1	Yes	•	No
POINTS OF COMMUNICATION	-			
Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:				

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer		E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi atGHz)
TT_96008	TT_96008	10	Channel Master	Type 960	0.96	39.7 dBi at 11.95
						41.2 dBi at 14.25

Id	Diameter	E35. Above Ground Level (meters)	(meters)	Height Above Ground	Input Power at antenna flange 	Maximum Antenna Height	E40. Total EIRP for al carriers (dBW)
TT_96008	0.96/0.96	0.0	0.0	0.0	8.0	0.0	50.23

E28. Antenna Id	E43/44.	E45. T/R Mode	E46. Antenna	E47. Emission	E48. Maximum	E49. Maximum
	Frequency Bands		Polarization(H,V,	Designator	EIRP per Carrier	ERIP Density per
	(MHz)		L , R)		(dBW)	Carrier
						(dBW/4kHz)

TT_96008	11700 12200	R	Horizontal and Vertical	1M00G1D	50.23	30.21
E50. Modulation	and Services (If the	ne complete description	on does not appear in	this box, please go to	the end of the form	to view it in its
entirety.)						
QPSK						
TT_96008	14000 14500	Т	Horizontal and Vertical	1M00G1D	50.23	30.21
E50. Modulation entirety.)	and Services (If the	ne complete description	on does not appear in	this box, please go to	the end of the form	to view it in its
QPSK						

E28. Antenna Id		Frequency Limits(MHz)	Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	Antenna Elevation Angle	E58. Earth Station Azimuth Angle Western Limit	Angle Western	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
TT_96008	Geostationary	11700 12200	72.0/ 139.0	0.0	0.0	0.0	0.0	0.0

	Geostationary	14000 14500	72.0/ 139.0	0.0		0.0	0.0	0.0	0.0	
REMOTE CONTROL POINT LOCATION										
E61. Call Sign					E65. Phone Number					
NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.										
E62. Street	Address									
E63. City			E67. County	у			E64/68. State/Country	E66	6. Zip Code	

Location of Earth S	tation Site					
E1: Site Identifier:	TT 2_4100	E5. Call Sign:	X			
E2: Contact Name	Liz Karr	E6. Phone Number:	303-925-1708			
E3. Street:	7042 S Revere Parkway	E7. City:	Centennial			
	Suite 450	E8. County:	Arapahoe			
E4. State	СО	E9. Zip Code	80112			
E10. Area of Opera	tion:	ALSAT				
E11. Latitude:	0 °0 '0.0 "N					
E12. Longitude:	$0~^{\circ}0$ '0.0 "W					
E13. Lat/Lon Coord	dinates are:	○ NAD-27	○ NAD-83	N/A		
E14. Site Elevation	(AMSL):	0.0 meters				

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide asPlots a technical analysis showing compliance with two–degree spacing policy.	● Y	?es	O No	0	N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O _A	'es	O No	•	N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	0	Yes	•	No	,
E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes	•	No	•
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as RHS	0	Yes	•	_i No)
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.		Yes	•	ı No	,
POINTS OF COMMUNICATION	-				
Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:					

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi atGHz)
TT 2_4100	TT2_4100	10	Suman	SM-T2.4R	2.4	47.77 dBi at 12.50
						49.0 dBi at 14.25

Id	E33/34. Diameter Minor/Major (meters)		(meters)	Height Above Ground Level 	Input Power at antenna flange 	Maximum Antenna Height	E40. Total EIRP for al carriers (dBW)
TT2_4100	2.4/2.4	0.0	0.0	0.0	100.0	0.0	68.0

E28. Antenna Id	E43/44.	E45. T/R Mode	E46. Antenna	E47. Emission	E48. Maximum	E49. Maximum
	Frequency Bands		Polarization(H,V,	Designator	EIRP per Carrier	ERIP Density per
	(MHz)		L , R)		(dBW)	Carrier
						(dBW/4kHz)

TT2_4100	11700 12200	R	Horizontal and Vertical	400KG1D	68.0	47.97
E50. Modulation entirety.)	and Services (If the	ne complete description	on does not appear in	this box, please go to	o the end of the form	to view it in its
QPSK						
TT2_4100	14000 14500	Т	Horizontal and Vertical	400KG1D	68.0	47.97
E50. Modulation entirety.) QPSK	and Services (If the	ne complete description	on does not appear in	this box, please go to	o the end of the form	to view it in its

E28. Antenna Id		Frequency Limits(MHz)	Range of Satellite Arc E/W Limit	Station	Antenna Elevation Angle	Station Azimuth Angle	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
TT2_4100	Geostationary	11700 12200	72.0/ 139.0	0.0	0.0	0.0	0.0	0.0

	Geostationary	14000 14500	72.0/ 139.0	0.0		0.0	0.0	0.0	0.0
REMOTE CO	ONTROL POIN	T LOCATION	1				I		.
E61. Call S	ign				E65	. Phone Numb	er		
callsign for wh	ase enter the calls sich this applicati	-	-	ot the					
E62. Street	Address								
E63. City			E67. County	y			E64/68. State/Country		E66. Zip Code

Location of Earth Station Site E1: Site Identifier: TT 1_8050 E5. Call Sign: X E2: Contact Name Liz Karr E6. Phone 303-925-1708 Number: 7042 S Revere E7. City: Centennial E3. Street: Parkway Suite 450 E8. County: Arapahoe E4. State CO E9. Zip Code 80112 E10. Area of Operation: ALSAT E11. Latitude: 0 °0 '0.0 "N E12. Longitude: 0 °0 '0.0 "W E13. Lat/Lon Coordinates are: NAD-27 NAD-83 N/A E14. Site Elevation (AMSL): 0.0 meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as Specs Plots a technical analysis showing compliance with two-degree spacing policy.	● Yes	O No	O N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes	O No	⊚ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	O Yes	•	No
E18. Is frequency coordination required? If YES, attach a frequency coordination report as	O Yes	•	No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	O Yes	•	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	O Yes	•	No
POINTS OF COMMUNICATION	•		
Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:			

E21. Common Name:	E22. ITU Name:						
E23. Orbit Location:	E24. Country:						
POINTS OF COMMUNICATION (Destination Points)							
E25. Site Identifier:							
E26. Common Name:	E27. Country:						
A NITENNI A							

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi atGHz)
TT 1_8050	TT1_8050	10	Prodelin	1189	1.8	45.0 dBi at 11.85
						46.5 dBi at 14.25

Id	Diameter		(meters)	Height Above Ground Level 	Input Power at antenna flange (Watts)	Maximum Antenna Height	E40. Total EIRP for al carriers (dBW)
TT1_8050	1.8/1.8	0.0	0.0	0.0	50.0	0.0	55.99

E28. Antenna Id	E43/44.	E45. T/R Mode	E46. Antenna	E47. Emission	E48. Maximum	E49. Maximum
	Frequency Bands		Polarization(H,V,	Designator	EIRP per Carrier	ERIP Density per
	(MHz)		L , R)		(dBW)	Carrier
						(dBW/4kHz)

TT1_8050	11700 12200	R	Horizontal and Vertical	400KG1D	55.99	35.96
E50. Modulation	and Services (If the	ne complete description	on does not appear in	this box, please go to	o the end of the form	to view it in its
QPSK						
TT1_8050	14000 14500	Т	Horizontal and Vertical	400KG1D	55.99	35.96
E50. Modulation entirety.) QPSK	and Services (If the	ne complete description	on does not appear in	this box, please go to	o the end of the form	to view it in its

E28. Antenna Id		` ′	Range of Satellite Arc E/W Limit	Station Azimuth Angle	E57. Antenna Elevation Angle Eastern Limit	Station Azimuth Angle	Antenna Elevation Angle Western	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
TT1_8050	Geostationary	11700 12200	72.0/ 139.0	0.0	0.0	0.0	0.0	0.0

	Geostationary	14000 14500	72.0/ 139.0	0.0		0.0	0.0	0.0	0.0
REMOTE CO	REMOTE CONTROL POINT LOCATION								
E61. Call Si	gn				E65	. Phone Number			
NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.									
E62. Street A	Address								
E(2, G')			F.67. G				F(4/60	FCC	7: 0.1
E63. City			E67. County	<i>I</i>			E64/68. State/Country	E66	. Zip Code

Location of Earth Station Site E1: Site Identifier: TT_751_87 E5. Call Sign: X E2: Contact Name Liz Karr E6. Phone 303-925-1708 Number: 7042 S Revere E7. City: Centennial E3. Street: Parkway Suite 450 E8. County: Arapahoe E4. State CO E9. Zip Code 80112 E10. Area of Operation: ALSAT E11. Latitude: 0 °0 '0.0 "N E12. Longitude: 0 °0 '0.0 "W E13. Lat/Lon Coordinates are: NAD-27 NAD-83 N/A E14. Site Elevation (AMSL): 0.0 meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide asSpecs Plots a technical analysis showing compliance with two–degree spacing policy.	● Yes	O No	O N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes	O No	⊚ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	O Yes	•	No
E18. Is frequency coordination required? If YES, attach a frequency coordination report as			
	O Yes	•	No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	O Yes	•	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	O Yes	•	No
POINTS OF COMMUNICATION	<u> </u>		
Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:			

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi atGHz)
TT_751_87	TT_751_87	50	Channel Master	Type 755	0.75	37.8 dBi at 11.95
						39.3 dBi at 14.25

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	(meters)	Height Above Ground	Input Power at antenna flange 	Maximum Antenna Height	E40. Total EIRP for al carriers (dBW)
TT_751_87	0.75/0.75	0.0	0.0	0.0	1.87	0.0	40.62

E28. Antenna Id	E43/44.	E45. T/R Mode	E46. Antenna	E47. Emission	E48. Maximum	E49. Maximum
	Frequency Bands		Polarization(H,V,	Designator	EIRP per Carrier	ERIP Density per
	(MHz)		L , R)		(dBW)	Carrier
						(dBW/4kHz)

TT_751_87	11700 12200	R	Horizontal and Vertical	400KG1D	40.62	20.59
E50. Modulation	and Services (If the	ne complete description	on does not appear in	this box, please go to	the end of the form	to view it in its
entirety.)						
QPSK						
TT_751_87	14000 14500	Т	Horizontal and Vertical	400KG1D	40.62	20.59
E50. Modulation entirety.)	and Services (If the	ne complete description	on does not appear in	this box, please go to	the end of the form	to view it in its
QPSK						

		E52/53. Frequency Limits(MHz)		E56. Earth Station Azimuth Angle Eastern Limit		Station Azimuth Angle	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
TT_751_87	Geostationary	11700 12200	72.0/ 139.0	0.0	0.0	0.0	0.0	0.0

	Geostationary	14000 14500	72.0/ 139.0	0.0		0.0	0.0	0.0	0.0
REMOTE CO	REMOTE CONTROL POINT LOCATION								
E61. Call Si	gn				E65	. Phone Number			
NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.									
E62. Street A	Address								
E(2, G')			F.67. G				F(4/60	FCC	7: 0.1
E63. City			E67. County	<i>I</i>			E64/68. State/Country	E66	. Zip Code

E1: Site Identifier: TT 3_7150 E5. Call Sign: X E2: Contact Name Liz Karr E6. Phone 303-925-1708 Number: 7042 S Revere E7. City: Centennial E3. Street: Parkway Suite 450 E8. County: Arapahoe E4. State CO E9. Zip Code 80112 E10. Area of Operation: ALSAT E11. Latitude: 0 °0 '0.0 "N

NAD-83

N/A

66

E12. Longitude:

E13. Lat/Lon Coordinates are:

E14. Site Elevation (AMSL):

0 °0 '0.0 "W

NAD-27

0.0 meters

Location of Earth Station Site

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide asSpecs Plots a technical analysis showing compliance with two–degree spacing policy.	⊚ Yes	O No	O N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes	O No	⊚ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	O Yes	•	No
E18. Is frequency coordination required? If YES, attach a frequency coordination report as	O Yes	•	No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	O Yes	•	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	O Yes	•	No
POINTS OF COMMUNICATION			
Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:			

E21. Common Name:	E22. ITU Name:				
E23. Orbit Location:	E24. Country:				
POINTS OF COMMUNICATION (Destination Points)					
F25 Site Identifier:					

E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer			E41/42. Antenna GainTransmint and/or Recieve (dBi atGHz)
TT 3_7150	TT 3_7150	10	Suman	SM-T3.7R	3.7	51.5 dBi at 12.5
						52.3 dBi at 14.25

Id	Diameter	E35. Above Ground Level (meters)	(meters)	Height Above Ground Level 	Input Power at antenna flange 	Maximum Antenna Height	E40. Total EIRP for al carriers (dBW)
TT 3_7150	3.7/3.7	0.0	0.0	0.0	150.0	0.0	72.06

I	E28. Antenna Id	E43/44.	E45. T/R Mode	E46. Antenna	E47. Emission	E48. Maximum	E49. Maximum
١		Frequency Bands		Polarization(H,V,	Designator	EIRP per Carrier	ERIP Density per
		(MHz)		L,R)		(dBW)	Carrier
							(dBW/4kHz)

TT 3_7150	11700 12200	R	Horizontal and Vertical	400KG1D	72.06	52.02
E50. Modulation	and Services (If the	ne complete description	on does not appear in	this box, please go to	the end of the form	to view it in its
entirety.)						
QPSK						
TT 3_7150	14000 14500	Т	Horizontal and Vertical	400KG1D	72.06	52.02
E50. Modulation entirety.)	and Services (If the	ne complete description	on does not appear in	this box, please go to	the end of the form	to view it in its
QPSK						

E28. Antenna Id		Frequency Limits(MHz)	Range of Satellite Arc E/W Limit	Station Azimuth Angle		E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
TT 3_7150	Geostationary	11700 12200	72.0/ 139.0	0.0	0.0	0.0	0.0	0.0

	Geostationary	14000 14500	72.0/ 139.0	0.0		0.0	0.0	0.0	0.0
REMOTE CO	NTROL POIN	T LOCATION		1				1	
E61. Call Si	ign				E65	. Phone Number	r		
NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed. E62. Street Address									
Eo2. Street	Address								
E63. City			E67. County	7			E64/68. State/Country	E66	. Zip Code

Location of Earth Station Site E1: Site Identifier: KLRT TV E5. Call Sign: X E2: Contact Name James Drew E6. Phone 501-217-5251 Number: E7. City: E3. Street: E8. County: E4. State RI E9. Zip Code ALSAT E10. Area of Operation: E11. Latitude: 0 °0 '0.0 "N E12. Longitude: 0 °0 '0.0 "W E13. Lat/Lon Coordinates are: NAD-27 NAD-83 N/A E14. Site Elevation (AMSL): 0.0 meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide asSpecs a technical analysis showing compliance with two–degree spacing policy.	● Y	'es	O No	' '	O N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O	'es	O No	' •	⊚ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	0	Yes	•) 1	No
E18 Is frequency coordination required? If VES, attach a frequency coordination report as					
E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes	•	l (No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as RHS	0	Yes	•) I	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.		Yes	•) 1	No
POINTS OF COMMUNICATION					
Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:					

E21. Common N						E22. ITU						
E23. Orbit Loca		ELONI	(D. 1)	D : .	`	E24. Country:						
E25. Site Identif	COMMUNICAT	IION	(Destination	1 Points	5)	Ī						
E26. Common N	Name:					E27. Cou	ntry:					
ANTENNA												
Site ID	E28. Antenna	ı Id	E29. Quant	tity	E30. Manufac	turer	E31. N	Model		. Antenna <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi atGHz)	
KLRT TV	TRANS 1		1		AVL Tech	nnology	1200		1.2		42.0 dBi at 11.95	
											43.5 dBi at 14.25	
E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	Gro Leve	. Above und el ters)	E36. A Level< (meter		E37. Bui Height A Ground Level <bl (meters)</bl 	bove	E38. Total Input Power antenna flange <br (Watts)</br 		E39. Maximum Antenna Heig Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)	
TRANS 1	1.2/1.2	0.0		0.0		0.0		125.0		0.0	57.52	
FREQUENCY	. !	ı				1		1			!	
E28. Antenna I	E43/44. Frequency B (MHz)	ands	E45. T/R M	Iode	E46. Ante Polarizat L,R)		E47. I Design	Emission nator		. Maximum P per Carrier W)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)	

TRANS 1	11700 12200	R	Horizontal and Vertical	6M00G1D	57.52	37.48
E50. Modulation entirety.)	and Services (If the	ne complete description	on does not appear in	this box, please go to	the end of the form	to view it in its
QPSK						
TRANS 1	14000 14500	Т	Horizontal and Vertical	6M00G1D	57.52	37.48
E50. Modulation entirety.)	and Services (If the	ne complete description	on does not appear in	this box, please go to	the end of the form	to view it in its
QPSK						

E28. Antenna Id		Frequency Limits(MHz)	Range of Satellite Arc E/W Limit	Station Azimuth Angle	Antenna Elevation Angle Eastern Limit	Station Azimuth Angle	Antenna Elevation Angle Western	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
TRANS 1	Geostationary	11700 12200	72.0/ 139.0	0.0	0.0	0.0	0.0	0.0

	Geostationary	11700 12200	72.0/ 139.0	0.0		0.0	0.0	0.0	0.0		
REMOTE CO	NTROL POIN	T LOCATION	ı	1		1	1	1			
E61. Call Si	gn				E65	. Phone Number					
callsign for whi	NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.										
E62. Street A	Address										
							_				
E63. City			E67. County	7			E64/68. State/Country	E66	. Zip Code		

Location of Earth Station Site E1: Site Identifier: KOKI-TV E5. Call Sign: X E2: Contact Name Brian Egan E6. Phone 918-388-5224 Number: E7. City: E3. Street: E8. County: E4. State OK E9. Zip Code ALSAT E10. Area of Operation: E11. Latitude: 0 °0 '0.0 "N 0 °0 '0.0 "W E12. Longitude: E13. Lat/Lon Coordinates are: NAD-27 NAD-83 N/A E14. Site Elevation (AMSL): 0.0 meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide asSpecs Plots a technical analysis showing compliance with two–degree spacing policy.		les .	O No	O N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	0,	les	O No	⊚ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	0	Yes	•	. No
T10 X C	Τ			
E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes	•	No No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as RHS	0	Yes	•	, No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.		Yes	•	. No
POINTS OF COMMUNICATION				
Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:				

E21. Common N	Name:					E22. ITU	Name:					
E23. Orbit Locat	tion:					E24. Country:						
POINTS OF	COMMUNICAT	TON (Destination	on Points	3)	<u>I</u>						
E25. Site Identif	ier:											
E26. Common N	Vame:					E27. Cou	ntry:					
ANTENNA						l						
Site ID	E28. Antenna	Id	E29. Quan	ntity	E30. Manufac	turer	E31. M	Iodel		Antenna <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)	
KOKI–TV	DSAT 1		1		AVL Tech	nnologies	1200		1.2		42.0 dBi at 11.95	
											43.5 dBi at 14.25	
E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	Grou	l 	E36. A Level< (meter		E37. Buil Height A Ground Level <bi (meters)</bi 	bove	E38. Total Input Powe antenna flange (Watts)		E39. Maximum Antenna Heigl Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)	
DSAT 1	1.2/1.2	0.0		0.0		0.0		125.0		0.0	57.52	
FREQUENCY	- 1					!		1				

E46. Antenna

L,R)

Polarization(H,V,

E47. Emission

Designator

E49. Maximum

Carrier (dBW/4kHz)

ERIP Density per

E48. Maximum

(dBW)

EIRP per Carrier

E28. Antenna Id

E43/44.

Frequency Bands (MHz)

E45. T/R Mode

DSAT 1	11700 12200	R	Horizontal and Vertical	6M00G1D	57.52	37.48
E50. Modulation entirety.)	and Services (If the	ne complete description	on does not appear in	this box, please go to	o the end of the form	to view it in its
QPSK						
DSAT 1	14000 14500	Т	Horizontal and Vertical	6M00G1D	57.52	37.48
E50. Modulation entirety.) QPSK	and Services (If the	ne complete description	on does not appear in	this box, please go to	o the end of the form	to view it in its

E28. Antenna Id		Frequency Limits(MHz)	Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	Antenna Elevation Angle	Station Azimuth Angle	Antenna Elevation Angle Western	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
DSAT 1	Geostationary	11700 12200	72.0/ 139.0	0.0	0.0	0.0	0.0	0.0

	Geostationary	14000 14500	72.0/ 139.0	0.0		0.0	0.0	0.0	0.0		
REMOTE CO	NTROL POIN	T LOCATION	•	•		•	•	•	•		
E61. Call Si	gn				E65	. Phone Number					
	NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.										
E62. Street A	Address										
E63. City			E67. County	7			E64/68. State/Country	E66	. Zip Code		

Location of Earth Station Site

E1: Site Identifier: CC CIN E5. Call Sign: X

E2: Contact Name Christopher Zerafa E6. Phone 513–852–5123

Number:

E3. Street: 8044 Montgomery E7. City: Cincinnati

Rd

Suite 650 E8. County: Hamilton

E4. State OH E9. Zip Code 45236

E10. Area of Operation: ALSAT

E11. Latitude: 39 °12 '42.0 "N

E12. Longitude: 84 °23 '60.0 "W

E13. Lat/Lon Coordinates are: NAD-27 NAD-83 N/A

E14. Site Elevation (AMSL): 208.0 meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide asSpecs a technical analysis showing compliance with two–degree spacing policy.	⊚ Yes	O No	O N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes	O No	⊚ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	o Yes	•	No
E18. Is frequency coordination required? If YES, attach a frequency coordination report as	O Yes	•	No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as RHS	O Yes	•	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	O Yes	•	No
POINTS OF COMMUNICATION			
Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:			

E21. Common Name:	E22. ITU Name:						
E23. Orbit Location:	E24. Country:						
POINTS OF COMMUNICATION (Destination Points)							
E25. Site Identifier:							
E26. Common Name:	E27. Country:						
ANTENNA							

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model		E41/42. Antenna GainTransmint and/or Recieve (dBi atGHz)
CC CIN	CIN2_4A	1	Suman	SM-T2.4R	2.4	47.77 dBi at 12.5
						49.0 dBi at 14.25

Id	Diameter		(meters)	Height Above Ground	Input Power at antenna flange 	Maximum Antenna Height	E40. Total EIRP for al carriers (dBW)
CIN2_4A	2.4/2.4	57.0	265.0	54.0	16.0	3.0	60.04

FREQUENCY

E28. Antenna Id	E43/44.	E45. T/R Mode	E46. Antenna	E47. Emission	E48. Maximum	E49. Maximum
	Frequency Bands		Polarization(H,V,	Designator	EIRP per Carrier	ERIP Density per
	(MHz)		L , R)		(dBW)	Carrier
						(dBW/4kHz)

CIN2_4A	11700 12200	R	Horizontal and Vertical	400KG1D	60.04	40.01
E50. Modulation entirety.)	and Services (If the	ne complete description	on does not appear in	this box, please go to	o the end of the form	to view it in its
QPSK						
CIN2_4A	14000 14500	Т	Horizontal and Vertical	400KG1D	60.04	40.01
E50. Modulation entirety.) QPSK	and Services (If the	ne complete description	on does not appear in	n this box, please go to	o the end of the form	to view it in its

E28. Antenna Id	I	Frequency Limits(MHz)	Range of Satellite Arc E/W Limit	Station Azimuth Angle	Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
CIN2_4A	Geostationary	11700 12200	72.0/ 139.0	161.04	42.95	245.98	18.33	0.42

	Geostationary	14000 14500	72.0/ 139.0	161.04		42.95	245.98	18.33	0.42
REMOTE CO	NTROL POIN	T LOCATION		•			•	•	
E61. Call Si	gn				E65	. Phone Numb	oer		
	se enter the calls	•	•	t the					
E62. Street	Address								
E63. City			E67. County	y			E64/68. State/Country	7	E66. Zip Code

Location of Earth Station Site

E1: Site Identifier: Aztec SAC E5. Call Sign: X

E2: Contact Name Mark Sadacca E6. Phone 916–443–1049

Number:

E3. Street: 1401 El Camino E7. City: Sacramento

Ave

E8. County:

E4. State CA E9. Zip Code 95815

E10. Area of Operation: ALSAT

E11. Latitude: 38 ° 36 '41.0 "N

E12. Longitude: 121 °25 '57.0 "W

E13. Lat/Lon Coordinates are: NAD-27 NAD-83 N/A

E14. Site Elevation (AMSL): 13.0 meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide asSpecs a technical analysis showing compliance with two–degree spacing policy.	• ,	Yes	O No	O N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	0,	Yes	O No	⊚ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	0	Yes	•	. No
E18 Is frequency coordination required? If VES, attach a frequency coordination report as				
E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes	•	No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as RHS	0	Yes	•	, No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.		Yes	•	, No
POINTS OF COMMUNICATION				
Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:				

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi atGHz)
Aztec SAC	Aztec 2_4A	1	Suman	SM-T2.4R	2.4	47.77 dBi at 12.5
						49.0 dBi at 14.25

Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	(meters)	Height Above Ground	Input Power at antenna flange 	Maximum Antenna Height	E40. Total EIRP for al carriers (dBW)
Aztec 2_4A	2.4/2.4	18.0	31.0	16.0	20.0	3.0	61.01

FREQUENCY

E28. Antenna Id	E43/44.	E45. T/R Mode	E46. Antenna	E47. Emission	E48. Maximum	E49. Maximum
	Frequency Bands		Polarization(H,V,	Designator	EIRP per Carrier	ERIP Density per
	(MHz)		L , R)		(dBW)	Carrier
						(dBW/4kHz)

Aztec 2_4A	11700 12200	R	Horizontal and Vertical	400KG1D	61.01	40.98	
E50. Modulatio entirety.)	n and Services (1	If the complete d	lescription does not appear	in this box, please	go to the end of the	ne form to view it in it	ts
QPSK							
Aztec 2_4A	14000 14500	Т	Horizontal and Vertical	400KG1D	61.01	40.98	
E50. Modulatio entirety.) QPSK	n and Services (I	If the complete d	lescription does not appear	in this box, please	go to the end of the	ne form to view it in it	ts

E28. Antenna Id		` ′	Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	Antenna Elevation Angle	Station Azimuth Angle	Antenna Elevation Angle Western	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
Aztec 2_4A	Geostationary	11700 12200	72.0/ 139.0	118.14	22.77	207.28	41.84	-1.93

	Geostationary	14000 14500	72.0/ 139.0	118.14		22.77	207.28	41.84	-1.93		
REMOTE CC	NTROL POIN	T LOCATION		L		l .	-				
E61. Call Si	gn				E65	. Phone Nur	nber				
NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.											
E62. Street	Address										
E63. City			E67. Count	У			E64/68. State/Country	y	E66. Zip Code		

Location of Earth Station Site E1: Site Identifier: DR1_8100 E5. Call Sign: X E2: Contact Name Liz Karr E6. Phone 303-925-1708 Number: 7042 S Revere E7. City: Centennial E3. Street: Parkway Suite 450 E8. County: Arapahoe E4. State CO E9. Zip Code 80112 E10. Area of Operation: ALSAT E11. Latitude: 0 °0 '0.0 "N E12. Longitude: 0 °0 '0.0 "W E13. Lat/Lon Coordinates are: NAD-27 NAD-83 N/A E14. Site Elevation (AMSL): 0.0 meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide asSpecs Plots a technical analysis showing compliance with two–degree spacing policy.		Yes	O No	O N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	0,	Yes	O No	⊚ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	0	Yes	•	. No
E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes	•	No No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	•	. No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.		Yes	•	. No
POINTS OF COMMUNICATION				
Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:				

								46.5 dBi at 14.25	
DR 1_8100	5	Prodeli	in	1189		1.8		45.0 dBi at 11.85	
E28. Antenna	E29. Quan	-	facturer	E31. N	Iodel	_		E41/42. Antenna GainTransmint and/or Recieve (dBi atGHz)	
anie.			E27. Cot	inuy.					
			F27. Co.						
	ON (Destinatio	n Points)		•					
ion:			E24. Country:						
(on: COMMUNICATI er: ame: E28. Antenna l	on: COMMUNICATION (Destination er: ame: E28. Antenna Id E29. Quan	on: COMMUNICATION (Destination Points) er: ame: E28. Antenna Id E29. Quantity E30. Manuf	COMMUNICATION (Destination Points) er: E24. Cou E27. Cou E28. Antenna Id E29. Quantity E30. Manufacturer	COMMUNICATION (Destination Points) er: E24. Country: E27. Country: E28. Antenna Id E29. Quantity E30. Manufacturer E31. N	con: COMMUNICATION (Destination Points) er: ame: E24. Country: E27. Country: E27. Country: E28. Antenna Id E29. Quantity E30. Manufacturer E31. Model	con: COMMUNICATION (Destination Points) er: ame: E24. Country: E27. Country: E27. Country: E28. Antenna Id E29. Quantity E30. Manufacturer E31. Model E32. Size	COMMUNICATION (Destination Points) er: E24. Country: E25. Country: E27. Country: E28. Antenna Id E29. Quantity E30. Manufacturer E31. Model Size <meters></meters>	

FREQUENCY

1.8/1.8

0.0

0.0

DR 1_8100

E28. Antenna Id	E43/44.	E45. T/R Mode	E46. Antenna	E47. Emission	E48. Maximum	E49. Maximum
	Frequency Bands		Polarization(H,V,	Designator	EIRP per Carrier	ERIP Density per
	(MHz)		L , R)		(dBW)	Carrier
						(dBW/4kHz)

0.0

100.0

0.0

58.0

DR 1_8100	11700 12200	R	Horizontal and Vertical	800MG1D	58.0	37.96
E50. Modulation entirety.)	and Services (If the	ne complete descripti	on does not appear in	this box, please go	to the end of th	e form to view it in its
QPSK						
DR 1_8100	14000 14500	Т	Horizontal and Vertical	800MG1D	58.0	37.96
E50. Modulation entirety.)	and Services (If the	ne complete descripti	on does not appear in	n this box, please go	to the end of th	e form to view it in its

E28. Antenna Id	E51. Satellite Orbit Type	` ′	Range of Satellite Arc E/W Limit	Station	Antenna Elevation Angle	Station Azimuth Angle	Antenna Elevation Angle Western	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
DR 1_8100	Geostationary	11700 12200	72.0/ 139.0	0.0	0.0	0.0	0.0	0.0

	Geostationary	14000 14500	72.0/ 139.0	0.0		0.0	0.0	0.0	0.0			
REMOTE CONTROL POINT LOCATION												
E61. Call Si	ign				E65	. Phone Number	er					
NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.												
E62. Street	Address											
E63. City			E67. County	у			E64/68. State/Country	E66	6. Zip Code			

Location of Earth S	tation Site					
E1: Site Identifier:	CC Ft Collins	E5. Call Sign:	X			
E2: Contact Name	Cliff Mikkelson	E6. Phone Number:	719–540–9200			
E3. Street:	,	E7. City:	,			
		E8. County:	Larimer			
E4. State	СО	E9. Zip Code	,			
E10. Area of Opera	tion:	ALSAT				
E11. Latitude:	40 °54 '0.0 "N					
E12. Longitude:	105 °12 '0.0 "W					
E13. Lat/Lon Coord	dinates are:	● NAD-27	O NAD-83	O N/A		
E14. Site Elevation	(AMSL):	2114.0 meters				

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide asSpecs Plots a technical analysis showing compliance with two–degree spacing policy.		Yes	O No	O N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	0,	Yes	O No	⊚ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	0	Yes	•	. No
E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes	•	No No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	•	. No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.		Yes	•	. No
POINTS OF COMMUNICATION				
Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:				

E21. Common N	21. Common Name:							Name:					
E23. Orbit Loca		•					E24. Country:						
		MMUNICAT	ION	(Destination	Points	s)							
E25. Site Identif	ier:												
E26. Common N	Vame	e:					E27. Cou	ntry:					
ANTENNA							•						
Site ID		E28. Antenna	Id	E29. Quant	ity	E30. Manufac	turer	E31. N	Model		. Antenna <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)	
CC Ft Collins		FTC_751_87		1		Channel I	Master	Type 7	755	0.75		37.8 dBi at 11.95	
												39.3 dBi at 14.25	
E28. Antenna Id	Di M	33/34. iameter linor/Major neters)	Gro Leve	. Above und el ters)	E36. A Level< (meter		E37. Buil Height A Ground Level <bl (meters)</bl 	bove	E38. Total Input Powe antenna flange <br (Watts)</br 		E39. Maximum Antenna Heig Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)	
FTC_751_87	0.	75/0.75	3.0		2117.0	1	0.0		1.87		3.0	40.62	
FREQUENCY	-												
E28. Antenna I	d	E43/44. Frequency Ba (MHz)	nds	E45. T/R M	ode	E46. Anto Polarizat L,R)		E47. E Design	Emission nator		. Maximum P per Carrier W)	E49. Maximum ERIP Density pe Carrier (dBW/4kHz)	

FTC_751_87	11700 12200	R	Horizontal and Vertical	400KG1D	40.62	20.59
E50. Modulation entirety.)	and Services (If the	he complete descripti	on does not appear in	this box, please go t	o the end of the form	to view it in its
QPSK						
FTC_751_87	14000 14500	Т	Horizontal and Vertical	400KG1D	40.62	20.59
E50. Modulation entirety.) QPSK	and Services (If the	he complete descripti	on does not appear in	n this box, please go t	o the end of the form	to view it in its

E28. Antenna Id	E51. Satellite Orbit Type		Range of Satellite Arc E/W Limit	Station Azimuth Angle		E58. Earth Station Azimuth Angle Western Limit	Antenna Elevation Angle Western	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
FTC_751_87	Geostationary	11700 12200	72.0/ 139.0	134.89	32.17	225.93	31.73	-5.53

	Geostationary	14000 14500	72.0/ 139.0	134.89	32.17	225.93	31.73	-5.53
REMOTE CONTROL POINT LOCATION								
E61. Call Sign					E65. Phone Number			
	se enter the calls ich this application			ot the				
Loz. Street I	iduless							
E63. City			E67. Count	ty		E64/68. State/Countr	У	E66. Zip Code

FCC NOTICE REQUIRED BY THE PAPERWORK REDUCTION ACT

The public reporting for this collection of information is estimated to average 2 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the required data, and completing and reviewing the collection of information. If you have any comments on this burden estimate, or how we can improve the collection and reduce the burden it causes you, please write to the Federal Communications Commission, AMD–PERM, Paperwork Reduction Project (3060–0678), Washington, DC 20554. We will also accept your comments regarding the Paperwork Reduction Act aspects of this collection via the Internet if you send them to jboley@fcc.gov. PLEASE DO NOT SEND COMPLETED FORMS TO THIS ADDRESS.

Remember – You are not required to respond to a collection of information sponsored by the Federal government, and the government may not conduct or sponsor this collection, unless it displays a currently valid OMB control number or if we fail to provide you with this notice. This collection has been assigned an OMB control number of 3060–0678.

THE FOREGOING NOTICE IS REQUIRED BY THE PAPERWORK REDUCTION ACT OF 1995, PUBLIC LAW 104–13, OCTOBER 1, 1995, 44 U.S.C. SECTION 3507.