

# **RADIO STATION AUTHORIZATION**

Name: Lockheed Martin Corporation Authorization Type: License Non Common Carrier Gr

**Grant date:** 10/07/2014

Expiration Date:

Call Sign: E7541 File Number: SES-LIC-20081103-01443 10/07/2029

Nature of Service: Fixed Satellite Service

Class of Station: Fixed Earth Stations

#### A) Site Location(s)

# Site ID	Address	Latitude	Longitude	Elevation (Meters)	Special Provisions NAD (Refer to Section H)
1) N-ANT 2	450 River Road Carpentersville, Warren, NJ 08865	40°38'41.0"N	75°11'28.0"W	67.1	83
	Licensee certifies antenna(s)	comply with g	ain patterns sp	ecified in	Section 25.209
2) S-ANT 1	450 River Road Carpentersville, Warren, NJ 08865	40°38'39.1"N	75°11'27.8"W	66.5	83
	Licensee certifies antenna(s)	comply with g	ain patterns sp	ecified in	Section 25.209

Subject to the provisions of the Communications Act of 1934, The Communications Satellite Act of 1962, subsequent acts and treaties, and all present and future regulations made by this Commission, and further subject to the conditions and requirements set forth in this license, the grantee is authorized to construct, use and operate the radio facilities described below for radio communications for the term beginning October 7, 2014 (3 AM Eastern Standard Time) and ending October 7, 2029 (3 AM Eastern Standard Time). The required date of completion of construction and commencement of operation is October 7, 2015 (3 AM Eastern Standard Time). Grantee must file with the Commission a certification upon completion of construction and commencement of operation.

#### **B)** Particulars of Operations

The General Provision 1010 applies to all receiving frequency bands.

The General Provision 1900 applies to all transmitting frequency bands.

For the text of these provisions, refer to Section H.

#	Frequency (MHz)	Polarizatio Code	on Emission	Tx/Rx Mode	Max EIRP /Carrier (dBW)		Associated Antenna	Special Provisions (Refer to Section H)	Modulation/ Services	
1)642	23.5000-6423.5000	H,V	3M00F3D	Tx	80.30	51.50	N-ANT 2		Analog data	
2)642	23.5000-6423.5000	H,V	3M00G7D	Tx	80.30	51.50	N-ANT 2		Digital data	
3)642	23.5000-6423.5000	H,V	3M00N0N	Τx	83.60	83.60	N-ANT 2		When no commands being sent, the carrier is present Thus power spect	

Thus, power spectral density in 4 KHz is the same as the CW carrier.

#### FCC Form 488



# **RADIO STATION AUTHORIZATION**

Name:Lockheed Martin CorporationAuthorization Type:LicenseNon Common CarrierGr

**Grant date:** 10/07/2014

**Expiration Date:** 

Call Sign: E7541 File Number: SES-LIC-20081103-01443 10/07/2029

#### **B)** Particulars of Operations

The General Provision 1010 applies to all receiving frequency bands. The General Provision 1900 applies to all transmitting frequency bands. For the text of these provisions, refer to Section H.

For the text of these provisions, refer to Section H.					Max	Max EIRP	Special		
#	Frequency (MHz)	Polarizati Code	on Emission	Tx/Rx Mode	EIRP /Carrier (dBW)	Density /Carrier (dBW/4kHz)	Associated Antenna	Provisions (Refer to Section H)	Modulation/ Services
4) 37	00.5000-4199.5000	H,V	3M00F3D	Rx			N-ANT 2		Analog data
5)37	00.5000-4199.5000	H,V	3M00G7D	Rx			N-ANT 2		Digital data
6)37	00.5000-4199.5000	H,V	36M0F8W	Rx			N-ANT 2		Analog Data for Transponder Testing
7)37	200.5000-4199.5000	H,V	3M00G7D	Rx			n-ant 2		TT&C, transfer orbit, and Launch and Early Operations
8)36	50.0000-3700.0000	H,V	3M00F3D	Rx			n-ant 2		TT&C, transfer orbit, and Launch and Early Operations
9)36	50.0000-3700.0000	H,V	3M00F8W	Rx			n-ant 2		TT&C, transfer orbit, and Launch and Early Operations
10)36	50.0000-3700.0000	H,V	3M00G7D	Rx			n-ant 2		TT&C, transfer orbit, and Launch and Early Operations
11)64	23.5000-6423.5000	H,V	3M00F3D	Tx	80.30	51.50	S-ANT 1-C		Analog data
12)64	23.5000-6423.5000	H,V	3M00G7D	Tx	80.30	51.50	S-ANT 1-C		Digital data
13)64	23.5000-6423.5000	H,V	3M00G7D	Τx	83.60	83.60	S-ANT 1-C		TT&C, transfer orbit, and Launch and Early Operations . When no commands, CW carrier remains present
14)64	23.5000-6423.5000	Η, V	3M00N0N	Τx	83.60	83.60	S-ANT 1-C		TT&C, transfer orbit, and Launch and Early Operations. When no commands are being sent, the CW carrier is present. Thus, power spectral density in 4 kHz is the same as the CW carrier
15)37	00.5000-4199.5000	H,V	3M00F3D	Rx			S-ANT 1-C		Analog data
16)37	00.5000-4199.5000	H,V	3M00G7D	Rx			S-ANT 1-C		Digital data
17)37	200.5000-4199.5000	H,V	36M0F8W	Rx			S-ANT 1-C		Analog Data for Transponder Testing



# **RADIO STATION AUTHORIZATION**

Name: Lockheed Martin Corporation Authorization Type: License Non Common Carrier Gr

**Grant date:** 10/07/2014

**Expiration Date:** 

File Number: SES-LIC-20081103-01443 : 10/07/2029

Call Sign: E7541

### **B)** Particulars of Operations

The General Provision 1010 applies to all receiving frequency bands. The General Provision 1900 applies to all transmitting frequency bands. For the text of these provisions, refer to Section H.

For the text of these provisions, refer to Section H.					Max	Max EIRP		Special	
#	Frequency (MHz)	Polarizatio Code	n Emission	Tx/Rx Mode	EIRP /Carrier (dBW)	Density /Carrier (dBW/4kHz)	Associated Antenna	Provisions (Refer to Section H)	Modulation/ Services
18) 37(	00.5000-4199.5000	Н <b>,</b> V	3M00G7D	Rx			S-ANT 1-C		TT&C, transfer orbit, and Launch and Early Operations
19)365	50.0000-3700.0000	H,V	3M00F3D	Rx			S-ANT 1-C		TT&C, transfer orbit, and Launch and Early Operations
20) 365	50.0000-3700.0000	H,V	3M00F8W	Rx			S-ANT 1-C		TT&C, transfer orbit, and Launch and Early Operations
21) 365	50.0000-3700.0000	H,V	3M00G7D	Rx			S-ANT 1-C		TT&C, transfer orbit, and Launch and Early Operations
22)14(	000.0000-14500.0000	H,V	3M00F3D	Tx	86.50	57.70	S-ANT 1-Ku		Analog data
23)14(	000.0000-14500.0000	H,V	3M00G7D	Tx	86.50	57.70	S-ANT 1-Ku		Digital Data
24) 14(	000.0000-14500.0000	H,V	36M0F8W	Tx	87.50	47.90	S-ANT 1-Ku		Analog Data for Transponder Testing
25)14(	000.0000-14500.0000	H,V	3M00F9W	Tx	89.00	73.50	S-ANT 1-Ku		TT&C, transfer orbit, and Launch and Early Operations
26)14(	000.0000-14500.0000	Η, V	3M00G7D	Τx	89.00	90.50	S-ANT 1-Ku		TT&C, transfer orbit, and Launch and Early Operations. When no commands, CW carrier remains present
27) <sub>14(</sub>	000.0000-14500.0000	Η, V	3M00N0N	Тх	90.50	90.50	S-ANT 1-Ku		When on commands are being sent, the CW carrier is present. Thus, power spectral density in 4 kHz is the same as the CW carrier
28)117	700.0000-12200.0000	H,V	3M00F3D	Rx			S-ANT 1-Ku		Analog Data
29)117	700.0000-12200.0000	H,V	3M00G7D	Rx			S-ANT 1-Ku		Digital data
30)117	700.0000-12200.0000	H,V	36M0F8W	Rx			S-ANT 1-Ku		Analog Data for Transponder Testing
31) 117	700.0000-12200.0000	H,V	3M00F9W	Rx			S-ANT 1-Ku		TT&C, transfer orbit, and Launch and Early Operations



# **RADIO STATION AUTHORIZATION**

Name: Lockheed Martin Corporation Authorization Type: License Non Common Carrier Gr

Grant date: 10/07/2014

**Expiration Date:** 

Call Sign: E7541 File Number: SES-LIC-20081103-01443 10/07/2029

## **B)** Particulars of Operations

The General Provision 1010 applies to all receiving frequency bands. The General Provision 1900 applies to all transmitting frequency bands. For the text of these provisions, refer to Section H.

#	Frequency (MHz)	Polarizatio Code	on Emission	Tx/Rx Mode	Max EIRP /Carrier (dBW)	Max EIRP Density /Carrier (dBW/4kHz)	Associated Antenna	Special Provisions (Refer to Section H)	Modulation/ Services	
32)1170	0.0000-12200.0000	H,V	3M00G7D	Rx			S-ANT 1-Ku		TT&C, trans Launch Operations	sfer orbit, and and Early

### **C) Frequency Coordination Limits**

#	Frequency Limits (MHz)	Satellite Arc (Deg. Long.) East West Limit Limit	Elevation (Degrees) East West Limit Limit	Azimuth (Degrees) East West Limit Limit	HOLIZOH	Associated Antenna(s)
1)	11700.0000-12200.0000	4.0W-146.0W	05.5-05.0	102.5-257.0		S-ANT 1-Ku
2)	14000.0000-14500.0000	4.0W-146.0W	05.5-05.0	102.5-257.0	38.5	S-ANT 1-Ku
3)	3650.0000-3700.0000	4.0W-146.0W	10.0-90.0	076.0-284.0		S-ANT 1-C
4)	3700.5000-4199.5000	4.0W-146.0W	10.0-90.0	076.0-284.0		S-ANT 1-C
5)	6423.5000-6423.5000	4.0W-146.0W	10.0-90.0	076.0-284.0	19	S-ANT 1-C
6)	3700.5000-4199.5000	4.0W-146.0W	10.0-90.0	076.0-284.0		N-ANT 2
7)	6423.5000-6423.5000	4.0W-146.0W	10.0-90.0	076.0-284.0	19	N-ANT 2
8)	3650.0000-3700.0000	4.0W-146.0W	10.0-90.0	076.0-284.0		N-ANT 2

## **D)** Points of Communications

The following stations located in the Satellite orbits consistent with Sections B and C of this Entry:

- 1) S-ANT 1 to INTELSAT 901 (S2405) @ 18 degrees W.L. (U.S.-licensed)
- 2) S-ANT 1 to INTELSAT 25 (S2804) @ 31.5 degrees W.L. (U.S.-licensed)
- 3) S-ANT 1 to Permitted Space Station List
- 4) S-ANT 1 to INTELSAT 10-02 (S2414) @ 1.0 W.L. degrees W.L. (U.S.-licensed)
- 5) S-ANT 1 to INTELSAT 903 (S2407) @ 34.5 degrees W.L. (U.S.-licensed)
- 6) S-ANT 1 to INTELSAT 905 (S2409) @ 24.5 degrees W.L. (U.S.-licensed)
- 7) S-ANT 1 to INTELSAT 907 (S2411) @ 27.5 W.L. degrees W.L. (U.S.-licensed)
- 8) S-ANT 1 to INTELSAT 805 in AOR @ 304.5 E.L. satellite of the INTELSAT system (U.S.-licensed)
- 9) N-ANT 2 to INTELSAT 10-02 (S2414) @ 1.0 W.L. degrees W.L. (U.S.-licensed)
- 10) N-ANT 2 to INTELSAT 805 in AOR @ 304.5 E.L. satellite of the INTELSAT system (U.S.-licensed)
- 11) N-ANT 2 to Permitted Space Station List
- 12) N-ANT 2 to INTELSAT 903 (S2407) @ 34.5 degrees W.L. (U.S.-licensed)



# **RADIO STATION AUTHORIZATION**

Name: Lockheed Martin Corporation Authorization Type: License Non Common Carrier Gr

Grant date: 10/07/2014

**Expiration Date:** 

Call Sign: E7541 File Number: SES-LIC-20081103-01443 10/07/2029

#### **D)** Points of Communications

The following stations located in the Satellite orbits consistent with Sections B and C of this Entry:

13) N-ANT 2 to INTELSAT 25 (S2804) @ 31.5 degrees W.L. (U.S.-licensed)

14) N-ANT 2 to INTELSAT 907 (S2411) @ 27.5 W.L. degrees W.L. (U.S.-licensed)

15) N-ANT 2 to INTELSAT 905 (S2409) @ 24.5 degrees W.L. (U.S.-licensed)

16) N-ANT 2 to INTELSAT 901 (S2405) @ 18 degrees W.L. (U.S.-licensed)

#### E) Antenna Facilities

Si I		Antenna ID	Units	Diameter (meters)	Manufacturer	Model number	Site Elevation (Meters)	Max Antenna Height (Meters)	Special Provisions (Refer to Section H)
N-ANT	2	N-ANT 2	1	14.224	TIW	120-00-00	67.1	19 AGL/ 86.1 AMSL	
		total input	power		6.0000 GHz na flange (Watts) all carriers (dBW)	= 425.00	00 GHz		
S-ANT	Max Gai Maximum	ns(s): total input	power	dBi @ at anten	TIW Systems 6.0000 GHz na flange (Watts) all carriers (dBW)			19.2 AGL/ 85.7 AMSL	
S-ANT	Max Gai Maximum	ns(s): total input	power	dBi @ at anten	TIW Systems 12.0000 GHz na flange (Watts) all carriers (dBW)	63.5 dBi @ 14.00 = 500.00	66.5 00 GHz	19.2 AGL/ 85.7 AMSL	

#### G) Antenna Structure marking and lighting requirements:

None unless otherwise specified under Special and General Provisions

#### H) Special and General Provisions

- A) This RADIO STATION AUTHORIZATION is granted subject to the following special provisions and general conditions:
  - 1010 --- Applicable to all receiving frequency bands. Emission designator indicates the maximum bandwidth of received signal at associated station(s). Maximum EIRP and maximum EIRP density are not applicable to receive operations.



# **RADIO STATION AUTHORIZATION**

Name: Lockheed Martin Corporation Authorization Type: License Non Common Carrier Gr

Grant date: 10/07/2014

Expiration Date:

Call Sign: E7541 File Number: SES-LIC-20081103-01443 10/07/2029

#### H) Special and General Provisions

- A) This RADIO STATION AUTHORIZATION is granted subject to the following special provisions and general conditions:
  - 1900 --- Applicable to all transmitting frequency bands. Authority is granted to transmit any number of RF carriers with the specified parameters on any discrete frequencies within associated band in accordance with the other terms and conditions of this authorization, subject to any additional limitations that may be required to avoid unacceptable levels of inter-satellite interference.
  - 2916 --- Transmitter(s) must be turned off during antenna maintenance to ensure compliance with the FCC-specified safety guidelines for human exposure to radiofrequency radiation in the region between the antenna feed and the reflector. Appropriate measures must also be taken to restrict access to other regions in which the earth station's power flux density levels exceed the specified guidelines.
  - 2938 --- Upon completion of construction, each licensee must file with the Commission a certification including the following information: name of the licensee, file number of the application, call sign of the antenna, date of the license and certification that the facility as authorized has been completed, that each antenna facility has been tested and is within 2 dB of the pattern specified in Section 25.209 and that the station is operational including the date of commencement of service and will remain operational during the license period unless the license is submitted for cancellation.
  - 3219 --- All existing transmitting facilities, operations and devices regulated by the Commission must be in compliance with the Commission's radiofrequency (RF) exposure guidelines, pursuant to Section 1.1307(b)(1) through (b)(3) of the Commission's rules, or if not in compliance, file an Environmental Assessment (EA) as specified in Section 1.1311. See 47 CFR § 1.1307 (b) (5).
  - 5208 --- The licensee shall take all necessary measures to ensure that the antenna does not create potential exposure of humans to radiofrequency radiation in excess of the FCC exposure limits defined in 47 CFR 1.1307(b) and 1.1310 wherever such exposures might occur. Measures must be taken to ensure compliance with limits for both occupational/controlled exposure and for general population/uncontrolled exposure, as defined in these rule sections. Compliance can be accomplished in most cases by appropriate restrictions such as fencing. Requirements for restrictions can be determined by predictions based on calculations, modeling or by field measurements. The FCC's OET Bulletin 65 (available on-line at www.fcc.gov/oet/rfsafety) provides information on predicting exposure levels and on methods for ensuring compliance, including the use of warning and alerting signs and protective equipment for workers.
  - 5216 --- All operations shall be on a non-common carrier basis.
  - 6620 --- Issued in accordance with FCC Order and Authorization in the matter of Lockheed Martin Corporation application and waiver request of expired licenses E920702 and E7541, DA 14-1462.



# **RADIO STATION AUTHORIZATION**

Name:Lockheed Martin CorporationAuthorization Type:LicenseNon Common CarrierGrading

Grant date: 10/07/2014

**Expiration Date:** 

Call Sign: E7541 File Number: SES-LIC-20081103-01443 10/07/2029

**B**) This RADIO STATION AUTHORIZATION is granted subject to the additional conditions specified below:

This authorization is issued on the grantee's representation that the statements contained in the application are true and that the undertakings described will be carried out in good faith.

This authorization shall not be construed in any manner as a finding by the Commission on the question of marking or lighting of the antenna system should future conditions require. The grantee expressly agrees to install such marking or lighting as the Commission may require under the provisions of Section 303(q) of the Communications Act. 47 U.S.C. § 303(q).

Neither this authorization nor the right granted by this authorization shall be assigned or otherwise transferred to any person, firm, company or corporation without the written consent of the Commission. This authorization is subject to the right of use or control by the government of the United States conferred by Section 706 of the Communications Act. 47 U.S.C. § 706. Operation of this station is governed by Part 25 of the Commission's Rules. 47 C.F.R. Part 25.

This authorization shall not vest in the licensee any right to operate this station nor any right in the use of the designated frequencies beyond the term of this license, nor in any other manner than authorized herein.

This authorization is issued on the grantee's representation that the station is in compliance with environmental requirements set forth in Section 1.1307 of the Commission's Rules. 47 C.F.R. § 1.1307.

This authorization is issued on the grantee's representation that the station is in compliance with the Federal Aviation Administration (FAA) requirements as set forth in Section 17.4 of the Commission's Rules. 47 C.F.R.§ 17.4.

The following condition applies when this authorization permits construction of or modifies the construction permit of a radio station.

This authorization shall be automatically forfeited if the station does not meet each required construction deadline by the required date of completion unless, before such date(s), a specific application is timely filed to request an extension of the construction deadline(s), supported with good cause why that failure to construct by the required date was due to factors not under control of the grantee.

Licensees are required to pay annual regulatory fees related to this authorization. The requirement to collect annual regulatory fees from regulatees is contained in Public Law 103-66, "The Omnibus Budget Reconciliation Act of 1993." These regulatory fees, which are likely to change each fiscal year, are used to offset costs associated with the Commission's enforcement, public service, international and policy and rulemaking activities. The Commission issues a Report and Order each year, setting the new regulatory fee rates. Receive only earth stations are exempt from payment of regulatory fees.