

# FREQUENCY COORDINATION AND INTERFERENCE ANALYSIS REPORT

Prepared for  
**Global Crossing Americas Solutions, Inc**  
**SAN JUAN, PR**  
**Satellite Earth Station**

Prepared By:  
COMSEARCH  
19700 Janelia Farm Boulevard  
Ashburn, VA 20147  
December 26, 2009

## TABLE OF CONTENTS

1. CONCLUSIONS .....	3
2. SUMMARY OF RESULTS .....	4
3. SUPPLEMENTAL SHOWING .....	5
4. EARTH STATION COORDINATION DATA.....	6
5. CERTIFICATION.....	10

# 1. CONCLUSIONS

An interference study considering all existing, proposed and prior coordinated microwave facilities within the coordination contours of the proposed earth station demonstrates that this site will operate satisfactorily with the common carrier microwave environment. The transmit band of the proposed earth station will be limited to avoid conflict with local 6 GHz terrestrial microwave receivers. There will be no other restrictions of its operation due to interference considerations.

## 2. SUMMARY OF RESULTS

A number of great circle interference cases were identified during the interference study of the proposed earth station. Each of the cases, which exceeded the interference objective on a line-of-sight basis, was profiled and the propagation losses estimated using NBS TN101 (Revised) techniques. The losses were found to be sufficient to reduce the signal levels to acceptable magnitudes in every case, with the exception of those cases where the transmit band will be limited to avoid conflict with local 6 GHz terrestrial microwave receivers.

The following companies reported potential great circle interference conflicts that did not meet the objectives on a line-of-sight basis. When over-the-horizon losses are considered on the interfering paths, sufficient blockage exists to negate harmful interference from occurring with the proposed transmit-receive earth station.

### Company

AT&T Mobility Puerto Rico  
Puerto Rico Telephone Company  
Sprintcom, Inc. Puerto Rico

No other carriers reported potential interference cases.

### 3. SUPPLEMENTAL SHOWING

Pursuant to Part 25.203(c) of the FCC Rules and Regulations, the satellite earth station proposed in this application was coordinated by Comsearch using computer techniques and in accordance with Part 25 of the FCC Rules and Regulations.

Coordination data for this earth station was sent to the below listed carriers with a letter dated 11/10/2009.

Company

ALL AMERICAN CABLE AND RADIO INC  
AT&T Mobility Puerto Rico  
Aeronet Wireless Broadband Corp  
BROADCAST MEDIA SATELLITE  
CCPR of the Virgin Islands, Inc.  
CROWN CASTLE INT CORP DE PUERTO RICO  
Centennial Puerto Rico License Corp.  
EVERTEC, INC  
INTERISLAND TELEPHONE CORPORATION  
Interference Office, Arecibo Observatory  
Neptuno Media  
PRWireless, Inc.  
PUERTO RICO ELECTRIC POWER AUTHORITY  
PUERTO RICO HIGHWAY AUTHORITY  
Puerto Rico Commonwealth of State Police  
Puerto Rico Telephone Company  
Sprint PCS  
Sprintcom, Inc. Puerto Rico  
T-Mobile Puerto Rico LLC

## **4. EARTH STATION COORDINATION DATA**

This section presents the data pertinent to frequency coordination of the proposed earth station that was circulated to all carriers within its coordination contours.

# COMSEARCH

## Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147  
(703)726-5500 <http://www.comsearch.com>

Date: 12/11/2009  
Job Number: 091110COMSGE03

---

### Administrative Information

Status ENGINEER PROPOSAL  
Call Sign  
Licensee Code GLOAME  
Licensee Name Global Crossing Americas Solutions, Inc

---

### Site Information

**SAN JUAN, PR**  
Venue Name  
Latitude (NAD 83) 18° 22' 49.8" N  
Longitude (NAD 83) 66° 3' 14.8" W  
Climate Zone C  
Rain Zone 1  
Ground Elevation (AMSL) 24.99 m / 82.0 ft

---

### Link Information

Satellite Type Geostationary  
Mode TR - Transmit-Receive  
Modulation Digital  
Satellite Arc 43° W to 45° West Longitude  
Azimuth Range 126.5° to 129.3°  
Corresponding Elevation Angles 56.0° / 57.7°  
Antenna Centerline (AGL) 2.74 m / 9.0 ft

---

### Antenna Information

	<b>Receive - FCC32</b>	<b>Transmit - FCC32</b>
Manufacturer	Prodelin 3.8 meter	Prodelin 3.8 meter
Gain / Diameter	42.1 dBi / 3.8 m	46.0 dBi / 3.8 m
3-dB / 15-dB Beamwidth	1.40° / 2.80°	1.00° / 2.00°
Max Available RF Power (dBW/4 kHz) (dBW/MHz)		-14.1 9.9
Maximum EIRP (dBW/4 kHz) (dBW/MHz)		31.9 55.9
Interference Objectives:	Long Term -156.0 dBW/MHz 20% Short Term -146.0 dBW/MHz 0.01%	-154.0 dBW/4 kHz 20% -131.0 dBW/4 kHz 0.0025%

---

### Frequency Information

	<b>Receive 4.0 GHz</b>	<b>Transmit 6.1 GHz</b>
Emission / Frequency Range (MHz)	51K0G7D - 102KG7D / 3700.0 - 4200.0	51K0G7D - 102KG7D / 5925.0 - 5978.0 51K0G7D - 102KG7D / 6031.0 - 6077.0 51K0G7D - 102KG7D / 6110.0 - 6126.0 51K0G7D - 102KG7D / 6179.0 - 6181.0 51K0G7D - 102KG7D / 6214.0 - 6240.0
Max Great Circle Coordination Distance	710.9 km / 441.7 mi	225.0 km / 139.8 mi
Precipitation Scatter Contour Radius	100.0 km / 62.1 mi	100.0 km / 62.1 mi

# COMSEARCH

## Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147  
(703)726-5500 <http://www.comsearch.com>

### Coordination Values

### SAN JUAN, PR

Licensee Name Global Crossing Americas Solutions, Inc  
Latitude (NAD 83) 18° 22' 49.8" N  
Longitude (NAD 83) 66° 3' 14.8" W  
Ground Elevation (AMSL) 24.99 m / 82.0 ft  
Antenna Centerline (AGL) 2.74 m / 9.0 ft  
Antenna Model Prodelin 3.8 Meter  
Antenna Mode Receive 4.0 GHz Transmit 6.1 GHz  
Interference Objectives: Long Term -156.0 dBW/MHz 20% -154.0 dBW/4 kHz 20%  
Short Term -146.0 dBW/MHz 0.01% -131.0 dBW/4 kHz 0.0025%  
Max Available RF Power -14.1 (dBW/4 kHz)

Azimuth (°)	Horizon Elevation (°)	Antenna Discrimination (°)	Receive 4.0 GHz		Transmit 6.1 GHz	
			Horizon Gain (dBi)	Coordination Distance (km)	Horizon Gain (dBi)	Coordination Distance (km)
0	2.03	110.51	-10.00	280.72	-10.00	100.00
5	1.83	107.84	-10.00	298.96	-10.00	100.00
10	1.61	105.09	-10.00	318.76	-10.00	100.00
15	2.28	102.55	-10.00	261.78	-10.00	100.00
20	3.58	100.00	-10.00	189.27	-10.00	100.00
25	3.83	97.05	-10.00	179.60	-10.00	100.00
30	4.28	94.05	-10.00	169.67	-10.00	100.00
35	4.35	90.95	-10.00	168.72	-10.00	100.00
40	4.49	87.85	-10.00	167.06	-10.00	100.00
45	3.91	84.81	-10.00	176.65	-10.00	100.00
50	3.20	81.90	-10.00	204.94	-10.00	100.00
55	3.59	78.86	-10.00	189.00	-10.00	100.00
60	3.01	76.13	-10.00	212.92	-10.00	100.00
65	2.94	73.35	-10.00	217.15	-10.00	100.00
70	3.46	70.40	-10.00	194.41	-10.00	100.00
75	4.67	67.12	-10.00	164.81	-10.00	100.00
80	5.03	64.32	-10.00	160.35	-10.00	100.00
85	5.14	61.79	-10.00	157.61	-10.00	100.00
90	2.91	61.13	-10.00	218.96	-10.00	100.00
95	2.27	59.70	-10.00	262.27	-10.00	100.00
100	1.81	58.41	-10.00	300.37	-10.00	100.00
105	1.22	57.54	-10.00	361.31	-10.00	100.00
110	1.21	56.43	-10.00	362.58	-10.00	100.00
115	1.10	55.69	-10.00	376.11	-10.00	100.00
120	1.00	55.24	-10.00	388.83	-10.00	100.00
125	0.96	55.04	-10.00	398.15	-10.00	103.65
130	0.91	55.14	-10.00	409.87	-10.00	108.60
135	1.16	55.26	-10.00	368.19	-10.00	100.00
140	1.25	55.84	-10.00	357.99	-10.00	100.00
145	1.83	56.25	-10.00	298.88	-10.00	100.00
150	1.87	57.47	-10.00	295.12	-10.00	100.00
155	1.72	59.10	-10.00	309.43	-10.00	100.00
160	1.77	60.80	-10.00	304.89	-10.00	100.00
165	2.11	62.50	-10.00	273.97	-10.00	100.00
170	1.54	65.02	-10.00	326.20	-10.00	100.00
175	1.97	66.83	-10.00	285.49	-10.00	100.00
180	2.06	69.04	-10.00	277.95	-10.00	100.00
185	2.11	71.42	-10.00	274.42	-10.00	100.00



# COMSEARCH

## Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147  
(703)726-5500 <http://www.comsearch.com>

### Coordination Values


### SAN JUAN, PR

Licensee Name	Global Crossing Americas Solutions, Inc		
Latitude (NAD 83)	18° 22' 49.8" N		
Longitude (NAD 83)	66° 3' 14.8" W		
Ground Elevation (AMSL)	24.99 m / 82.0 ft		
Antenna Centerline (AGL)	2.74 m / 9.0 ft		
Antenna Model	Prodelin 3.8 Meter		
Antenna Mode	Receive 4.0 GHz		Transmit 6.1 GHz
Interference Objectives: Long Term	-156.0 dBW/MHz	20%	-154.0 dBW/4 kHz
Short Term	-146.0 dBW/MHz	0.01%	-131.0 dBW/4 kHz
Max Available RF Power			-14.1 (dBW/4 kHz)

Azimuth (°)	Horizon Elevation (°)	Antenna Discrimination (°)	Receive 4.0 GHz		Transmit 6.1 GHz	
			Horizon Gain (dBi)	Coordination Distance (km)	Horizon Gain (dBi)	Coordination Distance (km)
190	2.05	73.95	-10.00	278.72	-10.00	100.00
195	1.50	76.75	-10.00	330.34	-10.00	100.00
200	1.43	79.41	-10.00	337.03	-10.00	100.00
205	1.11	82.17	-10.00	374.46	-10.00	100.00
210	1.23	84.87	-10.00	360.64	-10.00	100.00
215	1.15	87.62	-10.00	370.21	-10.00	100.00
220	1.11	90.37	-10.00	374.62	-10.00	100.00
225	1.02	93.11	-10.00	385.07	-10.00	100.00
230	1.13	95.86	-10.00	371.73	-10.00	100.00
235	1.19	98.57	-10.00	365.43	-10.00	100.00
240	1.07	101.20	-10.00	379.05	-10.00	100.00
245	0.89	103.72	-10.00	414.21	-10.00	110.45
250	0.96	106.25	-10.00	396.79	-10.00	102.95
255	0.77	108.56	-10.00	440.50	-10.00	122.96
260	0.69	110.79	-10.00	463.09	-10.00	132.37
265	0.73	112.95	-10.00	452.89	-10.00	128.14
270	0.68	114.90	-10.00	467.48	-10.00	134.17
275	0.41	116.51	-10.00	574.98	-10.00	177.88
280	0.30	118.02	-10.00	646.04	-10.00	202.40
285	0.22	119.34	-10.00	695.75	-10.00	219.80
290	0.00	120.29	-10.00	710.92	-10.00	225.03
295	0.00	121.19	-10.00	710.92	-10.00	225.03
300	0.00	121.83	-10.00	710.92	-10.00	225.03
305	0.00	122.20	-10.00	710.92	-10.00	225.03
310	0.34	122.64	-10.00	620.86	-10.00	193.42
315	0.00	122.13	-10.00	710.92	-10.00	225.03
320	0.00	121.68	-10.00	710.92	-10.00	225.03
325	0.45	121.40	-10.00	548.18	-10.00	167.77
330	1.42	121.30	-10.00	338.48	-10.00	100.00
335	1.71	120.28	-10.00	310.27	-10.00	100.00
340	1.82	118.85	-10.00	299.42	-10.00	100.00
345	1.85	117.13	-10.00	297.05	-10.00	100.00
350	2.51	115.60	-10.00	245.63	-10.00	100.00
355	3.17	113.63	-10.00	206.04	-10.00	100.00

## 5. CERTIFICATION

I HEREBY CERTIFY THAT I AM THE TECHNICALLY QUALIFIED PERSON RESPONSIBLE FOR THE PREPARATION OF THE FREQUENCY COORDINATION DATA CONTAINED IN THIS APPLICATION, THAT I AM FAMILIAR WITH PARTS 101 AND 25 OF THE FCC RULES AND REGULATIONS, THAT I HAVE EITHER PREPARED OR REVIEWED THE FREQUENCY COORDINATION DATA SUBMITTED WITH THIS APPLICATION, AND THAT IT IS COMPLETE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

BY: 

Gary K. Edwards  
Senior Manager  
COMSEARCH  
19700 Janelia Farm Boulevard  
Ashburn, VA 20147

DATED: December 26, 2009