

FREQUENCY COORDINATION AND INTERFERENCE ANALYSIS REPORT

Prepared for

**TELESAT
Anchorage, Alaska
7.3 Meter**

Satellite Earth Station

Prepared By:

COMSEARCH

19700 Janelia Farm Boulevard

Ashburn, Va. 20147

August 17, 2010

TABLE OF CONTENTS

1. CONCLUSIONS.....	3
2. SUMMARY OF RESULTS.....	4
3. SUPPLEMENTAL SHOWING	5
4. EARTH STATION COORDINATION DATA	6
5. CERTIFICATION	10

1. CONCLUSIONS

An interference study considering all existing, proposed and prior coordinated microwave facilities within the coordination contours of the proposed earth station demonstrates that this site will operate satisfactorily with the common carrier microwave environment. Further, there will be no restrictions of its operation due to interference considerations.

2. SUMMARY OF RESULTS

A number of great circle interference cases were identified during the interference study of the proposed earth station. Each of the cases, which exceeded the interference objective on a line-of-sight basis, was profiled and the propagation losses estimated using NBS TN101 (Revised) techniques. The losses were found to be sufficient to reduce the signal levels to acceptable magnitudes in every case.

The following companies reported potential great circle interference conflicts that did not meet the objectives on a line-of-sight basis. When over-the-horizon losses are considered on the interfering paths, sufficient blockage exists to negate harmful interference from occurring with the proposed transmit-receive earth station.

Company

None

No carriers reported potential interference cases.

3. SUPPLEMENTAL SHOWING

Pursuant to Part 25.203(c) of the FCC Rules and Regulations, the satellite earth station proposed in this application was coordinated by Comsearch using computer techniques and in accordance with Part 25 of the FCC Rules and Regulations.

Coordination data for this earth station was sent to the below listed carriers with a letter dated April 1, 2010.

Company

ACS LONG DISTANCE LICENSE SUB, INC.
ACS OF ANCHORAGE LICENSE SUB, INC.
ACS WIRELESS LICENSE SUB, INC.
ALASCOM, INC.
CHUGACH ELECTRIC ASSOCIATION, INC.
ENSTAR NATURAL GAS COMPANY
GCI Communication Corporation
MATANUSKA KENAI INC
MTA Communications, Inc.
Matanuska Telephone Association, Inc.
Norstar Pipeline Company
State of Alaska

4. EARTH STATION COORDINATION DATA

This section presents the data pertinent to frequency coordination of the proposed earth station that was circulated to all carriers within its coordination contours.

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Date: 08/17/2010
Job Number: 100401COMSJC05

Administrative Information

Status: ENGINEER PROPOSAL
Call Sign:
Licensee Code: TELSAT
Licensee Name: TELESAT CANADA

Site Information

ANCHORAGE, ALASKA

Venue Name:
Latitude (NAD 83): 61° 14' 7.3" N
Longitude (NAD 83): 149° 49' 24.3" W
Climate Zone: A
Rain Zone: 2
Ground Elevation (AMSL): 44.5 m / 146.0 ft

Link Information

Satellite Type: Geostationary
Mode: TR - Transmit-Receive
Modulation: Digital
Satellite Arc: 111° W to 120° West Longitude
Azimuth Range: 137.5° to 146.8°
Corresponding Elevation Angles: 13.6° / 16.3°
Antenna Centerline (AGL): 7.01 m / 23.0 ft

Antenna Information

Manufacturer:
Model:
Gain / Diameter:
3-dB / 15-dB Beamwidth:

Receive

Andrew Corporation
7.3 Meter
48.3 dBi / 7.3 m
0.66° / 1.24°

Transmit

Andrew Corporation
7.3 Meter
51.7 dBi / 7.3 m
0.44° / 0.84°

Max Available RF Power (dBW/4 kHz)
(dBW/MHz)

-20.0
3.3

Maximum EIRP (dBW/4 kHz)
(dBW/MHz)
(dBW)

31.7
55.0
55.0

Interference Objectives: Long Term Short Term
-156.0 dBW/MHz 20%
-146.0 dBW/MHz 0.01%

-154.0 dBW/4 kHz 20%
-131.0 dBW/4 kHz 0.0025%

Frequency Information

Emission / Frequency Range (MHz)

Receive 4.0 GHz

853KG7D / 3700.0 - 4200.0

Transmit 6.1 GHz

853KG7D / 5925.0 - 6300.0
853KG7D / 6331.6 - 6425.0

Max Great Circle Coordination Distance
Precipitation Scatter Contour Radius

361.7 km / 224.8 mi
524.1 km / 325.6 mi

140.1 km / 87.0 mi
100.0 km / 62.1 mi

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Coordination Values

ANCHORAGE, AK

Licensee Name TELESAT CANADA
Latitude (NAD 83) 61° 14' 7.3" N
Longitude (NAD 83) 149° 49' 24.3" W
Ground Elevation (AMSL) 44.5 m / 146.0 ft
Antenna Centerline (AGL) 7.01 m / 23.0 ft
Antenna Model Andrew Corporation 7.3 Meter
Antenna Mode Receive 4.0 GHz Transmit 6.1 GHz
Interference Objectives: Long Term -156.0 dBW/MHz 20% -154.0 dBW/4 kHz 20%
Short Term -146.0 dBW/MHz 0.01% -131.0 dBW/4 kHz 0.0025%
Max Available RF Power -20.0 (dBW/4 kHz)

Azimuth (°)	Horizon Elevation (°)	Antenna Discrimination (°)	Receive 4.0 GHz		Transmit 6.1 GHz	
			Horizon Gain (dBi)	Coordination Distance (km)	Horizon Gain (dBi)	Coordination Distance (km)
0	0.89	135.95	-10.00	226.29	-10.00	100.00
5	0.69	131.15	-10.00	237.85	-10.00	100.00
10	0.80	126.38	-10.00	231.18	-10.00	100.00
15	0.71	121.54	-10.00	236.61	-10.00	100.00
20	0.67	116.70	-10.00	238.83	-10.00	100.00
25	0.50	111.84	-10.00	249.64	-10.00	100.00
30	0.47	106.98	-10.00	253.39	-10.00	100.00
35	0.72	102.14	-10.00	235.79	-10.00	100.00
40	0.45	97.26	-10.00	255.64	-10.00	100.00
45	0.51	92.39	-10.00	249.23	-10.00	100.00
50	0.44	87.52	-10.00	256.80	-10.00	100.00
55	0.33	82.65	-10.00	269.47	-10.00	106.80
60	0.32	77.79	-10.00	269.98	-10.00	107.13
65	0.32	72.93	-10.00	270.02	-10.00	107.16
70	0.31	68.08	-10.00	272.08	-10.00	108.52
75	0.34	63.24	-10.00	267.86	-10.00	105.73
80	0.41	58.41	-10.00	259.46	-10.00	100.10
85	0.47	53.59	-10.00	252.60	-10.00	100.00
90	0.39	48.82	-10.00	262.46	-10.00	102.12
95	0.43	44.07	-9.10	263.46	-9.10	101.35
100	0.51	39.35	-7.87	262.15	-7.87	100.00
105	0.45	34.73	-6.52	277.51	-6.52	106.40
110	0.55	30.16	-4.99	277.65	-4.99	103.79
115	0.71	25.71	-3.25	278.49	-3.25	101.13
120	0.52	21.67	-1.39	305.26	-1.39	114.81
125	0.45	18.01	0.61	328.76	0.61	125.07
130	0.36	15.13	2.51	354.83	2.51	136.23
135	0.39	13.40	3.83	361.75	3.83	137.75
140	0.40	13.40	3.82	360.43	3.82	136.90
145	0.35	14.87	2.69	358.04	2.69	137.93
150	0.36	16.24	1.74	348.68	1.74	133.95
155	0.37	17.88	0.69	338.90	0.69	131.28
160	0.00	20.87	-0.99	349.08	-0.99	140.09
165	0.00	24.25	-2.62	336.92	-2.62	135.37
170	0.00	28.09	-4.21	325.30	-4.21	132.27
175	0.00	32.23	-5.71	314.68	-5.71	128.28
180	0.00	36.56	-7.08	304.56	-7.08	124.66
185	0.00	41.03	-8.33	296.14	-8.33	121.39

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Coordination Values


ANCHORAGE, AK

Licensee Name	TELESAT CANADA				
Latitude (NAD 83)	61° 14' 7.3" N				
Longitude (NAD 83)	149° 49' 24.3" W				
Ground Elevation (AMSL)	44.5 m / 146.0 ft				
Antenna Centerline (AGL)	7.01 m / 23.0 ft				
Antenna Model	Andrew Corporation 7.3 Meter				
Antenna Mode	Receive 4.0 GHz				
Interference Objectives: Long Term	-156.0 dBW/MHz	20%	Transmit 6.1 GHz	-154.0 dBW/4 kHz	20%
Short Term	-146.0 dBW/MHz	0.01%		-131.0 dBW/4 kHz	0.0025%
Max Available RF Power	-20.0 (dBW/4 kHz)				

Azimuth (°)	Horizon Elevation (°)	Antenna Discrimination (°)	Receive 4.0 GHz		Transmit 6.1 GHz	
			Horizon Gain (dBi)	Coordination Distance (km)	Horizon Gain (dBi)	Coordination Distance (km)
190	0.00	45.59	-9.47	288.66	-9.47	118.43
195	0.00	50.22	-10.00	285.28	-10.00	117.07
200	0.00	54.89	-10.00	285.28	-10.00	117.07
205	0.00	59.60	-10.00	285.28	-10.00	117.07
210	0.00	64.34	-10.00	285.28	-10.00	117.07
215	0.00	69.10	-10.00	285.28	-10.00	117.07
220	0.00	73.88	-10.00	285.28	-10.00	117.07
225	0.00	78.66	-10.00	285.28	-10.00	117.07
230	0.00	83.46	-10.00	285.28	-10.00	117.07
235	0.00	88.25	-10.00	285.28	-10.00	117.07
240	0.00	93.05	-10.00	285.28	-10.00	117.07
245	0.00	97.85	-10.00	285.28	-10.00	117.07
250	0.00	102.64	-10.00	285.28	-10.00	117.07
255	0.00	107.42	-10.00	285.28	-10.00	117.07
260	0.00	112.19	-10.00	285.28	-10.00	117.07
265	0.00	116.95	-10.00	285.28	-10.00	117.07
270	0.00	121.68	-10.00	285.28	-10.00	117.07
275	0.00	126.38	-10.00	285.28	-10.00	117.07
280	0.00	131.05	-10.00	285.28	-10.00	117.07
285	0.00	135.66	-10.00	285.28	-10.00	117.07
290	0.00	140.19	-10.00	285.28	-10.00	117.07
295	0.00	144.63	-10.00	285.28	-10.00	117.07
300	0.23	149.03	-10.00	281.17	-10.00	114.43
305	0.39	153.21	-10.00	261.71	-10.00	101.62
310	0.44	157.02	-10.00	256.33	-10.00	100.00
315	0.56	160.38	-10.00	246.16	-10.00	100.00
320	0.64	162.93	-10.00	240.86	-10.00	100.00
325	0.72	164.29	-10.00	235.78	-10.00	100.00
330	0.75	162.14	-10.00	234.52	-10.00	100.00
335	0.78	158.41	-10.00	232.43	-10.00	100.00
340	0.86	154.28	-10.00	228.09	-10.00	100.00
345	0.86	149.87	-10.00	227.71	-10.00	100.00
350	0.98	145.35	-10.00	221.51	-10.00	100.00
355	1.00	140.70	-10.00	220.20	-10.00	100.00

5. CERTIFICATION

I HEREBY CERTIFY THAT I AM THE TECHNICALLY QUALIFIED PERSON RESPONSIBLE FOR THE PREPARATION OF THE FREQUENCY COORDINATION DATA CONTAINED IN THIS APPLICATION, THAT I AM FAMILIAR WITH PARTS 101 AND 25 OF THE FCC RULES AND REGULATIONS, THAT I HAVE EITHER PREPARED OR REVIEWED THE FREQUENCY COORDINATION DATA SUBMITTED WITH THIS APPLICATION, AND THAT IT IS COMPLETE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.



Jeffrey E. Cowles
Principal Frequency Planner
COMSEARCH
19700 Janelia Farm Boulevard
Ashburn, Va. 20147

DATED: August 17, 2010