

FREQUENCY COORDINATION AND INTERFERENCE ANALYSIS REPORT

Prepared for
Americom Government Services, Inc.
ATLANTA, GA
Satellite Earth Station

Prepared By:
COMSEARCH
19700 Janelia Farm Boulevard
Ashburn, VA 20147
April 26, 2011

TABLE OF CONTENTS

1. CONCLUSIONS	3
2. SUMMARY OF RESULTS	4
3. SUPPLEMENTAL SHOWING	5
4. EARTH STATION COORDINATION DATA.....	6
5. CERTIFICATION.....	10

1. CONCLUSIONS

An interference study considering all existing, proposed and prior coordinated microwave facilities within the coordination contours of the proposed earth station demonstrates that this site will operate satisfactorily with the common carrier microwave environment. Further, there will be no restrictions of its operation due to interference considerations.

2. SUMMARY OF RESULTS

A number of great circle interference cases were identified during the interference study of the proposed earth station. Each of the cases, which exceeded the interference objective on a line-of-sight basis, was profiled and the propagation losses estimated using NBS TN101 (Revised) techniques. The losses were found to be sufficient to reduce the signal levels to acceptable magnitudes in every case.

The following companies reported potential great circle interference conflicts that did not meet the objectives on a line-of-sight basis. When over-the-horizon losses are considered on the interfering paths, sufficient blockage exists to negate harmful interference from occurring with the proposed transmit-receive earth station.

Company

Verizon Wireless (VAW) LLC (Georgia)

No other carriers reported potential interference cases.

3. SUPPLEMENTAL SHOWING

Pursuant to Part 25.203(c) of the FCC Rules and Regulations, the satellite earth station proposed in this application was coordinated by Comsearch using computer techniques and in accordance with Part 25 of the FCC Rules and Regulations.

Coordination data for this earth station was sent to the below listed carriers with a letter dated 03/25/2011.

Company

ALLTEL Communications, LLC
Allied Wireless Communications Corp.
Athens Cellular, Inc.
Bell Atlantic Mobile Allentown-Verizon W
COBB COUNTY
Cellco Partnership dba Verizon Wire (GA)
Cellco Partnership-Newark-Dallas Verizon
Conterra Ultra Broadband, LLC
County of Forsyth
Coweta County
DeKalb County Police Department
FLINT ELECTRIC MEMBERSHIP CORPORATION
FULTON, COUNTY OF
GWINNETT, COUNTY OF
Georgia Southern and Florida Railway Co
Georgia System Operations Corporation
Greene County EOC/E-911
HOUSTON, COUNTY OF
Hall County 9-1-1
International Communications Group, Inc.
Jackson Electric Membership Corporation
Norfolk Southern Railway
Oconee County Sheriffs Office
Open Range Communications
Public Service Telephone Company
SOUTHERN COMPANY SERVICES INC
Southwestco Wireless LP (Georgia 5)
Troy University Radio & Television
Verizon Wireless (VAW) LLC (Georgia)
Verizon Wireless of The East LP - (GA)
Verizon Wireless of the East LP- Alabama

4. EARTH STATION COORDINATION DATA

This section presents the data pertinent to frequency coordination of the proposed earth station that was circulated to all carriers within its coordination contours.

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Date: 04/25/2011
Job Number: 110325COMSGE02

Administrative Information

Status ENGINEER PROPOSAL
Call Sign
Licensee Code AMGOSE
Licensee Name Americom Government Services, Inc.

Site Information ATLANTA, GA

Venue Name
Latitude (NAD 83) 33° 22' 46.9" N
Longitude (NAD 83) 84° 17' 41.6" W
Climate Zone A
Rain Zone 1
Ground Elevation (AMSL) 269.9 m / 885.5 ft

Link Information

Satellite Type Geostationary
Mode TR - Transmit-Receive
Modulation Digital
Satellite Arc 37° W to 139° West Longitude
Azimuth Range 116.9° to 248.7°
Corresponding Elevation Angles 26.7° / 20.7°
Antenna Centerline (AGL) 2.74 m / 9.0 ft

Antenna Information

	Receive - FCC32	Transmit - FCC32
Manufacturer	Prodelin	Prodelin
Model	1385	1385
Gain / Diameter	42.0 dBi / 3.8 m	46.5 dBi / 3.8 m
3-dB / 15-dB Beamwidth	1.40° / 2.80°	1.00° / 2.00°
Max Available RF Power (dBW/4 kHz)		-16.7
(dBW/MHz)		7.3
Maximum EIRP (dBW/4 kHz)		29.8
(dBW/MHz)		53.8
Interference Objectives:		
Long Term	-156.0 dBW/MHz 20%	-154.0 dBW/4 kHz 20%
Short Term	-146.0 dBW/MHz 0.01%	-131.0 dBW/4 kHz 0.0025%

Frequency Information

	Receive 4.0 GHz	Transmit 6.1 GHz
Emission / Frequency Range (MHz)	252KG7W - 36M0F8W / 3700.0 - 4200.0	252KG7W - 36M0F8W / 5925.0 - 6425.0
Max Great Circle Coordination Distance	329.0 km / 204.4 mi	141.9 km / 88.1 mi
Precipitation Scatter Contour Radius	577.7 km / 358.9 mi	100.0 km / 62.1 mi

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Coordination Values

ATLANTA, GA

Licensee Name: Americom Government Services, Inc.
Latitude (NAD 83): 33° 22' 46.9" N
Longitude (NAD 83): 84° 17' 41.6" W
Ground Elevation (AMSL): 269.9 m / 885.5 ft
Antenna Centerline (AGL): 2.74 m / 9.0 ft
Antenna Model: Prodelin 3.8 meter
Antenna Mode: Receive 4.0 GHz Transmit 6.1 GHz
Interference Objectives: Long Term -156.0 dBW/MHz 20% -154.0 dBW/4 kHz 20%
Short Term -146.0 dBW/MHz 0.01% -131.0 dBW/4 kHz 0.0025%
Max Available RF Power: -16.7 (dBW/4 kHz)

Azimuth (°)	Horizon Elevation (°)	Antenna Discrimination (°)	Receive 4.0 GHz		Transmit 6.1 GHz	
			Horizon Gain (dBi)	Coordination Distance (km)	Horizon Gain (dBi)	Coordination Distance (km)
0	0.21	109.87	-10.00	284.19	-10.00	124.95
5	0.25	109.52	-10.00	278.80	-10.00	121.43
10	0.24	105.10	-10.00	280.16	-10.00	122.32
15	0.29	100.66	-10.00	273.90	-10.00	118.20
20	0.24	96.19	-10.00	280.13	-10.00	122.30
25	0.26	91.72	-10.00	277.32	-10.00	120.46
30	0.26	87.25	-10.00	277.32	-10.00	120.46
35	0.26	82.77	-10.00	277.81	-10.00	120.78
40	0.21	78.32	-10.00	284.56	-10.00	125.19
45	0.00	73.91	-10.00	285.28	-10.00	125.65
50	0.00	69.51	-10.00	285.28	-10.00	125.65
55	0.21	65.10	-10.00	284.37	-10.00	125.07
60	0.25	60.76	-10.00	279.26	-10.00	121.74
65	0.28	56.49	-10.00	275.50	-10.00	119.26
70	0.24	52.32	-10.00	280.53	-10.00	122.57
75	0.00	48.36	-10.00	285.28	-10.00	125.65
80	0.00	44.44	-9.19	290.46	-9.19	127.78
85	0.00	40.71	-8.24	296.71	-8.24	130.32
90	0.00	37.22	-7.27	303.24	-7.27	132.93
95	0.00	34.05	-6.30	309.88	-6.30	134.29
100	0.00	31.30	-5.39	316.92	-5.39	136.86
105	0.00	29.09	-4.59	322.57	-4.59	139.18
110	0.00	27.55	-4.00	326.82	-4.00	140.95
115	0.00	26.80	-3.70	329.00	-3.70	141.87
120	0.00	26.90	-3.74	328.71	-3.74	141.75
125	0.23	27.62	-4.03	322.04	-4.03	137.77
130	0.00	29.55	-4.76	321.37	-4.76	138.68
135	0.00	31.89	-5.59	315.48	-5.59	136.28
140	0.00	34.75	-6.52	308.35	-6.52	133.69
145	0.00	37.97	-7.49	301.77	-7.49	132.34
150	0.00	41.08	-8.34	296.05	-8.34	130.05
155	0.00	43.90	-9.06	291.32	-9.06	128.14
160	0.41	46.03	-9.58	262.17	-9.58	109.65
165	0.52	47.94	-10.00	248.16	-10.00	100.61
170	0.34	49.60	-10.00	268.46	-10.00	114.56
175	0.24	50.63	-10.00	280.17	-10.00	122.33
180	0.00	51.18	-10.00	285.28	-10.00	125.65
185	0.23	50.64	-10.00	281.52	-10.00	123.21

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Coordination Values


ATLANTA, GA

Licensee Name: Americom Government Services, Inc.
Latitude (NAD 83): 33° 22' 46.9" N
Longitude (NAD 83): 84° 17' 41.6" W
Ground Elevation (AMSL): 269.9 m / 885.5 ft
Antenna Centerline (AGL): 2.74 m / 9.0 ft
Antenna Model: Prodelin 3.8 meter
Antenna Mode: Receive 4.0 GHz / Transmit 6.1 GHz
Interference Objectives: Long Term: -156.0 dBW/MHz 20% / -154.0 dBW/4 kHz 20%
Short Term: -146.0 dBW/MHz 0.01% / -131.0 dBW/4 kHz 0.0025%
Max Available RF Power: -16.7 (dBW/4 kHz)

Azimuth (°)	Horizon Elevation (°)	Antenna Discrimination (°)	Receive 4.0 GHz		Transmit 6.1 GHz	
			Horizon Gain (dBi)	Coordination Distance (km)	Horizon Gain (dBi)	Coordination Distance (km)
190	0.26	49.68	-10.00	278.00	-10.00	120.91
195	0.28	48.15	-10.00	275.46	-10.00	119.23
200	0.32	46.10	-9.59	272.97	-9.59	116.96
205	0.00	43.90	-9.06	291.31	-9.06	128.13
210	0.00	41.08	-8.34	296.05	-8.34	130.05
215	0.00	37.97	-7.49	301.77	-7.49	132.34
220	0.31	34.43	-6.42	295.04	-6.42	126.33
225	0.31	30.90	-5.25	303.11	-5.25	129.50
230	0.31	27.42	-3.95	312.95	-3.95	133.04
235	0.67	24.13	-2.56	285.78	-2.56	113.41
240	0.67	21.78	-1.45	293.67	-1.45	116.47
245	0.67	20.37	-0.72	299.00	-0.72	118.54
250	0.75	20.00	-0.53	294.75	-0.53	115.40
255	0.75	20.89	-1.00	291.27	-1.00	114.04
260	0.79	22.78	-1.94	281.77	-1.94	109.55
265	1.00	25.36	-3.11	260.58	-3.11	100.00
270	1.00	28.70	-4.45	251.97	-4.45	100.00
275	0.92	32.48	-5.79	248.52	-5.79	100.00
280	0.84	36.52	-7.06	245.81	-7.06	100.00
285	0.51	40.84	-8.28	259.41	-8.28	105.70
290	0.51	45.15	-9.37	252.86	-9.37	102.87
295	0.51	49.57	-10.00	249.04	-10.00	101.24
300	0.00	54.19	-10.00	285.28	-10.00	125.65
305	0.00	58.72	-10.00	285.28	-10.00	125.65
310	0.00	63.29	-10.00	285.28	-10.00	125.65
315	0.00	67.90	-10.00	285.28	-10.00	125.65
320	0.00	72.53	-10.00	285.28	-10.00	125.65
325	0.00	77.18	-10.00	285.28	-10.00	125.65
330	0.00	81.85	-10.00	285.28	-10.00	125.65
335	0.00	86.52	-10.00	285.28	-10.00	125.65
340	0.00	91.20	-10.00	285.28	-10.00	125.65
345	0.00	95.87	-10.00	285.28	-10.00	125.65
350	0.00	100.54	-10.00	285.28	-10.00	125.65
355	0.00	105.20	-10.00	285.28	-10.00	125.65

5. CERTIFICATION

I HEREBY CERTIFY THAT I AM THE TECHNICALLY QUALIFIED PERSON RESPONSIBLE FOR THE PREPARATION OF THE FREQUENCY COORDINATION DATA CONTAINED IN THIS APPLICATION, THAT I AM FAMILIAR WITH PARTS 101 AND 25 OF THE FCC RULES AND REGULATIONS, THAT I HAVE EITHER PREPARED OR REVIEWED THE FREQUENCY COORDINATION DATA SUBMITTED WITH THIS APPLICATION, AND THAT IT IS COMPLETE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

BY: 

Gary K. Edwards
Senior Manager
COMSEARCH
19700 Janelia Farm Boulevard
Ashburn, VA 20147

DATED: April 26, 2011