FREQUENCY COORDINATION AND INTERFERENCE ANALYSIS REPORT

Prepared for

Universal Space Network, Inc. Clewiston, Florida

Satellite Earth Station

Prepared By: COMSEARCH 19700 Janelia Farm Boulevard Ashburn, Virginia 20147 September 12, 2011

TABLE OF CONTENTS

1. CONCLUSIONS	3
2. SUMMARY OF RESULTS	
3. SUPPLEMENTAL SHOWING	
4. EARTH STATION COORDINATION DATA	
5. CERTIFICATION	

1. CONCLUSIONS

An interference study considering all existing, proposed and prior coordinated microwave facilities within the coordination contours of the proposed earth station demonstrates that this site will operate satisfactorily with the common carrier microwave environment, based upon the restrictions noted in the Summary of Results (Section 2).

.

2. SUMMARY OF RESULTS

A number of great circle interference cases were identified during the interference study of the proposed earth station. Each of the cases, which exceeded the interference objective on a line-of-sight basis, was profiled and the propagation losses estimated using NBS TN101 (Revised) techniques. The losses were found to be sufficient to reduce the signal levels to acceptable magnitudes in those cases that were reported.

Although no companies reported potential great circle interference conflicts that did not meet the objectives on a line-of-sight basis, representatives from the SBE and broadcast community voiced concern over shared operations with their systems. However, at the time of this report, no actual cases had been reported that could be analyzed.

The proposed earth station will be limited to a single frequency of 2085.6875 MHz and operate at a low power level. The applicant is open to conducting tests with any shared users that operate receive systems within the contours of this site in order to abate any concerns of interference to their systems. The applicant will also provide access to 24/7 emergency contacts in the event that interference is noted while the earth station is in operation.

3. SUPPLEMENTAL SHOWING

Pursuant to Part 25.203(c) of the FCC Rules and Regulations, the satellite earth station proposed in this application was coordinated by Comsearch using computer techniques and in accordance with Part 25 of the FCC Rules and Regulations.

Coordination data for this earth station was sent to the below listed carriers with a letter dated July 13, 2011.

No specific interference cases were reported by the following carriers:

Company

BAY TELEVISION, INC.

BOARD OF TRUSTEES, UNIVERSITY OF FLORIDA

Bright House Networks, LLC

CBS Broadcasting Inc

CBS OPERATIONS INC.

CBS Television Stations

CHANNEL 39 INC

COMMUNITY TV FOUNDATION OF SOUTH FLORIDA

DISNEY REGIONAL ENTERTAINMENT

Diversified Broadcasting Inc.

FORT MYERS BROADCASTING CO

FOX TELEVISION STATIONS, INC.

FREEDOM BROADCASTING OF FLORIDA, INC.

FT PIERCE LPTV, INC.

Gannett River States Publishing Corp.

Gray Television Licensee, Inc.

JOURNAL BROADCASTING CORPORATION

MAPALE LLC

MEDIA GENERAL COMMUNICATIONS HOLDINGS, L

MONTCLAIR COMMUNICATIONS INC

Metro Networks Communications, Inc.

Multimedia Holdings Corporation

NBC TELEMUNDO LICENSE CO.

NEXSTAR BROADCASTING, INC.

New World Communications of Tampa, Inc.

Newport Television LLC

Orlando Hearst Television, Inc.

POST-NEWSWEEK STATIONS, ORLANDO, INC.

Pacific and Southern Company, Inc.

Post-Newsweek Stations Florida - WJXT-TV

Post-Newsweek Stations Florida - WPLG-TV

SCHOOL BOARD OF BROWARD COUNTY

SCHOOL BOARD OF DADE COUNTY FLORIDA

Scripps Media Inc

Scripps Media, Inc.

Sunbeam Television Corp.

Company (Continued)

The School Board of Miami Dade (WLRN-FM)
UNIVERSITY OF SOUTH FLORIDA
WATERMAN BROADCASTING CORP OF FLORIDA
WFLX LICENSE SUBSIDIARY, LLC
WFTV TV HOLDINGS, INC.
WJCT, Inc.
WLTV LICENSE PARTNERSHIP, G.P.
WPB TV LICENSEE CORP.
WPBF-TV Company
WWSB LICENSE LLC

LTTS Licensees

Village Video Production Inc.

NSM Surveillance

Information Super Station, LLC

Metrosat Communications Inc

Fishman Brothers Enterprises

Randy Hermes Productions

Global Microwave Systems, Inc.

Broadcast Sports Inc.

RF Central, LLC

Metro Networks Communications, Inc.

UniSat, Inc.

John Casper

Alltel Communications, LLC

Regulus Media Services, Inc.

Kentucky RSA 3 Cellular General Partnership

Kentucky RSA 4 Cellular General Partnership

Winged Vision Inc.

Centurytel of the Southwest Inc,

Goodyear tire & Rubber Company

CP Communications PA LLC

Telemovil Del Caribe Inc.

Western Technical Services

DCI II Inc.

Christine Steinert

3G Wireless, LLC

Elena Cohen

Express Lane Traffic LLC

Anthony J. Ryan

Lancellotti, Inc.

Total Video Houston, LLC

Remote Facilities Consulting Inc.

RF Film, Inc.

Citywide News Network, Inc.

Mr. William Heiden

Wolfe Air Aviation

RF Technology, LLC

Onboard Images

GSN News. Inc.

Cowboys Stadium LP

Society of Broadcast Engineers (SBE)

Central Florida & Gainesville Region (Mr. Lou Mueller)
Ft. Myers – TV Region (Mr. Steve Satkowski)
Miami Region (Mr. Bill Murdoch)
Palm Beach Region (Mr. Jim Johnson)
Tampa Region (Mr. Ralph Beaver)

Mr. Christopher Imlay SBE Attorney

4. EARTH STATION COORDINATION DATA
This section presents the data pertinent to frequency coordination of the proposed earth station that was circulated to all carriers within its coordination contours.

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147 (703)726-5500 http://www.comsearch.com

Date: 09/12/2011

Job Number: 110713COMSJC03

Administrative Information

Status ENGINEER PROPOSAL

Call Sign

Licensee Code UNSPNE

Licensee Name Universal Space Network, Inc.

Site Information CLEWISTON, FLORIDA

Venue Name

Latitude (NAD 83) 26° 45' 4.7" N Longitude (NAD 83) 81° 2' 55.1" W

Climate Zone B Rain Zone 1

Ground Elevation (AMSL) 5.49 m / 18.0 ft

Link Information

Satellite Type Low Earth Orbit
Mode TO - Transmit-Only

Modulation Digital Minimum Elevation Angle 5.0°

Azimuth Range 0.0° to 360° Antenna Centerline (AGL) 6.1 m / 20.0 ft

Antenna Information Transmit
Manufacturer ViaSat

Model 9.1 Meter
Gain / Diameter 43.0 dBi / 9.1 m
3-dB / 15-dB Beamwidth 1.20° / 2.30°

Max Available RF Power (dBW/4 kHz) -15.2

(dBW/MHz) 8.8

Maximum EIRP (dBW/4 kHz) 27.8

(dBW/MHz) 51.8

Interference Objectives: Long Term -154.0 dBW/4 kHz 20%

Short Term -131.0 dBW/4 kHz 0.0025%

Frequency Information Transmit 2.0 GHz

Emission / Frequency Range (MHz) 1M32G1D / 2085.6875

Max Great Circle Coordination Distance 455.8 km / 283.2 mi Precipitation Scatter Contour Radius 100.0 km / 62.1 mi

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147 (703)726-5500 http://www.comsearch.com

Coordination Values CLEWISTON, FL

Licensee Name Universal Space Network, Inc.

Latitude (NAD 83) 26° 45' 4.7" N
Longitude (NAD 83) 81° 2' 55.1" W
Ground Elevation (AMSL) 5.49 m / 18.0 ft
Antenna Centerline (AGL) 6.1 m / 20.0 ft
Antenna Model ViaSat 9.1 Meter

Antenna Mode Transmit 2.0 GHz

Interference Objectives: Long Term -154.0 dBW/4 kHz 20%

Short Term -131.0 dBW/4 kHz 0.0025%

Max Available RF Power -15.2 (dBW/4 kHz)

Transmit 2.0 GHz

	Horizon	Antenna	Horizon	Coordination
Azimuth (°)	Elevation (°)	Discrimination (°)	Gain (dBi)	Distance (km)
0	0.00	94.06	9.00	455.80
5	0.00	89.06	9.00	455.80
10	0.00	84.06	9.00	455.80
15	0.00	79.06	9.00	455.80
20	0.00	74.06	9.00	455.80
25	0.00	69.06	9.00	455.80
30	0.00	64.06	9.00	455.80
35	0.00	59.06	9.00	455.80
40	0.00	54.06	9.00	455.80
45	0.00	49.06	9.00	455.80
50	0.00	44.06	9.00	455.80
55	0.00	39.06	9.00	455.80
60	0.00	34.06	9.00	455.80
65	0.00	29.07	9.00	455.80
70	0.00	24.07	9.00	455.80
75	0.00	19.07	9.00	455.80
80	0.00	14.08	9.00	455.80
85	0.00	9.09	9.00	455.80
90	0.00	4.12	9.00	455.80
95	0.00	1.18	9.00	455.80
100	0.00	5.98	9.00	455.80
105	0.00	10.97	9.00	455.80
110	0.00	15.96	9.00	455.80
115	0.00	20.95	9.00	455.80
120	0.00	25.95	9.00	455.80
125	0.00	30.95	9.00	455.80
130	0.00	35.95	9.00	455.80
135	0.00	40.95	9.00	455.80
140	0.00	45.95	9.00	455.80
145	0.00	50.95	9.00	455.80
150	0.00	55.95	9.00	455.80
155	0.00	60.94	9.00	455.80
160	0.00	65.94	9.00	455.80
165	0.00	70.94	9.00	455.80
170	0.00	75.94	9.00	455.80
175	0.00	80.94	9.00	455.80
180	0.00	85.94	9.00	455.80
185	0.00	90.94	9.00	455.80

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147 (703)726-5500 http://www.comsearch.com

Coordination Values CLEWISTON, FL

Licensee Name Universal Space Network, Inc.

Latitude (NAD 83) 26° 45′ 4.7″ N Longitude (NAD 83) 81° 2′ 55.1″ W Ground Elevation (AMSL) 5.49 m / 18.0 ft Antenna Centerline (AGL) 6.1 m / 20.0 ft Antenna Model ViaSat 9.1 Meter

Antenna Mode Transmit 2.0 GHz

Interference Objectives: Long Term -154.0 dBW/4 kHz 20%

Short Term -131.0 dBW/4 kHz 0.0025%

Max Available RF Power -15.2 (dBW/4 kHz)

T		:4	\sim	^	\sim 1	ı_
Tran	ารทา	IIT	_	() ((-	17

			Hansii	IL 2.0 GHZ	
	Horizon	Antenna	Horizon	Coordination	
Azimuth (°)	Elevation (°)	Discrimination (°)	Gain (dBi)	Distance (km)	
190	0.00	95.94	9.00	455.80	
195	0.00	100.94	9.00	455.80	
200	0.00	105.94	9.00	455.80	
205	0.00	110.94	9.00	455.80	
210	0.00	115.94	9.00	455.80	
215	0.00	120.94	9.00	455.80	
220	0.00	125.94	9.00	455.80	
225	0.00	130.94	9.00	455.80	
230	0.00	135.94	9.00	455.80	
235	0.00	140.94	9.00	455.80	
240	0.00	145.94	9.00	455.80	
245	0.00	150.93	9.00	455.80	
250	0.00	155.93	9.00	455.80	
255	0.00	160.93	9.00	455.80	
260	0.00	165.92	9.00	455.80	
265	0.00	170.91	9.00	455.80	
270	0.00	175.88	9.00	455.80	
275	0.00	178.82	9.00	455.80	
280	0.00	174.02	9.00	455.80	
285	0.00	169.03	9.00	455.80	
290	0.00	164.04	9.00	455.80	
295	0.00	159.05	9.00	455.80	
300	0.00	154.05	9.00	455.80	
305	0.00	149.05	9.00	455.80	
310	0.00	144.05	9.00	455.80	
315	0.00	139.05	9.00	455.80	
320	0.00	134.05	9.00	455.80	
325	0.00	129.05	9.00	455.80	
330	0.00	124.05	9.00	455.80	
335	0.00	119.06	9.00	455.80	
340	0.00	114.06	9.00	455.80	
345	0.00	109.06	9.00	455.80	
350	0.00	104.06	9.00	455.80	
355	0.00	99.06	9.00	455.80	

5. CERTIFICATION

I HEREBY CERTIFY THAT I AM THE TECHNICALLY QUALIFIED PERSON RESPONSIBLE FOR THE PREPARATION OF THE FREQUENCY COORDINATION DATA CONTAINED IN THIS APPLICATION, THAT I AM FAMILIAR WITH PARTS 101 AND 25 OF THE FCC RULES AND REGULATIONS, THAT I HAVE EITHER PREPARED OR REVIEWED THE FREQUENCY COORDINATION DATA SUBMITTED WITH THIS APPLICATION, AND THAT IT IS COMPLETE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

Jeffrey E. Cowles

Jeffrey E. Cowler

Engineer III, Telecommunications

COMSEARCH

19700 Janelia Farm Boulevard

Ashburn, Va. 20147

DATED: September 12, 2011