Approved by OMB
3060−0678

Date & Time Filed: Mar 28 2012 3:38:05:960PM
File Number: SES−LIC−INTR2012−00915
Callsign/Satellite ID:

APPLICATION FOR EARTH STATION AUTHORIZATIONS FCC 312 MAIN FORM FOR OFFICIAL USE ONLY	FCC Use Only

APPLICANT INFORMATION
Enter a description of this application to identify it on the main menu:
G18 VSAT License Aplication

1−8. Legal Name of Applicant

Name:	IP Access International	**Phone Number:**	949−655−1028
DBA Name:		**Fax Number:**	949−240−8072
Street:	31831 Camino Capistrano Suite 301	**E−Mail:**	
City:	San Juan Capistrano	**State:**	CA
Country:	USA	**Zipcode:**	92675 −
Attention:	Alan Rich		

9−16. Name of Contact Representative

Name:	Alan Rich	**Phone Number:**	949−655−1028
Company:	IP Access International	**Fax Number:**	949−240−8072
Street:	31831 Camino Capistrano Suite 301	**E−Mail:**	arich@ipinternational.net
City:	San Juan Capistrano	**State:**	CA
Country:	USA	**Zipcode:**	92675−
Attention:		**Relationship:**	

CLASSIFICATION OF FILING

17. Choose the button next to the classification that applies to this filing for both questions a. and b. Choose only one for 17a and only one for 17b. a. ◉ a1. Earth Station (N/A) a2. Space Station	b. ◉ b1. Application for License of New Station ○ b2. Application for Registration of New Domestic Receive−Only Station (N/A) b3. Amendment to a Pending Application (N/A) b4. Modification of License or Registration (N/A) b5. Assignment of License or Registration (N/A) b6. Transfer of Control of License or Registration (N/A) b7. Notification of Minor Modification (N/A) b8. Application for License of New Receive−Only Station Using Non−U.S. Licensed Satellite (N/A) b9. Letter of Intent to Use Non−U.S. Licensed Satellite to Provide Service in the United States ○ b10. Other (Please specify) ○ b11. Application for Earth Station to Access a Non−U.S.satellite Not Currently Authorized to Provide the Proposed Service in the Proposed Frequencies in the United States. ○ b12. Application for Database Entry (N/A) b13. Amendment to a Pending Database Entry Application (N/A) b14. Modifiction of Database Entry
17c. Is a fee submitted with this application? ◉ If Yes, complete and attach FCC Form 159. If No, indicate reason for fee exemption (see 47 C.F.R.Section 1.1114). ○ Governmental Entity ○ Noncommercial educational licensee ○ Other(please explain):	
17d. Fee Classification BGV − Fixed Satellite VSAT System	

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	○ Yes ○ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	○ Yes ○ No
E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	○ Yes ○ No

POINTS OF COMMUNICATION

Satellite Name:	If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier: REMOTE 0.96M	
E26. Common Name:	E27. Country:USA

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
REMOTE 0.96M	REMOTE0.96	400	AvL/TracStar	MVS960	0.96	39.7 dBi at 11.95
						41.2 dBi at 14.25

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
REMOTE0.96	0.0/0.0	2.0	0.0	0.0	6.0	0.0	49.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)

REMOTE0.96	11700 12200	R	Horizontal and Vertical	4M00G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

QPSK digital data, voice, and video

REMOTE0.96	11700 12200	R	Horizontal and Vertical	9M00G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

QPSK digital data, voice, and video

REMOTE0.96	14000 14500	T	Horizontal and Vertical	1M82G7W	52.8	27.4

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

QPSK digital data, voice, and video

REMOTE0.96	14000 14500	T	Horizontal and Vertical	622KG7W	48.1	27.4

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

QPSK digital data, voice, and video

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
REMOTE0.96	Geostationary	11700 12200	60.0/ 150.0	0.0	5.0	10.0	10.0	0.0
	Geostationary	14000 14500	60.0/ 150.0	0.0	5.0	10.0	10.0	8.2

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.	E65. Phone Number
E62. Street Address	

E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	REMOTE 1.8M	E5. Call Sign:	
E2: Contact Name	Alan Rich	E6. Phone Number:	888−310−0131
E3. Street:		E7. City:	
		E8. County:	
E4. State		E9. Zip Code	
E10. Area of Operation:		CONUS, AK, HI, PR, VI	
E11. Latitude:	0 °0 ’0.0 "		
E12. Longitude:	0 °0 ’0.0 "		
E13. Lat/Lon Coordinates are:		○ NAD−27	○ NAD−83 ◉ N/A
E14. Site Elevation (AMSL):		0.0 meters	

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	○ Yes ◉ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	○ Yes ◉ No
E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	○ Yes ◉ No

POINTS OF COMMUNICATION

Satellite Name:ALSAT | ALL AUTHORIZED U.S. | ALSAT If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
REMOTE 1.8M	REMOTE1.8	100	Prodelin	1184	1.8	45.0 dBi at 11.95
						46.5 dBi at 14.25

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
REMOTE1.8	0.0/0.0	2.0	0.0	0.0	6.0	0.0	54.3

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)

REMOTE1.8	11700 12200	R	Horizontal and Vertical	4M00G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

QPSK digital data, voice, and video

REMOTE1.8	11700 12200	R	Horizontal and Vertical	9M00G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

QPSK digital data, voice, and video

REMOTE1.8	14000 14500	T	Horizontal and Vertical	1M82G7W	52.8	27.4

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

QPSK digital data, voice, and video

REMOTE1.8	14000 14500	T	Horizontal and Vertical	622KG7W	48.1	27.4

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

QPSK digital data, voice, and video

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
REMOTE1.8	Geostationary	11700 12200	60.0/ 150.0	0.0	5.0	10.0	10.0	0.0
	Geostationary	14000 14500	60.0/ 150.0	0.0	5.0	10.0	10.0	8.2

REMOTE CONTROL POINT LOCATION

E61. Call Sign

NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.

E65. Phone Number

E62. Street Address

E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	NAPA	E5. Call Sign:	E000274
E2: Contact Name	George Williams	E6. Phone Number:	707−251−1100
E3. Street:	961 Anselmo Court	E7. City:	Napa
		E8. County:	Napa
E4. State	CA	E9. Zip Code	94558

E10. Area of Operation: Intelsat Napa Teleport (Address Listed Above)

E11. Latitude: 38 °14 ’43.0 "N

E12. Longitude: 122 °16 ’44.0 "W

E13. Lat/Lon Coordinates are: ◉ NAD−27 ○ NAD−83 ○ N/A

E14. Site Elevation (AMSL): 7.9 meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	○ Yes ◉ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	○ Yes ◉ No
E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	○ Yes ◉ No

POINTS OF COMMUNICATION

Satellite Name:ALSAT | ALL AUTHORIZED U.S. | ALSAT If you selected OTHER, please enter the following:

E21. Common Name: E22. ITU Name:

E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier: NAPA	
E26. Common Name:	E27. Country:USA

ANTENNA

Site ID	**E28. Antenna Id**	**E29. Quantity**	**E30. Manufacturer**	**E31. Model**	**E32. Antenna Size<meters>**	**E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)**
NAPA	HUB	1	Vertex	9.3KPK	9.3	59.5 dBi at 12
						60.8 dBi at 14

E28. Antenna Id	**E33/34. Diameter Minor/Major (meters)**	**E35. Above Ground Level (meters)**	**E36. Above Sea Level (meters)**	**E37. Building Height Above Ground Level (meters)**	**E38. Total Input Power at antenna flange (Watts)**	**E39. Maximum Antenna Height Above Rooftop (meters)**	**E40. Total EIRP for al carriers (dBW)**
HUB	0.0/0.0	15.0	22.9	0.0	3000.0	0.0	95.0

FREQUENCY

E28. Antenna Id	**E43/44. Frequency Bands (MHz)**	**E45. T/R Mode**	**E46. Antenna Polarization(H,V, L,R)**	**E47. Emission Designator**	**E48. Maximum EIRP per Carrier (dBW)**	**E49. Maximum ERIP Density per Carrier (dBW/4kHz)**
HUB	11700 12200	R	Horizontal and Vertical	1M82G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

QPSK digital data, voice, and video

HUB	11700 12200	R	Horizontal and Vertical	622KG7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

QPSK digital data, voice, and video

HUB	14000 14500	T	Horizontal and Vertical	4M00G7W	59.7	30.7

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

QPSK digital data, voice, and video

HUB	14000 14500	T	Horizontal and Vertical	9M00G7W	63.1	30.7

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

QPSK digital data, voice, and video

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
HUB	Geostationary	11700 12200	69.0/ 139.0	114.8	19.8	205.9	42.4	0.0
	Geostationary	14000 14500	69.0/ 139.0	114.8	19.8	205.9	42.4	9.8

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

FCC NOTICE REQUIRED BY THE PAPERWORK REDUCTION ACT

The public reporting for this collection of information is estimated to average 0.25 − 24 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the required data, and completing and reviewing the collection of information. If you have any comments on this burden estimate, or how we can improve the collection and reduce the burden it causes you, please write to the Federal Communications Commission, AMD−PERM, Paperwork Reduction Project (3060−0678), Washington, DC 20554. We will also accept your comments regarding the Paperwork Reduction Act aspects of this collection via the Internet if you send them to PRA@fcc.gov. PLEASE DO NOT SEND COMPLETED FORMS TO THIS ADDRESS.

Remember − You are not required to respond to a collection of information sponsored by the Federal government, and the government may not conduct or sponsor this collection, unless it displays a currently valid OMB control number or if we fail to provide you with this notice. This collection has been assigned an OMB control number of 3060−0678.

THE FOREGOING NOTICE IS REQUIRED BY THE PAPERWORK REDUCTION ACT OF 1995, PUBLIC LAW 104−13, OCTOBER 1, 1995, 44 U.S.C. SECTION 3507.