Date & Time Filed: Sep 24 2012 4:33:31:896PM File Number: SES-LIC-INTR2012-02199

Callsign/Satellite ID:

APPLICATION FOR EARTH STATION AUTHORIZATIONS FCC 312 MAIN FORM FOR OFFICIAL USE ONLY FCC 312 MAIN FORM

APPLICANT INFORMATION

Enter a description of this application to identify it on the main menu:

New Ku VSAT Network

1–8. Legal Name of Applicant	_

Name: GCI Communication Corp. Phone Number: 907–868–5615

DBA Fax Number: 907–868–9817

Name:

Street: 2550 Denali St, Ste 1000 E–Mail: gcilicensemanager@gci.com

City: Anchorage State: AK

Country: USA **Zipcode:** 99503 –2737

Attention: Ms Cynthia L Lynch

9–16. Name of Contact Representative

Name: Cindy Lynch Phone Number: 907–868–5615

Company: GCI Communication Corp. **Fax Number:** 907–868–9817

Street: 2550 Denali St, Ste 1000 E–Mail: clynch@gci.com

City: Anchorage State: AK

Country: USA **Zipcode:** 99503–2737

Attention: Regulatory, License Manager Relationship: Same

CLASSIFICATION OF FILING

17. Choose the button next to the classification that applies to this filing for both questions a. and b. Choose only one for 17a and only one for 17b. a. a. a1. Earth Station (N/A) a2. Space Station	 b. b1. Application for License of New Station b2. Application for Registration of New Domestic Receive—Only Station (N/A) b3. Amendment to a Pending Application (N/A) b4. Modification of License or Registration (N/A) b5. Assignment of License or Registration (N/A) b6. Transfer of Control of License or Registration (N/A) b7. Notification of Minor Modification (N/A) b8. Application for License of New Receive—Only Station Using Non—U.S. Licensed Satellite (N/A) b9. Letter of Intent to Use Non—U.S. Licensed Satellite to Provide Service in the United States b10. Other (Please specify) b11. Application for Earth Station to Access a Non—U.S.satellite Not Currently Authorized to Provide the Proposed Service in the Proposed Frequencies in the United States. b12. Application for Database Entry (N/A) b13. Amendment to a Pending Database Entry Application (N/A) b14. Modifiction of Database Entry
17c. Is a fee submitted with this application If Yes, complete and attach FCC Form	on? 159. If No, indicate reason for fee exemption (see 47 C.F.R.Section 1.1114).
Ofther(please explain):	rcial educational licensee
17d. Fee Classification BGV – Fixed Satellite V	SAT System

18. If this filing is in reference to an existing station, enter: (a) Call sign of station: Not Applicable 19. If this filing is an amendment to a pending application enter: (a) Date pending application was filed: (b) File number of pending application: Not Applicable Not Applicable
--

TYPE OF SERVICE			
20. NATURE OF SERVICE: This filing is for an authorization to provide or use the following type(s) of service(s): Select all that apply:			
a. Fixed Satellite			
b. Mobile Satellite			
c. Radiodetermination Satellite			
d. Earth Exploration Satellite			
e. Direct to Home Fixed Satellite			
f. Digital Audio Radio Service			
g. Other (please specify)			
21. STATUS: Choose the button next to the applicable status. Choose	22. If earth station applicant, check all that apply.		
only one.	Using U.S. licensed satellites		
O Common Carrier Non–Common Carrier	Using Non–U.S. licensed satellites		
23. If applicant is providing INTERNATIONAL COMMON CARRIER sefacilities:	ervice, see instructions regarding Sec. 214 filings. Choose one. Are these		
O Connected to a Public Switched Network Not connected to	o a Public Switched Network		

24. FREQUENCY BAND(S): Place an "X" in the box(es) next to all applicable frequency band(s).
a. C–Band (4/6 GHz) b Ku–Band (12/14 GHz)
c.Other (Please specify upper and lower frequencies in MHz.)
Frequency Lower: Frequency Upper:
TYPE OF STATION
25. CLASS OF STATION: Choose the button next to the class of station that applies. Choose only one.
a. Fixed Earth Station
b. Temporary–Fixed Earth Station
c. 12/14 GHz VSAT Network
d. Mobile Earth Station
(N/A) e. Geostationary Space Station
(N/A) f. Non-Geostationary Space Station
g. Other (please specify)
26. TYPE OF EARTH STATION FACILITY: Choose only one.
Transmit/Receive Transmit-Only Receive-Only N/A
PURPOSE OF MODIFICATION
27. The purpose of this proposed modification is to: (Place an 'X' in the box(es) next to all that apply.)
Not Applicable

ENVIRONMENTAL POLICY

28. Would a Commission grant of any proposal in this application or amendment have a significant environmental impact as defined by 47 CFR 1.1307? If YES, submit the statement as required by Sections 1.1308 and 1.1311 of the Commission's rules, 47 C.F.R. §§ 1.1308 and 1.1311, as an exhibit to this application. A Radiation Hazard Study must accompany all applications for new transmitting facilities, major modifications, or major amendments.	Yes No Exhibit B
ALIEN OWNERSHIP Earth station applicants not proposing to provide broadcast, common carrier, aeronautical fixed radio station services are not required to respond to Items 30–34.	utical en route or
29. Is the applicant a foreign government or the representative of any foreign government?	O Yes O No
30. Is the applicant an alien or the representative of an alien?	Yes No N/A
31. Is the applicant a corporation organized under the laws of any foreign government?	O Yes O No N/A
32. Is the applicant a corporation of which more than one–fifth of the capital stock is owned of record or voted by aliens or their representatives or by a foreign government or representative thereof or by any corporation organized under the laws of a foreign country?	Yes No N/A

33. Is the applicant a corporation directly or indirectly controlled by any other corporation of which more than one–fourth of the capital stock is owned of record or voted by aliens, their representatives, or by a foreign government or representative thereof or by any corporation organized under the laws of a foreign country?	O Yes ● N	To O N/A
34. If any answer to questions 29, 30, 31, 32 and/or 33 is Yes, attach as an exhibit an identification of the aliens or foreign entities, their nationality, their relationship to the applicant, and the percentage of stock they own or vote.		
BASIC QUALIFICATIONS		
35. Does the Applicant request any waivers or exemptions from any of the Commission's Rules? If Yes, attach as an exhibit, copies of the requests for waivers or exceptions with supporting documents.	○ Yes	No
36. Has the applicant or any party to this application or amendment had any FCC station authorization or license revoked or had any application for an initial, modification or renewal of FCC station authorization, license, or construction permit denied by the Commission? If Yes, attach as an exhibit, an explination of circumstances.	○ Yes	No

37. Has the applicant, or any party to this application or amendment, or any party directly or indirectly controlling the applicant ever been convicted of a felony by any state or federal court? If Yes, attach as an exhibit, an explination of circumstances.	O Yes	⊚ No
38. Has any court finally adjudged the applicant, or any person directly or indirectly controlling the applicant, guilty of unlawfully monopolizing or attempting unlawfully to monopolize radio communication, directly or indirectly, through control of manufacture or sale of radio apparatus, exclusive traffic arrangement or any other means or unfair methods of competition? If Yes, attach as an exhibit, an explanation of circumstances	O Yes	⊚ No
39. Is the applicant, or any person directly or indirectly controlling the applicant, currently a party in any pending matter referred to in the preceding two items? If yes, attach as an exhinit, an explanation of the circumstances.	O Yes	⊘ No
40. If the applicant is a corporation and is applying for a space station license, attach as an exhibit the names, address, and citizenship of those stockholders owning a record and/or voting 10 percent or more of the Filer's voting stock and the percentages so held. In the case of fiduciary control, indicate the beneficiary(ies) or class of beneficiaries. Also list the names and addresses of the officers and directors of the Filer.		

41. By checking Yes, the undersigned certifies, that neither applicant nor any other party to the application is subject to a denial of Federal benefits that includes FCC benefits pursuant to Section 5301 of the Anti–Drug Act of 1988, 21 U.S.C. Section 862, because of a conviction for possession or distribution of a controlled substance. See 47 CFR 1.2002(b) for the meaning of "party to the application" for these purposes.	Yes	O No
42a. Does the applicant intend to use a non–U.S. licensed satellite to provide service in the United States? If Yes, answer 42b and attach an exhibit providing the information specified in 47 C.F.R. 25.137, as appropriate. If No, proceed to question 43.	O Yes	No
42b. What administration has licensed or is in the process of licensing the space station? If no license will be issued, coordinated or is in the process of coordinating the space station?	what administr	ration has

43. Description. (Summarize the nature of the application and the services to be provided). not appear in this box, please go to the end of the form to view it in its entirety.)

(If the complete description does

Applicant herein seeks authorization for a new Ku-band VSAT network system to support two-way video, voice and data communications throughout AK,HI, and the contiguous United States.

43a. Geographic Service Rule Certification By selecting A, the undersigned certifies that the applicant is not subject to the geographic service or geographic coverage requirements specified in 47 C.F.R. Part 25.	● A
By selecting B, the undersigned certifies that the applicant is subject to the geographic service or geographic coverage requirements specified in 47 C.F.R. Part 25 and will comply with such requirements.	O B
By selecting C, the undersigned certifies that the applicant is subject to the geographic service or geographic coverage requirements specified in 47 C.F.R. Part 25 and will not comply with such requirements because it is not feasible as a technical matter to do so, or that, while technically feasible, such services would require so many compromises in satellite design and operation as to make it economically unreasonable. A narrative description and technical analysis demonstrating this claim are attached.	o c

CERTIFICATION

The Applicant waives any claim to the use of any particular frequency or of the electromagnetic spectrum as against the regulatory power of the United States because of the previous use of the same, whether by license or otherwise, and requests an authorization in accordance with this application. The applicant certifies that grant of this application would not cause the applicant to be in violation of the spectrum aggregation limit in 47 CFR Part 20. All statements made in exhibits are a material part hereof and are incorporated herein as if set out in full in this application. The undersigned, individually and for the applicant, hereby certifies that all statements made in this application and in all attached exhibits are true, complete and correct to the best of his or her knowledge and belief, and are made in good faith.

O Individual			
 Unincorporated Association 			
Partnership			
Corporation			
Governmental Entity			
Other (please specify)			
45. Name of Person Signing Jimmy Sipes		46. Title of Person Signing VP, Network Services & Chief E	ngineer
47. Please supply any need attacl Attachment 1:	Attachment 2:	Attachm	ent 3:
		Attachm	ent 3:

SATELLITE EARTH STATION AUTHORIZATIONS FCC Form 312 – Schedule B:(Technical and Operational Description) FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier: Remotes E5. Call Sign:

E2: Contact Name GCI Network E6. Phone 907–868–5555

Operations Center Number:

E3. Street: Various Locations E7. City:

in AK, HI, & CONUS

E8. County:

E4. State E9. Zip Code

E10. Area of Operation: Various Locations in AK, HI, & CONUS

E11. Latitude: $0 \circ 0 \circ 0.0 \text{ "N}$

E12. Longitude: 0 °0 '0.0 "W

E13. Lat/Lon Coordinates are: NAD-27 NAD-83 N/A

E14. Site Elevation (AMSL): 0.0 meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide asExhibit A a technical analysis showing compliance with two–degree spacing policy.	O Yes	s ⊚ No	O N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes	o No	⊘ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	⊚ Ye	s o	. No
E18. Is frequency coordination required? If YES, attach a frequency coordination report as			
12. Is frequency coordination required? If TES, attach a frequency coordination report as	O Ye	s 💿	No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	O Ye	s 📵	. No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	⊗ Ye	s o	. No
POINTS OF COMMUNICATION	-		
Satellite Name:OTHER OTHER If you selected OTHER, please enter the following:			

E21. Common Name: ALSAT	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi atGHz)
Remotes	0.95m	25	Prodelin	1951/1952	0.95	39.7 dBi at 11.850
						41.2 dBi at 14.125
	1.0m	5	Norsat	Newslink 3200	1.0	40.5 dBi at 11.850
						42.0 dBi at 14.125
	1.2m_a	200	Prodelin	1134/1135	1.2	41.5 dBi at 11.850
						43.0 dBi at 14.250
	1.2m_b	25		1120/1123/1125		41.7 dBi at 11.850
						43.2 dBi at 14.250

1.2m_c		1132/2120/2121		41.4 dBi at 11.725
				43.3 dBi at 14.125
1.2m_d	Andrew/Channel Master	Type 123/124		41.8 dBi at 11.950
				43.3 dBi at 14.250
1.2m_e	Patriot	TX-INT120KU		41.8 dBi at 11.725
				43.5 dBi at 14.125
1.2m_f	TracStar	1200		42.0 dBi at 11.850
				43.2 dBi at 14.125
1.2m_g		MVS 1200		41.5 dBi at 11.725
				43.0 dBi at 14.125
1.25m	GD Satcom	C125M	1.25	41.7 dBi at 11.725
				43.4 dBi at 14.125
1.8m_a	Prodelin	1182/1183	1.8	44.8 dBi at 11.725
				46.8 dBi at 14.125

1.8m_b	200		1184	45.0 dBi at 11.850
				46.5 dBi at 14.125
1.8m_c	25		1194/2194	45.2 dBi at 11.850
				46.7 dBi at 14.125
1.8m_d		Andrew / Channel Master	Type 183	45.3 dBi at 11.950
				46.8 dBi at 14.125
1.8m_e		Patriot	TX-INT180KU	45.3 dBi at 11.725
				47.0 dBi at 14.125
2.4m_a	75	Prodelin	1240/1241/1250/12 2.4 51	47.4 dBi at 11.850
				49.2 dBi at 14.125
2.4m_b			1244/2244	47.4 dBi at 11.725
				49.2 dBi at 14.125
2.4m_c	50	Andrew / Channel Master	Type 243	47.4 dBi at 11.950
				48.9 dBi at 14.250

3.6m	10	Viasat	8136	3.6	50.8 dBi at 11.950
					50.2 JD: 14.250
					52.3 dBi at 14.250

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
0.95m	0.0/0.0	1.7	0.0	0.0	40.0	0.0	57.2
1.0m	0.0/0.0	1.8	0.0	0.0	40.0	0.0	58.0
1.2m_a	0.0/0.0	2.0	0.0	0.0	40.0	0.0	59.3
1.2m_b	0.0/0.0	2.0	0.0	0.0	40.0	0.0	59.2
1.2m_c	0.0/0.0	2.0	0.0	0.0	40.0	0.0	59.0
1.2m_d	0.0/0.0	2.0	0.0	0.0	40.0	0.0	59.3
1.2m_e	0.0/0.0	2.0	0.0	0.0	40.0	0.0	59.5
1.2m_f	0.0/0.0	2.0	0.0	0.0	40.0	0.0	59.2
1.2m_g	0.0/0.0	2.0	0.0	0.0	40.0	0.0	59.0
1.25m	0.0/0.0	2.1	0.0	0.0	40.0	0.0	59.4
1.8m_a	0.0/0.0	2.6	0.0	0.0	40.0	0.0	62.8
1.8m_b	0.0/0.0	2.6	0.0	0.0	40.0	0.0	62.5
1.8m_c	0.0/0.0	2.6	0.0	0.0	40.0	0.0	62.7
1.8m_d	0.0/0.0	2.6	0.0	0.0	40.0	0.0	62.8

1.8m_e	0.0/0.0	2.6	0.0	0.0	40.0	0.0	63.0
2.4m_a	0.0/0.0	3.2	0.0	0.0	40.0	0.0	65.2
2.4m_b	0.0/0.0	3.2	0.0	0.0	40.0	0.0	65.2
2.4m_c	0.0/0.0	3.2	0.0	0.0	40.0	0.0	64.9
3.6m	0.0/0.0	5.0	0.0	0.0	40.0	0.0	68.3

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode			E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
0.95m	11700.000 12200.000	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Phase modulated video, voice, and data

0.95m	11700.000 12200.000	R	Horizontal and Vertical	45K0G7W-	0.0	0.0

E50. Modulation entirety.)	and Services (If the	ne complete description	on does not appear in	this box, please go t	to the end of the form	to view it in its
Phase modu	lated video, v	oice, and data				
0.95m	11700.000 12200.000	R	Horizontal and Vertical	36M0D7W	0.0	0.0
E50. Modulation entirety.)	and Services (If the	ne complete description	on does not appear in	this box, please go t	to the end of the form	to view it in its
Phase and	amplitude modu	lated video, v	oice, and data	ı		
0.95m	11700.000 12200.000	R	Horizontal and Vertical	45K0D7W-	0.0	0.0
E50. Modulation entirety.)	and Services (If the	ne complete description	on does not appear in	this box, please go t	to the end of the form	to view it in its
Phase and	amplitude modu	lated video, v	roice, and data			
0.95m	14000.000 14500.000	Т	Horizontal and Vertical	36M0G7W	57.22	17.68

E50. Modulation entirety.)	and Services (If the	e complete description	on does not appear in	this box, please go t	o the end of the form	to view it in its
Phase modu	lated video, v	oice, and data				
0.95m	14000.000 14500.000	Т	Horizontal and Vertical	45K0G7W-	33.71	23.2
E50. Modulation entirety.) Phase modu	and Services (If the			this box, please go t	o the end of the form	to view it in its
0.95m	14000.00 14500.000	Т	Horizontal and Vertical	36M0D7W	57.22	17.68
E50. Modulation entirety.)	and Services (If the	ne complete description	on does not appear in	this box, please go t	o the end of the form	to view it in its
Phase and	amplitude modu	lated video, v	oice, and data	•		
0.95m	14000.000 14500.000	Т	Horizontal and Vertical	45K0D7W-	33.71	23.2

E50. Modulation entirety.)	and Services (If the	e complete description	on does not appear in	this box, please go to	o the end of the form	to view it in its	
Phase and	amplitude modu	lated video, v	oice, and data				
1.0m	11700.000 12200.000	R	Horizontal and Vertical	36M0G7W	0.0	0.0	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) Phase modulated video, voice, and data							
1.0m	11700.000 12200.000	R	Horizontal and Vertical	45K0G7W-	0.0	0.0	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) Phase modulated video, voice, and data							
1.0m	11700.000 12200.000	R	Horizontal and Vertical	36M0D7W	0.0	0.0	

E50. Modulation entirety.)	and Services (If the	e complete description	on does not appear in	this box, please go to	o the end of the form	to view it in its	
Phase and	amplitude modu	lated video, v	oice, and data				
1.0m	11700.000 12200.000	R	Horizontal and Vertical	45K0D7W-	0.0	0.0	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) Phase and amplitude modulated video, voice, and data							
1.0m	14000.000 14500.000	Т	Horizontal and Vertical	36M0G7W	58.02	18.48	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) Phase modulated video, voice, and data							
1.0m	14000.000 14500.000	Т	Horizontal and Vertical	45K0G7W-	33.21	22.7	

E50. Modulation entirety.)	and Services (If the	ne complete description	on does not appear in	this box, please go to	o the end of the form	to view it in its		
Phase modu	lated video, v	oice, and data						
1.0m	14000.000 14500.000	Т	Horizontal and Vertical	36M0D7W	58.02	18.48		
E50. Modulation entirety.)	and Services (If th	e complete description	on does not appear in	this box, please go to	o the end of the form	to view it in its		
Phase and	Phase and amplitude modulated video, voice, and data							
1.0m	14000.000 14500.000	Т	Horizontal and Vertical	45K0D7W-	33.21	22.7		
E50. Modulation entirety.)	and Services (If th	ne complete description	on does not appear in	this box, please go to	o the end of the form	to view it in its		
Phase and amplitude modulated video, voice, and data								
1.2m_a	11700.000 12200.000	R	Horizontal and Vertical	36M0G7W	0.0	0.0		

E50. Modulation entirety.)	and Services (If th	e complete description	on does not appear in	this box, please go to	o the end of the form	to view it in its	
	lated video, v	oice and data					
1.2m_a	11700.000 12200.000	R	Horizontal and Vertical	45K0G7W-	0.0	0.0	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) Phase modulated video, voice and data							
1.2m_a	11700.000 12200.000	R	Horizontal and Vertical	36M0D7W	0.0	0.0	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) Phase and amplitude modulated video, voice and data							
1.2m_a	11700.000 12200.000	R	Horizontal and Vertical	45K0D7W-	0.0	0.0	

E50. Modulation entirety.)	and Services (If the	e complete description	on does not appear in	this box, please go t	to the end of the form	to view it in its	
Phase and	amplitude modu	lated video, v	roice and data				
1.2m_a	14000.00 14500.000	Т	Horizontal and Vertical	36M0G7W	59.32	19.78	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) Phase modulated video, voice and data							
1.2m_a	14000.000 14500.000	Т	Horizontal and Vertical	45K0G7W-	39.81	29.3	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) Phase modulated video, voice and data							
1.2m_a	14000.000 14500.000	Т	Horizontal and Vertical	36M0D7W	59.32	19.78	

E50. Modulation entirety.)	and Services (If the	e complete description	on does not appear in	this box, please go to	o the end of the form	to view it in its	
Phase and	amplitude modu	lated video, v	oice and data				
1.2m_a	14000.000 14500.000	Т	Horizontal and Vertical	45K0D7W-	39.81	29.3	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) Phase and amplitude modulated video, voice and data							
1.2m_b	11700.000 12200.000	R	Horizontal and Vertical	36M0G7W	0.0	0.0	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) Phase modulated video, voice and data							
1.2m_b	11700.000 12200.000	R	Horizontal and Vertical	45K0G7W-	0.0	0.0	

E50. Modulation entirety.)	and Services (If the	e complete description	on does not appear in	this box, please go t	o the end of the form	to view it in its		
Phase modu	lated video, v	oice and data						
1.2m_b	11700.000 12200.000	R	Horizontal and Vertical	36M0D7W	0.0	0.0		
E50. Modulation entirety.)	and Services (If the	ne complete description	on does not appear in	this box, please go t	o the end of the form	to view it in its		
Phase and	Phase and amplitude modulated video, voice and data							
1.2m_b	11700.000 12200.000	R	Horizontal and Vertical	45K0D7W-	0.0	0.0		
E50. Modulation entirety.)	and Services (If the	ne complete description	on does not appear in	this box, please go t	o the end of the form	to view it in its		
Phase and amplitude modulated video, voice and data								
1.2m_b	14000.000 14500.000	Т	Horizontal and Vertical	36M0G7W	59.22	19.68		

E50. Modulation entirety.)	and Services (If the	e complete description	on does not appear in	this box, please go t	o the end of the form	to view it in its	
Phase modu	lated video, v	oice and data					
1.2m_b	14000.000 14500.000	Т	Horizontal and Vertical	45K0G7W-	39.71	29.2	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) Phase modulated video, voice and data							
1.2m_b	14000.000 14500.000	Т	Horizontal and Vertical	36M0D7W	59.22	19.68	
E50. Modulation entirety.)	and Services (If the	ne complete description	on does not appear in	this box, please go t	o the end of the form	to view it in its	
Phase and amplitude modulated video, voice and data							
1.2m_b	14000.000 14500.000	Т	Horizontal and Vertical	45K0D7W-	39.71	29.2	

E50. Modulation entirety.)	and Services (If the	e complete description	on does not appear in	this box, please go to	o the end of the form	to view it in its	
Phase and	amplitude modu	lated video, v	roice and data				
1.2m_c	11700.000 12200.000	R	Horizontal and Vertical	36M0G7W	0.0	0.0	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) Phase modulated video, voice and data							
1.2m_c	11700.000 12200.000	R	Horizontal and Vertical	45K0G7W –	0.0	0.0	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) Phase modulated video, voice and data							
1.2m_c	11700.000 12200.000	R	Horizontal and Vertical	36M0D7W	0.0	0.0	

E50. Modulation entirety.)	and Services (If the	ne complete description	on does not appear in	this box, please go t	o the end of the form	to view it in its	
Phase and	amplitude modu	lated video, v	oice and data				
1.2m_c	11700.000 12200.000	R	Horizontal and Vertical	45K0D7W -	0.0	0.0	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) Phase and amplitude modulated video, voice and data							
1.2m_c	14000.000 14500.000	Т	Horizontal and Vertical	36M0G7W	59.02	19.48	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) Phase modulated video, voice and data							
1.2m_c	14000.000 14500.000	Т	Horizontal and Vertical	45K0G7W -	39.51	29.0	

E50. Modulation entirety.)	and Services (If the	e complete description	on does not appear in	this box, please go to	o the end of the form	to view it in its	
Phase modu	lated video, v	oice and data					
1.2m_c	14000.000 14500.000	Т	Horizontal and Vertical	36M0D7W	59.02	19.48	
E50. Modulation entirety.)	and Services (If th	ne complete description	on does not appear in	this box, please go to	o the end of the form	to view it in its	
Phase and amplitude modulated video, voice and data							
1.2m_c	14000.000 14500.000	Т	Horizontal and Vertical	45K0D7W –	39.51	29.0	
E50. Modulation entirety.)	and Services (If the	ne complete description	on does not appear in	this box, please go to	o the end of the form	to view it in its	
Phase and amplitude modulated video, voice and data							
1.2m_d	11700.000 12200.000	R	Horizontal and Vertical	36M0G7W	0.0	0.0	

E50. Modulation entirety.)	and Services (If th	e complete description	on does not appear in	this box, please go to	o the end of the form	to view it in its	
Phase modu	lated video, v	oice and data					
1.2m_d	11700.000 12200.000	R	Horizontal and Vertical	45K0G7W –	0.0	0.0	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) Phase modulated video, voice and data							
1.2m_d	11700.000 12200.000	R	Horizontal and Vertical	36M0D7W	0.0	0.0	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) Phase and amplitude modulated video, voice and data							
1.2m_d	11700.000 12200.000	R	Horizontal and Vertical	45K0D7W –	0.0	0.0	

E50. Modulation entirety.)	and Services (If the	e complete description	on does not appear in	this box, please go t	to the end of the form	to view it in its	
Phase and	amplitude modu	lated video, v	roice and data				
1.2m_d	14000.000 14500.000	Т	Horizontal and Vertical	36M0G7W	59.32	19.78	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) Phase modulated video, voice and data							
1.2m_d	14000.000 14500.000	Т	Horizontal and Vertical	45K0G7W -	39.81	29.3	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) Phase modulated video, voice and data							
1.2m_d	14000.000 14500.000	Т	Horizontal and Vertical	36M0D7W	59.32	19.78	

E50. Modulation entirety.)	and Services (If the	ne complete description	on does not appear in	this box, please go to	o the end of the form	to view it in its	
Phase and	amplitude modu	lated video, v	oice and data				
1.2m_d	14000.000 14500.000	Т	Horizontal and Vertical	45K0D7W –	39.81	29.3	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) Phase and amplitude modulated video, voice and data							
1.2m_e	11700.000 12200.000	R	Horizontal and Vertical	36M0G7W	0.0	0.0	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) Phase modulated video, voice and data							
1.2m_e	11700.000 12200.000	R	Horizontal and Vertical	45K0G7W –	0.0	0.0	

E50. Modulation entirety.)	and Services (If the	ne complete description	on does not appear in	this box, please go t	o the end of the form	to view it in its		
Phase modulated video, voice and data								
1.2m_e	11700.000 12200.000	R	Horizontal and Vertical	36M0D7W	0.0	0.0		
E50. Modulation entirety.)	E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)							
Phase and amplitude modulated video, voice and data								
1.2m_e	11700.000 12200.000	R	Horizontal and Vertical	45K0D7W –	0.0	0.0		
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)								
Phase and amplitude modulated video, voice and data								
1.2m_e	14000.000 14500.000	Т	Horizontal and Vertical	36M0G7W	59.52	19.98		

E50. Modulation entirety.)	and Services (If the	e complete description	on does not appear in	this box, please go to	o the end of the form	to view it in its	
Phase modulated video, voice and data							
1.2m_e	14000.000 14500.000	Т	Horizontal and Vertical	45K0G7W -	40.01	29.5	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) Phase modulated video, voice and data							
1.2m_e	14000.000 14500.000	Т	Horizontal and Vertical	36M0D7W	59.52	19.98	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)							
Phase and amplitude modulated video, voice and data							
1.2m_e	14000.000 14500.000	Т	Horizontal and Vertical	45K0D7W –	40.01	29.5	

E50. Modulation entirety.)	and Services (If the	e complete description	on does not appear in	this box, please go to	o the end of the form	to view it in its	
Phase and	amplitude modu	lated video, v	oice and data				
1.2m_f	11700.000 12200.000	R	Horizontal and Vertical	36M0G7W	0.0	0.0	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) Phase modulated video, voice and data							
1.2m_f	11700.000 12200.000	R	Horizontal and Vertical	45K0G7W –	0.0	0.0	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) Phase modulated video, voice and data							
1.2m_f	11700.000 12200.000	R	Horizontal and Vertical	36M0D7W	0.0	0.0	

E50. Modulation entirety.)	and Services (If the	ne complete description	on does not appear in	this box, please go t	o the end of the form	to view it in its	
Phase and	amplitude modu	lated video, v	oice and data				
1.2m_f	11700.000 12200.000	R	Horizontal and Vertical	45K0D7W -	0.0	0.0	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) Phase and amplitude modulated video, voice and data							
1.2m_f	14000.000 14500.000	Т	Horizontal and Vertical	36M0G7W	59.22	19.68	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) Phase modulated video, voice and data							
1.2m_f	14000.000 14500.000	Т	Horizontal and Vertical	45K0G7W –	39.71	29.2	

E50. Modulation entirety.)	and Services (If the	e complete description	on does not appear in	this box, please go to	o the end of the form	to view it in its		
Phase modu	lated video, v	oice and data						
1.2m_f	14000.000 14500.000	Т	Horizontal and Vertical	36M0D7W	59.22	19.68		
E50. Modulation entirety.)	and Services (If th	ne complete description	on does not appear in	this box, please go to	o the end of the form	to view it in its		
Phase and	Phase and amplitude modulated video, voice and data							
1.2m_f	14000.000 14500.000	Т	Horizontal and Vertical	45K0D7W –	39.71	29.2		
E50. Modulation entirety.)	and Services (If th	ne complete description	on does not appear in	this box, please go to	o the end of the form	to view it in its		
Phase and amplitude modulated video, voice and data								
1.2m_g	11700.000 12200.000	R	Horizontal and Vertical	36M0G7W	0.0	0.0		

E50. Modulation entirety.)	and Services (If the	e complete description	on does not appear in	this box, please go to	o the end of the form	to view it in its	
Phase modu	lated video, v	oice and data					
1.2m_g	11700.000 12200.000	R	Horizontal and Vertical	45K0G7W –	0.0	0.0	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) Phase modulated video, voice and data							
1.2m_g	11700.000 12200.000	R	Horizontal and Vertical	36M0D7W	0.0	0.0	
E50. Modulation entirety.)	and Services (If th	ne complete description	on does not appear in	this box, please go to	o the end of the form	to view it in its	
Phase and amplitude modulated video, voice and data							
1.2m_g	11700.000 12200.000	R	Horizontal and Vertical	45K0D7W –	0.0	0.0	

E50. Modulation entirety.)	and Services (If the	e complete description	on does not appear in	this box, please go t	o the end of the form	to view it in its	
Phase and	amplitude modu	lated video, v	oice and data				
1.2m_g	14000.000 14500.000	Т	Horizontal and Vertical	36M0G7W	59.02	19.48	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) Phase modulated video, voice and data							
1.2m_g	14000.000 14500.000	Т	Horizontal and Vertical	45K0G7W -	39.51	29.0	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) Phase modulated video, voice and data							
1.2m_g	14000.000 14500.000	Т	Horizontal and Vertical	36M0D7W	59.02	19.48	

E50. Modulation entirety.)	and Services (If th	e complete description	on does not appear in	this box, please go to	the end of the form	to view it in its	
Phase and	amplitude modu	lated video, v	oice and data				
1.2m_g	14000.000 14500.000	Т	Horizontal and Vertical	45K0D7W –	39.51	29.0	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) Phase and amplitude modulated video, voice and data							
1.25m	11700.000 12200.000	R	Horizontal and Vertical	36M0G7W	0.0	0.0	
E50. Modulation entirety.)	and Services (If th	e complete description	on does not appear in	this box, please go to	the end of the form	to view it in its	
Phase modulated video, voice and data							
1.25m	11700.000 12200.000	R	Horizontal and Vertical	45K0G7W –	0.0	0.0	

E50. Modulation entirety.)	and Services (If the	e complete description	on does not appear in	this box, please go to	o the end of the form	to view it in its	
Phase modu	lated video, v	oice and data					
1.25m	11700.000 12200.000	R	Horizontal and Vertical	36M0D7W	0.0	0.0	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) Phase and amplitude modulated video, voice and data							
1.25m	11700.000 12200.000	R	Horizontal and Vertical	45K0D7W –	0.0	0.0	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) Phase and amplitude modulated video, voice and data							
1.25m	14000.000 14500.000	Т	Horizontal and Vertical	36M0G7W	59.42	19.88	

E50. Modulation entirety.)	and Services (If the	e complete description	on does not appear in	this box, please go t	o the end of the form	to view it in its	
Phase modu	lated video, v	oice and data					
1.25m	14000.000 14500.00	Т	Horizontal and Vertical	45K0G7W -	39.91	29.4	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) Phase modulated video, voice and data							
1.25m	14000.00 14500.000	Т	Horizontal and Vertical	36M0D7W	59.42	19.88	
E50. Modulation entirety.)	and Services (If the	ne complete description	on does not appear in	this box, please go t	o the end of the form	to view it in its	
Phase and amplitude modulated video, voice and data							
1.25m	14000.000 14500.000	Т	Horizontal and Vertical	45K0D7W –	39.91	29.4	

E50. Modulation entirety.)	and Services (If the	ne complete description	on does not appear in	this box, please go t	o the end of the form	to view it in its	
Phase and	amplitude modu	lated video, v	roice and data				
1.8m_a	11700.000 12200.000	R	Horizontal and Vertical	36M0G7W	0.0	0.0	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) Phase modulated video, voice and data							
1.8m_a	11700.000 12200.000	R	Horizontal and Vertical	45K0G7W -	0.0	0.0	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) Phase modulated video, voice and data							
1.8m_a	11700.000 12200.000	R	Horizontal and Vertical	36M0D7W	0.0	0.0	

E50. Modulation entirety.)	and Services (If the	ne complete description	on does not appear in	this box, please go t	to the end of the form	to view it in its	
Phase and	amplitude modu	lated video, v	roice and data				
1.8m_a	11700.000 12200.000	R	Horizontal and Vertical	45K0D7W –	0.0	0.0	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) Phase and amplitude modulated video, voice and data							
1.8m_a	14000.000 14500.000	Т	Horizontal and Vertical	36M0G7W	62.82	23.28	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) Phase modulated video, voice and data							
1.8m_a	14000.000 14500.000	Т	Horizontal and Vertical	45K0G7W –	43.31	32.8	

E50. Modulation entirety.)	and Services (If the	e complete description	on does not appear in	this box, please go to	o the end of the form	to view it in its	
Phase modu	lated video, v	oice and data					
1.8m_a	14000.000 14500.000	Т	Horizontal and Vertical	36M0D7W	62.82	23.28	
E50. Modulation entirety.)	and Services (If th	ne complete description	on does not appear in	this box, please go to	o the end of the form	to view it in its	
Phase and amplitude modulated video, voice and data							
1.8m_a	14000.000 14500.000	Т	Horizontal and Vertical	45K0D7W –	43.31	32.8	
E50. Modulation entirety.)	and Services (If the	ne complete description	on does not appear in	this box, please go to	o the end of the form	to view it in its	
Phase and amplitude modulated video, voice and data							
1.8m_b	11700.000 12200.000	R	Horizontal and Vertical	36M0G7W	0.0	0.0	

E50. Modulation entirety.)	and Services (If the	e complete description	on does not appear in	this box, please go to	o the end of the form	to view it in its	
Phase modu	lated video, v	oice and data					
1.8m_b	11700.000 12200.000	R	Horizontal and Vertical	45K0G7W –	0.0	0.0	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) Phase modulated video, voice and data							
1.8m_b	11700.000 12200.000	R	Horizontal and Vertical	36M0D7W	0.0	0.0	
E50. Modulation entirety.)	and Services (If the	ne complete description	on does not appear in	this box, please go to	o the end of the form	to view it in its	
Phase and amplitude modulated video, voice and data							
1.8m_b	11700.000 12200.000	R	Horizontal and Vertical	45K0D7W –	0.0	0.0	

E50. Modulation entirety.)	and Services (If the	ne complete description	on does not appear in	this box, please go t	o the end of the form	to view it in its	
Phase and	amplitude modu	lated video, v	roice and data				
1.8m_b	14000.000 14500.000	Т	Horizontal and Vertical	36M0G7W	62.52	22.98	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) Phase modulated video, voice and data							
1.8m_b	14000.000 14500.000	Т	Horizontal and Vertical	45K0G7W -	43.01	32.5	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) Phase modulated video, voice and data							
1.8m_b	14000.000 14500.000	Т	Horizontal and Vertical	36M0D7W	62.52	22.98	

E50. Modulation entirety.)	and Services (If the	e complete description	on does not appear in	this box, please go to	o the end of the form	to view it in its	
Phase and	amplitude modu	lated video, v	oice and data				
1.8m_b	14000.000 14500.000	Т	Horizontal and Vertical	45K0D7W –	43.01	32.5	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) Phase and amplitude modulated video, voice and data							
1.8m_c	11700.000 12200.000	R	Horizontal and Vertical	36M0G7W	0.0	0.0	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) Phase modulated video, voice and data							
1.8m_c	11700.000 12200.000	R	Horizontal and Vertical	45K0G7W –	0.0	0.0	

E50. Modulation entirety.)	and Services (If the	e complete description	on does not appear in	this box, please go t	o the end of the form	to view it in its		
Phase modu	lated video, v	oice and data						
1.8m_c	11700.000 12200.000	R	Horizontal and Vertical	36M0D7W	0.0	0.0		
E50. Modulation entirety.)	and Services (If the	ne complete description	on does not appear in	this box, please go t	o the end of the form	to view it in its		
Phase and	Phase and amplitude modulated video, voice and data							
1.8m_c	11700.000 12200.000	R	Horizontal and Vertical	45K0D7W –	0.0	0.0		
E50. Modulation entirety.)	and Services (If the	ne complete description	on does not appear in	this box, please go t	o the end of the form	to view it in its		
Phase and amplitude modulated video, voice and data								
1.8m_c	14000.000 14500.000	Т	Horizontal and Vertical	36M0G7W	62.72	23.18		

E50. Modulation entirety.)	and Services (If the	e complete description	on does not appear in	this box, please go to	o the end of the form	to view it in its	
Phase modu	lated video, v	oice and data					
1.8m_c	14000.000 14500.000	Т	Horizontal and Vertical	45K0G7W -	43.21	32.7	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) Phase modulated video, voice and data							
1.8m_c	14000.000 14500.000	Т	Horizontal and Vertical	36M0D7W	62.72	23.18	
E50. Modulation entirety.)	and Services (If the	ne complete description	on does not appear in	this box, please go to	o the end of the form	to view it in its	
Phase and amplitude modulated video, voice and data							
1.8m_c	14000.000 14500.000	Т	Horizontal and Vertical	45K0D7W –	43.21	32.7	

E50. Modulation entirety.)	and Services (If the	e complete description	on does not appear in	this box, please go to	o the end of the form	to view it in its	
Phase and	amplitude modu	lated video, v	oice and data				
1.8m_d	11700.000 12200.000	R	Horizontal and Vertical	36M0G7W	0.0	0.0	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) Phase modulated video, voice and data							
1.8m_d	11700.000 12200.000	R	Horizontal and Vertical	45K0G7W –	0.0	0.0	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) Phase modulated video, voice and data							
1.8m_d	11700.000 12200.000	R	Horizontal and Vertical	36M0D7W	0.0	0.0	

E50. Modulation entirety.)	and Services (If the	ne complete description	on does not appear in	this box, please go t	to the end of the form	to view it in its	
Phase and	amplitude modu	lated video, v	roice and data				
1.8m_d	11700.000 12200.000	R	Horizontal and Vertical	45K0D7W –	0.0	0.0	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) Phase and amplitude modulated video, voice and data							
1.8m_d	14000.000 14500.000	Т	Horizontal and Vertical	36M0G7W	62.82	23.28	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) Phase modulated video, voice and data							
1.8m_d	14000.000 14500.000	Т	Horizontal and Vertical	45K0G7W –	43.31	32.8	

E50. Modulation entirety.)	and Services (If the	e complete description	on does not appear in	this box, please go to	o the end of the form	to view it in its		
Phase modu	lated video, v	oice and data						
1.8m_d	14000.000 14500.000	Т	Horizontal and Vertical	36M0D7W	62.82	23.28		
E50. Modulation entirety.)	and Services (If th	ne complete description	on does not appear in	this box, please go to	o the end of the form	to view it in its		
Phase and	Phase and amplitude modulated video, voice and data							
1.8m_d	14000.000 14500.000	Т	Horizontal and Vertical	45K0D7W –	43.31	32.8		
E50. Modulation entirety.)	and Services (If th	ne complete description	on does not appear in	this box, please go to	o the end of the form	to view it in its		
Phase and amplitude modulated video, voice and data								
1.8m_e	11700.00 12200.000	R	Horizontal and Vertical	36M0G7W	0.0	0.0		

E50. Modulation entirety.)	and Services (If the	ne complete description	on does not appear in	this box, please go t	to the end of the form	to view it in its		
Phase modu	ılated video, v	roice and data						
1.8m_e	11700.000 12200.000	R	Horizontal and Vertical	45K0G7W -	0.0	0.0		
E50. Modulation entirety.)	and Services (If the	ne complete description	on does not appear in	this box, please go t	to the end of the form	to view it in its		
Phase modu	Phase modulated video, voice and data							
1.8m_e	11700.000 12200.000	R	Horizontal and Vertical	36M0D7W	0.0	0.0		
E50. Modulation entirety.)	and Services (If the	ne complete description	on does not appear in	this box, please go t	to the end of the form	to view it in its		
Phase and amplitude modulated video, voice and data								
1.8m_e	11700.000 12200.00	R	Horizontal and Vertical	45K0D7W -	0.0	0.0		

E50. Modulation entirety.)	and Services (If the	e complete description	on does not appear in	this box, please go t	o the end of the form	to view it in its	
Phase and	amplitude modu	lated video, v	roice and data				
1.8m_e	14000.000 14500.000	Т	Horizontal and Vertical	36M0G7W	63.02	23.48	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) Phase modulated video, voice and data							
1.8m_e	14000.000 14500.000	Т	Horizontal and Vertical	45K0G7W -	43.51	33.0	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) Phase modulated video, voice and data							
1.8m_e	14000.000 14500.000	Т	Horizontal and Vertical	36M0D7W	63.02	23.48	

E50. Modulation entirety.)	and Services (If the	e complete description	on does not appear in	this box, please go to	o the end of the form	to view it in its	
Phase and	amplitude modu	lated video, v	oice and data				
1.8m_e	14000.000 14500.000	Т	Horizontal and Vertical	45K0D7W -	43.51	33.0	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) Phase and amplitude modulated video, voice and data							
2.4m_a	11700.000 12200.000	R	Horizontal and Vertical	36M0G7W	0.0	0.0	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) Phase modulated video, voice and data							
2.4m_a	11700.000 12200.000	R	Horizontal and Vertical	45K0G7W –	0.0	0.0	

E50. Modulation entirety.)	and Services (If the	e complete description	on does not appear in	this box, please go t	o the end of the form	to view it in its	
Phase modu	ılated video, v	oice and data					
2.4m_a	11700.000 12200.000	R	Horizontal and Vertical	36M0D7W	0.0	0.0	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) Phase and amplitude modulated video, voice and data							
2.4m_a	11700.000 12200.000	R	Horizontal and Vertical	45K0D7W –	0.0	0.0	
E50. Modulation entirety.)	and Services (If the	e complete description	on does not appear in	this box, please go t	o the end of the form	to view it in its	
Phase and amplitude modulated video, voice and data							
2.4m_a	14000.000 14500.000	Т	Horizontal and Vertical	36M0G7W	65.22	25.68	

E50. Modulation entirety.)	and Services (If the	ne complete description	on does not appear in	this box, please go t	to the end of the form	to view it in its	
Phase modu	ılated video, v	roice and data					
2.4m_a	14000.000 145000.000	Т	Horizontal and Vertical	45K0G7W –	45.71	35.2	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) Phase modulated video, voice and data							
2.4m_a	14000.000 14500.000	Т	Horizontal and Vertical	36M0D7W	65.22	25.68	
E50. Modulation entirety.)	and Services (If the	ne complete description	on does not appear in	this box, please go t	to the end of the form	to view it in its	
Phase and amplitude modulated video, voice and data							
2.4m_a	14000.000 14500.000	Т	Horizontal and Vertical	45K0D7W -	45.71	35.2	

E50. Modulation entirety.)	and Services (If the	e complete description	on does not appear in	this box, please go t	o the end of the form	to view it in its
Phase and	amplitude modu	lated video, v	roice and data			
2.4m_b	11700.000 12200.000	R	Horizontal and Vertical	36M0G7W	0.0	0.0
E50. Modulation entirety.) Phase modu	lated video, v			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	o the end of the form	
2.4m_b	11700.000 12200.000	R	Horizontal and Vertical	45K0G7W -	0.0	0.0
E50. Modulation entirety.) Phase modu	and Services (If the		on does not appear in	this box, please go t	o the end of the form	to view it in its
2.4m_b	11700.000 12200.000	R	Horizontal and Vertical	36M0D7W	0.0	0.0

E50. Modulation entirety.)	and Services (If the	e complete description	on does not appear in	this box, please go t	to the end of the form	to view it in its
Phase and	amplitude modu	lated video, v	roice and data			
2.4m_b	11700.000 12200.000	R	Horizontal and Vertical	45K0D7W	0.0	0.0
E50. Modulation entirety.) Phase and	and Services (If the			this box, please go t	to the end of the form	to view it in its
2.4m_b	14000.000 14500.000	Т	Horizontal and Vertical	36M0G7W	65.22	25.68
E50. Modulation entirety.) Phase modu	and Services (If the		on does not appear ir	this box, please go t	to the end of the form	to view it in its
2.4m_b	14000.000 14500.000	Т	Horizontal and Vertical	45K0G7W -	45.71	35.2

E50. Modulation entirety.)	and Services (If the	e complete description	on does not appear in	this box, please go to	o the end of the form	to view it in its
Phase modu	lated video, v	oice and data				
2.4m_b	14000.000 14500.000	Т	Horizontal and Vertical	36M0D7W	65.22	25.68
E50. Modulation entirety.) Phase and	and Services (If the amplitude modu			this box, please go to	o the end of the form	to view it in its
2.4m_b	14000.000 14500.000	Т	Horizontal and Vertical	45K0D7W –	45.71	35.2
E50. Modulation entirety.)	and Services (If the	ne complete description	on does not appear in	this box, please go to	o the end of the form	to view it in its
Phase and	amplitude modu	lated video, v	oice and data			
2.4m_c	11700.000 12200.000	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation entirety.)	and Services (If the	e complete description	on does not appear in	this box, please go t	o the end of the form	to view it in its
Phase modu	lated video, v	oice and data				
2.4m_c	11700.000 12200.000	R	Horizontal and Vertical	45K0G7W –	0.0	0.0
E50. Modulation entirety.) Phase modu	lated video, v		on does not appear in	tills box, picase go t	o the end of the form	to view it in its
2.4m_c	11700.000 12200.000	R	Horizontal and Vertical	36M0D7W	0.0	0.0
E50. Modulation entirety.)	and Services (If the	ne complete description	on does not appear in	this box, please go t	o the end of the form	to view it in its
Phase and	amplitude modu	lated video, v	oice and data			
2.4m_c	11700.000 12200.000	R	Horizontal and Vertical	45K0D7W –	0.0	0.0

E50. Modulation entirety.)	and Services (If the	ne complete description	on does not appear in	this box, please go t	to the end of the form	to view it in its
Phase and	amplitude modu	lated video, v	roice and data			
2.4m_c	14000.000 14500.000	Т	Horizontal and Vertical	36M0G7W	65.32	25.78
Phase modu	lated video, v	roice and data				
2.4m_c	14000.000 14500.000	Т	Horizontal and Vertical	45K0G7W –	45.81	35.3
E50. Modulation entirety.) Phase modu	and Services (If the		on does not appear in	n this box, please go t	to the end of the form	to view it in its
2.4m_c	14000.000 14500.000	Т	Horizontal and Vertical	36M0D7W	65.32	25.78

E50. Modulation entirety.)	and Services (If the	e complete description	on does not appear in	this box, please go to	o the end of the form	to view it in its
Phase and	amplitude modu	lated video, v	oice and data			
2.4m_c	14000.000 14500.000	Т	Horizontal and Vertical	45K0D7W –	45.81	35.3
E50. Modulation entirety.) Phase and	and Services (If the amplitude modu			this box, please go to	o the end of the form	to view it in its
3.6m	11700.000 12200.000	R	Horizontal and Vertical	36M0G7W	0.0	0.0
E50. Modulation entirety.) Phase modu	and Services (If the		on does not appear in	this box, please go to	o the end of the form	to view it in its
3.6m	11700.000 12200.000	R	Horizontal and Vertical	45K0G7W –	0.0	0.0

E50. Modulation entirety.)	and Services (If the	ne complete description	on does not appear in	this box, please go t	to the end of the form	to view it in its
Phase modu	ılated video, v	oice and data				
3.6m	11700.000 12200.000	R	Horizontal and Vertical	36M0D7W	0.0	0.0
E50. Modulation entirety.) Phase and	and Services (If the amplitude modu			this box, please go t	to the end of the form	to view it in its
3.6m	11700.000 12200.000	R	Horizontal and Vertical	45K0D7W -	0.0	0.0
E50. Modulation entirety.)	and Services (If the	ne complete description	on does not appear in	this box, please go t	to the end of the form	to view it in its
Phase and	amplitude modu	lated video, v	roice and data			
3.6m	14000.000 14500.000	Т	Horizontal and Vertical	36M0G7W	68.32	28.78

E50. Modulation entirety.)	and Services (If the	ne complete description	on does not appear in	this box, please go t	o the end of the form	to view it in its
Phase modu	ilated video, v	roice and data				
3.6m	14000.000 14500.000	Т	Horizontal and Vertical	45K0G7W -	48.81	38.3
E50. Modulation entirety.) Phase modu	and Services (If the		on does not appear in	this box, please go t	o the end of the form	to view it in its
3.6m	14000.000 14500.000	Т	Horizontal and Vertical	36M0D7W	68.32	28.78
E50. Modulation entirety.)	and Services (If the	ne complete description	on does not appear in	this box, please go t	o the end of the form	to view it in its
Phase and	amplitude modu	lated video, v	roice and data			
3.6m	14000.000 14500.000	Т	Horizontal and Vertical	45K0D7W -	48.81	38.3

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Phase and amplitude modulated video, voice and data

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
0.95m	Geostationary	11700.000 12200.000	60.0/ 143.0	0.0	5.0	0.0	5.0	0.0
	Geostationary	14000.000 14500.000	60.0/ 143.0	0.0	5.0	0.0	5.0	-6.47
1.0m	Geostationary	11700.000 12200.000	60.0/ 143.0	0.0	5.0	0.0	5.0	0.0
	Geostationary	14000.000 14500.000	60.0/ 143.0	0.0	5.0	0.0	5.0	-7.77
1.2m_a	Geostationary	11700.000 12200.000	60.0/ 143.0	0.0	5.0	0.0	5.0	0.0

Geostationary	14000.00											
REMOTE CONTROL POINT LOCATION												
E61. Call Sign	E61. Call Sign E65. Phone Number 907–868–5555											
NOTE: Please enter the callsi callsign for which this application	•	ling station, not	the									
E62. Street Address 2550 Denali Street, Suite 100	00											
E63. City Anchorage		E67. County ANCHORA			E64/68. State/Country AL/ USA	995	. Zip Code 03					

FCC NOTICE REQUIRED BY THE PAPERWORK REDUCTION ACT

The public reporting for this collection of information is estimated to average 0.25-24 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the required data, and completing and reviewing the collection of information. If you have any comments on this burden estimate, or how we can improve the collection and reduce the burden it causes you, please write to the Federal Communications Commission, AMD–PERM, Paperwork Reduction Project (3060–0678), Washington, DC 20554. We will also accept your comments regarding the Paperwork Reduction Act aspects of this collection via the Internet if you send them to PRA@fcc.gov. PLEASE DO NOT SEND COMPLETED FORMS TO THIS ADDRESS.

Remember – You are not required to respond to a collection of information sponsored by the Federal government, and the government may not conduct or sponsor this collection, unless it displays a currently valid OMB control number or if we fail to provide you with this notice. This collection has been assigned an OMB control number of 3060–0678.

THE FOREGOING NOTICE IS REQUIRED BY THE PAPERWORK REDUCTION ACT OF 1995, PUBLIC LAW 104–13, OCTOBER 1, 1995, 44 U.S.C. SECTION 3507.