

# FREQUENCY COORDINATION AND INTERFERENCE ANALYSIS REPORT

Prepared for

**BYU Broadcasting  
Rexburg, Idaho**

**Satellite Earth Station**

Prepared By:  
COMSEARCH

19700 Janelia Farm Boulevard  
Ashburn, Virginia 20147  
September 9, 2013

## TABLE OF CONTENTS

1. CONCLUSIONS .....	3
2. SUMMARY OF RESULTS .....	4
3. SUPPLEMENTAL SHOWING .....	5
4. EARTH STATION COORDINATION DATA.....	6
5. CERTIFICATION.....	10

## 1. CONCLUSIONS

An interference study considering all existing, proposed and prior coordinated microwave facilities within the coordination contours of the proposed earth station demonstrates that this site will operate satisfactorily with the common carrier microwave environment. Further, there will be no restrictions of its operation due to interference considerations.

## 2. SUMMARY OF RESULTS

A number of great circle interference cases were identified during the interference study of the proposed earth station. Each of the cases, which exceeded the interference objective on a line-of-sight basis, was profiled and the propagation losses estimated using NBS TN101 (Revised) techniques. The losses were found to be sufficient to reduce the signal levels to acceptable magnitudes in every case.

The following companies reported potential great circle interference conflicts that did not meet the objectives on a line-of-sight basis. When over-the-horizon losses are considered on the interfering paths, sufficient blockage exists to negate harmful interference from occurring with the proposed transmit-receive earth station.

### Company

Teton Communications  
WWC License LLC – Mountain Region

No other carriers reported potential interference cases.

### 3. SUPPLEMENTAL SHOWING

Pursuant to Part 25.203(c) of the FCC Rules and Regulations, the satellite earth station proposed in this application was coordinated by Comsearch using computer techniques and in accordance with Part 25 of the FCC Rules and Regulations.

Coordination data for this earth station was sent to the below listed carriers with a letter dated August 9, 2013.

#### Company

AT&T COMMUNICATIONS OF MOUNTAIN STATES  
Cellular, Inc. Financial Corporation  
Digis LLC  
Fremont Telcom Co  
Great Western Communications, LLC  
Idaho 6 Clark Limited Partnership  
International Communications Group, Inc.  
LP Broadband, Inc.  
Montana Statewide System - PSSB  
New Cingular Wireless PCS-ID & WY Mkts  
PacifiCorp  
QWEST CORPORATION  
STATE OF IDAHO  
TETON COMMUNICATIONS  
Union Telephone Company, Inc.  
Verizon Wireless (VAW) LLC -CO/ID/MT/WY  
WWC License LLC-Mountain Region

## **4. EARTH STATION COORDINATION DATA**

This section presents the data pertinent to frequency coordination of the proposed earth station that was circulated to all carriers within its coordination contours.

# COMSEARCH

## Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147  
(703)726-5500 <http://www.comsearch.com>

Date: 09/09/2013  
Job Number: 130809COMSJC01

---

### Administrative Information

Status ENGINEER PROPOSAL  
Call Sign  
Licensee Code BYUBRD  
Licensee Name BYU Broadcasting

---

### Site Information

**REXBURG, IDAHO**  
Venue Name  
Latitude (NAD 83) 43° 49' 0.3" N  
Longitude (NAD 83) 111° 46' 42.4" W  
Climate Zone A  
Rain Zone 5  
Ground Elevation (AMSL) 1524.61 m / 5002.0 ft

---

### Link Information

Satellite Type Geostationary  
Mode TR - Transmit-Receive  
Modulation Digital  
Satellite Arc 90° W to 92° West Longitude  
Azimuth Range 150.0° to 152.6°  
Corresponding Elevation Angles 35.0° / 35.7°  
Antenna Centerline (AGL) 3.05 m / 10.0 ft

---

### Antenna Information

		<b>Receive</b>		<b>Transmit</b>	
Manufacturer		ASC Signal		ASC Signal	
Model		4.5 Meter		4.5 Meter	
Gain / Diameter		43.8 dBi / 4.5 m		46.6 dBi / 4.5 m	
3-dB / 15-dB Beamwidth		1.10° / 2.10°		0.80° / 1.50°	
Max Available RF Power	(dBW/4 kHz) (dBW/MHz)			-16.3 7.7	
Maximum EIRP	(dBW/4 kHz) (dBW/MHz) (dBW)			30.3 54.3 61.8	
Interference Objectives:	Long Term Short Term	-156.0 dBW/MHz -146.0 dBW/MHz	20% 0.01%	-154.0 dBW/4 kHz -131.0 dBW/4 kHz	20% 0.0025%

---

### Frequency Information

	<b>Receive 4.0 GHz</b>	<b>Transmit 6.1 GHz</b>
Emission / Frequency Range (MHz)	5M60G7W / 3700.0 - 4200.0	5M60G7W / 5925.0 - 6107.0 5M60G7W / 6140.0 - 6425.0
Max Great Circle Coordination Distance	285.3 km / 177.2 mi	126.7 km / 78.7 mi
Precipitation Scatter Contour Radius	384.6 km / 239.0 mi	100.0 km / 62.1 mi

**COMSEARCH**  
**Earth Station Data Sheet**

19700 Janelia Farm Boulevard, Ashburn, VA 20147  
(703)726-5500 <http://www.comsearch.com>

**Coordination Values**

**REXBURG, ID**

Licensee Name	BYU Broadcasting				
Latitude (NAD 83)	43° 49' 0.3" N				
Longitude (NAD 83)	111° 46' 42.4" W				
Ground Elevation (AMSL)	1524.61 m / 5002.0 ft				
Antenna Centerline (AGL)	3.05 m / 10.0 ft				
Antenna Model	ASC Signal 4.5 Meter				
Antenna Mode	Receive 4.0 GHz		Transmit 6.1 GHz		
Interference Objectives: Long Term	-156.0 dBW/MHz	20%	-154.0 dBW/4 kHz 20%		
	Short Term	-146.0 dBW/MHz	0.01%	-131.0 dBW/4 kHz 0.0025%	
Max Available RF Power	-16.3 (dBW/4 kHz)				

Azimuth (°)	Horizon Elevation (°)	Antenna Discrimination (°)	Receive 4.0 GHz		Transmit 6.1 GHz	
			Horizon Gain (dBi)	Coordination Distance (km)	Horizon Gain (dBi)	Coordination Distance (km)
0	0.00	135.23	-10.00	285.28	-10.00	126.71
5	0.00	132.19	-10.00	285.28	-10.00	126.71
10	0.00	128.90	-10.00	285.28	-10.00	126.71
15	0.00	125.43	-10.00	285.28	-10.00	126.71
20	0.00	121.80	-10.00	285.28	-10.00	126.71
25	0.00	118.05	-10.00	285.28	-10.00	126.71
30	0.00	114.20	-10.00	285.28	-10.00	126.71
35	0.00	110.28	-10.00	285.28	-10.00	126.71
40	0.00	106.29	-10.00	285.28	-10.00	126.71
45	0.00	102.26	-10.00	285.28	-10.00	126.71
50	0.00	98.19	-10.00	285.28	-10.00	126.71
55	0.00	94.11	-10.00	285.28	-10.00	126.71
60	0.00	90.01	-10.00	285.28	-10.00	126.71
65	0.47	85.89	-10.00	252.84	-10.00	104.86
70	0.74	81.76	-10.00	234.93	-10.00	100.00
75	1.06	77.61	-10.00	218.50	-10.00	100.00
80	1.41	73.45	-10.00	208.10	-10.00	100.00
85	1.67	69.32	-10.00	203.40	-10.00	100.00
90	1.90	65.24	-10.00	197.35	-10.00	100.00
95	2.16	61.18	-10.00	190.87	-10.00	100.00
100	2.42	57.20	-10.00	184.88	-10.00	100.00
105	2.69	53.29	-10.00	178.70	-10.00	100.00
110	2.87	49.54	-10.00	174.38	-10.00	100.00
115	3.08	45.93	-9.55	171.84	-9.55	100.00
120	3.28	42.53	-8.72	171.59	-8.72	100.00
125	3.36	39.48	-7.91	174.00	-7.91	100.00
130	3.41	36.80	-7.15	176.82	-7.15	100.00
135	3.44	34.57	-6.47	179.65	-6.47	100.00
140	3.37	32.97	-5.95	183.79	-5.95	100.00
145	3.28	32.03	-5.64	187.46	-5.64	100.00
150	3.01	31.94	-5.61	193.29	-5.61	100.00
155	2.72	32.57	-5.82	198.54	-5.82	100.00
160	2.50	33.79	-6.22	201.32	-6.22	100.00
165	2.48	35.23	-6.67	199.60	-6.67	100.00
170	2.35	37.17	-7.26	199.61	-7.26	100.00
175	2.07	39.70	-7.97	202.44	-7.97	100.00
180	1.87	42.52	-8.71	203.95	-8.71	100.00
185	1.63	45.66	-9.49	204.44	-9.49	100.00



# COMSEARCH

## Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147  
(703)726-5500 <http://www.comsearch.com>

### Coordination Values


### REXBURG, ID

Licensee Name	BYU Broadcasting		
Latitude (NAD 83)	43° 49' 0.3" N		
Longitude (NAD 83)	111° 46' 42.4" W		
Ground Elevation (AMSL)	1524.61 m / 5002.0 ft		
Antenna Centerline (AGL)	3.05 m / 10.0 ft		
Antenna Model	ASC Signal 4.5 Meter		
Antenna Mode	Receive 4.0 GHz		Transmit 6.1 GHz
Interference Objectives: Long Term	-156.0 dBW/MHz	20%	-154.0 dBW/4 kHz 20%
Short Term	-146.0 dBW/MHz	0.01%	-131.0 dBW/4 kHz 0.0025%
Max Available RF Power			-16.3 (dBW/4 kHz)

Azimuth (°)	Horizon Elevation (°)	Antenna Discrimination (°)	Receive 4.0 GHz		Transmit 6.1 GHz	
			Horizon Gain (dBi)	Coordination Distance (km)	Horizon Gain (dBi)	Coordination Distance (km)
190	1.48	48.97	-10.00	206.16	-10.00	100.00
195	1.23	52.53	-10.00	213.26	-10.00	100.00
200	0.94	56.25	-10.00	223.71	-10.00	100.00
205	0.64	60.07	-10.00	240.73	-10.00	100.00
210	0.47	63.93	-10.00	252.93	-10.00	104.93
215	0.24	67.87	-10.00	280.31	-10.00	123.47
220	0.00	71.85	-10.00	285.28	-10.00	126.71
225	0.00	75.82	-10.00	285.28	-10.00	126.71
230	0.00	79.83	-10.00	285.28	-10.00	126.71
235	0.00	83.87	-10.00	285.28	-10.00	126.71
240	0.00	87.92	-10.00	285.28	-10.00	126.71
245	0.00	91.98	-10.00	285.28	-10.00	126.71
250	0.00	96.04	-10.00	285.28	-10.00	126.71
255	0.00	100.08	-10.00	285.28	-10.00	126.71
260	0.00	104.09	-10.00	285.28	-10.00	126.71
265	0.00	108.06	-10.00	285.28	-10.00	126.71
270	0.00	111.98	-10.00	285.28	-10.00	126.71
275	0.00	115.82	-10.00	285.28	-10.00	126.71
280	0.00	119.58	-10.00	285.28	-10.00	126.71
285	0.00	123.23	-10.00	285.28	-10.00	126.71
290	0.00	126.73	-10.00	285.28	-10.00	126.71
295	0.00	130.07	-10.00	285.28	-10.00	126.71
300	0.00	133.19	-10.00	285.28	-10.00	126.71
305	0.00	136.04	-10.00	285.28	-10.00	126.71
310	0.00	138.58	-10.00	285.28	-10.00	126.71
315	0.00	140.73	-10.00	285.28	-10.00	126.71
320	0.00	142.42	-10.00	285.28	-10.00	126.71
325	0.00	143.60	-10.00	285.28	-10.00	126.71
330	0.00	144.21	-10.00	285.28	-10.00	126.71
335	0.00	144.22	-10.00	285.28	-10.00	126.71
340	0.00	143.62	-10.00	285.28	-10.00	126.71
345	0.00	142.35	-10.00	285.28	-10.00	126.71
350	0.00	140.38	-10.00	285.28	-10.00	126.71
355	0.00	137.98	-10.00	285.28	-10.00	126.71

## 5. CERTIFICATION

I HEREBY CERTIFY THAT I AM THE TECHNICALLY QUALIFIED PERSON RESPONSIBLE FOR THE PREPARATION OF THE FREQUENCY COORDINATION DATA CONTAINED IN THIS APPLICATION, THAT I AM FAMILIAR WITH PARTS 101 AND 25 OF THE FCC RULES AND REGULATIONS, THAT I HAVE EITHER PREPARED OR REVIEWED THE FREQUENCY COORDINATION DATA SUBMITTED WITH THIS APPLICATION, AND THAT IT IS COMPLETE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.



Jeffrey E. Cowles  
Engineer III, Telecommunications  
COMSEARCH  
19700 Janelia Farm Boulevard  
Ashburn, Va. 20147

DATED: September 9, 2013