

FREQUENCY COORDINATION AND INTERFERENCE ANALYSIS REPORT

Prepared for
University of Alaska - Fairbanks
FAIRBANKS (North Pole), AK
(9.1 Meter)
Satellite Earth Station

Prepared By:
COMSEARCH
19700 Janelia Farm Boulevard
Ashburn, VA 20147
September 12, 2014

TABLE OF CONTENTS

1. CONCLUSIONS	3
2. SUMMARY OF RESULTS	4
3. SUPPLEMENTAL SHOWING	5
4. EARTH STATION COORDINATION DATA.....	7
5. CERTIFICATION.....	14

1. CONCLUSIONS

An interference study considering all existing, proposed and prior coordinated microwave facilities within the coordination contours of the proposed earth station demonstrates that this site will operate satisfactorily with the common carrier microwave environment. Further, there will be no restrictions of its operation due to interference considerations.

2. SUMMARY OF RESULTS

A number of great circle interference cases were identified during the interference study of the proposed earth station. Each of the cases, which exceeded the interference objective on a line-of-sight basis, was either profiled and the propagation losses estimated using NBS TN101 (Revised) techniques resolved them, or band limitations precluded the interference conflict. The path losses and frequency offsets were found to be sufficient to reduce the signal levels to acceptable magnitudes in every case.

3. SUPPLEMENTAL SHOWING

Pursuant to Part 25.203(c) of the FCC Rules and Regulations, the satellite earth station proposed in this application was coordinated by Comsearch using computer techniques and in accordance with Part 25 of the FCC Rules and Regulations.

Coordination data for this earth station was sent to the below listed carriers with a letter dated 07/17/2014.

Company

3G Wireless, LLC
AERIAL VIDEO SYSTEMS
AT&T California
Alascom Inc
Ascent Media Network Services, LLC
Bellsouth Telecommunications, Inc.
Borgeson, Tom R.
Broadcast Sports Inc.
CHENA BROADCASTING, LLC
CNG Communications, Inc.
Carolina Telephone and Telegraph Co
Casper, John
CenturyTel of the Southwest, Inc.
Chicago Comnet Corp
Cincinnati Bell Wireless LLC
Citywide News Network, Inc.
Cowboys Stadium LP
DCI II, INC.
Direct Broadcast Services, Inc.
GOODYEAR TIRE AND RUBBER COMPANY
GSN New, Inc
Global Microwave Systems Inc
HF Enterprises, Inc
Hallco Unlimited, Inc.
Hawaiian Telcom, Inc.
Heiden, William
Illinois Bell Telephone Company
Indiana Bell Telephone Company
Information & Display Systems, Inc.
Information Super Station, LLC
International Communications Group, Inc.
Kentucky RSA #3 Cellular General Partner
Kentucky RSA #4 Cellular General Partner
MERCURY COMMUNICATIONS
Metro Networks Communications, Inc.
Michigan Bell Telephone Company
Moreen, Steven K
NEW ENGLAND DIGITAL DISTRIBUTION, INC.
NEW ENGLAND SATELLITE SYSTEMS INC
NSM Surveillance
Navajo Communications Company

NorthWest Suburbs Community Access Corp
Ohio Bell Telephone Company
On Scene Video Production
Onboard Images
Penn Service Microwave Co., Inc.
Plateau Telecommunications, Inc.
Plum TV, LLC
Production & Satellite Services, Inc.
Public Television Communications Center
QUICK LINK CONNECTIONS INC
Qwest Corporation
RCC Minnesota Inc. - MN NE ND SD
REMOTE FACILITIES CONSULTING SERVICES
RF Central, LLC
RF Film, Inc
Radiofone, Inc.
Randy Hermes Production
Regulus Media Services, Inc.
Remote Broadcasts, Inc.
SBE Coordinator Alaska Region
Southwestern Bell Telephone L.P.
Speedshotz, Inc
Total RF Marketing Inc
Unisat, Inc.
United Telephone - Southeast
VERIZON SOUTH INC.
Verizon California Inc.
Verizon Maryland, Inc.
Verizon New England Inc.
Verizon New Jersey, Inc.
Verizon New York, Inc.
Verizon North Inc.
Verizon Northwest Inc.
Verizon Pennsylvania, Inc.
Verizon Virginia, Inc.
Verizon Washington DC, Inc.
Village Video Productions Inc
Vyvx, LLC
Westar Satellite Services LP
Western Technical Services
Wexler Video, Inc.
Winged Vision Inc
Wisconsin Bell, Inc.
Wolfe Air Aviation

4. EARTH STATION COORDINATION DATA

This section presents the data pertinent to frequency coordination of the proposed earth station that was circulated to all carriers within its coordination contours.

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Date: 09/10/2014
Job Number: 140717COMSGE01

Administrative Information

Status ENGINEER PROPOSAL
Call Sign
Licensee Code UAKFAI
Licensee Name University of Alaska - Fairbanks

Site Information FAIRBANKS (North Pole), AK

Venue Name
Latitude (NAD 83) 64° 47' 37.0" N
Longitude (NAD 83) 147° 32' 10.0" W
Climate Zone A
Rain Zone 2
Ground Elevation (AMSL) 143.8 m / 471.8 ft

Link Information

Satellite Type Low Earth Orbit
Mode TO - Transmit-Only
Modulation Digital
Minimum Elevation Angle 5.0°
Azimuth Range 0.0° to 360°
Antenna Centerline (AGL) 5.49 m / 18.0 ft

Antenna Information Transmit - FCC32

Manufacturer ViaSat
Model 9.1 Meter
Gain / Diameter 42.6 dBi / 9.1 m
3-dB / 15-dB Beamwidth 1.20° / 2.80°

Max Available RF Power (dBW/4 kHz) -31.6
(dBW/MHz) -7.6

Maximum EIRP (dBW/4 kHz) 11.0
(dBW/MHz) 35.0

Interference Objectives: Long Term -154.0 dBW/4 kHz 20%
Short Term -131.0 dBW/4 kHz 0.0025%

Frequency Information Transmit 2.0 GHz

Emission / Frequency Range (MHz) 100KG7D / 2042.0 - 2052.0

Max Great Circle Coordination Distance 327.6 km / 203.5 mi
Precipitation Scatter Contour Radius 100.0 km / 62.1 mi

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Coordination Values

FAIRBANKS, AK

Licensee Name University of Alaska - Fairbanks
Latitude (NAD 83) 64° 47' 37.0" N
Longitude (NAD 83) 147° 32' 10.0" W
Ground Elevation (AMSL) 143.8 m / 471.8 ft
Antenna Centerline (AGL) 5.49 m / 18.0 ft
Antenna Model ViaSat 9.1 Meter
Antenna Mode Transmit 2.0 GHz
Interference Objectives: Long Term -154.0 dBW/4 kHz 20%
Short Term -131.0 dBW/4 kHz 0.0025%
Max Available RF Power -31.6 (dBW/4 kHz)

Azimuth (°)	Horizon Elevation (°)	Antenna Discrimination (°)	Transmit 2.0 GHz	
			Horizon Gain (dBi)	Coordination Distance (km)
0	0.00	44.14	7.00	327.60
5	0.00	40.64	7.00	327.60
10	0.00	37.41	7.00	327.60
15	0.00	34.54	7.00	327.60
20	0.00	32.12	7.00	327.60
25	0.00	30.27	7.00	327.60
30	0.00	29.10	7.00	327.60
35	0.00	28.69	7.00	327.60
40	0.00	29.06	7.00	327.60
45	0.00	30.20	7.00	327.60
50	0.00	32.02	7.00	327.60
55	0.00	34.41	7.00	327.60
60	0.00	37.27	7.00	327.60
65	0.00	40.48	7.00	327.60
70	0.00	43.98	7.00	327.60
75	0.00	47.69	7.00	327.60
80	0.00	51.57	7.00	327.60
85	0.00	55.58	7.00	327.60
90	0.00	59.69	7.00	327.60
95	0.00	63.89	7.00	327.60
100	0.00	68.14	7.00	327.60
105	0.00	72.44	7.00	327.60
110	0.00	76.78	7.00	327.60
115	0.00	81.14	7.00	327.60
120	0.00	85.51	7.00	327.60
125	0.00	89.90	7.00	327.60
130	0.00	94.28	7.00	327.60
135	0.00	98.66	7.00	327.60
140	0.00	103.02	7.00	327.60
145	0.00	107.36	7.00	327.60
150	0.00	111.66	7.00	327.60
155	0.00	115.92	7.00	327.60
160	0.00	120.11	7.00	327.60
165	0.00	124.23	7.00	327.60
170	0.00	128.25	7.00	327.60
175	0.00	132.14	7.00	327.60
180	0.00	135.86	7.00	327.60
185	0.00	139.36	7.00	327.60

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Coordination Values

FAIRBANKS, AK

Licensee Name University of Alaska - Fairbanks
Latitude (NAD 83) 64° 47' 37.0" N
Longitude (NAD 83) 147° 32' 10.0" W
Ground Elevation (AMSL) 143.8 m / 471.8 ft
Antenna Centerline (AGL) 5.49 m / 18.0 ft
Antenna Model ViaSat 9.1 Meter
Antenna Mode Transmit 2.0 GHz
Interference Objectives: Long Term -154.0 dBW/4 kHz 20%
Short Term -131.0 dBW/4 kHz 0.0025%
Max Available RF Power -31.6 (dBW/4 kHz)

Azimuth (°)	Horizon Elevation (°)	Antenna Discrimination (°)	Transmit 2.0 GHz	
			Horizon Gain (dBi)	Coordination Distance (km)
190	0.00	142.59	7.00	327.60
195	0.00	145.46	7.00	327.60
200	0.00	147.88	7.00	327.60
205	0.00	149.73	7.00	327.60
210	0.00	150.90	7.00	327.60
215	0.00	151.31	7.00	327.60
220	0.00	150.94	7.00	327.60
225	0.00	149.80	7.00	327.60
230	0.00	147.98	7.00	327.60
235	0.00	145.59	7.00	327.60
240	0.00	142.73	7.00	327.60
245	0.00	139.52	7.00	327.60
250	0.00	136.02	7.00	327.60
255	0.00	132.31	7.00	327.60
260	0.00	128.43	7.00	327.60
265	0.00	124.42	7.00	327.60
270	0.00	120.31	7.00	327.60
275	0.00	116.11	7.00	327.60
280	0.00	111.86	7.00	327.60
285	0.00	107.56	7.00	327.60
290	0.00	103.22	7.00	327.60
295	0.00	98.86	7.00	327.60
300	0.00	94.49	7.00	327.60
305	0.00	90.10	7.00	327.60
310	0.00	85.72	7.00	327.60
315	0.00	81.34	7.00	327.60
320	0.00	76.98	7.00	327.60
325	0.00	72.64	7.00	327.60
330	0.00	68.34	7.00	327.60
335	0.00	64.08	7.00	327.60
340	0.00	59.89	7.00	327.60
345	0.00	55.77	7.00	327.60
350	0.00	51.75	7.00	327.60
355	0.00	47.86	7.00	327.60

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Date: 09/10/2014
Job Number: <PCNJobCode>

Administrative Information

Status ENGINEER PROPOSAL
Call Sign <PCNCallSign>
Licensee Code UAKFAI
Licensee Name University of Alaska - Fairbanks

Site Information FAIRBANKS (North Pole), AK

Venue Name
Latitude (NAD 83) 64° 47' 37.0" N
Longitude (NAD 83) 147° 32' 10.0" W
Climate Zone A
Rain Zone 2
Ground Elevation (AMSL) 143.8 m / 471.8 ft

Link Information

Satellite Type Low Earth Orbit
Mode RO - Receive-Only
Modulation Digital
Minimum Elevation Angle 5.0°
Azimuth Range 0.0° to 360°
Antenna Centerline (AGL) 5.49 m / 18.0 ft

Antenna Information Receive - FCC32

Manufacturer ViaSat
Model 9.1 Meter
Gain / Diameter 42.6 dBi / 9.1 m
3-dB / 15-dB Beamwidth 1.20° / 2.80°

Interference Objectives: Long Term -156.0 dBW/MHz 20%
Short Term -146.0 dBW/MHz 0.01%

Frequency Information Receive 2.0 GHz

Emission / Frequency Range (MHz) 100KG7D / 2200.0 - 2400.0

Max Great Circle Coordination Distance 327.6 km / 203.5 mi
Precipitation Scatter Contour Radius 472.1 km / 293.3 mi

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Coordination Values

FAIRBANKS, AK

Licensee Name University of Alaska - Fairbanks
Latitude (NAD 83) 64° 47' 37.0" N
Longitude (NAD 83) 147° 32' 10.0" W
Ground Elevation (AMSL) 143.8 m / 471.8 ft
Antenna Centerline (AGL) 5.49 m / 18.0 ft
Antenna Model ViaSat 9.1 Meter
Antenna Mode Receive 2.0 GHz
Interference Objectives: Long Term -156.0 dBW/MHz 20%
Short Term -146.0 dBW/MHz 0.01%

Azimuth (°)	Horizon Elevation (°)	Antenna Discrimination (°)	Receive 2.0 GHz	
			Horizon Gain (dBi)	Coordination Distance (km)
0	0.00	44.14	7.00	327.60
5	0.00	40.64	7.00	327.60
10	0.00	37.41	7.00	327.60
15	0.00	34.54	7.00	327.60
20	0.00	32.12	7.00	327.60
25	0.00	30.27	7.00	327.60
30	0.00	29.10	7.00	327.60
35	0.00	28.69	7.00	327.60
40	0.00	29.06	7.00	327.60
45	0.00	30.20	7.00	327.60
50	0.00	32.02	7.00	327.60
55	0.00	34.41	7.00	327.60
60	0.00	37.27	7.00	327.60
65	0.00	40.48	7.00	327.60
70	0.00	43.98	7.00	327.60
75	0.00	47.69	7.00	327.60
80	0.00	51.57	7.00	327.60
85	0.00	55.58	7.00	327.60
90	0.00	59.69	7.00	327.60
95	0.00	63.89	7.00	327.60
100	0.00	68.14	7.00	327.60
105	0.00	72.44	7.00	327.60
110	0.00	76.78	7.00	327.60
115	0.00	81.14	7.00	327.60
120	0.00	85.51	7.00	327.60
125	0.00	89.90	7.00	327.60
130	0.00	94.28	7.00	327.60
135	0.00	98.66	7.00	327.60
140	0.00	103.02	7.00	327.60
145	0.00	107.36	7.00	327.60
150	0.00	111.66	7.00	327.60
155	0.00	115.92	7.00	327.60
160	0.00	120.11	7.00	327.60
165	0.00	124.23	7.00	327.60
170	0.00	128.25	7.00	327.60
175	0.00	132.14	7.00	327.60
180	0.00	135.86	7.00	327.60
185	0.00	139.36	7.00	327.60

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Coordination Values


FAIRBANKS, AK

Licensee Name University of Alaska - Fairbanks
Latitude (NAD 83) 64° 47' 37.0" N
Longitude (NAD 83) 147° 32' 10.0" W
Ground Elevation (AMSL) 143.8 m / 471.8 ft
Antenna Centerline (AGL) 5.49 m / 18.0 ft
Antenna Model ViaSat 9.1 Meter
Antenna Mode Receive 2.0 GHz
Interference Objectives: Long Term -156.0 dBW/MHz 20%
Short Term -146.0 dBW/MHz 0.01%

Azimuth (°)	Horizon Elevation (°)	Antenna Discrimination (°)	Receive 2.0 GHz	
			Horizon Gain (dBi)	Coordination Distance (km)
190	0.00	142.59	7.00	327.60
195	0.00	145.46	7.00	327.60
200	0.00	147.88	7.00	327.60
205	0.00	149.73	7.00	327.60
210	0.00	150.90	7.00	327.60
215	0.00	151.31	7.00	327.60
220	0.00	150.94	7.00	327.60
225	0.00	149.80	7.00	327.60
230	0.00	147.98	7.00	327.60
235	0.00	145.59	7.00	327.60
240	0.00	142.73	7.00	327.60
245	0.00	139.52	7.00	327.60
250	0.00	136.02	7.00	327.60
255	0.00	132.31	7.00	327.60
260	0.00	128.43	7.00	327.60
265	0.00	124.42	7.00	327.60
270	0.00	120.31	7.00	327.60
275	0.00	116.11	7.00	327.60
280	0.00	111.86	7.00	327.60
285	0.00	107.56	7.00	327.60
290	0.00	103.22	7.00	327.60
295	0.00	98.86	7.00	327.60
300	0.00	94.49	7.00	327.60
305	0.00	90.10	7.00	327.60
310	0.00	85.72	7.00	327.60
315	0.00	81.34	7.00	327.60
320	0.00	76.98	7.00	327.60
325	0.00	72.64	7.00	327.60
330	0.00	68.34	7.00	327.60
335	0.00	64.08	7.00	327.60
340	0.00	59.89	7.00	327.60
345	0.00	55.77	7.00	327.60
350	0.00	51.75	7.00	327.60
355	0.00	47.86	7.00	327.60

5. CERTIFICATION

I HEREBY CERTIFY THAT I AM THE TECHNICALLY QUALIFIED PERSON RESPONSIBLE FOR THE PREPARATION OF THE FREQUENCY COORDINATION DATA CONTAINED IN THIS APPLICATION, THAT I AM FAMILIAR WITH PARTS 101 AND 25 OF THE FCC RULES AND REGULATIONS, THAT I HAVE EITHER PREPARED OR REVIEWED THE FREQUENCY COORDINATION DATA SUBMITTED WITH THIS APPLICATION, AND THAT IT IS COMPLETE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

BY: 

Gary K. Edwards
Senior Manager
COMSEARCH
19700 Janelia Farm Boulevard
Ashburn, VA 20147

DATED: September 12, 2014

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

FREQUENCY COORDINATION AND INTERFERENCE ANALYSIS REPORT

Prepared for
University of Alaska - Fairbanks
FAIRBANKS, AK
(7.3 Meter)
Satellite Earth Station

Prepared By:
COMSEARCH
19700 Janelia Farm Boulevard
Ashburn, VA 20147
September 12, 2014

TABLE OF CONTENTS

1. CONCLUSIONS 3
2. SUMMARY OF RESULTS 4
3. SUPPLEMENTAL SHOWING 5
4. EARTH STATION COORDINATION DATA..... 7
5. CERTIFICATION..... 14

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

1. CONCLUSIONS

An interference study considering all existing, proposed and prior coordinated microwave facilities within the coordination contours of the proposed earth station demonstrates that this site will operate satisfactorily with the common carrier microwave environment. Further, there will be no restrictions of its operation due to interference considerations.

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

2. SUMMARY OF RESULTS

A number of great circle interference cases were identified during the interference study of the proposed earth station. Each of the cases, which exceeded the interference objective on a line-of-sight basis, was either profiled and the propagation losses estimated using NBS TN101 (Revised) techniques resolved them, or band limitations precluded the interference conflict. The path losses and frequency offsets were found to be sufficient to reduce the signal levels to acceptable magnitudes in every case.

COMSEARCH
Earth Station Data Sheet
19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

3. SUPPLEMENTAL SHOWING

Pursuant to Part 25.203(c) of the FCC Rules and Regulations, the satellite earth station proposed in this application was coordinated by Comsearch using computer techniques and in accordance with Part 25 of the FCC Rules and Regulations.

Coordination data for this earth station was sent to the below listed carriers with a letter dated 07/17/2014.

Company

3G Wireless, LLC
AERIAL VIDEO SYSTEMS
AT&T California
Affiliated Media, Inc. FCC Trust
Alascom Inc
Alaska Public Telecommunications, Inc.
Ascent Media Network Services, LLC
Bellsouth Telecommunications, Inc.
Borgeson, Tom R.
Broadcast Sports Inc.
CHENA BROADCASTING, LLC
CNG Communications, Inc.
Carolina Telephone and Telegraph Co
Casper, John
CenturyTel of the Southwest, Inc.
Chicago Comnet Corp
Cincinnati Bell Wireless LLC
Citywide News Network, Inc.
Coastal Television Broadcasting Company
Cowboys Stadium LP
DCI II, INC.
Denali Media Anchorage, Corp
Direct Broadcast Services, Inc.
GOODYEAR TIRE AND RUBBER COMPANY
GSN New, Inc
Global Microwave Systems Inc
HF Enterprises, Inc
Hallco Unlimited, Inc.
Hawaiian Telcom, Inc.
Heiden, William
Illinois Bell Telephone Company
Indiana Bell Telephone Company
Information & Display Systems, Inc.
Information Super Station, LLC
International Communications Group, Inc.
Kentucky RSA #3 Cellular General Partner
Kentucky RSA #4 Cellular General Partner
MERCURY COMMUNICATIONS
Metro Networks Communications, Inc.

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Michigan Bell Telephone Company
Moreen, Steven K
NEW ENGLAND DIGITAL DISTRIBUTION, INC.
NEW ENGLAND SATELLITE SYSTEMS INC
NSM Surveillance
Navajo Communications Company
NorthWest Suburbs Community Access Corp
Northern Lights Media, Inc.
Ohio Bell Telephone Company
On Scene Video Production
Onboard Images
Penn Service Microwave Co., Inc.
Plateau Telecommunications, Inc.
Plum TV, LLC
Production & Satellite Services, Inc.
Public Television Communications Center
QUICK LINK CONNECTIONS INC
Qwest Corporation
RCC Minnesota Inc. - MN NE ND SD
REMOTE FACILITIES CONSULTING SERVICES
RF Central, LLC
RF Film, Inc
Radiofone, Inc.
Randy Hermes Production
Regulus Media Services, Inc.
Remote Broadcasts, Inc.
SBE Alaska Coordinator
Southwestern Bell Telephone L.P.
Speedshotz, Inc
Total RF Marketing Inc
Unisat, Inc.
United Telephone - Southeast
VERIZON SOUTH INC.
VISION ALASKA I LLC
Verizon California Inc.
Verizon Maryland, Inc.
Verizon New England Inc.
Verizon New Jersey, Inc.
Verizon New York, Inc.
Verizon North Inc.
Verizon Northwest Inc.
Verizon Pennsylvania, Inc.
Verizon Virginia, Inc.
Verizon Washington DC, Inc.
Village Video Productions Inc
Vyvx, LLC
Westar Satellite Services LP
Western Technical Services
Wexler Video, Inc.
Winged Vision Inc
Wisconsin Bell, Inc.
Wolfe Air Aviation

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

4. EARTH STATION COORDINATION DATA

This section presents the data pertinent to frequency coordination of the proposed earth station that was circulated to all carriers within its coordination contours.

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Date: 09/11/2014
Job Number: 140717COMSGE02

Administrative Information

Status ENGINEER PROPOSAL
Call Sign
Licensee Code UAKFAI
Licensee Name University of Alaska - Fairbanks

Site Information FAIRBANKS, AK

Venue Name
Latitude (NAD 83) 64° 47' 37.0" N
Longitude (NAD 83) 147° 32' 10.0" W
Climate Zone A
Rain Zone 2
Ground Elevation (AMSL) 143.8 m / 471.8 ft

Link Information

Satellite Type Low Earth Orbit
Mode TO - Transmit-Only
Modulation Digital
Minimum Elevation Angle 5.0°
Azimuth Range 0.0° to 360°
Antenna Centerline (AGL) 4.88 m / 16.0 ft

Antenna Information Transmit - FCC32

Manufacturer ViaSat
Model 7.3 Meter
Gain / Diameter 41.0 dBi / 7.3 m
3-dB / 15-dB Beamwidth 1.40° / 3.40°

Max Available RF Power (dBW/4 kHz) -1.0
(dBW/MHz) 23.0

Maximum EIRP (dBW/4 kHz) 40.0
(dBW/MHz) 64.0

Interference Objectives: Long Term -154.0 dBW/4 kHz 20%
Short Term -131.0 dBW/4 kHz 0.0025%

Frequency Information Transmit 2.0 GHz

Emission / Frequency Range (MHz) 100KG7D / 2042.0 - 2052.0

Max Great Circle Coordination Distance 539.8 km / 335.4 mi
Precipitation Scatter Contour Radius 129.8 km / 80.7 mi

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Coordination Values

FAIRBANKS, AK

Licensee Name University of Alaska - Fairbanks
Latitude (NAD 83) 64° 47' 37.0" N
Longitude (NAD 83) 147° 32' 10.0" W
Ground Elevation (AMSL) 143.8 m / 471.8 ft
Antenna Centerline (AGL) 4.88 m / 16.0 ft
Antenna Model ViaSat 7.3 Meter
Antenna Mode Transmit 2.0 GHz
Interference Objectives: Long Term -154.0 dBW/4 kHz 20%
Short Term -131.0 dBW/4 kHz 0.0025%
Max Available RF Power -1.0 (dBW/4 kHz)

Azimuth (°)	Horizon Elevation (°)	Antenna Discrimination (°)	Transmit 2.0 GHz	
			Horizon Gain (dBi)	Coordination Distance (km)
0	0.00	44.14	7.00	539.80
5	0.00	40.64	7.00	539.80
10	0.00	37.41	7.00	539.80
15	0.00	34.54	7.00	539.80
20	0.00	32.12	7.00	539.80
25	0.00	30.27	7.00	539.80
30	0.00	29.10	7.00	539.80
35	0.00	28.69	7.00	539.80
40	0.00	29.06	7.00	539.80
45	0.00	30.20	7.00	539.80
50	0.00	32.02	7.00	539.80
55	0.00	34.41	7.00	539.80
60	0.00	37.27	7.00	539.80
65	0.00	40.48	7.00	539.80
70	0.00	43.98	7.00	539.80
75	0.00	47.69	7.00	539.80
80	0.00	51.57	7.00	539.80
85	0.00	55.58	7.00	539.80
90	0.00	59.69	7.00	539.80
95	0.00	63.89	7.00	539.80
100	0.00	68.14	7.00	539.80
105	0.00	72.44	7.00	539.80
110	0.00	76.78	7.00	539.80
115	0.00	81.14	7.00	539.80
120	0.00	85.51	7.00	539.80
125	0.00	89.90	7.00	539.80
130	0.00	94.28	7.00	539.80
135	0.00	98.66	7.00	539.80
140	0.00	103.02	7.00	539.80
145	0.00	107.36	7.00	539.80
150	0.00	111.66	7.00	539.80
155	0.00	115.92	7.00	539.80
160	0.00	120.11	7.00	539.80
165	0.00	124.23	7.00	539.80
170	0.00	128.25	7.00	539.80
175	0.00	132.14	7.00	539.80
180	0.00	135.86	7.00	539.80
185	0.00	139.36	7.00	539.80

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Coordination Values

FAIRBANKS, AK

Licensee Name University of Alaska - Fairbanks
Latitude (NAD 83) 64° 47' 37.0" N
Longitude (NAD 83) 147° 32' 10.0" W
Ground Elevation (AMSL) 143.8 m / 471.8 ft
Antenna Centerline (AGL) 4.88 m / 16.0 ft
Antenna Model ViaSat 7.3 Meter
Antenna Mode Transmit 2.0 GHz
Interference Objectives: Long Term -154.0 dBW/4 kHz 20%
Short Term -131.0 dBW/4 kHz 0.0025%
Max Available RF Power -1.0 (dBW/4 kHz)

Azimuth (°)	Horizon Elevation (°)	Antenna Discrimination (°)	Transmit 2.0 GHz	
			Horizon Gain (dBi)	Coordination Distance (km)
190	0.00	142.59	7.00	539.80
195	0.00	145.46	7.00	539.80
200	0.00	147.88	7.00	539.80
205	0.00	149.73	7.00	539.80
210	0.00	150.90	7.00	539.80
215	0.00	151.31	7.00	539.80
220	0.00	150.94	7.00	539.80
225	0.00	149.80	7.00	539.80
230	0.00	147.98	7.00	539.80
235	0.00	145.59	7.00	539.80
240	0.00	142.73	7.00	539.80
245	0.00	139.52	7.00	539.80
250	0.00	136.02	7.00	539.80
255	0.00	132.31	7.00	539.80
260	0.00	128.43	7.00	539.80
265	0.00	124.42	7.00	539.80
270	0.00	120.31	7.00	539.80
275	0.00	116.11	7.00	539.80
280	0.00	111.86	7.00	539.80
285	0.00	107.56	7.00	539.80
290	0.00	103.22	7.00	539.80
295	0.00	98.86	7.00	539.80
300	0.00	94.49	7.00	539.80
305	0.00	90.10	7.00	539.80
310	0.00	85.72	7.00	539.80
315	0.00	81.34	7.00	539.80
320	0.00	76.98	7.00	539.80
325	0.00	72.64	7.00	539.80
330	0.00	68.34	7.00	539.80
335	0.00	64.08	7.00	539.80
340	0.00	59.89	7.00	539.80
345	0.00	55.77	7.00	539.80
350	0.00	51.75	7.00	539.80
355	0.00	47.86	7.00	539.80

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147

(703)726-5500 <http://www.comsearch.com>

Date: 09/10/2014

Job Number: <PCNJobCode>

Administrative Information

Status ENGINEER PROPOSAL
Call Sign <PCNCallSign>
Licensee Code UAKFAI
Licensee Name University of Alaska - Fairbanks

Site Information FAIRBANKS, AK

Venue Name
Latitude (NAD 83) 64° 47' 37.0" N
Longitude (NAD 83) 147° 32' 10.0" W
Climate Zone A
Rain Zone 2
Ground Elevation (AMSL) 143.8 m / 471.8 ft

Link Information

Satellite Type Low Earth Orbit
Mode RO - Receive-Only
Modulation Digital
Minimum Elevation Angle 5.0°
Azimuth Range 0.0° to 360°
Antenna Centerline (AGL) 4.88 m / 16.0 ft

Antenna Information Receive - FCC32

Manufacturer ViaSat
Model 7.3 Meter
Gain / Diameter 41.0 dBi / 7.3 m
3-dB / 15-dB Beamwidth 1.40° / 3.40°

Interference Objectives: Long Term -156.0 dBW/MHz 20%
Short Term -146.0 dBW/MHz 0.01%

Frequency Information Receive 2.0 GHz

Emission / Frequency Range (MHz) 100KG7D / 2200.0 - 2400.0

Max Great Circle Coordination Distance 539.8 km / 335.4 mi
Precipitation Scatter Contour Radius 472.1 km / 293.3 mi

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Coordination Values

FAIRBANKS, AK

Licensee Name University of Alaska - Fairbanks
Latitude (NAD 83) 64° 47' 37.0" N
Longitude (NAD 83) 147° 32' 10.0" W
Ground Elevation (AMSL) 143.8 m / 471.8 ft
Antenna Centerline (AGL) 4.88 m / 16.0 ft
Antenna Model ViaSat 7.3 Meter
Antenna Mode Receive 2.0 GHz
Interference Objectives: Long Term -156.0 dBW/MHz 20%
Short Term -146.0 dBW/MHz 0.01%

Azimuth (°)	Horizon Elevation (°)	Antenna Discrimination (°)	Receive 2.0 GHz	
			Horizon Gain (dBi)	Coordination Distance (km)
0	0.00	44.14	7.00	539.80
5	0.00	40.64	7.00	539.80
10	0.00	37.41	7.00	539.80
15	0.00	34.54	7.00	539.80
20	0.00	32.12	7.00	539.80
25	0.00	30.27	7.00	539.80
30	0.00	29.10	7.00	539.80
35	0.00	28.69	7.00	539.80
40	0.00	29.06	7.00	539.80
45	0.00	30.20	7.00	539.80
50	0.00	32.02	7.00	539.80
55	0.00	34.41	7.00	539.80
60	0.00	37.27	7.00	539.80
65	0.00	40.48	7.00	539.80
70	0.00	43.98	7.00	539.80
75	0.00	47.69	7.00	539.80
80	0.00	51.57	7.00	539.80
85	0.00	55.58	7.00	539.80
90	0.00	59.69	7.00	539.80
95	0.00	63.89	7.00	539.80
100	0.00	68.14	7.00	539.80
105	0.00	72.44	7.00	539.80
110	0.00	76.78	7.00	539.80
115	0.00	81.14	7.00	539.80
120	0.00	85.51	7.00	539.80
125	0.00	89.90	7.00	539.80
130	0.00	94.28	7.00	539.80
135	0.00	98.66	7.00	539.80
140	0.00	103.02	7.00	539.80
145	0.00	107.36	7.00	539.80
150	0.00	111.66	7.00	539.80
155	0.00	115.92	7.00	539.80
160	0.00	120.11	7.00	539.80
165	0.00	124.23	7.00	539.80
170	0.00	128.25	7.00	539.80
175	0.00	132.14	7.00	539.80
180	0.00	135.86	7.00	539.80
185	0.00	139.36	7.00	539.80

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Coordination Values

FAIRBANKS, AK


Licensee Name University of Alaska - Fairbanks
Latitude (NAD 83) 64° 47' 37.0" N
Longitude (NAD 83) 147° 32' 10.0" W
Ground Elevation (AMSL) 143.8 m / 471.8 ft
Antenna Centerline (AGL) 4.88 m / 16.0 ft
Antenna Model ViaSat 7.3 Meter
Antenna Mode Receive 2.0 GHz
Interference Objectives: Long Term -156.0 dBW/MHz 20%
Short Term -146.0 dBW/MHz 0.01%

Azimuth (°)	Horizon Elevation (°)	Antenna Discrimination (°)	Receive 2.0 GHz	
			Horizon Gain (dBi)	Coordination Distance (km)
190	0.00	142.59	7.00	539.80
195	0.00	145.46	7.00	539.80
200	0.00	147.88	7.00	539.80
205	0.00	149.73	7.00	539.80
210	0.00	150.90	7.00	539.80
215	0.00	151.31	7.00	539.80
220	0.00	150.94	7.00	539.80
225	0.00	149.80	7.00	539.80
230	0.00	147.98	7.00	539.80
235	0.00	145.59	7.00	539.80
240	0.00	142.73	7.00	539.80
245	0.00	139.52	7.00	539.80
250	0.00	136.02	7.00	539.80
255	0.00	132.31	7.00	539.80
260	0.00	128.43	7.00	539.80
265	0.00	124.42	7.00	539.80
270	0.00	120.31	7.00	539.80
275	0.00	116.11	7.00	539.80
280	0.00	111.86	7.00	539.80
285	0.00	107.56	7.00	539.80
290	0.00	103.22	7.00	539.80
295	0.00	98.86	7.00	539.80
300	0.00	94.49	7.00	539.80
305	0.00	90.10	7.00	539.80
310	0.00	85.72	7.00	539.80
315	0.00	81.34	7.00	539.80
320	0.00	76.98	7.00	539.80
325	0.00	72.64	7.00	539.80
330	0.00	68.34	7.00	539.80
335	0.00	64.08	7.00	539.80
340	0.00	59.89	7.00	539.80
345	0.00	55.77	7.00	539.80
350	0.00	51.75	7.00	539.80
355	0.00	47.86	7.00	539.80

5. CERTIFICATION

I HEREBY CERTIFY THAT I AM THE TECHNICALLY QUALIFIED PERSON RESPONSIBLE FOR THE PREPARATION OF THE FREQUENCY COORDINATION DATA CONTAINED IN THIS APPLICATION, THAT I AM FAMILIAR WITH PARTS 101 AND 25 OF THE FCC RULES AND REGULATIONS, THAT I HAVE EITHER PREPARED OR REVIEWED THE FREQUENCY COORDINATION DATA SUBMITTED WITH THIS APPLICATION, AND THAT IT IS COMPLETE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

BY: __



Gary K. Edwards
Senior Manager
COMSEARCH
19700 Janelia Farm Boulevard
Ashburn, VA 20147

DATED: September 12, 2014