

Ka-Band Earth Station – 16 US Locations

Frequency Coordination Report

28 GHz



Prepared on Behalf of
Hughes Network
Systems Limited

December 5, 2014



COMSEARCH
A CommScope Company



**Hughes Network Systems Limited
Ka-Band Earth Station – 16 US Locations
Frequency Coordination Report
28 GHz**

Table of Contents

| | |
|--|---------------|
| 1. Summary of Results | - 1 - |
| 2. Albuquerque, New Mexico | - 1 - |
| 3. Amarillo, Texas | - 3 - |
| 4. Billings, Montana | - 4 - |
| 5. Bismarck, North Dakota | - 5 - |
| 6. Boise, Idaho | - 6 - |
| 7. Duluth, Minnesota | - 7 - |
| 8. Gilbert, Arizona | - 8 - |
| 9. Missoula, Montana | - 9 - |
| 10. North Las Vegas, Nevada | - 10 - |
| 11. North Platte, Nebraska | - 12 - |
| 12. Omaha, Nebraska | - 13 - |
| 13. Roseburg, Oregon | - 14 - |
| 14. Salt Lake City, Utah | - 15 - |
| 15. San Diego, California | - 17 - |
| 16. San Jose, California | - 19 - |
| 17. Seattle, Washington | - 20 - |
| 18. Earth Station Coordination Data | - 22 - |
| 19. Contact Information | - 71 - |



**Hughes Network Systems Limited
Ka-Band Earth Station – 16 US Locations
Frequency Coordination Report
28 GHz**

1. Summary of Results

On behalf of Hughes Network Systems, Comsearch performed a coordination notice for all existing and proposed terrestrial licenses within the respective coordination contours of sixteen proposed Ka-Band earth stations, located throughout the United States, all of which will transmit at 28 GHz¹. Prior-notification letters were sent to the licensees and a copy of the notification data is provided in section eighteen of this report. The earth station coordination was finalized on December 5, 2014.

No objections were received from any of the incumbent 28 GHz licensees. Our notification to the LMDS incumbents was performed under the assumption that the earth station would be operating on a secondary basis to LMDS Block A operations and a contact at Hughes Network Systems has been provided in case any concerns may arise in the future.

2. Albuquerque, New Mexico

28 GHz Common Carrier and LTTS Coordination

In accordance with FCC Rules and Regulations, the Ka-Band earth station in Albuquerque, New Mexico was prior-coordinated by Comsearch. A notification letter and datasheet for this earth station were sent to the following 28 GHz common carrier fixed microwave licensee on November 2, 2014. This licensee is authorized to operate temporary fixed operations from 27.5 to 29.5 GHz on a nationwide basis.

| Licensee | Authorized Geographic Area |
|----------|----------------------------|
| Verizon | Continental US |

A notification letter and datasheet for the Ka-Band earth station in Albuquerque, New Mexico were also sent to the following 28 GHz local television transmission licensee on November 2, 2014. This licensee is authorized to operate temporary fixed operations from 27.5 to 29.5 GHz on a nationwide basis.

| Licensee | Authorized Geographic Area |
|--------------------------------|----------------------------|
| Information Super Station, LLC | Continental US |

No objections were received from the common carrier or local television transmission service incumbents.

¹ The proposed earth stations will operate in the 27.5 – 28.4 GHz portion of the Ka-Band.



Hughes Network Systems Limited
Ka-Band Earth Station – 16 US Locations
Frequency Coordination Report
28 GHz

28 GHz LMDS Coordination

A Notification letter was sent to the following 28 GHz LMDS licensee on November 2, 2014. The proposed earth station will operate on frequencies that overlap Block A of the LMDS service. The total frequency allocation for Block A of the LMDS spectrum appears below.

Block A: 27.500-28.350 GHz
 29.100-29.250 GHz
 31.075-31.225 GHz

| Licensee | Market | Market Name |
|-------------|---------------------|-----------------|
| Nextlink/XO | BTA008 ² | Albuquerque, NM |

No objections were received from the LMDS incumbent.

² The proposed earth station will be located inside BTA008.



Hughes Network Systems Limited
Ka-Band Earth Station – 16 US Locations
Frequency Coordination Report
28 GHz

3. Amarillo, Texas

28 GHz Common Carrier and LTTS Coordination

A notification letter and datasheet for the Ka-Band earth station in Amarillo, Texas were sent to the following 28 GHz common carrier fixed microwave licensee on November 2, 2014. This licensee is authorized to operate temporary fixed operations from 27.5 to 29.5 GHz on a nationwide basis.

| Licensee | Authorized Geographic Area |
|----------|----------------------------|
| Verizon | Continental US |

A notification letter and datasheet for the Ka-Band earth station in Amarillo, Texas were also sent to the following 28 GHz local television transmission licensee on November 2, 2014. This licensee is authorized to operate temporary fixed operations from 27.5 to 29.5 GHz on a nationwide basis.

| Licensee | Authorized Geographic Area |
|--------------------------------|----------------------------|
| Information Super Station, LLC | Continental US |

No objections were received from the common carrier or local television transmission service incumbents.



Hughes Network Systems Limited
Ka-Band Earth Station – 16 US Locations
Frequency Coordination Report
28 GHz

28 GHz LMDS Coordination

A Notification letter was sent to the following 28 GHz LMDS licensees on November 2, 2014. The proposed earth station will operate on frequencies that overlap Block A of the LMDS service. The total frequency allocation for Block A of the LMDS spectrum appears below.

Block A: 27.500-28.350 GHz
 29.100-29.250 GHz
 31.075-31.225 GHz

| Licensee | Market | Market Name |
|--------------|---------------------|--------------|
| 2 Lightspeed | BTA013 ³ | Amarillo, TX |
| Plateau | BTA087 | Clovis, NM |
| Plateau | BTA264 | Lubbock, TX |

No objections were received from the LMDS incumbents.

4. Billings, Montana

28 GHz Common Carrier and LTTS Coordination

A notification letter and datasheet for the Ka-Band earth station in Billings, Montana were sent to the following 28 GHz common carrier fixed microwave licensee on November 2, 2014. This licensee is authorized to operate temporary fixed operations from 27.5 to 29.5 GHz on a nationwide basis.

| Licensee | Authorized Geographic Area |
|----------|----------------------------|
| Verizon | Continental US |

³ The proposed earth station will be located inside BTA013.



Hughes Network Systems Limited
Ka-Band Earth Station – 16 US Locations
Frequency Coordination Report
28 GHz

A notification letter and datasheet for the Ka-Band earth station in Billings, Montana were also sent to the following 28 GHz local television transmission licensee on November 2, 2014. This licensee is authorized to operate temporary fixed operations from 27.5 to 29.5 GHz on a nationwide basis.

| Licensee | Authorized Geographic Area |
|--------------------------------|----------------------------|
| Information Super Station, LLC | Continental US |

No objections were received from the common carrier or local television transmission service incumbents.

28 GHz LMDS Coordination

The proposed earth station will operate on frequencies that overlap Block A of 28 GHz LMDS services. The total frequency allocation for Block A of the LMDS spectrum appears below.

Block A: 27.500-28.350 GHz
 29.100-29.250 GHz
 31.075-31.225 GHz

No active LMDS services were found within the coordination contour of the Billings, Montana earth station.

5. Bismarck, North Dakota

28 GHz Common Carrier and LTTS Coordination

A notification letter and datasheet for the Ka-Band earth station in Bismarck, North Dakota were sent to the following 28 GHz common carrier fixed microwave licensee on November 2, 2014. This licensee is authorized to operate temporary fixed operations from 27.5 to 29.5 GHz on a nationwide basis.

| Licensee | Authorized Geographic Area |
|----------|----------------------------|
| Verizon | Continental US |

A notification letter and datasheet for the Ka-Band earth station in Bismarck, North Dakota were also sent to the following 28 GHz local television transmission licensee on November 2, 2014. This licensee is authorized to operate temporary fixed operations from 27.5 to 29.5 GHz on a nationwide basis.



**Hughes Network Systems Limited
Ka-Band Earth Station – 16 US Locations
Frequency Coordination Report
28 GHz**

| Licensee | Authorized Geographic Area |
|--------------------------------|----------------------------|
| Information Super Station, LLC | Continental US |

No objections were received from the common carrier or local television transmission service incumbents.

28 GHz LMDS Coordination

The proposed earth station will operate on frequencies that overlap Block A of 28 GHz LMDS services. The total frequency allocation for Block A of the LMDS spectrum appears below.

Block A: 27.500-28.350 GHz
29.100-29.250 GHz
31.075-31.225 GHz

No active LMDS services were found within the coordination contour of the Bismarck, North Dakota earth station.

6. Boise, Idaho

28 GHz Common Carrier and LTTS Coordination

A notification letter and datasheet for the Ka-Band earth station in Boise, Idaho were sent to the following 28 GHz common carrier fixed microwave licensee on November 2, 2014. This licensee is authorized to operate temporary fixed operations from 27.5 to 29.5 GHz on a nationwide basis.

| Licensee | Authorized Geographic Area |
|----------|----------------------------|
| Verizon | Continental US |

A notification letter and datasheet for the Ka-Band earth station in Boise, Idaho were also sent to the following 28 GHz local television transmission licensee on November 2, 2014. This licensee is authorized to operate temporary fixed operations from 27.5 to 29.5 GHz on a nationwide basis.

| Licensee | Authorized Geographic Area |
|--------------------------------|----------------------------|
| Information Super Station, LLC | Continental US |



Hughes Network Systems Limited
Ka-Band Earth Station – 16 US Locations
Frequency Coordination Report
28 GHz

No objections were received from the common carrier or local television transmission service incumbents.

28 GHz LMDS Coordination

The proposed earth station will operate on frequencies that overlap Block A of 28 GHz LMDS services. The total frequency allocation for Block A of the LMDS spectrum appears below.

Block A: 27.500-28.350 GHz
 29.100-29.250 GHz
 31.075-31.225 GHz

No active LMDS services were found within the coordination contour of the Boise, Idaho earth station.

7. Duluth, Minnesota

28 GHz Common Carrier and LTTS Coordination

A notification letter and datasheet for the Ka-Band earth station in Duluth, Minnesota were sent to the following 28 GHz common carrier fixed microwave licensees on November 2, 2014. These licensees are authorized to operate temporary fixed operations from 27.5 to 29.5 GHz on a nationwide or statewide basis.

| Licensee | Authorized Geographic Area |
|----------------------------------|----------------------------|
| Verizon | Continental US |
| Wisconsin Bell Telephone Company | Statewide: Wisconsin |

A notification letter and datasheet for the Ka-Band earth station in Duluth, Minnesota were also sent to the following 28 GHz local television transmission licensee on November 2, 2014. This licensee is authorized to operate temporary fixed operations from 27.5 to 29.5 GHz on a nationwide basis.

| Licensee | Authorized Geographic Area |
|--------------------------------|----------------------------|
| Information Super Station, LLC | Continental US |

No objections were received from the common carrier or local television transmission service incumbents.



Hughes Network Systems Limited
Ka-Band Earth Station – 16 US Locations
Frequency Coordination Report
28 GHz

28 GHz LMDS Coordination

A Notification letter was sent to the following 28 GHz LMDS licensee on November 2, 2014. The proposed earth station will operate on frequencies that overlap Block A of the LMDS service. The total frequency allocation for Block A of the LMDS spectrum appears below.

Block A: 27.500-28.350 GHz
 29.100-29.250 GHz
 31.075-31.225 GHz

| Licensee | Market | Market Name |
|-------------|--------|--------------------------|
| Nextlink/XO | BTA298 | Minneapolis-St. Paul, MN |

No objections were received from the LMDS incumbent.

8. Gilbert, Arizona

28 GHz Common Carrier and LTTS Coordination

A notification letter and datasheet for the Ka-Band earth station in Gilbert, Arizona were sent to the following 28 GHz common carrier fixed microwave licensee on November 2, 2014. This licensee is authorized to operate temporary fixed operations from 27.5 to 29.5 GHz on a nationwide basis.

| Licensee | Authorized Geographic Area |
|----------|----------------------------|
| Verizon | Continental US |

A notification letter and datasheet for the Ka-Band earth station in Gilbert, Arizona were also sent to the following 28 GHz local television transmission licensee on November 2, 2014. This licensee is authorized to operate temporary fixed operations from 27.5 to 29.5 GHz on a nationwide basis.

| Licensee | Authorized Geographic Area |
|--------------------------------|----------------------------|
| Information Super Station, LLC | Continental US |

No objections were received from the common carrier or local television transmission service incumbents.



Hughes Network Systems Limited
Ka-Band Earth Station – 16 US Locations
Frequency Coordination Report
28 GHz

28 GHz LMDS Coordination

A Notification letter was sent to the following 28 GHz LMDS licensees on November 2, 2014. The proposed earth station will operate on frequencies that overlap Block A of the LMDS service. The total frequency allocation for Block A of the LMDS spectrum appears below.

Block A: 27.500-28.350 GHz
 29.100-29.250 GHz
 31.075-31.225 GHz

| Licensee | Market | Market Name |
|--------------------------|---------------------|-------------|
| Alta Wireless | BTA347 ⁴ | Phoenix, AZ |
| Nextlink/XO ⁵ | BTA347 | Phoenix, AZ |
| Nextlink/XO | BTA447 | Tucson, AZ |

No objections were received from the LMDS incumbents.

9. Missoula, Montana

28 GHz Common Carrier and LTTS Coordination

A notification letter and datasheet for the Ka-Band earth station in Missoula, Montana were sent to the following 28 GHz common carrier fixed microwave licensee on November 2, 2014. This licensee is authorized to operate temporary fixed operations from 27.5 to 29.5 GHz on a nationwide basis.

| Licensee | Authorized Geographic Area |
|----------|----------------------------|
| Verizon | Continental US |

A notification letter and datasheet for the Ka-Band earth station in Missoula, Montana were also sent to the following 28 GHz local television transmission licensee on November 2, 2014. This licensee is authorized to operate temporary fixed operations from 27.5 to 29.5 GHz on a nationwide basis.

⁴ The proposed earth station will be located inside BTA347.

⁵ Nextlink Wireless / XO is leasing LMDS spectrum from Alta Wireless in the Phoenix, Arizona Basic Trading Area (BTA).



**Hughes Network Systems Limited
Ka-Band Earth Station – 16 US Locations
Frequency Coordination Report
28 GHz**

| Licensee | Authorized Geographic Area |
|--------------------------------|----------------------------|
| Information Super Station, LLC | Continental US |

No objections were received from the common carrier or local television transmission service incumbents.

28 GHz LMDS Coordination

A Notification letter was sent to the following 28 GHz LMDS licensee on November 2, 2014. The proposed earth station will operate on frequencies that overlap Block A of the LMDS service. The total frequency allocation for Block A of the LMDS spectrum appears below.

Block A: 27.500-28.350 GHz
29.100-29.250 GHz
31.075-31.225 GHz

| Licensee | Market | Market Name |
|------------|--------|---------------|
| Glaicercom | BTA224 | Kalispell, MT |

No objections were received from the LMDS incumbent.

10. North Las Vegas, Nevada

28 GHz Common Carrier and LTTS Coordination

A notification letter and datasheet for the Ka-Band earth station in North Las Vegas, Nevada were sent to the following 28 GHz common carrier fixed microwave licensees on November 2, 2014. These licensees are authorized to operate temporary fixed operations from 27.5 to 29.5 GHz on a nationwide or statewide basis.

| Licensee | Authorized Geographic Area |
|------------------|----------------------------|
| M.U.T. Licensing | Statewide: California |
| Verizon | Continental US |

A notification letter and datasheet for the Ka-Band earth station in North Las Vegas, Nevada were also sent to the following 28 GHz local television transmission licensee on November 2, 2014. This licensee is authorized to operate temporary fixed operations from 27.5 to 29.5 GHz on a nationwide basis.



Hughes Network Systems Limited
Ka-Band Earth Station – 16 US Locations
Frequency Coordination Report
28 GHz

| Licensee | Authorized Geographic Area |
|--------------------------------|----------------------------|
| Information Super Station, LLC | Continental US |

No objections were received from the common carrier or local television transmission service incumbents.

28 GHz LMDS Coordination

A Notification letter was sent to the following 28 GHz LMDS licensees on November 2, 2014. The proposed earth station will operate on frequencies that overlap Block A of the LMDS service. The total frequency allocation for Block A of the LMDS spectrum appears below.

Block A: 27.500-28.350 GHz
29.100-29.250 GHz
31.075-31.225 GHz

| Licensee | Market | Market Name |
|---|---------------------|-----------------|
| Nextlink/XO | BTA245 ⁶ | Las Vegas, NV |
| Nextlink/XO | BTA262 | Los Angeles, CA |
| T-Mobile ⁷ | BTA262 | Los Angeles, CA |
| TelePacific Communications ⁸ | BTA262 | Los Angeles, CA |

No objections were received from the LMDS incumbents.

⁶ The proposed earth station will be located inside BTA245.

⁷ T-Mobile has acquired LMDS spectrum from Nextlink Wireless / XO in the Los Angeles, California Basic Trading Area (BTA).

⁸ TelePacific Communications is leasing LMDS spectrum from Nextlink Wireless / XO in the Los Angeles, California BTA.



Hughes Network Systems Limited
Ka-Band Earth Station – 16 US Locations
Frequency Coordination Report
28 GHz

11. North Platte, Nebraska

28 GHz Common Carrier and LTTS Coordination

A notification letter and datasheet for the Ka-Band earth station in North Platte, Nebraska were sent to the following 28 GHz common carrier fixed microwave licensee on November 2, 2014. This licensee is authorized to operate temporary fixed operations from 27.5 to 29.5 GHz on a nationwide basis.

| Licensee | Authorized Geographic Area |
|----------|----------------------------|
| Verizon | Continental US |

A notification letter and datasheet for the Ka-Band earth station in North Platte, Nebraska were also sent to the following 28 GHz local television transmission licensee on November 2, 2014. This licensee is authorized to operate temporary fixed operations from 27.5 to 29.5 GHz on a nationwide basis.

| Licensee | Authorized Geographic Area |
|--------------------------------|----------------------------|
| Information Super Station, LLC | Continental US |

No objections were received from the common carrier or local television transmission service incumbents.

28 GHz LMDS Coordination

The proposed earth station will operate on frequencies that overlap Block A of 28 GHz LMDS services. The total frequency allocation for Block A of the LMDS spectrum appears below.

Block A: 27.500-28.350 GHz
 29.100-29.250 GHz
 31.075-31.225 GHz

No active LMDS services were found within the coordination contour of the North Platte, Nebraska earth station.



12. Omaha, Nebraska

28 GHz Common Carrier and LTTS Coordination

A notification letter and datasheet for the Ka-Band earth station in Omaha, Nebraska were sent to the following 28 GHz common carrier fixed microwave licensee on November 2, 2014. This licensee is authorized to operate temporary fixed operations from 27.5 to 29.5 GHz on a nationwide basis.

| Licensee | Authorized Geographic Area |
|----------|----------------------------|
| Verizon | Continental US |

A notification letter and datasheet for the Ka-Band earth station in Omaha, Nebraska were also sent to the following 28 GHz local television transmission licensee on November 2, 2014. This licensee is authorized to operate temporary fixed operations from 27.5 to 29.5 GHz on a nationwide basis.

| Licensee | Authorized Geographic Area |
|--------------------------------|----------------------------|
| Information Super Station, LLC | Continental US |

No objections were received from the common carrier or local television transmission service incumbents.



Hughes Network Systems Limited
Ka-Band Earth Station – 16 US Locations
Frequency Coordination Report
28 GHz

28 GHz LMDS Coordination

A Notification letter was sent to the following 28 GHz LMDS licensees on November 2, 2014. The proposed earth station will operate on frequencies that overlap Block A of the LMDS service. The total frequency allocation for Block A of the LMDS spectrum appears below.

Block A: 27.500-28.350 GHz
 29.100-29.250 GHz
 31.075-31.225 GHz

| Licensee | Market | Market Name |
|------------------|---------------------|----------------|
| Nextlink/XO | BTA111 | Des Moines, IA |
| Nextlink/XO | BTA332 ⁹ | Omaha, NE |
| Venture Wireless | BTA421 | Sioux City, IA |

No objections were received from the LMDS incumbents.

13. Roseburg, Oregon

28 GHz Common Carrier and LTTS Coordination

A notification letter and datasheet the Ka-Band earth station in Roseburg, Oregon were sent to the following 28 GHz common carrier fixed microwave licensee on November 2, 2014. This licensee is authorized to operate temporary fixed operations from 27.5 to 29.5 GHz on a nationwide basis.

| Licensee | Authorized Geographic Area |
|----------|----------------------------|
| Verizon | Continental US |

A notification letter and datasheet for the Ka-Band earth station in Roseburg, Oregon were also sent to the following 28 GHz local television transmission licensee on November 2, 2014. This licensee is authorized to operate temporary fixed operations from 27.5 to 29.5 GHz on a nationwide basis.

| Licensee | Authorized Geographic Area |
|--------------------------------|----------------------------|
| Information Super Station, LLC | Continental US |

⁹ The proposed earth station will be located inside BTA332.



Hughes Network Systems Limited
Ka-Band Earth Station – 16 US Locations
Frequency Coordination Report
28 GHz

No objections were received from the common carrier or local television transmission service incumbents.

28 GHz LMDS Coordination

A Notification letter was sent to the following 28 GHz LMDS licensee on November 2, 2014. The proposed earth station will operate on frequencies that overlap Block A of the LMDS service. The total frequency allocation for Block A of the LMDS spectrum appears below.

Block A: 27.500-28.350 GHz
 29.100-29.250 GHz
 31.075-31.225 GHz

| Licensee | Market | Market Name |
|-----------------------------|--------|-------------------------|
| BroadBand One of California | BTA097 | Coos Bay-North Bend, OR |

No objections were received from the LMDS incumbent.

14. Salt Lake City, Utah

28 GHz Common Carrier and LTTS Coordination

A notification letter and datasheet for the Ka-Band earth station in Salt Lake City, Utah were sent to the following 28 GHz common carrier fixed microwave licensee on November 2, 2014. This licensee is authorized to operate temporary fixed operations from 27.5 to 29.5 GHz on a nationwide basis.

| Licensee | Authorized Geographic Area |
|----------|----------------------------|
| Verizon | Continental US |

A notification letter and datasheet for the Ka-Band earth station in Salt Lake City, Utah were also sent to the following 28 GHz local television transmission licensee on November 2, 2014. This licensee is authorized to operate temporary fixed operations from 27.5 to 29.5 GHz on a nationwide basis.

| Licensee | Authorized Geographic Area |
|--------------------------------|----------------------------|
| Information Super Station, LLC | Continental US |



Hughes Network Systems Limited
Ka-Band Earth Station – 16 US Locations
Frequency Coordination Report
28 GHz

No objections were received from the common carrier or local television transmission service incumbents.

28 GHz LMDS Coordination

A Notification letter was sent to the following 28 GHz LMDS licensees on November 2, 2014. The proposed earth station will operate on frequencies that overlap Block A of the LMDS service. The total frequency allocation for Block A of the LMDS spectrum appears below.

Block A: 27.500-28.350 GHz
 29.100-29.250 GHz
 31.075-31.225 GHz

| Licensee | Market | Market Name |
|-------------------------------|----------------------|--------------------------|
| Straight Path Spectrum | BTA365 | Provo-Orem, UT |
| Vivint Wireless ¹⁰ | BTA365 | Provo-Orem, UT |
| Straight Path Spectrum | BTA399 ¹¹ | Salt Lake City-Ogden, UT |
| Vivint Wireless ¹² | BTA399 | Salt Lake City-Ogden, UT |

No objections were received from the LMDS incumbents.

¹⁰ Vivint Wireless is leasing LMDS spectrum from Straight Path Spectrum in the Provo-Orem, Utah Basic Trading Area (BTA).

¹¹ The proposed earth station will be located inside BTA399.

¹² Vivint Wireless is leasing LMDS spectrum from Straight Path Spectrum in the Salt Lake City-Ogden, Utah BTA.



**Hughes Network Systems Limited
Ka-Band Earth Station – 16 US Locations
Frequency Coordination Report
28 GHz**

15. San Diego, California

28 GHz Common Carrier and LTTS Coordination

A notification letter and datasheet for the Ka-Band earth station in San Diego, California were sent to the following 28 GHz common carrier fixed microwave licensees on November 2, 2014. These licensees are authorized to operate temporary fixed operations from 27.5 to 29.5 GHz on a nationwide or statewide basis.

| Licensee | Authorized Geographic Area |
|------------------|----------------------------|
| M.U.T. Licensing | Statewide: California |
| Verizon | Continental US |

A notification letter and datasheet for the Ka-Band earth station in San Diego, California were also sent to the following 28 GHz local television transmission licensee on November 2, 2014. This licensee is authorized to operate temporary fixed operations from 27.5 to 29.5 GHz on a nationwide basis.

| Licensee | Authorized Geographic Area |
|--------------------------------|----------------------------|
| Information Super Station, LLC | Continental US |

No objections were received from the common carrier or local television transmission service incumbents.



Hughes Network Systems Limited
Ka-Band Earth Station – 16 US Locations
Frequency Coordination Report
28 GHz

28 GHz LMDS Coordination

A Notification letter was sent to the following 28 GHz LMDS licensees on November 2, 2014. The proposed earth station will operate on frequencies that overlap Block A of the LMDS service. The total frequency allocation for Block A of the LMDS spectrum appears below.

Block A: 27.500-28.350 GHz
 29.100-29.250 GHz
 31.075-31.225 GHz

| Licensee | Market | Market Name |
|--|----------------------|-----------------|
| Nextlink/XO | BTA262 | Los Angeles, CA |
| T-Mobile ¹³ | BTA262 | Los Angeles, CA |
| TelePacific Communications ¹⁴ | BTA262 | Los Angeles, CA |
| Towerstream Corporation ¹⁵ | BTA262 | Los Angeles, CA |
| Alta Wireless | BTA402 ¹⁶ | San Diego, CA |
| Nextlink/XO ¹⁷ | BTA402 | San Diego, CA |

No objections were received from the LMDS incumbents.

¹³ T-Mobile has acquired LMDS spectrum from Nextlink Wireless / XO in the Los Angeles, California Basic Trading Area (BTA).

¹⁴ TelePacific Communications is leasing LMDS spectrum from Nextlink Wireless / XO in the Los Angeles, California BTA.

¹⁵ Towerstream Corporation is leasing LMDS spectrum from Nextlink Wireless / XO in the Los Angeles, California BTA.

¹⁶ The proposed earth station will be located inside BTA402.

¹⁷ Nextlink Wireless / XO is leasing LMDS spectrum from Alta Wireless in the San Diego, California BTA.



Hughes Network Systems Limited
Ka-Band Earth Station – 16 US Locations
Frequency Coordination Report
28 GHz

16. San Jose, California

28 GHz Common Carrier and LTTS Coordination

A notification letter and datasheet for the Ka-Band earth station in San Jose, California were sent to the following 28 GHz common carrier fixed microwave licensees on November 2, 2014. These licensees are authorized to operate temporary fixed operations from 27.5 to 29.5 GHz on a nationwide or statewide basis.

| Licensee | Authorized Geographic Area |
|------------------|----------------------------|
| M.U.T. Licensing | Statewide: California |
| Verizon | Continental US |

A notification letter and datasheet for the Ka-Band earth station in San Jose, California were also sent to the following 28 GHz local television transmission licensee on November 2, 2014. This licensee is authorized to operate temporary fixed operations from 27.5 to 29.5 GHz on a nationwide basis.

| Licensee | Authorized Geographic Area |
|--------------------------------|----------------------------|
| Information Super Station, LLC | Continental US |

No objections were received from the common carrier or local television transmission service incumbents.



**Hughes Network Systems Limited
Ka-Band Earth Station – 16 US Locations
Frequency Coordination Report
28 GHz**

28 GHz LMDS Coordination

A Notification letter was sent to the following 28 GHz LMDS licensees on November 2, 2014. The proposed earth station will operate on frequencies that overlap Block A of the LMDS service. The total frequency allocation for Block A of the LMDS spectrum appears below.

Block A: 27.500-28.350 GHz
29.100-29.250 GHz
31.075-31.225 GHz

| Licensee | Market | Market Name |
|--|----------------------|------------------------------------|
| Straight Path Spectrum | BTA303 | Modesto, CA |
| Nextlink/XO | BTA389 | Sacramento, CA |
| T-Mobile ¹⁸ | BTA389 | Sacramento, CA |
| BroadBand One of California | BTA397 | Salinas-Monterey, CA |
| Straight Path Spectrum | BTA404 ¹⁹ | San Francisco-Oakland-San Jose, CA |
| T-Mobile ²⁰ | BTA404 | San Francisco-Oakland-San Jose, CA |
| TelePacific Communications ²¹ | BTA404 | San Francisco-Oakland-San Jose, CA |
| BroadBand One of California | BTA434 | Stockton, CA |

No objections were received from the LMDS incumbents.

17. Seattle, Washington

28 GHz Common Carrier and LTTS Coordination

A notification letter and datasheet for the Ka-Band earth station in Seattle, Washington were sent to the following 28 GHz common carrier fixed microwave licensee on November 2, 2014.

¹⁸ T-Mobile has acquired LMDS spectrum from Nextlink Wireless / XO in the Sacramento, California Basic Trading Area (BTA).

¹⁹ The proposed earth station will be located inside BTA404.

²⁰ T-Mobile has acquired LMDS spectrum from Straight Path Spectrum in the San Francisco-Oakland-San Jose, California BTA.

²¹ TelePacific Communications is leasing LMDS spectrum from Straight Path Spectrum in the San Francisco-Oakland-San Jose, California BTA.



Hughes Network Systems Limited
Ka-Band Earth Station – 16 US Locations
Frequency Coordination Report
28 GHz

This licensee is authorized to operate temporary fixed operations from 27.5 to 29.5 GHz on a nationwide basis.

| Licensee | Authorized Geographic Area |
|----------|----------------------------|
| Verizon | Continental US |

A notification letter and datasheet for the Ka-Band earth station in Seattle, Washington were also sent to the following 28 GHz local television transmission licensee on November 2, 2014. This licensee is authorized to operate temporary fixed operations from 27.5 to 29.5 GHz on a nationwide basis.

| Licensee | Authorized Geographic Area |
|--------------------------------|----------------------------|
| Information Super Station, LLC | Continental US |

No objections were received from the common carrier or local television transmission service incumbents.

28 GHz LMDS Coordination

A Notification letter was sent to the following 28 GHz LMDS licensee on November 2, 2014. The proposed earth station will operate on frequencies that overlap Block A of the LMDS service. The total frequency allocation for Block A of the LMDS spectrum appears below.

Block A: 27.500-28.350 GHz
29.100-29.250 GHz
31.075-31.225 GHz

| Licensee | Market | Market Name |
|-------------|----------------------|--------------------|
| Nextlink/XO | BTA413 ²² | Seattle-Tacoma, WA |

No objections were received from the LMDS incumbent.

²² The proposed earth station will be located inside BTA413.



***Hughes Network Systems Limited
Ka-Band Earth Station – 16 US Locations
Frequency Coordination Report
28 GHz***

18. Earth Station Coordination Data

This section presents the data pertinent to the proposed Ka-Band earth station in Riverside, CA. This data was circulated to all incumbent licensees in the shared 28 GHz frequency ranges.

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
 (703)726-5662 <http://www.comsearch.com>

Date: 10/03/2014
 Job Number: <PCNJobCode>

Administrative Information

Status: ENGINEER PROPOSAL
 Call Sign: <PCNCallSign>
 Licensee Code: HUNESY
 Licensee Name: HUGHES NETWORK SYSTEMS LIMITED

Site Information

ALBUQUERQUE, NM
 Venue Name:
 Latitude (NAD 83): 35° 5' 32.3" N
 Longitude (NAD 83): 106° 39' 10.8" W
 Climate Zone: A
 Rain Zone: 5
 Ground Elevation (AMSL): 1511.4 m / 4958.7 ft

Link Information

Satellite Type: Geostationary
 Mode: TO - Transmit-Only
 Modulation: Digital
 Satellite Arc: 97° W to 97° West Longitude
 Azimuth Range: 163.5° to 163.5°
 Corresponding Elevation Angles: 48.0° / 48.0°
 Antenna Centerline (AGL): 5.49 m / 18.0 ft

Antenna Information

Transmit - FCC32
 Manufacturer: General Dynamics
 Model: 8.1 meter
 Gain / Diameter: 65.3 dBi / 8.1 m
 3-dB / 15-dB Beamwidth: 0.10° / 0.23°

Max Available RF Power (dBW/4 kHz): -38.0
 (dBW/MHz): -14.0

Maximum EIRP (dBW/4 kHz): 27.3
 (dBW/MHz): 51.3

Interference Objectives: Long Term: -151.0 dBW/4 kHz 20%
 Short Term: -128.0 dBW/4 kHz 0.0025%

Frequency Information

Transmit 28.0 GHz
 Emission / Frequency Range (MHz): 250MG7D / 27500.0 - 28350.0

Max Great Circle Coordination Distance: 100.0 km / 62.1 mi
 Precipitation Scatter Contour Radius: 100.0 km / 62.1 mi

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5662 <http://www.comsearch.com>

| | |
|------------------------------------|--------------------------------|
| Coordination Values | ALBUQUERQUE, NM |
| Licensee Name | HUGHES NETWORK SYSTEMS LIMITED |
| Latitude (NAD 83) | 35° 5' 32.3" N |
| Longitude (NAD 83) | 106° 39' 10.8" W |
| Ground Elevation (AMSL) | 1511.4 m / 4958.7 ft |
| Antenna Centerline (AGL) | 5.49 m / 18.0 ft |
| Antenna Model | General Dynamics 8.1 meter |
| Antenna Mode | Transmit 28.0 GHz |
| Interference Objectives: Long Term | -151.0 dBW/4 kHz 20% |
| Short Term | -128.0 dBW/4 kHz 0.0025% |
| Max Available RF Power | -38.0 (dBW/4 kHz) |

| Azimuth (°) | Horizon Elevation (°) | Antenna Discrimination (°) | Transmit 28.0 GHz | |
|-------------|-----------------------|----------------------------|--------------------|----------------------------|
| | | | Horizon Gain (dBi) | Coordination Distance (km) |
| 0 | 0.00 | 129.95 | -10.00 | 100.00 |
| 5 | 0.00 | 128.55 | -10.00 | 100.00 |
| 10 | 0.00 | 126.83 | -10.00 | 100.00 |
| 15 | 0.00 | 124.83 | -10.00 | 100.00 |
| 20 | 0.00 | 122.58 | -10.00 | 100.00 |
| 25 | 0.00 | 120.11 | -10.00 | 100.00 |
| 30 | 0.24 | 117.60 | -10.00 | 100.00 |
| 35 | 0.34 | 114.82 | -10.00 | 100.00 |
| 40 | 0.42 | 111.89 | -10.00 | 100.00 |
| 45 | 0.48 | 108.83 | -10.00 | 100.00 |
| 50 | 0.54 | 105.67 | -10.00 | 100.00 |
| 55 | 0.56 | 102.42 | -10.00 | 100.00 |
| 60 | 0.66 | 99.12 | -10.00 | 100.00 |
| 65 | 0.79 | 95.78 | -10.00 | 100.00 |
| 70 | 0.83 | 92.39 | -10.00 | 100.00 |
| 75 | 1.00 | 88.99 | -10.00 | 100.00 |
| 80 | 1.05 | 85.58 | -10.00 | 100.00 |
| 85 | 1.08 | 82.18 | -10.00 | 100.00 |
| 90 | 1.08 | 78.82 | -10.00 | 100.00 |
| 95 | 1.24 | 75.46 | -10.00 | 100.00 |
| 100 | 1.30 | 72.18 | -10.00 | 100.00 |
| 105 | 1.28 | 69.01 | -10.00 | 100.00 |
| 110 | 1.18 | 65.98 | -10.00 | 100.00 |
| 115 | 1.12 | 63.06 | -10.00 | 100.00 |
| 120 | 1.11 | 60.27 | -10.00 | 100.00 |
| 125 | 1.14 | 57.63 | -10.00 | 100.00 |
| 130 | 1.15 | 55.21 | -10.00 | 100.00 |
| 135 | 1.08 | 53.09 | -10.00 | 100.00 |
| 140 | 1.02 | 51.24 | -10.00 | 100.00 |
| 145 | 0.98 | 49.69 | -10.00 | 100.00 |
| 150 | 1.00 | 48.42 | -10.00 | 100.00 |
| 155 | 0.86 | 47.68 | -9.96 | 100.00 |
| 160 | 0.80 | 47.25 | -9.86 | 100.00 |
| 165 | 0.71 | 47.26 | -9.86 | 100.00 |
| 170 | 0.40 | 47.89 | -10.00 | 100.00 |
| 175 | 0.00 | 48.98 | -10.00 | 100.00 |
| 180 | 0.00 | 50.05 | -10.00 | 100.00 |
| 185 | 0.00 | 51.45 | -10.00 | 100.00 |

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
 (703)726-5662 <http://www.comsearch.com>

| | |
|------------------------------------|--------------------------------|
| Coordination Values | ALBUQUERQUE, NM |
| Licensee Name | HUGHES NETWORK SYSTEMS LIMITED |
| Latitude (NAD 83) | 35° 5' 32.3" N |
| Longitude (NAD 83) | 106° 39' 10.8" W |
| Ground Elevation (AMSL) | 1511.4 m / 4958.7 ft |
| Antenna Centerline (AGL) | 5.49 m / 18.0 ft |
| Antenna Model | General Dynamics 8.1 meter |
| Antenna Mode | Transmit 28.0 GHz |
| Interference Objectives: Long Term | -151.0 dBW/4 kHz 20% |
| Short Term | -128.0 dBW/4 kHz 0.0025% |
| Max Available RF Power | -38.0 (dBW/4 kHz) |

| Azimuth (°) | Horizon Elevation (°) | Antenna Discrimination (°) | Transmit 28.0 GHz | |
|-------------|-----------------------|----------------------------|--------------------|----------------------------|
| | | | Horizon Gain (dBi) | Coordination Distance (km) |
| 190 | 0.00 | 53.17 | -10.00 | 100.00 |
| 195 | 0.00 | 55.17 | -10.00 | 100.00 |
| 200 | 0.00 | 57.42 | -10.00 | 100.00 |
| 205 | 0.00 | 59.89 | -10.00 | 100.00 |
| 210 | 0.00 | 62.54 | -10.00 | 100.00 |
| 215 | 0.00 | 65.35 | -10.00 | 100.00 |
| 220 | 0.00 | 68.29 | -10.00 | 100.00 |
| 225 | 0.00 | 71.35 | -10.00 | 100.00 |
| 230 | 0.00 | 74.50 | -10.00 | 100.00 |
| 235 | 0.00 | 77.72 | -10.00 | 100.00 |
| 240 | 0.23 | 80.95 | -10.00 | 100.00 |
| 245 | 0.28 | 84.27 | -10.00 | 100.00 |
| 250 | 0.35 | 87.63 | -10.00 | 100.00 |
| 255 | 0.39 | 91.00 | -10.00 | 100.00 |
| 260 | 0.45 | 94.37 | -10.00 | 100.00 |
| 265 | 0.65 | 97.75 | -10.00 | 100.00 |
| 270 | 0.58 | 101.08 | -10.00 | 100.00 |
| 275 | 0.59 | 104.36 | -10.00 | 100.00 |
| 280 | 0.54 | 107.56 | -10.00 | 100.00 |
| 285 | 0.57 | 110.70 | -10.00 | 100.00 |
| 290 | 0.81 | 113.85 | -10.00 | 100.00 |
| 295 | 0.54 | 116.63 | -10.00 | 100.00 |
| 300 | 0.50 | 119.36 | -10.00 | 100.00 |
| 305 | 0.78 | 122.13 | -10.00 | 100.00 |
| 310 | 0.68 | 124.44 | -10.00 | 100.00 |
| 315 | 0.54 | 126.48 | -10.00 | 100.00 |
| 320 | 0.31 | 128.15 | -10.00 | 100.00 |
| 325 | 0.31 | 129.70 | -10.00 | 100.00 |
| 330 | 0.30 | 130.91 | -10.00 | 100.00 |
| 335 | 0.28 | 131.75 | -10.00 | 100.00 |
| 340 | 0.00 | 131.95 | -10.00 | 100.00 |
| 345 | 0.00 | 132.03 | -10.00 | 100.00 |
| 350 | 0.00 | 131.71 | -10.00 | 100.00 |
| 355 | 0.00 | 131.02 | -10.00 | 100.00 |

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
 (703)726-5662 <http://www.comsearch.com>

Date: 10/06/2014
 Job Number: <PCNJobCode>

Administrative Information

Status ENGINEER PROPOSAL
 Call Sign <PCNCallSign>
 Licensee Code HUNESY
 Licensee Name HUGHES NETWORK SYSTEMS LIMITED

Site Information AMARILLO, TX

Venue Name
 Latitude (NAD 83) 35° 12' 16.6" N
 Longitude (NAD 83) 101° 49' 55.2" W
 Climate Zone A
 Rain Zone 2
 Ground Elevation (AMSL) 1117.11 m / 3665.1 ft

Link Information

Satellite Type Geostationary
 Mode TO - Transmit-Only
 Modulation Digital
 Satellite Arc 97° W to 97° West Longitude
 Azimuth Range 171.7° to 171.7°
 Corresponding Elevation Angles 48.8° / 48.8°
 Antenna Centerline (AGL) 5.49 m / 18.0 ft

Antenna Information Transmit - FCC32

Manufacturer General Dynamics
 Model 8.1 meter
 Gain / Diameter 65.3 dBi / 8.1 m
 3-dB / 15-dB Beamwidth 0.10° / 0.23°

Max Available RF Power (dBW/4 kHz) -38.0
 (dBW/MHz) -14.0

Maximum EIRP (dBW/4 kHz) 27.3
 (dBW/MHz) 51.3

Interference Objectives: Long Term -151.0 dBW/4 kHz 20%
 Short Term -128.0 dBW/4 kHz 0.0025%

Frequency Information Transmit 28.0 GHz

Emission / Frequency Range (MHz) 250MG7D / 27500.0 - 28350.0

Max Great Circle Coordination Distance 100.0 km / 62.1 mi
 Precipitation Scatter Contour Radius 100.0 km / 62.1 mi

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
 (703)726-5662 <http://www.comsearch.com>

| | |
|------------------------------------|--------------------------------|
| Coordination Values | AMARILLO, TX |
| Licensee Name | HUGHES NETWORK SYSTEMS LIMITED |
| Latitude (NAD 83) | 35° 12' 16.6" N |
| Longitude (NAD 83) | 101° 49' 55.2" W |
| Ground Elevation (AMSL) | 1117.11 m / 3665.1 ft |
| Antenna Centerline (AGL) | 5.49 m / 18.0 ft |
| Antenna Model | General Dynamics 8.1 meter |
| Antenna Mode | Transmit 28.0 GHz |
| Interference Objectives: Long Term | -151.0 dBW/4 kHz 20% |
| Short Term | -128.0 dBW/4 kHz 0.0025% |
| Max Available RF Power | -38.0 (dBW/4 kHz) |

| Azimuth (°) | Horizon Elevation (°) | Antenna Discrimination (°) | Transmit 28.0 GHz | |
|-------------|-----------------------|----------------------------|--------------------|----------------------------|
| | | | Horizon Gain (dBi) | Coordination Distance (km) |
| 0 | 0.00 | 130.68 | -10.00 | 100.00 |
| 5 | 0.00 | 129.87 | -10.00 | 100.00 |
| 10 | 0.00 | 128.71 | -10.00 | 100.00 |
| 15 | 0.00 | 127.22 | -10.00 | 100.00 |
| 20 | 0.00 | 125.44 | -10.00 | 100.00 |
| 25 | 0.00 | 123.39 | -10.00 | 100.00 |
| 30 | 0.00 | 121.11 | -10.00 | 100.00 |
| 35 | 0.00 | 118.63 | -10.00 | 100.00 |
| 40 | 0.00 | 115.97 | -10.00 | 100.00 |
| 45 | 0.00 | 113.16 | -10.00 | 100.00 |
| 50 | 0.00 | 110.23 | -10.00 | 100.00 |
| 55 | 0.00 | 107.19 | -10.00 | 100.00 |
| 60 | 0.00 | 104.07 | -10.00 | 100.00 |
| 65 | 0.00 | 100.89 | -10.00 | 100.00 |
| 70 | 0.00 | 97.65 | -10.00 | 100.00 |
| 75 | 0.00 | 94.38 | -10.00 | 100.00 |
| 80 | 0.00 | 91.09 | -10.00 | 100.00 |
| 85 | 0.00 | 87.80 | -10.00 | 100.00 |
| 90 | 0.00 | 84.52 | -10.00 | 100.00 |
| 95 | 0.00 | 81.26 | -10.00 | 100.00 |
| 100 | 0.00 | 78.04 | -10.00 | 100.00 |
| 105 | 0.00 | 74.87 | -10.00 | 100.00 |
| 110 | 0.00 | 71.78 | -10.00 | 100.00 |
| 115 | 0.00 | 68.77 | -10.00 | 100.00 |
| 120 | 0.00 | 65.88 | -10.00 | 100.00 |
| 125 | 0.00 | 63.12 | -10.00 | 100.00 |
| 130 | 0.00 | 60.52 | -10.00 | 100.00 |
| 135 | 0.00 | 58.10 | -10.00 | 100.00 |
| 140 | 0.00 | 55.89 | -10.00 | 100.00 |
| 145 | 0.00 | 53.93 | -10.00 | 100.00 |
| 150 | 0.00 | 52.24 | -10.00 | 100.00 |
| 155 | 0.00 | 50.86 | -10.00 | 100.00 |
| 160 | 0.00 | 49.82 | -10.00 | 100.00 |
| 165 | 0.00 | 49.13 | -10.00 | 100.00 |
| 170 | 0.00 | 48.81 | -10.00 | 100.00 |
| 175 | 0.00 | 48.88 | -10.00 | 100.00 |
| 180 | 0.00 | 49.32 | -10.00 | 100.00 |
| 185 | 0.00 | 50.13 | -10.00 | 100.00 |

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
 (703)726-5662 <http://www.comsearch.com>

| | |
|------------------------------------|--------------------------------|
| Coordination Values | AMARILLO, TX |
| Licensee Name | HUGHES NETWORK SYSTEMS LIMITED |
| Latitude (NAD 83) | 35° 12' 16.6" N |
| Longitude (NAD 83) | 101° 49' 55.2" W |
| Ground Elevation (AMSL) | 1117.11 m / 3665.1 ft |
| Antenna Centerline (AGL) | 5.49 m / 18.0 ft |
| Antenna Model | General Dynamics 8.1 meter |
| Antenna Mode | Transmit 28.0 GHz |
| Interference Objectives: Long Term | -151.0 dBW/4 kHz 20% |
| Short Term | -128.0 dBW/4 kHz 0.0025% |
| Max Available RF Power | -38.0 (dBW/4 kHz) |

| Azimuth (°) | Horizon Elevation (°) | Antenna Discrimination (°) | Transmit 28.0 GHz | |
|-------------|-----------------------|----------------------------|--------------------|----------------------------|
| | | | Horizon Gain (dBi) | Coordination Distance (km) |
| 190 | 0.00 | 51.29 | -10.00 | 100.00 |
| 195 | 0.00 | 52.78 | -10.00 | 100.00 |
| 200 | 0.00 | 54.56 | -10.00 | 100.00 |
| 205 | 0.00 | 56.61 | -10.00 | 100.00 |
| 210 | 0.00 | 58.89 | -10.00 | 100.00 |
| 215 | 0.00 | 61.37 | -10.00 | 100.00 |
| 220 | 0.00 | 64.03 | -10.00 | 100.00 |
| 225 | 0.00 | 66.84 | -10.00 | 100.00 |
| 230 | 0.00 | 69.77 | -10.00 | 100.00 |
| 235 | 0.00 | 72.81 | -10.00 | 100.00 |
| 240 | 0.00 | 75.93 | -10.00 | 100.00 |
| 245 | 0.00 | 79.11 | -10.00 | 100.00 |
| 250 | 0.00 | 82.35 | -10.00 | 100.00 |
| 255 | 0.00 | 85.62 | -10.00 | 100.00 |
| 260 | 0.00 | 88.91 | -10.00 | 100.00 |
| 265 | 0.00 | 92.20 | -10.00 | 100.00 |
| 270 | 0.00 | 95.48 | -10.00 | 100.00 |
| 275 | 0.00 | 98.74 | -10.00 | 100.00 |
| 280 | 0.00 | 101.96 | -10.00 | 100.00 |
| 285 | 0.00 | 105.13 | -10.00 | 100.00 |
| 290 | 0.00 | 108.22 | -10.00 | 100.00 |
| 295 | 0.00 | 111.23 | -10.00 | 100.00 |
| 300 | 0.00 | 114.12 | -10.00 | 100.00 |
| 305 | 0.00 | 116.88 | -10.00 | 100.00 |
| 310 | 0.00 | 119.48 | -10.00 | 100.00 |
| 315 | 0.00 | 121.90 | -10.00 | 100.00 |
| 320 | 0.00 | 124.11 | -10.00 | 100.00 |
| 325 | 0.00 | 126.07 | -10.00 | 100.00 |
| 330 | 0.00 | 127.76 | -10.00 | 100.00 |
| 335 | 0.00 | 129.14 | -10.00 | 100.00 |
| 340 | 0.00 | 130.18 | -10.00 | 100.00 |
| 345 | 0.00 | 130.87 | -10.00 | 100.00 |
| 350 | 0.00 | 131.19 | -10.00 | 100.00 |
| 355 | 0.00 | 131.12 | -10.00 | 100.00 |

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
 (703)726-5662 <http://www.comsearch.com>

Date: 10/03/2014
 Job Number: <PCNJobCode>

Administrative Information

Status ENGINEER PROPOSAL
 Call Sign <PCNCallSign>
 Licensee Code HUNESY
 Licensee Name HUGHES NETWORK SYSTEMS LIMITED

Site Information

BILLINGS, MT

Venue Name
 Latitude (NAD 83) 45° 46' 6.9" N
 Longitude (NAD 83) 108° 32' 27.6" W
 Climate Zone A
 Rain Zone 5
 Ground Elevation (AMSL) 961.89 m / 3155.8 ft

Link Information

Satellite Type Geostationary
 Mode TO - Transmit-Only
 Modulation Digital
 Satellite Arc 97° W to 97° West Longitude
 Azimuth Range 164.1° to 164.1°
 Corresponding Elevation Angles 36.1° / 36.1°
 Antenna Centerline (AGL) 3.66 m / 12.0 ft

Antenna Information

Transmit - FCC32

Manufacturer General Dynamics
 Model 5.6 Meter
 Gain / Diameter 62.0 dBi / 5.6 m
 3-dB / 15-dB Beamwidth 0.14° / 0.32°

Max Available RF Power (dBW/4 kHz) -38.0
 (dBW/MHz) -14.0

Maximum EIRP (dBW/4 kHz) 24.0
 (dBW/MHz) 48.0

Interference Objectives: Long Term -151.0 dBW/4 kHz 20%
 Short Term -128.0 dBW/4 kHz 0.0025%

Frequency Information

Transmit 28.0 GHz

Emission / Frequency Range (MHz) 250MG7D / 27500.0 - 28350.0

Max Great Circle Coordination Distance 100.0 km / 62.1 mi
 Precipitation Scatter Contour Radius 100.0 km / 62.1 mi

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
 (703)726-5662 <http://www.comsearch.com>

Coordination Values

BILLINGS, MT

| | |
|------------------------------------|--------------------------------|
| Licensee Name | HUGHES NETWORK SYSTEMS LIMITED |
| Latitude (NAD 83) | 45° 46' 6.9" N |
| Longitude (NAD 83) | 108° 32' 27.6" W |
| Ground Elevation (AMSL) | 961.89 m / 3155.8 ft |
| Antenna Centerline (AGL) | 3.66 m / 12.0 ft |
| Antenna Model | General Dynamics 5.6 Meter |
| Antenna Mode | Transmit 28.0 GHz |
| Interference Objectives: Long Term | -151.0 dBW/4 kHz 20% |
| Short Term | -128.0 dBW/4 kHz 0.0025% |
| Max Available RF Power | -38.0 (dBW/4 kHz) |

| Azimuth (°) | Horizon Elevation (°) | Antenna Discrimination (°) | Transmit 28.0 GHz | |
|-------------|-----------------------|----------------------------|--------------------|----------------------------|
| | | | Horizon Gain (dBi) | Coordination Distance (km) |
| 0 | 1.93 | 142.73 | -10.00 | 100.00 |
| 5 | 1.86 | 140.56 | -10.00 | 100.00 |
| 10 | 1.75 | 137.96 | -10.00 | 100.00 |
| 15 | 1.64 | 135.03 | -10.00 | 100.00 |
| 20 | 1.57 | 131.86 | -10.00 | 100.00 |
| 25 | 1.50 | 128.47 | -10.00 | 100.00 |
| 30 | 1.44 | 124.92 | -10.00 | 100.00 |
| 35 | 1.34 | 121.21 | -10.00 | 100.00 |
| 40 | 1.16 | 117.36 | -10.00 | 100.00 |
| 45 | 0.94 | 113.43 | -10.00 | 100.00 |
| 50 | 0.93 | 109.50 | -10.00 | 100.00 |
| 55 | 0.00 | 105.33 | -10.00 | 100.00 |
| 60 | 0.00 | 101.35 | -10.00 | 100.00 |
| 65 | 0.00 | 97.34 | -10.00 | 100.00 |
| 70 | 0.52 | 93.33 | -10.00 | 100.00 |
| 75 | 0.76 | 89.26 | -10.00 | 100.00 |
| 80 | 1.29 | 85.16 | -10.00 | 100.00 |
| 85 | 1.43 | 81.05 | -10.00 | 100.00 |
| 90 | 1.26 | 77.00 | -10.00 | 100.00 |
| 95 | 1.36 | 72.95 | -10.00 | 100.00 |
| 100 | 1.33 | 68.97 | -10.00 | 100.00 |
| 105 | 0.98 | 65.16 | -10.00 | 100.00 |
| 110 | 0.53 | 61.51 | -10.00 | 100.00 |
| 115 | 0.74 | 57.72 | -10.00 | 100.00 |
| 120 | 0.67 | 54.18 | -10.00 | 100.00 |
| 125 | 0.93 | 50.62 | -10.00 | 100.00 |
| 130 | 0.84 | 47.45 | -9.91 | 100.00 |
| 135 | 1.12 | 44.27 | -9.15 | 100.00 |
| 140 | 1.37 | 41.39 | -8.42 | 100.00 |
| 145 | 1.72 | 38.75 | -7.71 | 100.00 |
| 150 | 1.48 | 37.04 | -7.22 | 100.00 |
| 155 | 1.26 | 35.86 | -6.87 | 100.00 |
| 160 | 0.91 | 35.39 | -6.72 | 100.00 |
| 165 | 0.79 | 35.32 | -6.70 | 100.00 |
| 170 | 0.89 | 35.63 | -6.80 | 100.00 |
| 175 | 0.85 | 36.69 | -7.11 | 100.00 |
| 180 | 0.90 | 38.19 | -7.55 | 100.00 |
| 185 | 0.88 | 40.25 | -8.12 | 100.00 |

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
 (703)726-5662 <http://www.comsearch.com>

Coordination Values

BILLINGS, MT

| | |
|------------------------------------|--------------------------------|
| Licensee Name | HUGHES NETWORK SYSTEMS LIMITED |
| Latitude (NAD 83) | 45° 46' 6.9" N |
| Longitude (NAD 83) | 108° 32' 27.6" W |
| Ground Elevation (AMSL) | 961.89 m / 3155.8 ft |
| Antenna Centerline (AGL) | 3.66 m / 12.0 ft |
| Antenna Model | General Dynamics 5.6 Meter |
| Antenna Mode | Transmit 28.0 GHz |
| Interference Objectives: Long Term | -151.0 dBW/4 kHz 20% |
| Short Term | -128.0 dBW/4 kHz 0.0025% |
| Max Available RF Power | -38.0 (dBW/4 kHz) |

| Azimuth (°) | Horizon Elevation (°) | Antenna Discrimination (°) | Transmit 28.0 GHz | |
|-------------|-----------------------|----------------------------|--------------------|----------------------------|
| | | | Horizon Gain (dBi) | Coordination Distance (km) |
| 190 | 0.98 | 42.62 | -8.74 | 100.00 |
| 195 | 0.76 | 45.57 | -9.47 | 100.00 |
| 200 | 0.56 | 48.77 | -10.00 | 100.00 |
| 205 | 0.65 | 51.99 | -10.00 | 100.00 |
| 210 | 0.00 | 55.79 | -10.00 | 100.00 |
| 215 | 0.00 | 59.37 | -10.00 | 100.00 |
| 220 | 0.00 | 63.07 | -10.00 | 100.00 |
| 225 | 0.00 | 66.86 | -10.00 | 100.00 |
| 230 | 0.00 | 70.74 | -10.00 | 100.00 |
| 235 | 0.00 | 74.67 | -10.00 | 100.00 |
| 240 | 0.00 | 78.65 | -10.00 | 100.00 |
| 245 | 0.30 | 82.63 | -10.00 | 100.00 |
| 250 | 0.33 | 86.68 | -10.00 | 100.00 |
| 255 | 0.36 | 90.73 | -10.00 | 100.00 |
| 260 | 0.41 | 94.79 | -10.00 | 100.00 |
| 265 | 0.46 | 98.84 | -10.00 | 100.00 |
| 270 | 0.52 | 102.88 | -10.00 | 100.00 |
| 275 | 0.55 | 106.88 | -10.00 | 100.00 |
| 280 | 0.55 | 110.82 | -10.00 | 100.00 |
| 285 | 0.57 | 114.71 | -10.00 | 100.00 |
| 290 | 0.58 | 118.51 | -10.00 | 100.00 |
| 295 | 0.61 | 122.22 | -10.00 | 100.00 |
| 300 | 1.33 | 126.15 | -10.00 | 100.00 |
| 305 | 1.55 | 129.73 | -10.00 | 100.00 |
| 310 | 1.65 | 133.07 | -10.00 | 100.00 |
| 315 | 1.69 | 136.13 | -10.00 | 100.00 |
| 320 | 1.73 | 138.90 | -10.00 | 100.00 |
| 325 | 1.92 | 141.43 | -10.00 | 100.00 |
| 330 | 1.91 | 143.35 | -10.00 | 100.00 |
| 335 | 1.89 | 144.75 | -10.00 | 100.00 |
| 340 | 1.95 | 145.64 | -10.00 | 100.00 |
| 345 | 2.01 | 145.90 | -10.00 | 100.00 |
| 350 | 1.98 | 145.44 | -10.00 | 100.00 |
| 355 | 1.98 | 144.39 | -10.00 | 100.00 |

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
 (703)726-5662 <http://www.comsearch.com>

Date: 10/06/2014
 Job Number: <PCNJobCode>

Administrative Information

Status: ENGINEER PROPOSAL
 Call Sign: <PCNCallSign>
 Licensee Code: HUNESY
 Licensee Name: HUGHES NETWORK SYSTEMS LIMITED

Site Information

BISMARCK, ND
 Venue Name:
 Latitude (NAD 83): 46° 51' 5.7" N
 Longitude (NAD 83): 100° 46' 48.7" W
 Climate Zone: A
 Rain Zone: 5
 Ground Elevation (AMSL): 581.61 m / 1908.2 ft

Link Information

Satellite Type: Geostationary
 Mode: TO - Transmit-Only
 Modulation: Digital
 Satellite Arc: 97° W to 97° West Longitude
 Azimuth Range: 174.8° to 174.8°
 Corresponding Elevation Angles: 36.0° / 36.0°
 Antenna Centerline (AGL): 5.49 m / 18.0 ft

Antenna Information

Transmit - FCC32
 Manufacturer: General Dynamics
 Model: 8.1 meter
 Gain / Diameter: 65.3 dBi / 8.1 m
 3-dB / 15-dB Beamwidth: 0.10° / 0.23°

Max Available RF Power (dBW/4 kHz): -38.0
 (dBW/MHz): -14.0

Maximum EIRP (dBW/4 kHz): 27.3
 (dBW/MHz): 51.3

Interference Objectives: Long Term: -151.0 dBW/4 kHz 20%
 Short Term: -128.0 dBW/4 kHz 0.0025%

Frequency Information

Transmit 28.0 GHz
 Emission / Frequency Range (MHz): 250MG7D / 27500.0 - 28350.0

Max Great Circle Coordination Distance: 100.0 km / 62.1 mi
 Precipitation Scatter Contour Radius: 100.0 km / 62.1 mi

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
 (703)726-5662 <http://www.comsearch.com>

| | |
|------------------------------------|--------------------------------|
| Coordination Values | BISMARCK, ND |
| Licensee Name | HUGHES NETWORK SYSTEMS LIMITED |
| Latitude (NAD 83) | 46° 51' 5.7" N |
| Longitude (NAD 83) | 100° 46' 48.7" W |
| Ground Elevation (AMSL) | 581.61 m / 1908.2 ft |
| Antenna Centerline (AGL) | 5.49 m / 18.0 ft |
| Antenna Model | General Dynamics 8.1 meter |
| Antenna Mode | Transmit 28.0 GHz |
| Interference Objectives: Long Term | -151.0 dBW/4 kHz 20% |
| Short Term | -128.0 dBW/4 kHz 0.0025% |
| Max Available RF Power | -35.0 (dBW/4 kHz) |

| Azimuth (°) | Horizon Elevation (°) | Antenna Discrimination (°) | Transmit 28.0 GHz | |
|-------------|-----------------------|----------------------------|--------------------|----------------------------|
| | | | Horizon Gain (dBi) | Coordination Distance (km) |
| 0 | 0.00 | 143.68 | -10.00 | 100.00 |
| 5 | 0.00 | 142.77 | -10.00 | 100.00 |
| 10 | 0.00 | 141.33 | -10.00 | 100.00 |
| 15 | 0.00 | 139.41 | -10.00 | 100.00 |
| 20 | 0.00 | 137.07 | -10.00 | 100.00 |
| 25 | 0.00 | 134.38 | -10.00 | 100.00 |
| 30 | 0.00 | 131.40 | -10.00 | 100.00 |
| 35 | 0.00 | 128.18 | -10.00 | 100.00 |
| 40 | 0.00 | 124.77 | -10.00 | 100.00 |
| 45 | 0.00 | 121.21 | -10.00 | 100.00 |
| 50 | 0.00 | 117.52 | -10.00 | 100.00 |
| 55 | 0.00 | 113.73 | -10.00 | 100.00 |
| 60 | 0.00 | 109.86 | -10.00 | 100.00 |
| 65 | 0.00 | 105.93 | -10.00 | 100.00 |
| 70 | 0.00 | 101.95 | -10.00 | 100.00 |
| 75 | 0.00 | 97.94 | -10.00 | 100.00 |
| 80 | 0.00 | 93.90 | -10.00 | 100.00 |
| 85 | 0.00 | 89.86 | -10.00 | 100.00 |
| 90 | 0.00 | 85.82 | -10.00 | 100.00 |
| 95 | 0.00 | 81.79 | -10.00 | 100.00 |
| 100 | 0.00 | 77.78 | -10.00 | 100.00 |
| 105 | 0.00 | 73.80 | -10.00 | 100.00 |
| 110 | 0.00 | 69.87 | -10.00 | 100.00 |
| 115 | 0.00 | 66.01 | -10.00 | 100.00 |
| 120 | 0.00 | 62.23 | -10.00 | 100.00 |
| 125 | 0.00 | 58.54 | -10.00 | 100.00 |
| 130 | 0.00 | 54.99 | -10.00 | 100.00 |
| 135 | 0.00 | 51.59 | -10.00 | 100.00 |
| 140 | 0.00 | 48.39 | -10.00 | 100.00 |
| 145 | 0.00 | 45.43 | -9.43 | 100.00 |
| 150 | 0.00 | 42.76 | -8.78 | 100.00 |
| 155 | 0.00 | 40.45 | -8.17 | 100.00 |
| 160 | 0.00 | 38.55 | -7.65 | 100.00 |
| 165 | 0.00 | 37.15 | -7.25 | 100.00 |
| 170 | 0.00 | 36.28 | -6.99 | 100.00 |
| 175 | 0.00 | 36.01 | -6.91 | 100.00 |
| 180 | 0.00 | 36.32 | -7.01 | 100.00 |
| 185 | 0.00 | 37.23 | -7.27 | 100.00 |

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
 (703)726-5662 <http://www.comsearch.com>

| | |
|------------------------------------|--------------------------------|
| Coordination Values | BISMARCK, ND |
| Licensee Name | HUGHES NETWORK SYSTEMS LIMITED |
| Latitude (NAD 83) | 46° 51' 5.7" N |
| Longitude (NAD 83) | 100° 46' 48.7" W |
| Ground Elevation (AMSL) | 581.61 m / 1908.2 ft |
| Antenna Centerline (AGL) | 5.49 m / 18.0 ft |
| Antenna Model | General Dynamics 8.1 meter |
| Antenna Mode | Transmit 28.0 GHz |
| Interference Objectives: Long Term | -151.0 dBW/4 kHz 20% |
| Short Term | -128.0 dBW/4 kHz 0.0025% |
| Max Available RF Power | -35.0 (dBW/4 kHz) |

| Azimuth (°) | Horizon Elevation (°) | Antenna Discrimination (°) | Transmit 28.0 GHz | |
|-------------|-----------------------|----------------------------|--------------------|----------------------------|
| | | | Horizon Gain (dBi) | Coordination Distance (km) |
| 190 | 0.00 | 38.67 | -7.68 | 100.00 |
| 195 | 0.00 | 40.59 | -8.21 | 100.00 |
| 200 | 0.00 | 42.93 | -8.82 | 100.00 |
| 205 | 0.00 | 45.62 | -9.48 | 100.00 |
| 210 | 0.00 | 48.60 | -10.00 | 100.00 |
| 215 | 0.00 | 51.82 | -10.00 | 100.00 |
| 220 | 0.00 | 55.23 | -10.00 | 100.00 |
| 225 | 0.00 | 58.79 | -10.00 | 100.00 |
| 230 | 0.00 | 62.48 | -10.00 | 100.00 |
| 235 | 0.00 | 66.27 | -10.00 | 100.00 |
| 240 | 0.00 | 70.14 | -10.00 | 100.00 |
| 245 | 0.00 | 74.07 | -10.00 | 100.00 |
| 250 | 0.00 | 78.05 | -10.00 | 100.00 |
| 255 | 0.00 | 82.06 | -10.00 | 100.00 |
| 260 | 0.24 | 86.08 | -10.00 | 100.00 |
| 265 | 0.00 | 90.14 | -10.00 | 100.00 |
| 270 | 0.33 | 94.20 | -10.00 | 100.00 |
| 275 | 0.47 | 98.26 | -10.00 | 100.00 |
| 280 | 0.42 | 102.29 | -10.00 | 100.00 |
| 285 | 0.44 | 106.29 | -10.00 | 100.00 |
| 290 | 0.38 | 110.23 | -10.00 | 100.00 |
| 295 | 0.00 | 113.99 | -10.00 | 100.00 |
| 300 | 0.00 | 117.77 | -10.00 | 100.00 |
| 305 | 0.00 | 121.46 | -10.00 | 100.00 |
| 310 | 0.00 | 125.01 | -10.00 | 100.00 |
| 315 | 0.00 | 128.41 | -10.00 | 100.00 |
| 320 | 0.00 | 131.61 | -10.00 | 100.00 |
| 325 | 0.00 | 134.57 | -10.00 | 100.00 |
| 330 | 0.20 | 137.40 | -10.00 | 100.00 |
| 335 | 0.00 | 139.55 | -10.00 | 100.00 |
| 340 | 0.00 | 141.45 | -10.00 | 100.00 |
| 345 | 0.00 | 142.85 | -10.00 | 100.00 |
| 350 | 0.00 | 143.72 | -10.00 | 100.00 |
| 355 | 0.00 | 143.99 | -10.00 | 100.00 |

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
 (703)726-5662 <http://www.comsearch.com>

Date: 10/06/2014
 Job Number: <PCNJobCode>

Administrative Information

Status ENGINEER PROPOSAL
 Call Sign <PCNCallSign>
 Licensee Code HUNESY
 Licensee Name HUGHES NETWORK SYSTEMS LIMITED

Site Information

BOISE, ID

Venue Name
 Latitude (NAD 83) 43° 36' 27.7" N
 Longitude (NAD 83) 116° 18' 36.0" W
 Climate Zone A
 Rain Zone 5
 Ground Elevation (AMSL) 811.45 m / 2662.3 ft

Link Information

Satellite Type Geostationary
 Mode TO - Transmit-Only
 Modulation Digital
 Satellite Arc 97° W to 97° West Longitude
 Azimuth Range 153.1° to 153.1°
 Corresponding Elevation Angles 36.1° / 36.1°
 Antenna Centerline (AGL) 3.66 m / 12.0 ft

Antenna Information

Transmit - FCC32

Manufacturer General Dynamics
 Model 5.6 Meter
 Gain / Diameter 62.0 dBi / 5.6 m
 3-dB / 15-dB Beamwidth 0.14° / 0.32°

Max Available RF Power (dBW/4 kHz) -38.0
 (dBW/MHz) -14.0

Maximum EIRP (dBW/4 kHz) 24.0
 (dBW/MHz) 48.0

Interference Objectives: Long Term -151.0 dBW/4 kHz 20%
 Short Term -128.0 dBW/4 kHz 0.0025%

Frequency Information

Transmit 28.0 GHz

Emission / Frequency Range (MHz) 250MG7D / 27500.0 - 28350.0

Max Great Circle Coordination Distance 100.0 km / 62.1 mi
 Precipitation Scatter Contour Radius 100.0 km / 62.1 mi

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5662 <http://www.comsearch.com>

| | |
|------------------------------------|--------------------------------|
| Coordination Values | BOISE, ID |
| Licensee Name | HUGHES NETWORK SYSTEMS LIMITED |
| Latitude (NAD 83) | 43° 36' 27.7" N |
| Longitude (NAD 83) | 116° 18' 36.0" W |
| Ground Elevation (AMSL) | 811.45 m / 2662.3 ft |
| Antenna Centerline (AGL) | 3.66 m / 12.0 ft |
| Antenna Model | General Dynamics 5.6 Meter |
| Antenna Mode | Transmit 28.0 GHz |
| Interference Objectives: Long Term | -151.0 dBW/4 kHz 20% |
| Short Term | -128.0 dBW/4 kHz 0.0025% |
| Max Available RF Power | -35.0 (dBW/4 kHz) |

| Azimuth (°) | Horizon Elevation (°) | Antenna Discrimination (°) | Transmit 28.0 GHz | |
|-------------|-----------------------|----------------------------|--------------------|----------------------------|
| | | | Horizon Gain (dBi) | Coordination Distance (km) |
| 0 | 0.00 | 136.10 | -10.00 | 100.00 |
| 5 | 0.00 | 133.30 | -10.00 | 100.00 |
| 10 | 0.00 | 130.24 | -10.00 | 100.00 |
| 15 | 0.00 | 126.96 | -10.00 | 100.00 |
| 20 | 0.00 | 123.50 | -10.00 | 100.00 |
| 25 | 0.00 | 119.89 | -10.00 | 100.00 |
| 30 | 0.00 | 116.17 | -10.00 | 100.00 |
| 35 | 0.00 | 112.35 | -10.00 | 100.00 |
| 40 | 0.00 | 108.46 | -10.00 | 100.00 |
| 45 | 0.00 | 104.52 | -10.00 | 100.00 |
| 50 | 0.00 | 100.53 | -10.00 | 100.00 |
| 55 | 0.00 | 96.52 | -10.00 | 100.00 |
| 60 | 0.00 | 92.48 | -10.00 | 100.00 |
| 65 | 0.00 | 88.44 | -10.00 | 100.00 |
| 70 | 0.00 | 84.41 | -10.00 | 100.00 |
| 75 | 0.00 | 80.38 | -10.00 | 100.00 |
| 80 | 0.00 | 76.39 | -10.00 | 100.00 |
| 85 | 0.00 | 72.43 | -10.00 | 100.00 |
| 90 | 0.00 | 68.53 | -10.00 | 100.00 |
| 95 | 0.20 | 64.63 | -10.00 | 100.00 |
| 100 | 0.25 | 60.85 | -10.00 | 100.00 |
| 105 | 0.67 | 57.01 | -10.00 | 100.00 |
| 110 | 0.69 | 53.45 | -10.00 | 100.00 |
| 115 | 0.91 | 49.95 | -10.00 | 100.00 |
| 120 | 1.04 | 46.68 | -9.73 | 100.00 |
| 125 | 0.99 | 43.78 | -9.03 | 100.00 |
| 130 | 1.23 | 40.97 | -8.31 | 100.00 |
| 135 | 1.30 | 38.67 | -7.68 | 100.00 |
| 140 | 1.28 | 36.89 | -7.17 | 100.00 |
| 145 | 1.28 | 35.61 | -6.79 | 100.00 |
| 150 | 1.24 | 34.97 | -6.59 | 100.00 |
| 155 | 1.52 | 34.62 | -6.48 | 100.00 |
| 160 | 1.62 | 35.07 | -6.62 | 100.00 |
| 165 | 1.65 | 36.20 | -6.97 | 100.00 |
| 170 | 1.65 | 37.91 | -7.47 | 100.00 |
| 175 | 1.62 | 40.11 | -8.08 | 100.00 |
| 180 | 1.61 | 42.69 | -8.76 | 100.00 |
| 185 | 1.60 | 45.61 | -9.48 | 100.00 |

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
 (703)726-5662 <http://www.comsearch.com>

| | |
|------------------------------------|--------------------------------|
| Coordination Values | BOISE, ID |
| Licensee Name | HUGHES NETWORK SYSTEMS LIMITED |
| Latitude (NAD 83) | 43° 36' 27.7" N |
| Longitude (NAD 83) | 116° 18' 36.0" W |
| Ground Elevation (AMSL) | 811.45 m / 2662.3 ft |
| Antenna Centerline (AGL) | 3.66 m / 12.0 ft |
| Antenna Model | General Dynamics 5.6 Meter |
| Antenna Mode | Transmit 28.0 GHz |
| Interference Objectives: Long Term | -151.0 dBW/4 kHz 20% |
| Short Term | -128.0 dBW/4 kHz 0.0025% |
| Max Available RF Power | -35.0 (dBW/4 kHz) |

| Azimuth (°) | Horizon Elevation (°) | Antenna Discrimination (°) | Transmit 28.0 GHz | |
|-------------|-----------------------|----------------------------|--------------------|----------------------------|
| | | | Horizon Gain (dBi) | Coordination Distance (km) |
| 190 | 1.59 | 48.79 | -10.00 | 100.00 |
| 195 | 1.50 | 52.23 | -10.00 | 100.00 |
| 200 | 1.37 | 55.85 | -10.00 | 100.00 |
| 205 | 1.25 | 59.59 | -10.00 | 100.00 |
| 210 | 1.11 | 63.44 | -10.00 | 100.00 |
| 215 | 1.04 | 67.34 | -10.00 | 100.00 |
| 220 | 0.94 | 71.31 | -10.00 | 100.00 |
| 225 | 0.91 | 75.31 | -10.00 | 100.00 |
| 230 | 0.74 | 79.37 | -10.00 | 100.00 |
| 235 | 0.52 | 83.44 | -10.00 | 100.00 |
| 240 | 0.37 | 87.51 | -10.00 | 100.00 |
| 245 | 0.22 | 91.56 | -10.00 | 100.00 |
| 250 | 0.00 | 95.59 | -10.00 | 100.00 |
| 255 | 0.00 | 99.62 | -10.00 | 100.00 |
| 260 | 0.00 | 103.61 | -10.00 | 100.00 |
| 265 | 0.00 | 107.57 | -10.00 | 100.00 |
| 270 | 0.00 | 111.47 | -10.00 | 100.00 |
| 275 | 0.00 | 115.30 | -10.00 | 100.00 |
| 280 | 0.00 | 119.05 | -10.00 | 100.00 |
| 285 | 0.00 | 122.68 | -10.00 | 100.00 |
| 290 | 0.00 | 126.18 | -10.00 | 100.00 |
| 295 | 0.00 | 129.51 | -10.00 | 100.00 |
| 300 | 0.00 | 132.63 | -10.00 | 100.00 |
| 305 | 0.00 | 135.48 | -10.00 | 100.00 |
| 310 | 0.00 | 138.03 | -10.00 | 100.00 |
| 315 | 0.00 | 140.20 | -10.00 | 100.00 |
| 320 | 0.00 | 141.92 | -10.00 | 100.00 |
| 325 | 0.00 | 143.14 | -10.00 | 100.00 |
| 330 | 0.00 | 143.80 | -10.00 | 100.00 |
| 335 | 0.00 | 143.87 | -10.00 | 100.00 |
| 340 | 0.00 | 143.34 | -10.00 | 100.00 |
| 345 | 0.00 | 142.25 | -10.00 | 100.00 |
| 350 | 0.00 | 140.63 | -10.00 | 100.00 |
| 355 | 0.00 | 138.56 | -10.00 | 100.00 |

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
 (703)726-5662 <http://www.comsearch.com>

Date: 10/24/2014
 Job Number: <PCNJobCode>

Administrative Information

Status ENGINEER PROPOSAL
 Call Sign <PCNCallSign>
 Licensee Code HUNESY
 Licensee Name HUGHES NETWORK SYSTEMS LIMITED

Site Information DULUTH, MN

Venue Name
 Latitude (NAD 83) 46° 49' 33.6" N
 Longitude (NAD 83) 92° 7' 49.8" W
 Climate Zone A
 Rain Zone 2
 Ground Elevation (AMSL) 414.31 m / 1359.3 ft

Link Information

Satellite Type Geostationary
 Mode TO - Transmit-Only
 Modulation Digital
 Satellite Arc 97° W to 97° West Longitude
 Azimuth Range 186.7° to 186.7°
 Corresponding Elevation Angles 35.9° / 35.9°
 Antenna Centerline (AGL) 5.49 m / 18.0 ft

Antenna Information Transmit - FCC32

Manufacturer General Dynamics
 Model 8.1 meter
 Gain / Diameter 65.3 dBi / 8.1 m
 3-dB / 15-dB Beamwidth 0.10° / 0.23°

Max Available RF Power (dBW/4 kHz) -38.0
 (dBW/MHz) -14.0

Maximum EIRP (dBW/4 kHz) 27.3
 (dBW/MHz) 51.3

Interference Objectives: Long Term -151.0 dBW/4 kHz 20%
 Short Term -128.0 dBW/4 kHz 0.0025%

Frequency Information Transmit 28.0 GHz

Emission / Frequency Range (MHz) 250MG7D / 27500.0 - 28350.0

Max Great Circle Coordination Distance 100.0 km / 62.1 mi
 Precipitation Scatter Contour Radius 100.0 km / 62.1 mi

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
 (703)726-5662 <http://www.comsearch.com>

| | |
|------------------------------------|--------------------------------|
| Coordination Values | DULUTH, MN |
| Licensee Name | HUGHES NETWORK SYSTEMS LIMITED |
| Latitude (NAD 83) | 46° 49' 33.6" N |
| Longitude (NAD 83) | 92° 7' 49.8" W |
| Ground Elevation (AMSL) | 414.31 m / 1359.3 ft |
| Antenna Centerline (AGL) | 5.49 m / 18.0 ft |
| Antenna Model | General Dynamics 8.1 meter |
| Antenna Mode | Transmit 28.0 GHz |
| Interference Objectives: Long Term | -151.0 dBW/4 kHz 20% |
| Short Term | -128.0 dBW/4 kHz 0.0025% |
| Max Available RF Power | -35.0 (dBW/4 kHz) |

| Azimuth (°) | Horizon Elevation (°) | Antenna Discrimination (°) | Transmit 28.0 GHz | |
|-------------|-----------------------|----------------------------|--------------------|----------------------------|
| | | | Horizon Gain (dBi) | Coordination Distance (km) |
| 0 | 0.38 | 143.90 | -10.00 | 100.00 |
| 5 | 0.37 | 144.39 | -10.00 | 100.00 |
| 10 | 0.36 | 144.28 | -10.00 | 100.00 |
| 15 | 0.00 | 143.22 | -10.00 | 100.00 |
| 20 | 0.29 | 142.24 | -10.00 | 100.00 |
| 25 | 0.52 | 140.66 | -10.00 | 100.00 |
| 30 | 0.40 | 138.33 | -10.00 | 100.00 |
| 35 | 0.00 | 135.44 | -10.00 | 100.00 |
| 40 | 0.29 | 132.75 | -10.00 | 100.00 |
| 45 | 0.44 | 129.68 | -10.00 | 100.00 |
| 50 | 0.00 | 126.07 | -10.00 | 100.00 |
| 55 | 0.00 | 122.56 | -10.00 | 100.00 |
| 60 | 0.00 | 118.90 | -10.00 | 100.00 |
| 65 | 0.00 | 115.15 | -10.00 | 100.00 |
| 70 | 0.00 | 111.30 | -10.00 | 100.00 |
| 75 | 0.00 | 107.39 | -10.00 | 100.00 |
| 80 | 0.00 | 103.42 | -10.00 | 100.00 |
| 85 | 0.00 | 99.42 | -10.00 | 100.00 |
| 90 | 0.00 | 95.39 | -10.00 | 100.00 |
| 95 | 0.00 | 91.34 | -10.00 | 100.00 |
| 100 | 0.00 | 87.30 | -10.00 | 100.00 |
| 105 | 0.00 | 83.26 | -10.00 | 100.00 |
| 110 | 0.00 | 79.23 | -10.00 | 100.00 |
| 115 | 0.00 | 75.24 | -10.00 | 100.00 |
| 120 | 0.00 | 71.29 | -10.00 | 100.00 |
| 125 | 0.00 | 67.40 | -10.00 | 100.00 |
| 130 | 0.00 | 63.58 | -10.00 | 100.00 |
| 135 | 0.00 | 59.86 | -10.00 | 100.00 |
| 140 | 0.00 | 56.25 | -10.00 | 100.00 |
| 145 | 0.00 | 52.78 | -10.00 | 100.00 |
| 150 | 0.00 | 49.50 | -10.00 | 100.00 |
| 155 | 0.00 | 46.44 | -9.67 | 100.00 |
| 160 | 0.00 | 43.66 | -9.00 | 100.00 |
| 165 | 0.00 | 41.20 | -8.37 | 100.00 |
| 170 | 0.00 | 39.14 | -7.82 | 100.00 |
| 175 | 0.00 | 37.55 | -7.36 | 100.00 |
| 180 | 0.00 | 36.48 | -7.05 | 100.00 |
| 185 | 0.00 | 35.98 | -6.90 | 100.00 |

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
 (703)726-5662 <http://www.comsearch.com>

| | |
|------------------------------------|--------------------------------|
| Coordination Values | DULUTH, MN |
| Licensee Name | HUGHES NETWORK SYSTEMS LIMITED |
| Latitude (NAD 83) | 46° 49' 33.6" N |
| Longitude (NAD 83) | 92° 7' 49.8" W |
| Ground Elevation (AMSL) | 414.31 m / 1359.3 ft |
| Antenna Centerline (AGL) | 5.49 m / 18.0 ft |
| Antenna Model | General Dynamics 8.1 meter |
| Antenna Mode | Transmit 28.0 GHz |
| Interference Objectives: Long Term | -151.0 dBW/4 kHz 20% |
| Short Term | -128.0 dBW/4 kHz 0.0025% |
| Max Available RF Power | -35.0 (dBW/4 kHz) |

| Azimuth (°) | Horizon Elevation (°) | Antenna Discrimination (°) | Transmit 28.0 GHz | |
|-------------|-----------------------|----------------------------|--------------------|----------------------------|
| | | | Horizon Gain (dBi) | Coordination Distance (km) |
| 190 | 0.36 | 35.72 | -6.82 | 100.00 |
| 195 | 0.59 | 36.20 | -6.97 | 100.00 |
| 200 | 0.78 | 37.31 | -7.30 | 100.00 |
| 205 | 0.81 | 39.09 | -7.80 | 100.00 |
| 210 | 0.75 | 41.39 | -8.42 | 100.00 |
| 215 | 0.67 | 44.06 | -9.10 | 100.00 |
| 220 | 0.45 | 47.14 | -9.84 | 100.00 |
| 225 | 0.39 | 50.35 | -10.00 | 100.00 |
| 230 | 0.34 | 53.75 | -10.00 | 100.00 |
| 235 | 0.28 | 57.31 | -10.00 | 100.00 |
| 240 | 0.33 | 60.96 | -10.00 | 100.00 |
| 245 | 0.44 | 64.71 | -10.00 | 100.00 |
| 250 | 0.45 | 68.57 | -10.00 | 100.00 |
| 255 | 0.37 | 72.53 | -10.00 | 100.00 |
| 260 | 0.42 | 76.51 | -10.00 | 100.00 |
| 265 | 0.31 | 80.55 | -10.00 | 100.00 |
| 270 | 0.23 | 84.60 | -10.00 | 100.00 |
| 275 | 0.27 | 88.65 | -10.00 | 100.00 |
| 280 | 0.24 | 92.71 | -10.00 | 100.00 |
| 285 | 0.25 | 96.76 | -10.00 | 100.00 |
| 290 | 0.00 | 100.77 | -10.00 | 100.00 |
| 295 | 0.00 | 104.76 | -10.00 | 100.00 |
| 300 | 0.00 | 108.71 | -10.00 | 100.00 |
| 305 | 0.23 | 112.67 | -10.00 | 100.00 |
| 310 | 0.33 | 116.54 | -10.00 | 100.00 |
| 315 | 0.64 | 120.41 | -10.00 | 100.00 |
| 320 | 0.62 | 124.05 | -10.00 | 100.00 |
| 325 | 0.61 | 127.55 | -10.00 | 100.00 |
| 330 | 0.44 | 130.77 | -10.00 | 100.00 |
| 335 | 0.43 | 133.86 | -10.00 | 100.00 |
| 340 | 0.56 | 136.77 | -10.00 | 100.00 |
| 345 | 0.63 | 139.32 | -10.00 | 100.00 |
| 350 | 0.51 | 141.31 | -10.00 | 100.00 |
| 355 | 0.46 | 142.89 | -10.00 | 100.00 |

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
 (703)726-5662 <http://www.comsearch.com>

Date: 10/24/2014
 Job Number: <PCNJobCode>

Administrative Information

Status ENGINEER PROPOSAL
 Call Sign <PCNCallSign>
 Licensee Code HUNESY
 Licensee Name HUGHES NETWORK SYSTEMS LIMITED

Site Information

MISSOULA, MT
 Venue Name
 Latitude (NAD 83) 46° 56' 9.9" N
 Longitude (NAD 83) 114° 7' 1.2" W
 Climate Zone A
 Rain Zone 5
 Ground Elevation (AMSL) 972.83 m / 3191.7 ft

Link Information

Satellite Type Geostationary
 Mode TO - Transmit-Only
 Modulation Digital
 Satellite Arc 97° W to 97° West Longitude
 Azimuth Range 157.1° to 157.1°
 Corresponding Elevation Angles 33.5° / 33.5°
 Antenna Centerline (AGL) 3.66 m / 12.0 ft

Antenna Information

Transmit - FCC32
 Manufacturer General Dynamics
 Model 5.6 Meter
 Gain / Diameter 62.0 dBi / 5.6 m
 3-dB / 15-dB Beamwidth 0.14° / 0.32°

Max Available RF Power (dBW/4 kHz) -38.0
 (dBW/MHz) -14.0

Maximum EIRP (dBW/4 kHz) 24.0
 (dBW/MHz) 48.0

Interference Objectives: Long Term -151.0 dBW/4 kHz 20%
 Short Term -128.0 dBW/4 kHz 0.0025%

Frequency Information

Transmit 28.0 GHz
 Emission / Frequency Range (MHz) 250MG7D / 27500.0 - 28350.0

Max Great Circle Coordination Distance 100.0 km / 62.1 mi
 Precipitation Scatter Contour Radius 100.0 km / 62.1 mi

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
 (703)726-5662 <http://www.comsearch.com>

| | |
|------------------------------------|--------------------------------|
| Coordination Values | MISSOULA, MT |
| Licensee Name | HUGHES NETWORK SYSTEMS LIMITED |
| Latitude (NAD 83) | 46° 56' 9.9" N |
| Longitude (NAD 83) | 114° 7' 1.2" W |
| Ground Elevation (AMSL) | 972.83 m / 3191.7 ft |
| Antenna Centerline (AGL) | 3.66 m / 12.0 ft |
| Antenna Model | General Dynamics 5.6 Meter |
| Antenna Mode | Transmit 28.0 GHz |
| Interference Objectives: Long Term | -151.0 dBW/4 kHz 20% |
| Short Term | -128.0 dBW/4 kHz 0.0025% |
| Max Available RF Power | -35.0 (dBW/4 kHz) |

| Azimuth (°) | Horizon Elevation (°) | Antenna Discrimination (°) | Transmit 28.0 GHz | |
|-------------|-----------------------|----------------------------|--------------------|----------------------------|
| | | | Horizon Gain (dBi) | Coordination Distance (km) |
| 0 | 2.31 | 142.03 | -10.00 | 100.00 |
| 5 | 2.49 | 139.28 | -10.00 | 100.00 |
| 10 | 2.83 | 136.27 | -10.00 | 100.00 |
| 15 | 3.05 | 132.90 | -10.00 | 100.00 |
| 20 | 2.98 | 129.17 | -10.00 | 100.00 |
| 25 | 3.29 | 125.45 | -10.00 | 100.00 |
| 30 | 3.48 | 121.53 | -10.00 | 100.00 |
| 35 | 3.38 | 117.40 | -10.00 | 100.00 |
| 40 | 2.92 | 113.13 | -10.00 | 100.00 |
| 45 | 3.01 | 108.96 | -10.00 | 100.00 |
| 50 | 3.16 | 104.74 | -10.00 | 100.00 |
| 55 | 2.75 | 100.42 | -10.00 | 100.00 |
| 60 | 2.52 | 96.12 | -10.00 | 100.00 |
| 65 | 3.36 | 91.86 | -10.00 | 100.00 |
| 70 | 3.29 | 87.53 | -10.00 | 100.00 |
| 75 | 3.76 | 83.18 | -10.00 | 100.00 |
| 80 | 3.96 | 78.84 | -10.00 | 100.00 |
| 85 | 3.28 | 74.64 | -10.00 | 100.00 |
| 90 | 2.96 | 70.46 | -10.00 | 100.00 |
| 95 | 2.41 | 66.41 | -10.00 | 100.00 |
| 100 | 2.27 | 62.36 | -10.00 | 100.00 |
| 105 | 2.05 | 58.43 | -10.00 | 100.00 |
| 110 | 0.81 | 55.08 | -10.00 | 100.00 |
| 115 | 0.31 | 51.64 | -10.00 | 100.00 |
| 120 | 0.00 | 48.34 | -10.00 | 100.00 |
| 125 | 0.00 | 45.08 | -9.35 | 100.00 |
| 130 | 0.00 | 42.09 | -8.60 | 100.00 |
| 135 | 0.00 | 39.43 | -7.89 | 100.00 |
| 140 | 0.00 | 37.16 | -7.25 | 100.00 |
| 145 | 0.00 | 35.38 | -6.72 | 100.00 |
| 150 | 0.00 | 34.16 | -6.34 | 100.00 |
| 155 | 0.00 | 33.55 | -6.14 | 100.00 |
| 160 | 0.00 | 33.60 | -6.16 | 100.00 |
| 165 | 0.00 | 34.29 | -6.38 | 100.00 |
| 170 | 0.00 | 35.60 | -6.79 | 100.00 |
| 175 | 0.00 | 37.46 | -7.34 | 100.00 |
| 180 | 0.00 | 39.78 | -7.99 | 100.00 |
| 185 | 0.00 | 42.49 | -8.71 | 100.00 |

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
 (703)726-5662 <http://www.comsearch.com>

| | |
|------------------------------------|--------------------------------|
| Coordination Values | MISSOULA, MT |
| Licensee Name | HUGHES NETWORK SYSTEMS LIMITED |
| Latitude (NAD 83) | 46° 56' 9.9" N |
| Longitude (NAD 83) | 114° 7' 1.2" W |
| Ground Elevation (AMSL) | 972.83 m / 3191.7 ft |
| Antenna Centerline (AGL) | 3.66 m / 12.0 ft |
| Antenna Model | General Dynamics 5.6 Meter |
| Antenna Mode | Transmit 28.0 GHz |
| Interference Objectives: Long Term | -151.0 dBW/4 kHz 20% |
| Short Term | -128.0 dBW/4 kHz 0.0025% |
| Max Available RF Power | -35.0 (dBW/4 kHz) |

| Azimuth (°) | Horizon Elevation (°) | Antenna Discrimination (°) | Transmit 28.0 GHz | |
|-------------|-----------------------|----------------------------|--------------------|----------------------------|
| | | | Horizon Gain (dBi) | Coordination Distance (km) |
| 190 | 1.39 | 44.64 | -9.24 | 100.00 |
| 195 | 1.42 | 48.00 | -10.00 | 100.00 |
| 200 | 1.64 | 51.49 | -10.00 | 100.00 |
| 205 | 1.99 | 55.10 | -10.00 | 100.00 |
| 210 | 2.69 | 58.76 | -10.00 | 100.00 |
| 215 | 2.50 | 62.86 | -10.00 | 100.00 |
| 220 | 2.31 | 67.02 | -10.00 | 100.00 |
| 225 | 2.50 | 71.15 | -10.00 | 100.00 |
| 230 | 1.46 | 75.53 | -10.00 | 100.00 |
| 235 | 2.77 | 79.58 | -10.00 | 100.00 |
| 240 | 1.14 | 83.97 | -10.00 | 100.00 |
| 245 | 1.61 | 88.18 | -10.00 | 100.00 |
| 250 | 1.91 | 92.43 | -10.00 | 100.00 |
| 255 | 1.25 | 96.64 | -10.00 | 100.00 |
| 260 | 1.44 | 100.87 | -10.00 | 100.00 |
| 265 | 0.21 | 104.85 | -10.00 | 100.00 |
| 270 | 0.93 | 109.11 | -10.00 | 100.00 |
| 275 | 1.01 | 113.21 | -10.00 | 100.00 |
| 280 | 0.61 | 117.10 | -10.00 | 100.00 |
| 285 | 0.00 | 120.78 | -10.00 | 100.00 |
| 290 | 0.22 | 124.66 | -10.00 | 100.00 |
| 295 | 0.28 | 128.34 | -10.00 | 100.00 |
| 300 | 0.38 | 131.89 | -10.00 | 100.00 |
| 305 | 0.53 | 135.27 | -10.00 | 100.00 |
| 310 | 0.63 | 138.37 | -10.00 | 100.00 |
| 315 | 0.69 | 141.13 | -10.00 | 100.00 |
| 320 | 0.74 | 143.48 | -10.00 | 100.00 |
| 325 | 1.04 | 145.59 | -10.00 | 100.00 |
| 330 | 1.08 | 146.90 | -10.00 | 100.00 |
| 335 | 1.57 | 148.01 | -10.00 | 100.00 |
| 340 | 1.99 | 148.39 | -10.00 | 100.00 |
| 345 | 2.48 | 148.10 | -10.00 | 100.00 |
| 350 | 1.32 | 145.62 | -10.00 | 100.00 |
| 355 | 1.73 | 144.03 | -10.00 | 100.00 |

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
 (703)726-5662 <http://www.comsearch.com>

Date: 10/24/2014
 Job Number: <PCNJobCode>

Administrative Information

Status ENGINEER PROPOSAL
 Call Sign <PCNCallSign>
 Licensee Code HUNESY
 Licensee Name HUGHES NETWORK SYSTEMS LIMITED

Site Information N LAS VEGAS, NV

Venue Name
 Latitude (NAD 83) 36° 14' 11.0" N
 Longitude (NAD 83) 115° 7' 2.6" W
 Climate Zone A
 Rain Zone 5
 Ground Elevation (AMSL) 585.8 m / 1921.9 ft

Link Information

Satellite Type Geostationary
 Mode TO - Transmit-Only
 Modulation Digital
 Satellite Arc 97° W to 97° West Longitude
 Azimuth Range 151.0° to 151.0°
 Corresponding Elevation Angles 43.8° / 43.8°
 Antenna Centerline (AGL) 3.66 m / 12.0 ft

Antenna Information Transmit - FCC32

Manufacturer General Dynamics
 Model 5.6 Meter
 Gain / Diameter 62.0 dBi / 5.6 m
 3-dB / 15-dB Beamwidth 0.14° / 0.32°

Max Available RF Power (dBW/4 kHz) -38.0
 (dBW/MHz) -14.0

Maximum EIRP (dBW/4 kHz) 24.0
 (dBW/MHz) 48.0

Interference Objectives: Long Term -151.0 dBW/4 kHz 20%
 Short Term -128.0 dBW/4 kHz 0.0025%

Frequency Information Transmit 28.0 GHz

Emission / Frequency Range (MHz) 250MG7D / 27500.0 - 28350.0

Max Great Circle Coordination Distance 100.0 km / 62.1 mi
 Precipitation Scatter Contour Radius 100.0 km / 62.1 mi

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
 (703)726-5662 <http://www.comsearch.com>

| | |
|------------------------------------|--------------------------------|
| Coordination Values | N LAS VEGAS, NV |
| Licensee Name | HUGHES NETWORK SYSTEMS LIMITED |
| Latitude (NAD 83) | 36° 14' 11.0" N |
| Longitude (NAD 83) | 115° 7' 2.6" W |
| Ground Elevation (AMSL) | 585.8 m / 1921.9 ft |
| Antenna Centerline (AGL) | 3.66 m / 12.0 ft |
| Antenna Model | General Dynamics 5.6 Meter |
| Antenna Mode | Transmit 28.0 GHz |
| Interference Objectives: Long Term | -151.0 dBW/4 kHz 20% |
| Short Term | -128.0 dBW/4 kHz 0.0025% |
| Max Available RF Power | -35.0 (dBW/4 kHz) |

| Azimuth (°) | Horizon Elevation (°) | Antenna Discrimination (°) | Transmit 28.0 GHz | |
|-------------|-----------------------|----------------------------|--------------------|----------------------------|
| | | | Horizon Gain (dBi) | Coordination Distance (km) |
| 0 | 0.65 | 129.68 | -10.00 | 100.00 |
| 5 | 0.68 | 127.27 | -10.00 | 100.00 |
| 10 | 0.70 | 124.61 | -10.00 | 100.00 |
| 15 | 0.71 | 121.72 | -10.00 | 100.00 |
| 20 | 0.69 | 118.65 | -10.00 | 100.00 |
| 25 | 0.65 | 115.42 | -10.00 | 100.00 |
| 30 | 0.57 | 112.07 | -10.00 | 100.00 |
| 35 | 0.49 | 108.63 | -10.00 | 100.00 |
| 40 | 0.40 | 105.12 | -10.00 | 100.00 |
| 45 | 0.31 | 101.57 | -10.00 | 100.00 |
| 50 | 0.24 | 97.98 | -10.00 | 100.00 |
| 55 | 0.00 | 94.36 | -10.00 | 100.00 |
| 60 | 0.00 | 90.75 | -10.00 | 100.00 |
| 65 | 0.00 | 87.14 | -10.00 | 100.00 |
| 70 | 0.00 | 83.54 | -10.00 | 100.00 |
| 75 | 0.00 | 79.97 | -10.00 | 100.00 |
| 80 | 0.00 | 76.43 | -10.00 | 100.00 |
| 85 | 0.00 | 72.95 | -10.00 | 100.00 |
| 90 | 0.00 | 69.54 | -10.00 | 100.00 |
| 95 | 0.00 | 66.21 | -10.00 | 100.00 |
| 100 | 0.00 | 63.00 | -10.00 | 100.00 |
| 105 | 0.00 | 59.92 | -10.00 | 100.00 |
| 110 | 0.00 | 57.00 | -10.00 | 100.00 |
| 115 | 0.00 | 54.28 | -10.00 | 100.00 |
| 120 | 0.00 | 51.79 | -10.00 | 100.00 |
| 125 | 0.00 | 49.56 | -10.00 | 100.00 |
| 130 | 0.00 | 47.63 | -9.95 | 100.00 |
| 135 | 0.00 | 46.06 | -9.58 | 100.00 |
| 140 | 0.00 | 44.88 | -9.30 | 100.00 |
| 145 | 0.00 | 44.11 | -9.11 | 100.00 |
| 150 | 0.00 | 43.79 | -9.03 | 100.00 |
| 155 | 0.00 | 43.92 | -9.07 | 100.00 |
| 160 | 0.00 | 44.51 | -9.21 | 100.00 |
| 165 | 0.00 | 45.52 | -9.46 | 100.00 |
| 170 | 0.00 | 46.94 | -9.79 | 100.00 |
| 175 | 0.00 | 48.72 | -10.00 | 100.00 |
| 180 | 0.00 | 50.82 | -10.00 | 100.00 |
| 185 | 0.00 | 53.21 | -10.00 | 100.00 |

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
 (703)726-5662 <http://www.comsearch.com>

| | |
|------------------------------------|--------------------------------|
| Coordination Values | N LAS VEGAS, NV |
| Licensee Name | HUGHES NETWORK SYSTEMS LIMITED |
| Latitude (NAD 83) | 36° 14' 11.0" N |
| Longitude (NAD 83) | 115° 7' 2.6" W |
| Ground Elevation (AMSL) | 585.8 m / 1921.9 ft |
| Antenna Centerline (AGL) | 3.66 m / 12.0 ft |
| Antenna Model | General Dynamics 5.6 Meter |
| Antenna Mode | Transmit 28.0 GHz |
| Interference Objectives: Long Term | -151.0 dBW/4 kHz 20% |
| Short Term | -128.0 dBW/4 kHz 0.0025% |
| Max Available RF Power | -35.0 (dBW/4 kHz) |

| Azimuth (°) | Horizon Elevation (°) | Antenna Discrimination (°) | Transmit 28.0 GHz | |
|-------------|-----------------------|----------------------------|--------------------|----------------------------|
| | | | Horizon Gain (dBi) | Coordination Distance (km) |
| 190 | 0.00 | 55.85 | -10.00 | 100.00 |
| 195 | 0.00 | 58.69 | -10.00 | 100.00 |
| 200 | 0.00 | 61.70 | -10.00 | 100.00 |
| 205 | 0.24 | 64.76 | -10.00 | 100.00 |
| 210 | 0.27 | 68.04 | -10.00 | 100.00 |
| 215 | 0.43 | 71.39 | -10.00 | 100.00 |
| 220 | 0.56 | 74.84 | -10.00 | 100.00 |
| 225 | 0.59 | 78.38 | -10.00 | 100.00 |
| 230 | 0.58 | 81.98 | -10.00 | 100.00 |
| 235 | 0.80 | 85.59 | -10.00 | 100.00 |
| 240 | 0.79 | 89.24 | -10.00 | 100.00 |
| 245 | 0.87 | 92.90 | -10.00 | 100.00 |
| 250 | 0.89 | 96.55 | -10.00 | 100.00 |
| 255 | 0.86 | 100.18 | -10.00 | 100.00 |
| 260 | 0.86 | 103.77 | -10.00 | 100.00 |
| 265 | 0.80 | 107.28 | -10.00 | 100.00 |
| 270 | 0.74 | 110.73 | -10.00 | 100.00 |
| 275 | 0.70 | 114.08 | -10.00 | 100.00 |
| 280 | 0.67 | 117.33 | -10.00 | 100.00 |
| 285 | 0.68 | 120.46 | -10.00 | 100.00 |
| 290 | 0.71 | 123.44 | -10.00 | 100.00 |
| 295 | 0.72 | 126.21 | -10.00 | 100.00 |
| 300 | 0.71 | 128.75 | -10.00 | 100.00 |
| 305 | 0.70 | 131.02 | -10.00 | 100.00 |
| 310 | 0.73 | 133.00 | -10.00 | 100.00 |
| 315 | 0.72 | 134.60 | -10.00 | 100.00 |
| 320 | 0.68 | 135.78 | -10.00 | 100.00 |
| 325 | 0.67 | 136.55 | -10.00 | 100.00 |
| 330 | 0.66 | 136.87 | -10.00 | 100.00 |
| 335 | 0.62 | 136.69 | -10.00 | 100.00 |
| 340 | 0.53 | 136.01 | -10.00 | 100.00 |
| 345 | 0.52 | 134.97 | -10.00 | 100.00 |
| 350 | 0.58 | 133.58 | -10.00 | 100.00 |
| 355 | 0.63 | 131.81 | -10.00 | 100.00 |

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
 (703)726-5662 <http://www.comsearch.com>

Date: 10/24/2014
 Job Number: <PCNJobCode>

Administrative Information

Status ENGINEER PROPOSAL
 Call Sign <PCNCallSign>
 Licensee Code HUNESY
 Licensee Name HUGHES NETWORK SYSTEMS LIMITED

Site Information NORTH PLATTE, NE

Venue Name
 Latitude (NAD 83) 41° 5' 26.9" N
 Longitude (NAD 83) 100° 45' 10.8" W
 Climate Zone A
 Rain Zone 2
 Ground Elevation (AMSL) 858.01 m / 2815.0 ft

Link Information

Satellite Type Geostationary
 Mode TO - Transmit-Only
 Modulation Digital
 Satellite Arc 97° W to 97° West Longitude
 Azimuth Range 174.3° to 174.3°
 Corresponding Elevation Angles 42.4° / 42.4°
 Antenna Centerline (AGL) 5.49 m / 18.0 ft

Antenna Information Transmit - FCC32

Manufacturer General Dynamics
 Model 8.1 meter
 Gain / Diameter 65.3 dBi / 8.1 m
 3-dB / 15-dB Beamwidth 0.10° / 0.23°

Max Available RF Power (dBW/4 kHz) -38.0
 (dBW/MHz) -14.0

Maximum EIRP (dBW/4 kHz) 27.3
 (dBW/MHz) 51.3

Interference Objectives: Long Term -151.0 dBW/4 kHz 20%
 Short Term -128.0 dBW/4 kHz 0.0025%

Frequency Information Transmit 28.0 GHz

Emission / Frequency Range (MHz) 250MG7D / 27500.0 - 28350.0

Max Great Circle Coordination Distance 100.0 km / 62.1 mi
 Precipitation Scatter Contour Radius 100.0 km / 62.1 mi

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
 (703)726-5662 <http://www.comsearch.com>

Coordination Values

NORTH PLATTE, NE

| | | | |
|--------------------------|--------------------------------|------------------|---------|
| Licensee Name | HUGHES NETWORK SYSTEMS LIMITED | | |
| Latitude (NAD 83) | 41° 5' 26.9" N | | |
| Longitude (NAD 83) | 100° 45' 10.8" W | | |
| Ground Elevation (AMSL) | 858.01 m / 2815.0 ft | | |
| Antenna Centerline (AGL) | 5.49 m / 18.0 ft | | |
| Antenna Model | General Dynamics 8.1 meter | | |
| Antenna Mode | Transmit 28.0 GHz | | |
| Interference Objectives: | Long Term | -151.0 dBW/4 kHz | 20% |
| | Short Term | -128.0 dBW/4 kHz | 0.0025% |
| Max Available RF Power | -35.0 (dBW/4 kHz) | | |

| Azimuth (°) | Horizon Elevation (°) | Antenna Discrimination (°) | Transmit 28.0 GHz | |
|-------------|-----------------------|----------------------------|--------------------|----------------------------|
| | | | Horizon Gain (dBi) | Coordination Distance (km) |
| 0 | 0.00 | 137.34 | -10.00 | 100.00 |
| 5 | 0.00 | 136.57 | -10.00 | 100.00 |
| 10 | 0.00 | 135.35 | -10.00 | 100.00 |
| 15 | 0.00 | 133.73 | -10.00 | 100.00 |
| 20 | 0.00 | 131.75 | -10.00 | 100.00 |
| 25 | 0.00 | 129.45 | -10.00 | 100.00 |
| 30 | 0.00 | 126.88 | -10.00 | 100.00 |
| 35 | 0.00 | 124.08 | -10.00 | 100.00 |
| 40 | 0.00 | 121.08 | -10.00 | 100.00 |
| 45 | 0.00 | 117.91 | -10.00 | 100.00 |
| 50 | 0.00 | 114.61 | -10.00 | 100.00 |
| 55 | 0.00 | 111.20 | -10.00 | 100.00 |
| 60 | 0.00 | 107.71 | -10.00 | 100.00 |
| 65 | 0.00 | 104.14 | -10.00 | 100.00 |
| 70 | 0.00 | 100.52 | -10.00 | 100.00 |
| 75 | 0.00 | 96.86 | -10.00 | 100.00 |
| 80 | 0.00 | 93.18 | -10.00 | 100.00 |
| 85 | 0.00 | 89.49 | -10.00 | 100.00 |
| 90 | 0.00 | 85.79 | -10.00 | 100.00 |
| 95 | 0.00 | 82.12 | -10.00 | 100.00 |
| 100 | 0.00 | 78.47 | -10.00 | 100.00 |
| 105 | 0.00 | 74.86 | -10.00 | 100.00 |
| 110 | 0.22 | 71.24 | -10.00 | 100.00 |
| 115 | 0.39 | 67.69 | -10.00 | 100.00 |
| 120 | 0.52 | 64.23 | -10.00 | 100.00 |
| 125 | 0.84 | 60.77 | -10.00 | 100.00 |
| 130 | 0.84 | 57.60 | -10.00 | 100.00 |
| 135 | 0.91 | 54.54 | -10.00 | 100.00 |
| 140 | 0.83 | 51.80 | -10.00 | 100.00 |
| 145 | 1.28 | 48.90 | -10.00 | 100.00 |
| 150 | 1.29 | 46.60 | -9.71 | 100.00 |
| 155 | 1.64 | 44.33 | -9.17 | 100.00 |
| 160 | 1.40 | 42.96 | -8.83 | 100.00 |
| 165 | 1.53 | 41.69 | -8.50 | 100.00 |
| 170 | 1.88 | 40.67 | -8.23 | 100.00 |
| 175 | 1.63 | 40.72 | -8.25 | 100.00 |
| 180 | 1.73 | 40.95 | -8.31 | 100.00 |
| 185 | 1.49 | 42.00 | -8.58 | 100.00 |

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
 (703)726-5662 <http://www.comsearch.com>

| | |
|------------------------------------|--------------------------------|
| Coordination Values | NORTH PLATTE, NE |
| Licensee Name | HUGHES NETWORK SYSTEMS LIMITED |
| Latitude (NAD 83) | 41° 5' 26.9" N |
| Longitude (NAD 83) | 100° 45' 10.8" W |
| Ground Elevation (AMSL) | 858.01 m / 2815.0 ft |
| Antenna Centerline (AGL) | 5.49 m / 18.0 ft |
| Antenna Model | General Dynamics 8.1 meter |
| Antenna Mode | Transmit 28.0 GHz |
| Interference Objectives: Long Term | -151.0 dBW/4 kHz 20% |
| Short Term | -128.0 dBW/4 kHz 0.0025% |
| Max Available RF Power | -35.0 (dBW/4 kHz) |

| Azimuth (°) | Horizon Elevation (°) | Antenna Discrimination (°) | Transmit 28.0 GHz | |
|-------------|-----------------------|----------------------------|--------------------|----------------------------|
| | | | Horizon Gain (dBi) | Coordination Distance (km) |
| 190 | 1.60 | 43.17 | -8.88 | 100.00 |
| 195 | 1.76 | 44.74 | -9.27 | 100.00 |
| 200 | 1.95 | 46.67 | -9.73 | 100.00 |
| 205 | 2.16 | 48.94 | -10.00 | 100.00 |
| 210 | 1.82 | 51.89 | -10.00 | 100.00 |
| 215 | 1.66 | 54.91 | -10.00 | 100.00 |
| 220 | 1.52 | 58.10 | -10.00 | 100.00 |
| 225 | 1.31 | 61.46 | -10.00 | 100.00 |
| 230 | 1.00 | 64.97 | -10.00 | 100.00 |
| 235 | 0.85 | 68.50 | -10.00 | 100.00 |
| 240 | 0.74 | 72.08 | -10.00 | 100.00 |
| 245 | 0.53 | 75.74 | -10.00 | 100.00 |
| 250 | 0.52 | 79.39 | -10.00 | 100.00 |
| 255 | 0.40 | 83.09 | -10.00 | 100.00 |
| 260 | 0.28 | 86.81 | -10.00 | 100.00 |
| 265 | 0.25 | 90.52 | -10.00 | 100.00 |
| 270 | 0.00 | 94.21 | -10.00 | 100.00 |
| 275 | 0.00 | 97.88 | -10.00 | 100.00 |
| 280 | 0.00 | 101.53 | -10.00 | 100.00 |
| 285 | 0.00 | 105.14 | -10.00 | 100.00 |
| 290 | 0.00 | 108.69 | -10.00 | 100.00 |
| 295 | 0.00 | 112.16 | -10.00 | 100.00 |
| 300 | 0.00 | 115.54 | -10.00 | 100.00 |
| 305 | 0.00 | 118.81 | -10.00 | 100.00 |
| 310 | 0.00 | 121.93 | -10.00 | 100.00 |
| 315 | 0.00 | 124.88 | -10.00 | 100.00 |
| 320 | 0.00 | 127.62 | -10.00 | 100.00 |
| 325 | 0.00 | 130.12 | -10.00 | 100.00 |
| 330 | 0.00 | 132.34 | -10.00 | 100.00 |
| 335 | 0.00 | 134.22 | -10.00 | 100.00 |
| 340 | 0.00 | 135.73 | -10.00 | 100.00 |
| 345 | 0.00 | 136.83 | -10.00 | 100.00 |
| 350 | 0.00 | 137.47 | -10.00 | 100.00 |
| 355 | 0.00 | 137.64 | -10.00 | 100.00 |

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
 (703)726-5662 <http://www.comsearch.com>

Date: 10/03/2014
 Job Number: <PCNJobCode>

Administrative Information

Status ENGINEER PROPOSAL
 Call Sign <PCNCallSign>
 Licensee Code HUNESY
 Licensee Name HUGHES NETWORK SYSTEMS LIMITED

Site Information OMAHA, NE

Venue Name
 Latitude (NAD 83) 41° 15' 51.5" N
 Longitude (NAD 83) 96° 3' 32.8" W
 Climate Zone A
 Rain Zone 2
 Ground Elevation (AMSL) 354.11 m / 1161.8 ft

Link Information

Satellite Type Geostationary
 Mode TO - Transmit-Only
 Modulation Digital
 Satellite Arc 97° W to 97° West Longitude
 Azimuth Range 181.4° to 181.4°
 Corresponding Elevation Angles 42.3° / 42.3°
 Antenna Centerline (AGL) 5.49 m / 18.0 ft

Antenna Information Transmit - FCC32

Manufacturer General Dynamics
 Model 13.2 Meter
 Gain / Diameter 68.8 dBi / 13.2 m
 3-dB / 15-dB Beamwidth 0.07° / 0.15°

Max Available RF Power (dBW/4 kHz) -38.0
 (dBW/MHz) -14.0

Maximum EIRP (dBW/4 kHz) 30.8
 (dBW/MHz) 54.8

Interference Objectives: Long Term -151.0 dBW/4 kHz 20%
 Short Term -128.0 dBW/4 kHz 0.0025%

Frequency Information Transmit 28.0 GHz

Emission / Frequency Range (MHz) 250MG7D / 27500.0 - 28350.0

Max Great Circle Coordination Distance 100.0 km / 62.1 mi
 Precipitation Scatter Contour Radius 100.0 km / 62.1 mi

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
 (703)726-5662 <http://www.comsearch.com>

| | |
|------------------------------------|--------------------------------|
| Coordination Values | OMAHA, NE |
| Licensee Name | HUGHES NETWORK SYSTEMS LIMITED |
| Latitude (NAD 83) | 41° 15' 51.5" N |
| Longitude (NAD 83) | 96° 3' 32.8" W |
| Ground Elevation (AMSL) | 354.11 m / 1161.8 ft |
| Antenna Centerline (AGL) | 5.49 m / 18.0 ft |
| Antenna Model | General Dynamics 13.2 meter |
| Antenna Mode | Transmit 28.0 GHz |
| Interference Objectives: Long Term | -151.0 dBW/4 kHz 20% |
| Short Term | -128.0 dBW/4 kHz 0.0025% |
| Max Available RF Power | -38.0 (dBW/4 kHz) |

| Azimuth (°) | Horizon Elevation (°) | Antenna Discrimination (°) | Transmit 28.0 GHz | |
|-------------|-----------------------|----------------------------|--------------------|----------------------------|
| | | | Horizon Gain (dBi) | Coordination Distance (km) |
| 0 | 0.00 | 137.67 | -10.00 | 100.00 |
| 5 | 0.00 | 137.57 | -10.00 | 100.00 |
| 10 | 0.00 | 136.99 | -10.00 | 100.00 |
| 15 | 0.84 | 136.75 | -10.00 | 100.00 |
| 20 | 1.12 | 135.51 | -10.00 | 100.00 |
| 25 | 1.80 | 134.17 | -10.00 | 100.00 |
| 30 | 2.15 | 132.16 | -10.00 | 100.00 |
| 35 | 2.79 | 129.99 | -10.00 | 100.00 |
| 40 | 2.87 | 127.14 | -10.00 | 100.00 |
| 45 | 2.92 | 124.05 | -10.00 | 100.00 |
| 50 | 2.92 | 120.76 | -10.00 | 100.00 |
| 55 | 2.93 | 117.32 | -10.00 | 100.00 |
| 60 | 2.80 | 113.72 | -10.00 | 100.00 |
| 65 | 2.66 | 110.04 | -10.00 | 100.00 |
| 70 | 2.63 | 106.33 | -10.00 | 100.00 |
| 75 | 2.30 | 102.51 | -10.00 | 100.00 |
| 80 | 2.15 | 98.71 | -10.00 | 100.00 |
| 85 | 1.99 | 94.89 | -10.00 | 100.00 |
| 90 | 1.90 | 91.08 | -10.00 | 100.00 |
| 95 | 1.85 | 87.28 | -10.00 | 100.00 |
| 100 | 1.78 | 83.49 | -10.00 | 100.00 |
| 105 | 1.65 | 79.74 | -10.00 | 100.00 |
| 110 | 1.35 | 76.08 | -10.00 | 100.00 |
| 115 | 1.37 | 72.41 | -10.00 | 100.00 |
| 120 | 1.10 | 68.91 | -10.00 | 100.00 |
| 125 | 1.16 | 65.39 | -10.00 | 100.00 |
| 130 | 1.44 | 61.87 | -10.00 | 100.00 |
| 135 | 1.70 | 58.44 | -10.00 | 100.00 |
| 140 | 1.96 | 55.14 | -10.00 | 100.00 |
| 145 | 1.97 | 52.17 | -10.00 | 100.00 |
| 150 | 2.36 | 49.14 | -10.00 | 100.00 |
| 155 | 2.30 | 46.69 | -9.73 | 100.00 |
| 160 | 2.32 | 44.50 | -9.21 | 100.00 |
| 165 | 2.23 | 42.78 | -8.78 | 100.00 |
| 170 | 2.33 | 41.31 | -8.40 | 100.00 |
| 175 | 2.27 | 40.46 | -8.18 | 100.00 |
| 180 | 2.00 | 40.33 | -8.14 | 100.00 |
| 185 | 1.78 | 40.66 | -8.23 | 100.00 |

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
 (703)726-5662 <http://www.comsearch.com>

| | |
|------------------------------------|--------------------------------|
| Coordination Values | OMAHA, NE |
| Licensee Name | HUGHES NETWORK SYSTEMS LIMITED |
| Latitude (NAD 83) | 41° 15' 51.5" N |
| Longitude (NAD 83) | 96° 3' 32.8" W |
| Ground Elevation (AMSL) | 354.11 m / 1161.8 ft |
| Antenna Centerline (AGL) | 5.49 m / 18.0 ft |
| Antenna Model | General Dynamics 13.2 meter |
| Antenna Mode | Transmit 28.0 GHz |
| Interference Objectives: Long Term | -151.0 dBW/4 kHz 20% |
| Short Term | -128.0 dBW/4 kHz 0.0025% |
| Max Available RF Power | -38.0 (dBW/4 kHz) |

| Azimuth (°) | Horizon Elevation (°) | Antenna Discrimination (°) | Transmit 28.0 GHz | |
|-------------|-----------------------|----------------------------|--------------------|----------------------------|
| | | | Horizon Gain (dBi) | Coordination Distance (km) |
| 190 | 1.48 | 41.56 | -8.47 | 100.00 |
| 195 | 1.15 | 42.96 | -8.83 | 100.00 |
| 200 | 0.94 | 44.65 | -9.25 | 100.00 |
| 205 | 0.56 | 46.86 | -9.77 | 100.00 |
| 210 | 0.39 | 49.19 | -10.00 | 100.00 |
| 215 | 0.40 | 51.68 | -10.00 | 100.00 |
| 220 | 0.00 | 54.68 | -10.00 | 100.00 |
| 225 | 0.35 | 57.40 | -10.00 | 100.00 |
| 230 | 0.52 | 60.44 | -10.00 | 100.00 |
| 235 | 0.44 | 63.76 | -10.00 | 100.00 |
| 240 | 0.40 | 67.17 | -10.00 | 100.00 |
| 245 | 0.47 | 70.64 | -10.00 | 100.00 |
| 250 | 0.43 | 74.22 | -10.00 | 100.00 |
| 255 | 0.39 | 77.86 | -10.00 | 100.00 |
| 260 | 0.44 | 81.52 | -10.00 | 100.00 |
| 265 | 0.68 | 85.20 | -10.00 | 100.00 |
| 270 | 0.84 | 88.93 | -10.00 | 100.00 |
| 275 | 0.79 | 92.68 | -10.00 | 100.00 |
| 280 | 0.72 | 96.40 | -10.00 | 100.00 |
| 285 | 0.55 | 100.08 | -10.00 | 100.00 |
| 290 | 0.00 | 103.63 | -10.00 | 100.00 |
| 295 | 0.25 | 107.28 | -10.00 | 100.00 |
| 300 | 0.40 | 110.85 | -10.00 | 100.00 |
| 305 | 0.56 | 114.37 | -10.00 | 100.00 |
| 310 | 0.46 | 117.68 | -10.00 | 100.00 |
| 315 | 0.30 | 120.81 | -10.00 | 100.00 |
| 320 | 0.25 | 123.83 | -10.00 | 100.00 |
| 325 | 0.21 | 126.66 | -10.00 | 100.00 |
| 330 | 0.00 | 129.13 | -10.00 | 100.00 |
| 335 | 0.25 | 131.68 | -10.00 | 100.00 |
| 340 | 0.00 | 133.51 | -10.00 | 100.00 |
| 345 | 0.00 | 135.18 | -10.00 | 100.00 |
| 350 | 0.00 | 136.46 | -10.00 | 100.00 |
| 355 | 0.00 | 137.30 | -10.00 | 100.00 |

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
 (703)726-5662 <http://www.comsearch.com>

Date: 10/24/2014
 Job Number: <PCNJobCode>

Administrative Information

Status ENGINEER PROPOSAL
 Call Sign <PCNCallSign>
 Licensee Code HUNESY
 Licensee Name HUGHES NETWORK SYSTEMS LIMITED

Site Information ROSEBURG, OR

Venue Name
 Latitude (NAD 83) 43° 12' 40.3" N
 Longitude (NAD 83) 123° 20' 49.5" W
 Climate Zone A
 Rain Zone 3
 Ground Elevation (AMSL) 137.87 m / 452.3 ft

Link Information

Satellite Type Geostationary
 Mode TO - Transmit-Only
 Modulation Digital
 Satellite Arc 97° W to 97° West Longitude
 Azimuth Range 144.1° to 144.1°
 Corresponding Elevation Angles 33.5° / 33.5°
 Antenna Centerline (AGL) 5.49 m / 18.0 ft

Antenna Information Transmit - FCC32

Manufacturer General Dynamics
 Model 8.1 meter
 Gain / Diameter 65.3 dBi / 8.1 m
 3-dB / 15-dB Beamwidth 0.10° / 0.23°

Max Available RF Power (dBW/4 kHz) -38.0
 (dBW/MHz) -14.0

Maximum EIRP (dBW/4 kHz) 27.3
 (dBW/MHz) 51.3

Interference Objectives: Long Term -151.0 dBW/4 kHz 20%
 Short Term -128.0 dBW/4 kHz 0.0025%

Frequency Information Transmit 28.0 GHz

Emission / Frequency Range (MHz) 250MG7D / 27500.0 - 28350.0

Max Great Circle Coordination Distance 101.3 km / 62.9 mi
 Precipitation Scatter Contour Radius 100.0 km / 62.1 mi

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
 (703)726-5662 <http://www.comsearch.com>

| | |
|------------------------------------|--------------------------------|
| Coordination Values | ROSEBURG, OR |
| Licensee Name | HUGHES NETWORK SYSTEMS LIMITED |
| Latitude (NAD 83) | 43° 12' 40.3" N |
| Longitude (NAD 83) | 123° 20' 49.5" W |
| Ground Elevation (AMSL) | 137.87 m / 452.3 ft |
| Antenna Centerline (AGL) | 5.49 m / 18.0 ft |
| Antenna Model | General Dynamics 8.1 meter |
| Antenna Mode | Transmit 28.0 GHz |
| Interference Objectives: Long Term | -151.0 dBW/4 kHz 20% |
| Short Term | -128.0 dBW/4 kHz 0.0025% |
| Max Available RF Power | -38.0 (dBW/4 kHz) |

| Azimuth (°) | Horizon Elevation (°) | Antenna Discrimination (°) | Transmit 28.0 GHz | |
|-------------|-----------------------|----------------------------|--------------------|----------------------------|
| | | | Horizon Gain (dBi) | Coordination Distance (km) |
| 0 | 3.88 | 134.76 | -10.00 | 100.00 |
| 5 | 4.58 | 131.42 | -10.00 | 100.00 |
| 10 | 3.25 | 126.96 | -10.00 | 100.00 |
| 15 | 4.65 | 123.54 | -10.00 | 100.00 |
| 20 | 4.11 | 119.25 | -10.00 | 100.00 |
| 25 | 3.16 | 114.83 | -10.00 | 100.00 |
| 30 | 3.93 | 110.81 | -10.00 | 100.00 |
| 35 | 4.60 | 106.66 | -10.00 | 100.00 |
| 40 | 5.33 | 102.42 | -10.00 | 100.00 |
| 45 | 5.10 | 98.02 | -10.00 | 100.00 |
| 50 | 4.21 | 93.59 | -10.00 | 100.00 |
| 55 | 3.86 | 89.24 | -10.00 | 100.00 |
| 60 | 3.15 | 84.93 | -10.00 | 100.00 |
| 65 | 2.63 | 80.68 | -10.00 | 100.00 |
| 70 | 3.21 | 76.34 | -10.00 | 100.00 |
| 75 | 2.12 | 72.30 | -10.00 | 100.00 |
| 80 | 1.39 | 68.31 | -10.00 | 100.00 |
| 85 | 1.17 | 64.31 | -10.00 | 100.00 |
| 90 | 1.93 | 60.06 | -10.00 | 100.00 |
| 95 | 2.53 | 55.88 | -10.00 | 100.00 |
| 100 | 2.69 | 51.95 | -10.00 | 100.00 |
| 105 | 3.16 | 47.99 | -10.00 | 100.00 |
| 110 | 3.61 | 44.16 | -9.13 | 100.00 |
| 115 | 4.70 | 40.07 | -8.07 | 100.00 |
| 120 | 6.91 | 35.32 | -6.70 | 100.00 |
| 125 | 7.54 | 31.87 | -5.59 | 100.00 |
| 130 | 7.50 | 29.38 | -4.70 | 100.00 |
| 135 | 6.71 | 28.23 | -4.27 | 100.00 |
| 140 | 6.82 | 27.01 | -3.79 | 100.00 |
| 145 | 6.43 | 27.11 | -3.83 | 100.00 |
| 150 | 6.95 | 27.18 | -3.86 | 100.00 |
| 155 | 7.57 | 28.01 | -4.18 | 100.00 |
| 160 | 6.24 | 31.27 | -5.38 | 100.00 |
| 165 | 5.27 | 34.62 | -6.48 | 100.00 |
| 170 | 4.29 | 38.28 | -7.57 | 100.00 |
| 175 | 3.40 | 42.08 | -8.60 | 100.00 |
| 180 | 2.58 | 45.98 | -9.57 | 100.00 |
| 185 | 3.68 | 49.02 | -10.00 | 100.00 |

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
 (703)726-5662 <http://www.comsearch.com>

| | |
|------------------------------------|--------------------------------|
| Coordination Values | ROSEBURG, OR |
| Licensee Name | HUGHES NETWORK SYSTEMS LIMITED |
| Latitude (NAD 83) | 43° 12' 40.3" N |
| Longitude (NAD 83) | 123° 20' 49.5" W |
| Ground Elevation (AMSL) | 137.87 m / 452.3 ft |
| Antenna Centerline (AGL) | 5.49 m / 18.0 ft |
| Antenna Model | General Dynamics 8.1 meter |
| Antenna Mode | Transmit 28.0 GHz |
| Interference Objectives: Long Term | -151.0 dBW/4 kHz 20% |
| Short Term | -128.0 dBW/4 kHz 0.0025% |
| Max Available RF Power | -38.0 (dBW/4 kHz) |

| Azimuth (°) | Horizon Elevation (°) | Antenna Discrimination (°) | Transmit 28.0 GHz | |
|-------------|-----------------------|----------------------------|--------------------|----------------------------|
| | | | Horizon Gain (dBi) | Coordination Distance (km) |
| 190 | 4.06 | 52.69 | -10.00 | 100.00 |
| 195 | 2.70 | 57.19 | -10.00 | 100.00 |
| 200 | 2.08 | 61.41 | -10.00 | 100.00 |
| 205 | 0.51 | 65.92 | -10.00 | 100.00 |
| 210 | 1.23 | 69.79 | -10.00 | 100.00 |
| 215 | 1.80 | 73.82 | -10.00 | 100.00 |
| 220 | 2.00 | 78.00 | -10.00 | 100.00 |
| 225 | 2.34 | 82.20 | -10.00 | 100.00 |
| 230 | 3.42 | 86.43 | -10.00 | 100.00 |
| 235 | 5.17 | 90.77 | -10.00 | 100.00 |
| 240 | 6.47 | 95.23 | -10.00 | 100.00 |
| 245 | 6.94 | 99.71 | -10.00 | 100.36 |
| 250 | 6.91 | 104.16 | -10.00 | 100.20 |
| 255 | 6.82 | 108.56 | -10.00 | 100.00 |
| 260 | 6.61 | 112.90 | -10.00 | 100.00 |
| 265 | 7.12 | 117.36 | -10.00 | 101.27 |
| 270 | 6.80 | 121.56 | -10.00 | 100.00 |
| 275 | 3.75 | 124.61 | -10.00 | 100.00 |
| 280 | 1.90 | 127.67 | -10.00 | 100.00 |
| 285 | 1.50 | 131.12 | -10.00 | 100.00 |
| 290 | 1.47 | 134.55 | -10.00 | 100.00 |
| 295 | 1.28 | 137.62 | -10.00 | 100.00 |
| 300 | 0.40 | 139.84 | -10.00 | 100.00 |
| 305 | 0.54 | 142.42 | -10.00 | 100.00 |
| 310 | 0.77 | 144.64 | -10.00 | 100.00 |
| 315 | 1.55 | 146.87 | -10.00 | 100.00 |
| 320 | 1.42 | 147.65 | -10.00 | 100.00 |
| 325 | 2.23 | 148.68 | -10.00 | 100.00 |
| 330 | 2.12 | 148.10 | -10.00 | 100.00 |
| 335 | 2.30 | 147.11 | -10.00 | 100.00 |
| 340 | 2.55 | 145.54 | -10.00 | 100.00 |
| 345 | 2.10 | 142.86 | -10.00 | 100.00 |
| 350 | 2.09 | 140.14 | -10.00 | 100.00 |
| 355 | 3.31 | 137.87 | -10.00 | 100.00 |

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
 (703)726-5662 <http://www.comsearch.com>

Date: 10/24/2014
 Job Number: <PCNJobCode>

Administrative Information

Status ENGINEER PROPOSAL
 Call Sign <PCNCallSign>
 Licensee Code HUNESY
 Licensee Name HUGHES NETWORK SYSTEMS LIMITED

Site Information SALT LAKE CT, UT

Venue Name
 Latitude (NAD 83) 40° 19' 57.0" N
 Longitude (NAD 83) 111° 43' 40.8" W
 Climate Zone A
 Rain Zone 5
 Ground Elevation (AMSL) 1404.22 m / 4607.0 ft

Link Information

Satellite Type Geostationary
 Mode TO - Transmit-Only
 Modulation Digital
 Satellite Arc 97° W to 97° West Longitude
 Azimuth Range 157.9° to 157.9°
 Corresponding Elevation Angles 40.9° / 40.9°
 Antenna Centerline (AGL) 3.66 m / 12.0 ft

Antenna Information Transmit - FCC32

Manufacturer General Dynamics
 Model 5.6 Meter
 Gain / Diameter 62.0 dBi / 5.6 m
 3-dB / 15-dB Beamwidth 0.14° / 0.32°

Max Available RF Power (dBW/4 kHz) -38.0
 (dBW/MHz) -14.0

Maximum EIRP (dBW/4 kHz) 24.0
 (dBW/MHz) 48.0

Interference Objectives: Long Term -151.0 dBW/4 kHz 20%
 Short Term -128.0 dBW/4 kHz 0.0025%

Frequency Information Transmit 28.0 GHz

Emission / Frequency Range (MHz) 250MG7D / 27500.0 - 28350.0

Max Great Circle Coordination Distance 118.2 km / 73.4 mi
 Precipitation Scatter Contour Radius 100.0 km / 62.1 mi

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
 (703)726-5662 <http://www.comsearch.com>

| | |
|------------------------------------|--------------------------------|
| Coordination Values | SALT LAKE CT, UT |
| Licensee Name | HUGHES NETWORK SYSTEMS LIMITED |
| Latitude (NAD 83) | 40° 19' 57.0" N |
| Longitude (NAD 83) | 111° 43' 40.8" W |
| Ground Elevation (AMSL) | 1404.22 m / 4607.0 ft |
| Antenna Centerline (AGL) | 3.66 m / 12.0 ft |
| Antenna Model | General Dynamics 5.6 Meter |
| Antenna Mode | Transmit 28.0 GHz |
| Interference Objectives: Long Term | -151.0 dBW/4 kHz 20% |
| Short Term | -128.0 dBW/4 kHz 0.0025% |
| Max Available RF Power | -35.0 (dBW/4 kHz) |

| Azimuth (°) | Horizon Elevation (°) | Antenna Discrimination (°) | Transmit 28.0 GHz | |
|-------------|-----------------------|----------------------------|--------------------|----------------------------|
| | | | Horizon Gain (dBi) | Coordination Distance (km) |
| 0 | 3.98 | 137.76 | -10.00 | 100.00 |
| 5 | 6.33 | 137.11 | -10.00 | 100.00 |
| 10 | 8.15 | 135.41 | -10.00 | 106.46 |
| 15 | 8.64 | 132.39 | -10.00 | 108.62 |
| 20 | 6.73 | 127.85 | -10.00 | 100.00 |
| 25 | 6.68 | 124.24 | -10.00 | 100.00 |
| 30 | 7.51 | 120.84 | -10.00 | 103.27 |
| 35 | 7.71 | 117.02 | -10.00 | 104.31 |
| 40 | 8.10 | 113.15 | -10.00 | 106.24 |
| 45 | 8.70 | 109.22 | -10.00 | 108.89 |
| 50 | 9.00 | 105.12 | -10.00 | 110.18 |
| 55 | 10.97 | 101.15 | -10.00 | 118.16 |
| 60 | 9.39 | 96.72 | -10.00 | 111.91 |
| 65 | 7.92 | 92.43 | -10.00 | 105.36 |
| 70 | 7.07 | 88.26 | -10.00 | 101.02 |
| 75 | 6.13 | 84.17 | -10.00 | 100.00 |
| 80 | 5.97 | 80.11 | -10.00 | 100.00 |
| 85 | 4.97 | 76.23 | -10.00 | 100.00 |
| 90 | 3.99 | 72.50 | -10.00 | 100.00 |
| 95 | 3.30 | 68.85 | -10.00 | 100.00 |
| 100 | 2.93 | 65.25 | -10.00 | 100.00 |
| 105 | 2.86 | 61.65 | -10.00 | 100.00 |
| 110 | 2.80 | 58.18 | -10.00 | 100.00 |
| 115 | 2.64 | 54.91 | -10.00 | 100.00 |
| 120 | 2.52 | 51.81 | -10.00 | 100.00 |
| 125 | 2.51 | 48.87 | -10.00 | 100.00 |
| 130 | 2.52 | 46.18 | -9.61 | 100.00 |
| 135 | 2.52 | 43.80 | -9.04 | 100.00 |
| 140 | 2.18 | 42.09 | -8.60 | 100.00 |
| 145 | 2.12 | 40.59 | -8.21 | 100.00 |
| 150 | 1.80 | 39.80 | -8.00 | 100.00 |
| 155 | 1.49 | 39.54 | -7.93 | 100.00 |
| 160 | 1.10 | 39.88 | -8.02 | 100.00 |
| 165 | 0.92 | 40.54 | -8.20 | 100.00 |
| 170 | 0.62 | 41.80 | -8.53 | 100.00 |
| 175 | 0.29 | 43.52 | -8.97 | 100.00 |
| 180 | 0.00 | 45.58 | -9.47 | 100.00 |
| 185 | 0.00 | 47.74 | -9.97 | 100.00 |

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
 (703)726-5662 <http://www.comsearch.com>

| | |
|------------------------------------|--------------------------------|
| Coordination Values | SALT LAKE CT, UT |
| Licensee Name | HUGHES NETWORK SYSTEMS LIMITED |
| Latitude (NAD 83) | 40° 19' 57.0" N |
| Longitude (NAD 83) | 111° 43' 40.8" W |
| Ground Elevation (AMSL) | 1404.22 m / 4607.0 ft |
| Antenna Centerline (AGL) | 3.66 m / 12.0 ft |
| Antenna Model | General Dynamics 5.6 Meter |
| Antenna Mode | Transmit 28.0 GHz |
| Interference Objectives: Long Term | -151.0 dBW/4 kHz 20% |
| Short Term | -128.0 dBW/4 kHz 0.0025% |
| Max Available RF Power | -35.0 (dBW/4 kHz) |

| Azimuth (°) | Horizon Elevation (°) | Antenna Discrimination (°) | Transmit 28.0 GHz | |
|-------------|-----------------------|----------------------------|--------------------|----------------------------|
| | | | Horizon Gain (dBi) | Coordination Distance (km) |
| 190 | 0.00 | 50.21 | -10.00 | 100.00 |
| 195 | 0.00 | 52.95 | -10.00 | 100.00 |
| 200 | 0.00 | 55.91 | -10.00 | 100.00 |
| 205 | 0.00 | 59.06 | -10.00 | 100.00 |
| 210 | 0.00 | 62.35 | -10.00 | 100.00 |
| 215 | 0.00 | 65.78 | -10.00 | 100.00 |
| 220 | 0.00 | 69.30 | -10.00 | 100.00 |
| 225 | 0.00 | 72.91 | -10.00 | 100.00 |
| 230 | 0.00 | 76.58 | -10.00 | 100.00 |
| 235 | 0.00 | 80.29 | -10.00 | 100.00 |
| 240 | 0.00 | 84.04 | -10.00 | 100.00 |
| 245 | 0.00 | 87.81 | -10.00 | 100.00 |
| 250 | 0.00 | 91.59 | -10.00 | 100.00 |
| 255 | 0.00 | 95.36 | -10.00 | 100.00 |
| 260 | 0.00 | 99.11 | -10.00 | 100.00 |
| 265 | 0.00 | 102.83 | -10.00 | 100.00 |
| 270 | 0.00 | 106.51 | -10.00 | 100.00 |
| 275 | 0.00 | 110.13 | -10.00 | 100.00 |
| 280 | 0.00 | 113.67 | -10.00 | 100.00 |
| 285 | 0.00 | 117.11 | -10.00 | 100.00 |
| 290 | 0.00 | 120.43 | -10.00 | 100.00 |
| 295 | 0.00 | 123.60 | -10.00 | 100.00 |
| 300 | 0.00 | 126.59 | -10.00 | 100.00 |
| 305 | 0.00 | 129.37 | -10.00 | 100.00 |
| 310 | 0.00 | 131.88 | -10.00 | 100.00 |
| 315 | 0.00 | 134.10 | -10.00 | 100.00 |
| 320 | 0.00 | 135.96 | -10.00 | 100.00 |
| 325 | 0.00 | 137.42 | -10.00 | 100.00 |
| 330 | 0.30 | 138.73 | -10.00 | 100.00 |
| 335 | 0.32 | 139.30 | -10.00 | 100.00 |
| 340 | 0.34 | 139.35 | -10.00 | 100.00 |
| 345 | 0.39 | 138.94 | -10.00 | 100.00 |
| 350 | 0.88 | 138.45 | -10.00 | 100.00 |
| 355 | 1.97 | 138.00 | -10.00 | 100.00 |

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
 (703)726-5662 <http://www.comsearch.com>

Date: 10/24/2014
 Job Number: <PCNJobCode>

Administrative Information

Status: ENGINEER PROPOSAL
 Call Sign: <PCNCallSign>
 Licensee Code: HUNESY
 Licensee Name: HUGHES NETWORK SYSTEMS LIMITED

Site Information

SAN DIEGO, CA
 Venue Name: SAN DIEGO, CA
 Latitude (NAD 83): 32° 59' 19.7" N
 Longitude (NAD 83): 117° 4' 24.6" W
 Climate Zone: A
 Rain Zone: 4
 Ground Elevation (AMSL): 209.83 m / 688.4 ft

Link Information

Satellite Type: Geostationary
 Mode: TO - Transmit-Only
 Modulation: Digital
 Satellite Arc: 97° W to 97° West Longitude
 Azimuth Range: 146.1° to 146.1°
 Corresponding Elevation Angles: 45.9° / 45.9°
 Antenna Centerline (AGL): 3.66 m / 12.0 ft

Antenna Information

Transmit - FCC32
 Manufacturer: General Dynamics
 Model: 5.6 Meter
 Gain / Diameter: 62.0 dBi / 5.6 m
 3-dB / 15-dB Beamwidth: 0.14° / 0.32°

Max Available RF Power (dBW/4 kHz): -38.0
 (dBW/MHz): -14.0

Maximum EIRP (dBW/4 kHz): 24.0
 (dBW/MHz): 48.0

Interference Objectives: Long Term: -151.0 dBW/4 kHz 20%
 Short Term: -128.0 dBW/4 kHz 0.0025%

Frequency Information

Transmit 28.0 GHz
 Emission / Frequency Range (MHz): 250MG7D / 27500.0 - 28350.0

Max Great Circle Coordination Distance: 104.3 km / 64.8 mi
 Precipitation Scatter Contour Radius: 100.0 km / 62.1 mi

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
 (703)726-5662 <http://www.comsearch.com>

| | |
|------------------------------------|--------------------------------|
| Coordination Values | SAN DIEGO, CA |
| Licensee Name | HUGHES NETWORK SYSTEMS LIMITED |
| Latitude (NAD 83) | 32° 59' 19.7" N |
| Longitude (NAD 83) | 117° 4' 24.6" W |
| Ground Elevation (AMSL) | 209.83 m / 688.4 ft |
| Antenna Centerline (AGL) | 3.66 m / 12.0 ft |
| Antenna Model | General Dynamics 5.6 Meter |
| Antenna Mode | Transmit 28.0 GHz |
| Interference Objectives: Long Term | -151.0 dBW/4 kHz 20% |
| Short Term | -128.0 dBW/4 kHz 0.0025% |
| Max Available RF Power | -35.0 (dBW/4 kHz) |

| Azimuth (°) | Horizon Elevation (°) | Antenna Discrimination (°) | Transmit 28.0 GHz | |
|-------------|-----------------------|----------------------------|--------------------|----------------------------|
| | | | Horizon Gain (dBi) | Coordination Distance (km) |
| 0 | 4.64 | 128.59 | -10.00 | 100.00 |
| 5 | 4.51 | 125.71 | -10.00 | 100.00 |
| 10 | 4.40 | 122.65 | -10.00 | 100.00 |
| 15 | 4.18 | 119.38 | -10.00 | 100.00 |
| 20 | 3.50 | 115.79 | -10.00 | 100.00 |
| 25 | 2.65 | 112.11 | -10.00 | 100.00 |
| 30 | 2.64 | 108.70 | -10.00 | 100.00 |
| 35 | 2.26 | 105.11 | -10.00 | 100.00 |
| 40 | 2.14 | 101.57 | -10.00 | 100.00 |
| 45 | 2.73 | 98.09 | -10.00 | 100.00 |
| 50 | 2.75 | 94.47 | -10.00 | 100.00 |
| 55 | 2.70 | 90.83 | -10.00 | 100.00 |
| 60 | 2.62 | 87.19 | -10.00 | 100.00 |
| 65 | 3.18 | 83.50 | -10.00 | 100.00 |
| 70 | 2.85 | 79.92 | -10.00 | 100.00 |
| 75 | 2.83 | 76.35 | -10.00 | 100.00 |
| 80 | 2.18 | 73.01 | -10.00 | 100.00 |
| 85 | 2.93 | 69.33 | -10.00 | 100.00 |
| 90 | 2.87 | 65.98 | -10.00 | 100.00 |
| 95 | 2.91 | 62.70 | -10.00 | 100.00 |
| 100 | 1.90 | 60.13 | -10.00 | 100.00 |
| 105 | 1.53 | 57.46 | -10.00 | 100.00 |
| 110 | 1.14 | 55.04 | -10.00 | 100.00 |
| 115 | 0.48 | 53.11 | -10.00 | 100.00 |
| 120 | 0.33 | 51.10 | -10.00 | 100.00 |
| 125 | 0.40 | 49.22 | -10.00 | 100.00 |
| 130 | 0.46 | 47.66 | -9.95 | 100.00 |
| 135 | 0.66 | 46.34 | -9.65 | 100.00 |
| 140 | 0.67 | 45.61 | -9.48 | 100.00 |
| 145 | 0.62 | 45.34 | -9.41 | 100.00 |
| 150 | 0.48 | 45.60 | -9.47 | 100.00 |
| 155 | 0.51 | 46.11 | -9.59 | 100.00 |
| 160 | 0.35 | 47.21 | -9.85 | 100.00 |
| 165 | 0.28 | 48.60 | -10.00 | 100.00 |
| 170 | 0.38 | 50.19 | -10.00 | 100.00 |
| 175 | 0.69 | 51.94 | -10.00 | 100.00 |
| 180 | 1.12 | 53.92 | -10.00 | 100.00 |
| 185 | 1.94 | 55.94 | -10.00 | 100.00 |

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
 (703)726-5662 <http://www.comsearch.com>

| | |
|------------------------------------|--------------------------------|
| Coordination Values | SAN DIEGO, CA |
| Licensee Name | HUGHES NETWORK SYSTEMS LIMITED |
| Latitude (NAD 83) | 32° 59' 19.7" N |
| Longitude (NAD 83) | 117° 4' 24.6" W |
| Ground Elevation (AMSL) | 209.83 m / 688.4 ft |
| Antenna Centerline (AGL) | 3.66 m / 12.0 ft |
| Antenna Model | General Dynamics 5.6 Meter |
| Antenna Mode | Transmit 28.0 GHz |
| Interference Objectives: Long Term | -151.0 dBW/4 kHz 20% |
| Short Term | -128.0 dBW/4 kHz 0.0025% |
| Max Available RF Power | -35.0 (dBW/4 kHz) |

| Azimuth (°) | Horizon Elevation (°) | Antenna Discrimination (°) | Transmit 28.0 GHz | |
|-------------|-----------------------|----------------------------|--------------------|----------------------------|
| | | | Horizon Gain (dBi) | Coordination Distance (km) |
| 190 | 2.29 | 58.56 | -10.00 | 100.00 |
| 195 | 2.00 | 61.73 | -10.00 | 100.00 |
| 200 | 1.61 | 65.06 | -10.00 | 100.00 |
| 205 | 0.98 | 68.54 | -10.00 | 100.00 |
| 210 | 1.14 | 71.79 | -10.00 | 100.00 |
| 215 | 1.26 | 75.15 | -10.00 | 100.00 |
| 220 | 2.34 | 78.39 | -10.00 | 100.00 |
| 225 | 2.46 | 81.95 | -10.00 | 100.00 |
| 230 | 2.62 | 85.54 | -10.00 | 100.00 |
| 235 | 3.04 | 89.17 | -10.00 | 100.00 |
| 240 | 3.11 | 92.83 | -10.00 | 100.00 |
| 245 | 3.20 | 96.50 | -10.00 | 100.00 |
| 250 | 4.81 | 100.40 | -10.00 | 100.00 |
| 255 | 5.67 | 104.28 | -10.00 | 100.00 |
| 260 | 5.98 | 108.06 | -10.00 | 100.00 |
| 265 | 6.07 | 111.75 | -10.00 | 100.00 |
| 270 | 6.18 | 115.36 | -10.00 | 100.00 |
| 275 | 6.24 | 118.87 | -10.00 | 100.00 |
| 280 | 6.24 | 122.21 | -10.00 | 100.00 |
| 285 | 6.27 | 125.43 | -10.00 | 100.00 |
| 290 | 6.69 | 128.71 | -10.00 | 100.00 |
| 295 | 6.58 | 131.44 | -10.00 | 100.00 |
| 300 | 6.41 | 133.81 | -10.00 | 100.00 |
| 305 | 7.33 | 136.79 | -10.00 | 102.37 |
| 310 | 7.34 | 138.65 | -10.00 | 102.40 |
| 315 | 7.51 | 140.23 | -10.00 | 103.29 |
| 320 | 7.62 | 141.26 | -10.00 | 103.83 |
| 325 | 7.71 | 141.75 | -10.00 | 104.29 |
| 330 | 6.49 | 140.38 | -10.00 | 100.00 |
| 335 | 5.76 | 139.01 | -10.00 | 100.00 |
| 340 | 6.07 | 138.17 | -10.00 | 100.00 |
| 345 | 5.46 | 136.03 | -10.00 | 100.00 |
| 350 | 5.04 | 133.72 | -10.00 | 100.00 |
| 355 | 4.98 | 131.40 | -10.00 | 100.00 |

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
 (703)726-5662 <http://www.comsearch.com>

Date: 10/24/2014
 Job Number: <PCNJobCode>

Administrative Information

Status ENGINEER PROPOSAL
 Call Sign <PCNCallSign>
 Licensee Code HUNESY
 Licensee Name HUGHES NETWORK SYSTEMS LIMITED

Site Information SAN JOSE, CA

Venue Name
 Latitude (NAD 83) 37° 21' 54.7" N
 Longitude (NAD 83) 121° 57' 39.6" W
 Climate Zone A
 Rain Zone 4
 Ground Elevation (AMSL) 16.15 m / 53.0 ft

Link Information

Satellite Type Geostationary
 Mode TO - Transmit-Only
 Modulation Digital
 Satellite Arc 97° W to 97° West Longitude
 Azimuth Range 142.5° to 142.5°
 Corresponding Elevation Angles 39.4° / 39.4°
 Antenna Centerline (AGL) 3.66 m / 12.0 ft

Antenna Information Transmit - FCC32

Manufacturer General Dynamics
 Model 5.6 Meter
 Gain / Diameter 62.0 dBi / 5.6 m
 3-dB / 15-dB Beamwidth 0.14° / 0.32°

Max Available RF Power (dBW/4 kHz) -38.0
 (dBW/MHz) -14.0

Maximum EIRP (dBW/4 kHz) 24.0
 (dBW/MHz) 48.0

Interference Objectives: Long Term -151.0 dBW/4 kHz 20%
 Short Term -128.0 dBW/4 kHz 0.0025%

Frequency Information Transmit 28.0 GHz

Emission / Frequency Range (MHz) 250MG7D / 27500.0 - 28350.0

Max Great Circle Coordination Distance 100.0 km / 62.1 mi
 Precipitation Scatter Contour Radius 100.0 km / 62.1 mi

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
 (703)726-5662 <http://www.comsearch.com>

| | |
|------------------------------------|--------------------------------|
| Coordination Values | SAN JOSE, CA |
| Licensee Name | HUGHES NETWORK SYSTEMS LIMITED |
| Latitude (NAD 83) | 37° 21' 54.7" N |
| Longitude (NAD 83) | 121° 57' 39.6" W |
| Ground Elevation (AMSL) | 16.15 m / 53.0 ft |
| Antenna Centerline (AGL) | 3.66 m / 12.0 ft |
| Antenna Model | General Dynamics 5.6 Meter |
| Antenna Mode | Transmit 28.0 GHz |
| Interference Objectives: Long Term | -151.0 dBW/4 kHz 20% |
| Short Term | -128.0 dBW/4 kHz 0.0025% |
| Max Available RF Power | -35.0 (dBW/4 kHz) |

| Azimuth (°) | Horizon Elevation (°) | Antenna Discrimination (°) | Transmit 28.0 GHz | |
|-------------|-----------------------|----------------------------|--------------------|----------------------------|
| | | | Horizon Gain (dBi) | Coordination Distance (km) |
| 0 | 0.00 | 127.83 | -10.00 | 100.00 |
| 5 | 0.00 | 124.75 | -10.00 | 100.00 |
| 10 | 0.00 | 121.49 | -10.00 | 100.00 |
| 15 | 0.00 | 118.08 | -10.00 | 100.00 |
| 20 | 0.00 | 114.55 | -10.00 | 100.00 |
| 25 | 0.00 | 110.92 | -10.00 | 100.00 |
| 30 | 0.00 | 107.21 | -10.00 | 100.00 |
| 35 | 0.00 | 103.45 | -10.00 | 100.00 |
| 40 | 0.00 | 99.64 | -10.00 | 100.00 |
| 45 | 0.00 | 95.80 | -10.00 | 100.00 |
| 50 | 0.00 | 91.94 | -10.00 | 100.00 |
| 55 | 0.00 | 88.08 | -10.00 | 100.00 |
| 60 | 0.00 | 84.22 | -10.00 | 100.00 |
| 65 | 0.00 | 80.38 | -10.00 | 100.00 |
| 70 | 0.00 | 76.57 | -10.00 | 100.00 |
| 75 | 0.00 | 72.81 | -10.00 | 100.00 |
| 80 | 0.00 | 69.10 | -10.00 | 100.00 |
| 85 | 0.00 | 65.47 | -10.00 | 100.00 |
| 90 | 0.00 | 61.94 | -10.00 | 100.00 |
| 95 | 0.46 | 58.30 | -10.00 | 100.00 |
| 100 | 0.70 | 54.87 | -10.00 | 100.00 |
| 105 | 1.01 | 51.55 | -10.00 | 100.00 |
| 110 | 1.23 | 48.47 | -10.00 | 100.00 |
| 115 | 1.42 | 45.64 | -9.48 | 100.00 |
| 120 | 1.62 | 43.09 | -8.86 | 100.00 |
| 125 | 1.79 | 40.93 | -8.30 | 100.00 |
| 130 | 0.00 | 41.02 | -8.32 | 100.00 |
| 135 | 0.00 | 39.98 | -8.05 | 100.00 |
| 140 | 0.00 | 39.46 | -7.90 | 100.00 |
| 145 | 0.00 | 39.45 | -7.90 | 100.00 |
| 150 | 1.24 | 38.77 | -7.71 | 100.00 |
| 155 | 1.16 | 39.92 | -8.03 | 100.00 |
| 160 | 0.26 | 42.28 | -8.65 | 100.00 |
| 165 | 0.25 | 44.22 | -9.14 | 100.00 |
| 170 | 0.25 | 46.52 | -9.69 | 100.00 |
| 175 | 0.25 | 49.14 | -10.00 | 100.00 |
| 180 | 0.25 | 52.01 | -10.00 | 100.00 |
| 185 | 0.27 | 55.10 | -10.00 | 100.00 |

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
 (703)726-5662 <http://www.comsearch.com>

| | |
|------------------------------------|--------------------------------|
| Coordination Values | SAN JOSE, CA |
| Licensee Name | HUGHES NETWORK SYSTEMS LIMITED |
| Latitude (NAD 83) | 37° 21' 54.7" N |
| Longitude (NAD 83) | 121° 57' 39.6" W |
| Ground Elevation (AMSL) | 16.15 m / 53.0 ft |
| Antenna Centerline (AGL) | 3.66 m / 12.0 ft |
| Antenna Model | General Dynamics 5.6 Meter |
| Antenna Mode | Transmit 28.0 GHz |
| Interference Objectives: Long Term | -151.0 dBW/4 kHz 20% |
| Short Term | -128.0 dBW/4 kHz 0.0025% |
| Max Available RF Power | -35.0 (dBW/4 kHz) |

| Azimuth (°) | Horizon Elevation (°) | Antenna Discrimination (°) | Transmit 28.0 GHz | |
|-------------|-----------------------|----------------------------|--------------------|----------------------------|
| | | | Horizon Gain (dBi) | Coordination Distance (km) |
| 190 | 0.30 | 58.36 | -10.00 | 100.00 |
| 195 | 0.32 | 61.78 | -10.00 | 100.00 |
| 200 | 0.34 | 65.33 | -10.00 | 100.00 |
| 205 | 0.35 | 68.97 | -10.00 | 100.00 |
| 210 | 0.35 | 72.70 | -10.00 | 100.00 |
| 215 | 0.38 | 76.48 | -10.00 | 100.00 |
| 220 | 0.36 | 80.31 | -10.00 | 100.00 |
| 225 | 0.34 | 84.17 | -10.00 | 100.00 |
| 230 | 0.34 | 88.05 | -10.00 | 100.00 |
| 235 | 0.37 | 91.93 | -10.00 | 100.00 |
| 240 | 0.38 | 95.81 | -10.00 | 100.00 |
| 245 | 0.37 | 99.67 | -10.00 | 100.00 |
| 250 | 0.33 | 103.49 | -10.00 | 100.00 |
| 255 | 0.29 | 107.27 | -10.00 | 100.00 |
| 260 | 0.37 | 111.01 | -10.00 | 100.00 |
| 265 | 0.53 | 114.72 | -10.00 | 100.00 |
| 270 | 0.00 | 118.06 | -10.00 | 100.00 |
| 275 | 0.00 | 121.47 | -10.00 | 100.00 |
| 280 | 0.00 | 124.73 | -10.00 | 100.00 |
| 285 | 0.00 | 127.81 | -10.00 | 100.00 |
| 290 | 0.21 | 130.82 | -10.00 | 100.00 |
| 295 | 0.82 | 133.90 | -10.00 | 100.00 |
| 300 | 0.75 | 136.19 | -10.00 | 100.00 |
| 305 | 0.00 | 137.48 | -10.00 | 100.00 |
| 310 | 0.00 | 138.98 | -10.00 | 100.00 |
| 315 | 0.00 | 140.02 | -10.00 | 100.00 |
| 320 | 0.00 | 140.54 | -10.00 | 100.00 |
| 325 | 0.00 | 140.55 | -10.00 | 100.00 |
| 330 | 0.00 | 140.02 | -10.00 | 100.00 |
| 335 | 0.00 | 138.99 | -10.00 | 100.00 |
| 340 | 0.00 | 137.49 | -10.00 | 100.00 |
| 345 | 0.00 | 135.57 | -10.00 | 100.00 |
| 350 | 0.00 | 133.29 | -10.00 | 100.00 |
| 355 | 0.00 | 130.69 | -10.00 | 100.00 |

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
 (703)726-5662 <http://www.comsearch.com>

Date: 10/24/2014
 Job Number: <PCNJobCode>

Administrative Information

Status ENGINEER PROPOSAL
 Call Sign <PCNCallSign>
 Licensee Code HUNESY
 Licensee Name HUGHES NETWORK SYSTEMS LIMITED

Site Information SEATTLE, WA

Venue Name
 Latitude (NAD 83) 47° 29' 33.0" N
 Longitude (NAD 83) 122° 17' 42.0" W
 Climate Zone A
 Rain Zone 3
 Ground Elevation (AMSL) 54.47 m / 178.7 ft

Link Information

Satellite Type Geostationary
 Mode TO - Transmit-Only
 Modulation Digital
 Satellite Arc 97° W to 97° West Longitude
 Azimuth Range 147.3° to 147.3°
 Corresponding Elevation Angles 30.1° / 30.1°
 Antenna Centerline (AGL) 5.49 m / 18.0 ft

Antenna Information Transmit - FCC32

Manufacturer General Dynamics
 Model 8.1 meter
 Gain / Diameter 65.3 dBi / 8.1 m
 3-dB / 15-dB Beamwidth 0.10° / 0.23°

Max Available RF Power (dBW/4 kHz) -38.0
 (dBW/MHz) -14.0

Maximum EIRP (dBW/4 kHz) 27.3
 (dBW/MHz) 51.3

Interference Objectives: Long Term -151.0 dBW/4 kHz 20%
 Short Term -128.0 dBW/4 kHz 0.0025%

Frequency Information Transmit 28.0 GHz

Emission / Frequency Range (MHz) 250MG7D / 27500.0 - 28350.0

Max Great Circle Coordination Distance 109.4 km / 68.0 mi
 Precipitation Scatter Contour Radius 100.0 km / 62.1 mi

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
 (703)726-5662 <http://www.comsearch.com>

| | |
|------------------------------------|--------------------------------|
| Coordination Values | SEATTLE, WA |
| Licensee Name | HUGHES NETWORK SYSTEMS LIMITED |
| Latitude (NAD 83) | 47° 29' 33.0" N |
| Longitude (NAD 83) | 122° 17' 42.0" W |
| Ground Elevation (AMSL) | 54.47 m / 178.7 ft |
| Antenna Centerline (AGL) | 5.49 m / 18.0 ft |
| Antenna Model | General Dynamics 8.1 meter |
| Antenna Mode | Transmit 28.0 GHz |
| Interference Objectives: Long Term | -151.0 dBW/4 kHz 20% |
| Short Term | -128.0 dBW/4 kHz 0.0025% |
| Max Available RF Power | -35.0 (dBW/4 kHz) |

| Azimuth (°) | Horizon Elevation (°) | Antenna Discrimination (°) | Transmit 28.0 GHz | |
|-------------|-----------------------|----------------------------|--------------------|----------------------------|
| | | | Horizon Gain (dBi) | Coordination Distance (km) |
| 0 | 0.21 | 136.85 | -10.00 | 100.00 |
| 5 | 0.22 | 133.32 | -10.00 | 100.00 |
| 10 | 0.21 | 129.59 | -10.00 | 100.00 |
| 15 | 0.31 | 125.75 | -10.00 | 100.00 |
| 20 | 0.27 | 121.73 | -10.00 | 100.00 |
| 25 | 0.00 | 117.56 | -10.00 | 100.00 |
| 30 | 0.00 | 113.40 | -10.00 | 100.00 |
| 35 | 0.00 | 109.19 | -10.00 | 100.00 |
| 40 | 0.24 | 104.97 | -10.00 | 100.00 |
| 45 | 0.32 | 100.69 | -10.00 | 100.00 |
| 50 | 0.57 | 96.38 | -10.00 | 100.00 |
| 55 | 1.03 | 92.04 | -10.00 | 100.00 |
| 60 | 1.40 | 87.67 | -10.00 | 100.00 |
| 65 | 1.39 | 83.29 | -10.00 | 100.00 |
| 70 | 1.36 | 78.93 | -10.00 | 100.00 |
| 75 | 1.23 | 74.60 | -10.00 | 100.00 |
| 80 | 1.26 | 70.28 | -10.00 | 100.00 |
| 85 | 1.19 | 66.03 | -10.00 | 100.00 |
| 90 | 1.20 | 61.82 | -10.00 | 100.00 |
| 95 | 1.05 | 57.73 | -10.00 | 100.00 |
| 100 | 1.25 | 53.61 | -10.00 | 100.00 |
| 105 | 0.56 | 50.00 | -10.00 | 100.00 |
| 110 | 0.52 | 46.28 | -9.63 | 100.00 |
| 115 | 0.30 | 42.87 | -8.80 | 100.00 |
| 120 | 0.00 | 39.81 | -8.00 | 100.00 |
| 125 | 0.00 | 36.88 | -7.17 | 100.00 |
| 130 | 0.00 | 34.36 | -6.40 | 100.00 |
| 135 | 0.31 | 32.07 | -5.65 | 100.00 |
| 140 | 0.51 | 30.44 | -5.09 | 100.00 |
| 145 | 0.69 | 29.54 | -4.76 | 100.00 |
| 150 | 0.77 | 29.48 | -4.74 | 100.00 |
| 155 | 1.03 | 30.02 | -4.93 | 100.00 |
| 160 | 1.36 | 31.22 | -5.36 | 100.00 |
| 165 | 1.93 | 32.89 | -5.93 | 100.00 |
| 170 | 2.28 | 35.33 | -6.70 | 100.00 |
| 175 | 3.35 | 37.75 | -7.42 | 100.00 |
| 180 | 3.94 | 40.94 | -8.30 | 100.00 |
| 185 | 4.70 | 44.37 | -9.18 | 100.00 |

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
 (703)726-5662 <http://www.comsearch.com>

| | |
|------------------------------------|--------------------------------|
| Coordination Values | SEATTLE, WA |
| Licensee Name | HUGHES NETWORK SYSTEMS LIMITED |
| Latitude (NAD 83) | 47° 29' 33.0" N |
| Longitude (NAD 83) | 122° 17' 42.0" W |
| Ground Elevation (AMSL) | 54.47 m / 178.7 ft |
| Antenna Centerline (AGL) | 5.49 m / 18.0 ft |
| Antenna Model | General Dynamics 8.1 meter |
| Antenna Mode | Transmit 28.0 GHz |
| Interference Objectives: Long Term | -151.0 dBW/4 kHz 20% |
| Short Term | -128.0 dBW/4 kHz 0.0025% |
| Max Available RF Power | -35.0 (dBW/4 kHz) |

| Azimuth (°) | Horizon Elevation (°) | Antenna Discrimination (°) | Transmit 28.0 GHz | |
|-------------|-----------------------|----------------------------|--------------------|----------------------------|
| | | | Horizon Gain (dBi) | Coordination Distance (km) |
| 190 | 5.39 | 48.10 | -10.00 | 100.00 |
| 195 | 5.97 | 52.09 | -10.00 | 100.00 |
| 200 | 6.18 | 56.34 | -10.00 | 100.00 |
| 205 | 6.72 | 60.60 | -10.00 | 100.00 |
| 210 | 7.07 | 65.00 | -10.00 | 101.03 |
| 215 | 7.48 | 69.47 | -10.00 | 103.10 |
| 220 | 8.04 | 73.97 | -10.00 | 105.96 |
| 225 | 8.19 | 78.57 | -10.00 | 106.65 |
| 230 | 8.27 | 83.19 | -10.00 | 107.00 |
| 235 | 8.41 | 87.83 | -10.00 | 107.62 |
| 240 | 8.55 | 92.47 | -10.00 | 108.22 |
| 245 | 8.69 | 97.13 | -10.00 | 108.85 |
| 250 | 8.82 | 101.78 | -10.00 | 109.42 |
| 255 | 8.38 | 106.37 | -10.00 | 107.49 |
| 260 | 8.19 | 110.94 | -10.00 | 106.63 |
| 265 | 8.17 | 115.50 | -10.00 | 106.56 |
| 270 | 8.14 | 120.02 | -10.00 | 106.40 |
| 275 | 7.96 | 124.46 | -10.00 | 105.60 |
| 280 | 7.62 | 128.75 | -10.00 | 103.82 |
| 285 | 7.39 | 132.97 | -10.00 | 102.66 |
| 290 | 7.05 | 137.00 | -10.00 | 100.90 |
| 295 | 6.38 | 140.65 | -10.00 | 100.00 |
| 300 | 5.70 | 143.97 | -10.00 | 100.00 |
| 305 | 4.83 | 146.74 | -10.00 | 100.00 |
| 310 | 4.40 | 149.30 | -10.00 | 100.00 |
| 315 | 3.41 | 150.75 | -10.00 | 100.00 |
| 320 | 2.67 | 151.64 | -10.00 | 100.00 |
| 325 | 2.03 | 151.80 | -10.00 | 100.00 |
| 330 | 1.10 | 150.85 | -10.00 | 100.00 |
| 335 | 0.00 | 148.99 | -10.00 | 100.00 |
| 340 | 0.00 | 147.54 | -10.00 | 100.00 |
| 345 | 0.00 | 145.49 | -10.00 | 100.00 |
| 350 | 0.00 | 142.94 | -10.00 | 100.00 |
| 355 | 0.40 | 140.27 | -10.00 | 100.00 |



**Hughes Network Systems Limited
Ka-Band Earth Station – 16 US Locations
Frequency Coordination Report
28 GHz**

19. Contact Information

For questions or information regarding the 28 GHz Frequency Coordination Report, please contact:

Contact person: Joanna Lynch
Title: Manager, Spectrum & Data Solutions
Company: Comsearch
Address: 19700 Janelia Farm Blvd., Ashburn, VA 20147
Telephone: 703-726-5711
Fax: 703-726-5599
Email: jlynch@comsearch.com
Web site: www.comsearch.com

Ka-Band Earth Station – Cheyenne, WY

Frequency Coordination Report

28 GHz



Prepared on Behalf of
Hughes Network
Systems Limited

April 17, 2015



COMSEARCH
A CommScope Company



**Hughes Network Systems Limited
Ka-Band Earth Station – Cheyenne, WY
Frequency Coordination Report
28 GHz**

Table of Contents

| | |
|---|--------------|
| 1. Summary of Results | - 1 - |
| 2. 28 GHz Common Carrier and LTTS Coordination | - 1 - |
| 3. 28 GHz LMDS Coordination | - 2 - |
| 4. Earth Station Coordination Data | - 3 - |
| 5. Contact Information | - 7 - |



Hughes Network Systems Limited
Ka-Band Earth Station – Cheyenne, WY
Frequency Coordination Report
28 GHz

1. Summary of Results

On behalf of Hughes Network Systems, Comsearch performed a coordination notice for all existing and proposed terrestrial licenses within the coordination contours of their proposed Ka-Band earth station in Cheyenne, WY, which will transmit at 28 GHz¹. Prior-notification letters were sent to the licensees and a copy of the notification data is provided in section four of this report. The earth station coordination was finalized on April 16, 2015.

No objections were received from any of the incumbent 28 GHz licensees. Our notification to the LMDS incumbents was performed under the assumption that the earth station would be operating on a secondary basis to LMDS Block A operations and a contact at Hughes Network Systems has been provided in case any concerns may arise in the future.

2. 28 GHz Common Carrier and LTTTS Coordination

In accordance with FCC Rules and Regulations, the Ka-Band earth station in Cheyenne, WY was prior-coordinated by Comsearch. A notification letter and datasheet for this earth station were sent to the following 28 GHz common carrier fixed microwave licensee on March 16, 2015. This licensee is authorized to operate temporary fixed operations from 27.5 – 29.5 GHz on a nationwide basis.

| Licensee | Authorized Geographic Area |
|----------|----------------------------|
| Verizon | Continental US |

A notification letter and datasheet for the Ka-Band earth station in Cheyenne, WY were also sent to the following 28 GHz local television transmission licensee on March 16, 2015. This licensee is authorized to operate temporary fixed operations from 27.5 – 29.5 GHz on a nationwide basis.

| Licensee | Authorized Geographic Area |
|--------------------------------|----------------------------|
| Information Super Station, LLC | Continental US |

No objections were received from the common carrier or local television transmission service incumbents.

¹ The proposed earth station will operate in the 27.5 – 28.4 GHz portion of the Ka-Band.



Hughes Network Systems Limited
Ka-Band Earth Station – Cheyenne, WY
Frequency Coordination Report
28 GHz

3. 28 GHz LMDS Coordination

A Notification letter was sent to the following 28 GHz LMDS licensees on March 16, 2015. The proposed earth station will operate on frequencies that overlap Block A of the LMDS service. The total frequency allocation for Block A of the LMDS spectrum appears below.

Block A: 27.500-28.350 GHz
 29.100-29.250 GHz
 31.075-31.225 GHz

| Licensee | Market | Market Name |
|---------------|---------------------|--------------|
| Alta Wireless | BTA077 ² | Cheyenne, WY |
| Nextlink/XO | BTA110 | Denver, CO |

No objections were received from the LMDS incumbents.

² The proposed earth station will be located inside BTA077.



***Hughes Network Systems Limited
Ka-Band Earth Station – Cheyenne, WY
Frequency Coordination Report
28 GHz***

4. Earth Station Coordination Data

This section presents the data pertinent to the proposed Ka-Band earth station in Cheyenne, WY. This data was circulated to all incumbent licensees in the shared 28 GHz frequency ranges.

COMSEARCH
Earth Station Data Sheet
 19700 Janelia Farm Boulevard, Ashburn, VA 20147
 (703)726-5662 <http://www.comsearch.com>

Date: 03/16/2015
 Job Number: <PCNJobCode>

Administrative Information

Status ENGINEER PROPOSAL
 Call Sign <PCNCallSign>
 Licensee Code HUNESY
 Licensee Name HUGHES NETWORK SYSTEMS LIMITED

Site Information CHEYENNE, WY

Venue Name
 Latitude (NAD 83) 41° 7' 55.2" N
 Longitude (NAD 83) 104° 44' 9.6" W
 Climate Zone A
 Rain Zone 2
 Ground Elevation (AMSL) 1811.88 m / 5944.5 ft

Link Information

Satellite Type Geostationary
 Mode TO - Transmit-Only
 Modulation Digital
 Satellite Arc 97° W to 97° West Longitude
 Azimuth Range 168.3° to 168.3°
 Corresponding Elevation Angles 41.8° / 41.8°
 Antenna Centerline (AGL) 5.49 m / 18.0 ft

Antenna Information Transmit - FCC32

Manufacturer GD Satcom
 Model 9.2 Meter
 Gain / Diameter 66.1 dBi / 9.2 m
 3-dB / 15-dB Beamwidth 0.09° / 0.18°

Max Available RF Power (dBW/4 kHz) -38.0
 (dBW/MHz) -14.0

Maximum EIRP (dBW/4 kHz) 28.1
 (dBW/MHz) 52.1

Interference Objectives: Long Term -151.0 dBW/4 kHz 20%
 Short Term -128.0 dBW/4 kHz 0.0025%

Frequency Information Transmit 28.0 GHz

Emission / Frequency Range (MHz) 250MG7D / 27500.0 - 28350.0

Max Great Circle Coordination Distance 100.0 km / 62.1 mi
 Precipitation Scatter Contour Radius 100.0 km / 62.1 mi

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
 (703)726-5662 <http://www.comsearch.com>

| | |
|------------------------------------|--------------------------------|
| Coordination Values | CHEYENNE, WY |
| Licensee Name | HUGHES NETWORK SYSTEMS LIMITED |
| Latitude (NAD 83) | 41° 7' 55.2" N |
| Longitude (NAD 83) | 104° 44' 9.6" W |
| Ground Elevation (AMSL) | 1811.88 m / 5944.5 ft |
| Antenna Centerline (AGL) | 5.49 m / 18.0 ft |
| Antenna Model | GD Satcom 9.2 Meter |
| Antenna Mode | Transmit 28.0 GHz |
| Interference Objectives: Long Term | -151.0 dBW/4 kHz 20% |
| Short Term | -128.0 dBW/4 kHz 0.0025% |
| Max Available RF Power | -38.0 (dBW/4 kHz) |

| Azimuth (°) | Horizon Elevation (°) | Antenna Discrimination (°) | Transmit 28.0 GHz | |
|-------------|-----------------------|----------------------------|--------------------|----------------------------|
| | | | Horizon Gain (dBi) | Coordination Distance (km) |
| 0 | 0.79 | 137.65 | -10.00 | 100.00 |
| 5 | 0.82 | 136.32 | -10.00 | 100.00 |
| 10 | 0.86 | 134.58 | -10.00 | 100.00 |
| 15 | 0.80 | 132.41 | -10.00 | 100.00 |
| 20 | 0.81 | 129.97 | -10.00 | 100.00 |
| 25 | 0.80 | 127.26 | -10.00 | 100.00 |
| 30 | 0.84 | 124.34 | -10.00 | 100.00 |
| 35 | 0.72 | 121.15 | -10.00 | 100.00 |
| 40 | 0.68 | 117.85 | -10.00 | 100.00 |
| 45 | 0.64 | 114.44 | -10.00 | 100.00 |
| 50 | 0.61 | 110.93 | -10.00 | 100.00 |
| 55 | 0.48 | 107.30 | -10.00 | 100.00 |
| 60 | 0.42 | 103.65 | -10.00 | 100.00 |
| 65 | 0.37 | 99.96 | -10.00 | 100.00 |
| 70 | 0.32 | 96.23 | -10.00 | 100.00 |
| 75 | 0.31 | 92.50 | -10.00 | 100.00 |
| 80 | 0.36 | 88.75 | -10.00 | 100.00 |
| 85 | 0.39 | 85.01 | -10.00 | 100.00 |
| 90 | 0.41 | 81.28 | -10.00 | 100.00 |
| 95 | 0.00 | 77.66 | -10.00 | 100.00 |
| 100 | 0.00 | 74.03 | -10.00 | 100.00 |
| 105 | 0.00 | 70.46 | -10.00 | 100.00 |
| 110 | 0.00 | 66.96 | -10.00 | 100.00 |
| 115 | 0.28 | 63.44 | -10.00 | 100.00 |
| 120 | 0.47 | 60.05 | -10.00 | 100.00 |
| 125 | 0.56 | 56.84 | -10.00 | 100.00 |
| 130 | 0.57 | 53.85 | -10.00 | 100.00 |
| 135 | 0.64 | 51.02 | -10.00 | 100.00 |
| 140 | 0.71 | 48.44 | -10.00 | 100.00 |
| 145 | 0.64 | 46.27 | -9.63 | 100.00 |
| 150 | 0.73 | 44.31 | -9.16 | 100.00 |
| 155 | 0.81 | 42.74 | -8.77 | 100.00 |
| 160 | 0.83 | 41.67 | -8.49 | 100.00 |
| 165 | 0.74 | 41.17 | -8.37 | 100.00 |
| 170 | 0.81 | 41.02 | -8.33 | 100.00 |
| 175 | 0.83 | 41.42 | -8.43 | 100.00 |
| 180 | 0.81 | 42.33 | -8.67 | 100.00 |
| 185 | 0.87 | 43.63 | -8.99 | 100.00 |

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
 (703)726-5662 <http://www.comsearch.com>

| | |
|------------------------------------|--------------------------------|
| Coordination Values | CHEYENNE, WY |
| Licensee Name | HUGHES NETWORK SYSTEMS LIMITED |
| Latitude (NAD 83) | 41° 7' 55.2" N |
| Longitude (NAD 83) | 104° 44' 9.6" W |
| Ground Elevation (AMSL) | 1811.88 m / 5944.5 ft |
| Antenna Centerline (AGL) | 5.49 m / 18.0 ft |
| Antenna Model | GD Satcom 9.2 Meter |
| Antenna Mode | Transmit 28.0 GHz |
| Interference Objectives: Long Term | -151.0 dBW/4 kHz 20% |
| Short Term | -128.0 dBW/4 kHz 0.0025% |
| Max Available RF Power | -38.0 (dBW/4 kHz) |

| Azimuth (°) | Horizon Elevation (°) | Antenna Discrimination (°) | Transmit 28.0 GHz | |
|-------------|-----------------------|----------------------------|--------------------|----------------------------|
| | | | Horizon Gain (dBi) | Coordination Distance (km) |
| 190 | 0.95 | 45.34 | -9.41 | 100.00 |
| 195 | 0.93 | 47.49 | -9.91 | 100.00 |
| 200 | 0.95 | 49.92 | -10.00 | 100.00 |
| 205 | 0.84 | 52.72 | -10.00 | 100.00 |
| 210 | 0.79 | 55.69 | -10.00 | 100.00 |
| 215 | 0.97 | 58.72 | -10.00 | 100.00 |
| 220 | 1.03 | 61.98 | -10.00 | 100.00 |
| 225 | 0.70 | 65.54 | -10.00 | 100.00 |
| 230 | 0.72 | 69.04 | -10.00 | 100.00 |
| 235 | 0.88 | 72.59 | -10.00 | 100.00 |
| 240 | 0.58 | 76.31 | -10.00 | 100.00 |
| 245 | 0.68 | 79.99 | -10.00 | 100.00 |
| 250 | 0.44 | 83.75 | -10.00 | 100.00 |
| 255 | 0.62 | 87.49 | -10.00 | 100.00 |
| 260 | 0.77 | 91.26 | -10.00 | 100.00 |
| 265 | 1.13 | 95.05 | -10.00 | 100.00 |
| 270 | 1.10 | 98.82 | -10.00 | 100.00 |
| 275 | 1.28 | 102.59 | -10.00 | 100.00 |
| 280 | 1.27 | 106.30 | -10.00 | 100.00 |
| 285 | 1.07 | 109.88 | -10.00 | 100.00 |
| 290 | 0.98 | 113.41 | -10.00 | 100.00 |
| 295 | 0.82 | 116.80 | -10.00 | 100.00 |
| 300 | 0.81 | 120.12 | -10.00 | 100.00 |
| 305 | 0.86 | 123.33 | -10.00 | 100.00 |
| 310 | 0.63 | 126.19 | -10.00 | 100.00 |
| 315 | 0.70 | 129.02 | -10.00 | 100.00 |
| 320 | 0.57 | 131.45 | -10.00 | 100.00 |
| 325 | 0.56 | 133.66 | -10.00 | 100.00 |
| 330 | 0.64 | 135.61 | -10.00 | 100.00 |
| 335 | 0.79 | 137.24 | -10.00 | 100.00 |
| 340 | 0.87 | 138.37 | -10.00 | 100.00 |
| 345 | 0.81 | 138.89 | -10.00 | 100.00 |
| 350 | 0.83 | 139.00 | -10.00 | 100.00 |
| 355 | 0.84 | 138.60 | -10.00 | 100.00 |



**Hughes Network Systems Limited
Ka-Band Earth Station – Cheyenne, WY
Frequency Coordination Report
28 GHz**

5. Contact Information

For questions or information regarding the 28 GHz Frequency Coordination Report, please contact:

Contact person: Joanna Lynch
Title: Manager, Spectrum & Data Solutions
Company: Comsearch
Address: 19700 Janelia Farm Blvd., Ashburn, VA 20147
Telephone: 703-726-5711
Fax: 703-726-5599
Email: jlynch@comsearch.com
Web site: www.comsearch.com

Ka-Band Earth Station – Gilbert, AZ

Frequency Coordination Report

28 GHz



Prepared on Behalf of
Hughes Network
Systems Limited

April 17, 2015



COMSEARCH
A CommScope Company



**Hughes Network Systems Limited
Ka-Band Earth Station – Gilbert, AZ
Frequency Coordination Report
28 GHz**

Table of Contents

| | |
|---|--------------|
| 1. Summary of Results | - 1 - |
| 2. 28 GHz Common Carrier and LTTS Coordination | - 1 - |
| 3. 28 GHz LMDS Coordination | - 2 - |
| 4. Earth Station Coordination Data | - 3 - |
| 5. Contact Information | - 7 - |



**Hughes Network Systems Limited
Ka-Band Earth Station – Gilbert, AZ
Frequency Coordination Report
28 GHz**

1. Summary of Results

On behalf of Hughes Network Systems, Comsearch performed a coordination notice for all existing and proposed terrestrial licenses within the coordination contours of their proposed Ka-Band earth station in Gilbert, AZ, which will transmit at 28 GHz¹. Prior-notification letters were sent to the licensees and a copy of the notification data is provided in section four of this report. The earth station coordination was finalized on April 16, 2015.

No objections were received from any of the incumbent 28 GHz licensees. Our notification to the LMDS incumbents was performed under the assumption that the earth station would be operating on a secondary basis to LMDS Block A operations and a contact at Hughes Network Systems has been provided in case any concerns may arise in the future.

2. 28 GHz Common Carrier and LTTTS Coordination

In accordance with FCC Rules and Regulations, the Ka-Band earth station in Gilbert, AZ was prior-coordinated by Comsearch. A notification letter and datasheet for this earth station were sent to the following 28 GHz common carrier fixed microwave licensee on March 16, 2015. This licensee is authorized to operate temporary fixed operations from 27.5 – 29.5 GHz on a nationwide basis.

| Licensee | Authorized Geographic Area |
|----------|----------------------------|
| Verizon | Continental US |

A notification letter and datasheet for the Ka-Band earth station in Gilbert, AZ were also sent to the following 28 GHz local television transmission licensee on March 16, 2015. This licensee is authorized to operate temporary fixed operations from 27.5 – 29.5 GHz on a nationwide basis.

| Licensee | Authorized Geographic Area |
|--------------------------------|----------------------------|
| Information Super Station, LLC | Continental US |

No objections were received from the common carrier or local television transmission service incumbents.

¹ The proposed earth station will operate in the 27.5 – 28.4 GHz portion of the Ka-Band.



**Hughes Network Systems Limited
Ka-Band Earth Station – Gilbert, AZ
Frequency Coordination Report
28 GHz**

3. 28 GHz LMDS Coordination

A Notification letter was sent to the following 28 GHz LMDS licensees on March 16, 2015. The proposed earth station will operate on frequencies that overlap Block A of the LMDS service. The total frequency allocation for Block A of the LMDS spectrum appears below.

Block A: 27.500-28.350 GHz
29.100-29.250 GHz
31.075-31.225 GHz

| Licensee | Market | Market Name |
|--------------------------|---------------------|-------------|
| Alta Wireless | BTA347 ² | Phoenix, AZ |
| Nextlink/XO ³ | BTA347 | Phoenix, AZ |
| Nextlink/XO | BTA447 | Tucson, AZ |

No objections were received from the LMDS incumbents.

² The proposed earth station will be located inside BTA077.

³ Nextlink/XO is leasing spectrum from Alta Wireless in the Phoenix, AZ Basic Trading Area.



***Hughes Network Systems Limited
Ka-Band Earth Station – Gilbert, AZ
Frequency Coordination Report
28 GHz***

4. Earth Station Coordination Data

This section presents the data pertinent to the proposed Ka-Band earth station in Gilbert, AZ. This data was circulated to all incumbent licensees in the shared 28 GHz frequency ranges.

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
 (703)726-5662 <http://www.comsearch.com>

Date: 03/16/2015
 Job Number: <PCNJobCode>

Administrative Information

Status: ENGINEER PROPOSAL
 Call Sign: <PCNCallSign>
 Licensee Code: HUNESY
 Licensee Name: HUGHES NETWORK SYSTEMS LIMITED

Site Information

GILBERT, AZ

Venue Name:
 Latitude (NAD 83): 33° 21' 55.8" N
 Longitude (NAD 83): 111° 48' 50.4" W
 Climate Zone: A
 Rain Zone: 5
 Ground Elevation (AMSL): 372.13 m / 1220.9 ft

Link Information

Satellite Type: Geostationary
 Mode: TO - Transmit-Only
 Modulation: Digital
 Satellite Arc: 97° W to 97° West Longitude
 Azimuth Range: 154.3° to 154.3°
 Corresponding Elevation Angles: 48.0° / 48.0°
 Antenna Centerline (AGL): 5.49 m / 18.0 ft

Antenna Information

Transmit - FCC32

Manufacturer: GD Satcom
 Model: 9.2 Meter
 Gain / Diameter: 66.1 dBi / 9.2 m
 3-dB / 15-dB Beamwidth: 0.09° / 0.18°

Max Available RF Power (dBW/4 kHz): -38.0
 (dBW/MHz): -14.0

Maximum EIRP (dBW/4 kHz): 28.1
 (dBW/MHz): 52.1

Interference Objectives: Long Term: -151.0 dBW/4 kHz 20%
 Short Term: -128.0 dBW/4 kHz 0.0025%

Frequency Information

Transmit 28.0 GHz

Emission / Frequency Range (MHz): 250MG7D / 27500.0 - 28350.0

Max Great Circle Coordination Distance: 100.0 km / 62.1 mi
 Precipitation Scatter Contour Radius: 100.0 km / 62.1 mi

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
 (703)726-5662 <http://www.comsearch.com>

| | |
|------------------------------------|--------------------------------|
| Coordination Values | GILBERT, AZ |
| Licensee Name | HUGHES NETWORK SYSTEMS LIMITED |
| Latitude (NAD 83) | 33° 21' 55.8" N |
| Longitude (NAD 83) | 111° 48' 50.4" W |
| Ground Elevation (AMSL) | 372.13 m / 1220.9 ft |
| Antenna Centerline (AGL) | 5.49 m / 18.0 ft |
| Antenna Model | GD Satcom 9.2 Meter |
| Antenna Mode | Transmit 28.0 GHz |
| Interference Objectives: Long Term | -151.0 dBW/4 kHz 20% |
| Short Term | -128.0 dBW/4 kHz 0.0025% |
| Max Available RF Power | -38.0 (dBW/4 kHz) |

| Azimuth (°) | Horizon Elevation (°) | Antenna Discrimination (°) | Transmit 28.0 GHz | |
|-------------|-----------------------|----------------------------|--------------------|----------------------------|
| | | | Horizon Gain (dBi) | Coordination Distance (km) |
| 0 | 0.00 | 127.05 | -10.00 | 100.00 |
| 5 | 0.00 | 125.10 | -10.00 | 100.00 |
| 10 | 0.00 | 122.89 | -10.00 | 100.00 |
| 15 | 0.00 | 120.47 | -10.00 | 100.00 |
| 20 | 0.00 | 117.85 | -10.00 | 100.00 |
| 25 | 0.00 | 115.07 | -10.00 | 100.00 |
| 30 | 0.00 | 112.15 | -10.00 | 100.00 |
| 35 | 0.00 | 109.11 | -10.00 | 100.00 |
| 40 | 0.00 | 105.98 | -10.00 | 100.00 |
| 45 | 0.00 | 102.78 | -10.00 | 100.00 |
| 50 | 0.00 | 99.52 | -10.00 | 100.00 |
| 55 | 0.00 | 96.22 | -10.00 | 100.00 |
| 60 | 0.00 | 92.89 | -10.00 | 100.00 |
| 65 | 0.00 | 89.55 | -10.00 | 100.00 |
| 70 | 0.00 | 86.21 | -10.00 | 100.00 |
| 75 | 0.00 | 82.88 | -10.00 | 100.00 |
| 80 | 0.00 | 79.59 | -10.00 | 100.00 |
| 85 | 0.00 | 76.34 | -10.00 | 100.00 |
| 90 | 0.00 | 73.16 | -10.00 | 100.00 |
| 95 | 0.00 | 70.05 | -10.00 | 100.00 |
| 100 | 0.00 | 67.05 | -10.00 | 100.00 |
| 105 | 0.00 | 64.16 | -10.00 | 100.00 |
| 110 | 0.00 | 61.42 | -10.00 | 100.00 |
| 115 | 0.00 | 58.85 | -10.00 | 100.00 |
| 120 | 0.00 | 56.48 | -10.00 | 100.00 |
| 125 | 0.00 | 54.34 | -10.00 | 100.00 |
| 130 | 0.00 | 52.46 | -10.00 | 100.00 |
| 135 | 0.00 | 50.88 | -10.00 | 100.00 |
| 140 | 0.00 | 49.62 | -10.00 | 100.00 |
| 145 | 0.00 | 48.72 | -10.00 | 100.00 |
| 150 | 0.00 | 48.19 | -10.00 | 100.00 |
| 155 | 0.00 | 48.05 | -10.00 | 100.00 |
| 160 | 0.00 | 48.29 | -10.00 | 100.00 |
| 165 | 0.00 | 48.93 | -10.00 | 100.00 |
| 170 | 0.00 | 49.93 | -10.00 | 100.00 |
| 175 | 0.00 | 51.28 | -10.00 | 100.00 |
| 180 | 0.00 | 52.95 | -10.00 | 100.00 |
| 185 | 0.00 | 54.90 | -10.00 | 100.00 |

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
 (703)726-5662 <http://www.comsearch.com>

| | |
|------------------------------------|--------------------------------|
| Coordination Values | GILBERT, AZ |
| Licensee Name | HUGHES NETWORK SYSTEMS LIMITED |
| Latitude (NAD 83) | 33° 21' 55.8" N |
| Longitude (NAD 83) | 111° 48' 50.4" W |
| Ground Elevation (AMSL) | 372.13 m / 1220.9 ft |
| Antenna Centerline (AGL) | 5.49 m / 18.0 ft |
| Antenna Model | GD Satcom 9.2 Meter |
| Antenna Mode | Transmit 28.0 GHz |
| Interference Objectives: Long Term | -151.0 dBW/4 kHz 20% |
| Short Term | -128.0 dBW/4 kHz 0.0025% |
| Max Available RF Power | -38.0 (dBW/4 kHz) |

| Azimuth (°) | Horizon Elevation (°) | Antenna Discrimination (°) | Transmit 28.0 GHz | |
|-------------|-----------------------|----------------------------|--------------------|----------------------------|
| | | | Horizon Gain (dBi) | Coordination Distance (km) |
| 190 | 0.00 | 57.11 | -10.00 | 100.00 |
| 195 | 0.00 | 59.53 | -10.00 | 100.00 |
| 200 | 0.00 | 62.15 | -10.00 | 100.00 |
| 205 | 0.00 | 64.93 | -10.00 | 100.00 |
| 210 | 0.00 | 67.85 | -10.00 | 100.00 |
| 215 | 0.00 | 70.89 | -10.00 | 100.00 |
| 220 | 0.00 | 74.02 | -10.00 | 100.00 |
| 225 | 0.00 | 77.22 | -10.00 | 100.00 |
| 230 | 0.00 | 80.48 | -10.00 | 100.00 |
| 235 | 0.00 | 83.78 | -10.00 | 100.00 |
| 240 | 0.00 | 87.11 | -10.00 | 100.00 |
| 245 | 0.00 | 90.45 | -10.00 | 100.00 |
| 250 | 0.00 | 93.79 | -10.00 | 100.00 |
| 255 | 0.00 | 97.12 | -10.00 | 100.00 |
| 260 | 0.00 | 100.41 | -10.00 | 100.00 |
| 265 | 0.00 | 103.66 | -10.00 | 100.00 |
| 270 | 0.00 | 106.84 | -10.00 | 100.00 |
| 275 | 0.00 | 109.95 | -10.00 | 100.00 |
| 280 | 0.00 | 112.95 | -10.00 | 100.00 |
| 285 | 0.00 | 115.84 | -10.00 | 100.00 |
| 290 | 0.00 | 118.58 | -10.00 | 100.00 |
| 295 | 0.00 | 121.15 | -10.00 | 100.00 |
| 300 | 0.00 | 123.52 | -10.00 | 100.00 |
| 305 | 0.00 | 125.66 | -10.00 | 100.00 |
| 310 | 0.00 | 127.54 | -10.00 | 100.00 |
| 315 | 0.00 | 129.12 | -10.00 | 100.00 |
| 320 | 0.00 | 130.38 | -10.00 | 100.00 |
| 325 | 0.00 | 131.28 | -10.00 | 100.00 |
| 330 | 0.00 | 131.81 | -10.00 | 100.00 |
| 335 | 0.00 | 131.95 | -10.00 | 100.00 |
| 340 | 0.00 | 131.71 | -10.00 | 100.00 |
| 345 | 0.00 | 131.07 | -10.00 | 100.00 |
| 350 | 0.00 | 130.07 | -10.00 | 100.00 |
| 355 | 0.00 | 128.72 | -10.00 | 100.00 |



**Hughes Network Systems Limited
Ka-Band Earth Station – Gilbert, AZ
Frequency Coordination Report
28 GHz**

5. Contact Information

For questions or information regarding the 28 GHz Frequency Coordination Report, please contact:

| | |
|-----------------|--|
| Contact person: | Joanna Lynch |
| Title: | Manager, Spectrum & Data Solutions |
| Company: | Comsearch |
| Address: | 19700 Janelia Farm Blvd., Ashburn, VA 20147 |
| Telephone: | 703-726-5711 |
| Fax: | 703-726-5599 |
| Email: | jlynch@comsearch.com |
| Web site: | www.comsearch.com |