

FREQUENCY COORDINATION AND INTERFERENCE ANALYSIS REPORT

Prepared for
United Teleports
PORT ST LUCIE, FL
Satellite Earth Station

Prepared By:
COMSEARCH
19700 Janelia Farm Boulevard
Ashburn, VA 20147
May 19, 2016

TABLE OF CONTENTS

1. CONCLUSIONS	3
2. SUMMARY OF RESULTS	4
3. SUPPLEMENTAL SHOWING	5
4. EARTH STATION COORDINATION DATA.....	7
5. CERTIFICATION.....	11

1. CONCLUSIONS

An interference study considering all existing, proposed and prior coordinated microwave facilities within the coordination contours of the proposed earth station demonstrates that this site will operate satisfactorily with the common carrier microwave environment. Further, there will be no restrictions of its operation due to interference considerations.

2. SUMMARY OF RESULTS

A number of great circle interference cases were identified during the interference study of the proposed earth station. Each of the cases, which exceeded the interference objective on a line-of-sight basis, was profiled and the propagation losses estimated using NBS TN101 (Revised) techniques. The losses were found to be sufficient to reduce the signal levels to acceptable magnitudes in every case.

3. SUPPLEMENTAL SHOWING

Pursuant to Part 25.203(c) of the FCC Rules and Regulations, the satellite earth station proposed in this application was coordinated by Comsearch using computer techniques and in accordance with Part 25 of the FCC Rules and Regulations.

Coordination data for this earth station was sent to the below listed carriers with a letter dated 05/03/2016.

Company

3G Wireless, LLC
AERIAL VIDEO SYSTEMS
Alascom Inc
Ascent Media Network Services, LLC
Bellsouth Telecommunications, Inc.
Borgeson, Tom R.
Broadcast Sports Inc.
CBS OPERATIONS INC.
Carolina Telephone and Telegraph Co
Casper, John
CenturyTel of the Southwest, Inc.
Chicago Comnet Corp
Cincinnati Bell Wireless LLC
Citywide News Network, Inc.
Cohen, Elena
Comcast of CO/FL/MI/NMX/PA/WA, LLC
Cowboys Stadium LP
DCI II, INC.
Direct Broadcast Services, Inc.
GSN News, Inc
Global Telecom & Technology Americas, In
Goodyear Tire & Rubber Company
HF Enterprises, Inc
Hallco Unlimited, Inc.
Hawaiian Telcom, Inc.
Heiden, William
Illinois Bell Telephone Company
Indiana Bell Telephone Company
Information & Display Systems, Inc.
Information Super Station, LLC
International Communications Group, Inc.
Kentucky RSA #3 Cellular General Partner
Kentucky RSA #4 Cellular General Partner
MERCURY COMMUNICATIONS
Metro Networks Communications, Inc.
Michigan Bell Telephone Company
Moreen, Steven K
NEW ENGLAND DIGITAL DISTRIBUTION, INC.
NEW ENGLAND SATELLITE SYSTEMS INC
NSM Surveillance

Navajo Communications Company
NorthWest Suburbs Community Access Corp
OHIO BELL TELEPHONE COMPANY
Onboard Images
Pacific Bell Tel Com dba AT&T California
Penn Service Microwave Co., Inc.
Plateau Telecommunications, Inc.
Plum TV, LLC
Production & Satellite Services, Inc.
QUICK LINK CONNECTIONS INC
Qwest Corporation
RCC Minnesota Inc. - MN NE ND SD
REMOTE FACILITIES CONSULTING SERVICES
RF Central, LLC
RF Film, Inc
Radiofone, Inc.
Randy Hermes Production
Remote Broadcasts, Inc.
SBE Coordinator – Florida Region
Scripps Media, Inc. - WPTV
Southwestern Bell Telephone L.P.
Speedshotz, Inc
Total RF Marketing Inc
Unisat, Inc.
United Telephone - Southeast
VERIZON SOUTH INC.
Verizon California Inc.
Verizon Maryland, Inc.
Verizon New England Inc.
Verizon New Jersey, Inc.
Verizon New York, Inc.
Verizon North Inc.
Verizon Northwest Inc.
Verizon Pennsylvania, Inc.
Verizon Virginia, Inc.
Verizon Washington DC, Inc.
Village Video Productions Inc
Vyvx, LLC
WFLX License Subsidiary, LLC
WPEC Licensee, LLC
WTVX Licensee, LLC
Westar Satellite Services LP
Western Technical Services
Wexler Video, Inc.
Winged Vision Inc
Wisconsin Bell Telephone Company
Wolfe Air Aviation

4. EARTH STATION COORDINATION DATA

This section presents the data pertinent to frequency coordination of the proposed earth station that was circulated to all carriers within its coordination contours.

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Date: 05/19/2016
Job Number: 160503COMSGE06

Administrative Information

Status ENGINEER PROPOSAL
Call Sign
Licensee Code UNTELE
Licensee Name United Teleports

Site Information

PORT ST LUCIE, FL
Venue Name
Latitude (NAD 83) 27° 16' 56.5" N
Longitude (NAD 83) 80° 28' 58.6" W
Climate Zone B
Rain Zone 1
Ground Elevation (AMSL) 7.46 m / 24.5 ft

Link Information

Satellite Type Geostationary
Mode TO - Transmit-Only
Modulation Digital
Satellite Arc 64° W to 66° West Longitude
Azimuth Range 147.2° to 150.6°
Corresponding Elevation Angles 53.3° / 54.3°
Antenna Centerline (AGL) 3.66 m / 12.0 ft

Antenna Information

Transmit - FCC32
Manufacturer Scientific-Atlanta
Model 7 Meter
Gain / Diameter 57.3 dBi / 7.0 m
3-dB / 15-dB Beamwidth 0.22° / 0.38°

Max Available RF Power (dBW/4 kHz) -17.7
(dBW/MHz) 6.3

Maximum EIRP (dBW/4 kHz) 39.6
(dBW/MHz) 63.6

Interference Objectives: Long Term -151.0 dBW/4 kHz 20%
Short Term -128.0 dBW/4 kHz 0.0025%

Frequency Information

Transmit 13.0 GHz
Emission / Frequency Range (MHz) 10M0G7W - 36M0G7W / 12750.0 - 13250.0

Max Great Circle Coordination Distance 117.2 km / 72.8 mi
Precipitation Scatter Contour Radius 100.0 km / 62.1 mi

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Coordination Values

PORT ST LUCIE, FL

Licensee Name United Teleports
Latitude (NAD 83) 27° 16' 56.5" N
Longitude (NAD 83) 80° 28' 58.6" W
Ground Elevation (AMSL) 7.46 m / 24.5 ft
Antenna Centerline (AGL) 3.66 m / 12.0 ft
Antenna Model Scientific-Atlanta 7 meter
Antenna Mode Transmit 13.0 GHz
Interference Objectives: Long Term -151.0 dBW/4 kHz 20%
Short Term -128.0 dBW/4 kHz 0.0025%
Max Available RF Power -17.7 (dBW/4 kHz)

Azimuth (°)	Horizon Elevation (°)	Antenna Discrimination (°)	Transmit 13.0 GHz	
			Horizon Gain (dBi)	Coordination Distance (km)
0	0.00	120.17	-10.00	117.17
5	0.00	118.19	-10.00	117.17
10	0.00	116.01	-10.00	117.17
15	0.00	113.67	-10.00	117.17
20	0.00	111.18	-10.00	117.17
25	0.00	108.56	-10.00	117.17
30	0.00	105.84	-10.00	117.17
35	0.00	103.04	-10.00	117.17
40	0.00	100.16	-10.00	117.17
45	0.00	97.24	-10.00	117.17
50	0.00	94.27	-10.00	117.17
55	0.00	91.29	-10.00	117.17
60	0.00	88.30	-10.00	117.17
65	0.00	85.32	-10.00	117.17
70	0.00	82.36	-10.00	117.17
75	0.00	79.44	-10.00	117.17
80	0.00	76.58	-10.00	117.17
85	0.00	73.78	-10.00	117.17
90	0.00	71.07	-10.00	117.17
95	0.00	68.48	-10.00	117.17
100	0.00	66.00	-10.00	117.17
105	0.00	63.68	-10.00	117.17
110	0.00	61.53	-10.00	117.17
115	0.00	59.58	-10.00	117.17
120	0.00	57.85	-10.00	117.17
125	0.00	56.36	-10.00	117.17
130	0.00	55.15	-10.00	117.17
135	0.00	54.22	-10.00	117.17
140	0.00	53.60	-10.00	117.17
145	0.00	53.30	-10.00	117.17
150	0.00	53.32	-10.00	117.17
155	0.00	53.67	-10.00	117.17
160	0.00	54.33	-10.00	117.17
165	0.00	55.30	-10.00	117.17
170	0.00	56.55	-10.00	117.17
175	0.00	57.91	-10.00	117.17
180	0.00	59.46	-10.00	117.17
185	0.00	61.23	-10.00	117.17

COMSEARCH

Earth Station Data Sheet


19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Coordination Values	PORT ST LUCIE, FL
Licensee Name	United Teleports
Latitude (NAD 83)	27° 16' 56.5" N
Longitude (NAD 83)	80° 28' 58.6" W
Ground Elevation (AMSL)	7.46 m / 24.5 ft
Antenna Centerline (AGL)	3.66 m / 12.0 ft
Antenna Model	Scientific-Atlanta 7 meter
Antenna Mode	Transmit 13.0 GHz
Interference Objectives: Long Term	-151.0 dBW/4 kHz 20%
Short Term	-128.0 dBW/4 kHz 0.0025%
Max Available RF Power	-17.7 (dBW/4 kHz)

Azimuth (°)	Horizon Elevation (°)	Antenna Discrimination (°)	Transmit 13.0 GHz	
			Horizon Gain (dBi)	Coordination Distance (km)
190	0.00	63.21	-10.00	117.17
195	0.00	65.37	-10.00	117.17
200	0.00	67.69	-10.00	117.17
205	0.00	70.15	-10.00	117.17
210	0.00	72.73	-10.00	117.17
215	0.00	75.40	-10.00	117.17
220	0.00	78.16	-10.00	117.17
225	0.00	80.97	-10.00	117.17
230	0.00	83.84	-10.00	117.17
235	0.00	86.74	-10.00	117.17
240	0.00	89.65	-10.00	117.17
245	0.00	92.56	-10.00	117.17
250	0.00	95.47	-10.00	117.17
255	0.00	98.34	-10.00	117.17
260	0.00	101.17	-10.00	117.17
265	0.00	103.94	-10.00	117.17
270	0.00	106.64	-10.00	117.17
275	0.00	109.24	-10.00	117.17
280	0.00	111.73	-10.00	117.17
285	0.00	114.09	-10.00	117.17
290	0.00	116.29	-10.00	117.17
295	0.00	118.31	-10.00	117.17
300	0.00	120.14	-10.00	117.17
305	0.00	121.74	-10.00	117.17
310	0.00	123.10	-10.00	117.17
315	0.00	124.18	-10.00	117.17
320	0.00	124.99	-10.00	117.17
325	0.00	125.49	-10.00	117.17
330	0.00	125.68	-10.00	117.17
335	0.00	125.56	-10.00	117.17
340	0.00	125.13	-10.00	117.17
345	0.00	124.40	-10.00	117.17
350	0.00	123.38	-10.00	117.17
355	0.00	121.93	-10.00	117.17

5. CERTIFICATION

I HEREBY CERTIFY THAT I AM THE TECHNICALLY QUALIFIED PERSON RESPONSIBLE FOR THE PREPARATION OF THE FREQUENCY COORDINATION DATA CONTAINED IN THIS APPLICATION, THAT I AM FAMILIAR WITH PARTS 101 AND 25 OF THE FCC RULES AND REGULATIONS, THAT I HAVE EITHER PREPARED OR REVIEWED THE FREQUENCY COORDINATION DATA SUBMITTED WITH THIS APPLICATION, AND THAT IT IS COMPLETE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

BY: 

Gary K. Edwards
Senior Manager
COMSEARCH
19700 Janelia Farm Boulevard
Ashburn, VA 20147

DATED: May 19, 2016