

FREQUENCY COORDINATION AND INTERFERENCE ANALYSIS REPORT

Prepared for
Echostar Satellite Operating Corporation
MT JACKSON, VA
Ku-band DBS 13.2 Meter
Satellite Earth Station(s)

Prepared By:
COMSEARCH
19700 Janelia Farm Boulevard
Ashburn, VA 20147
July 21, 2005

TABLE OF CONTENTS

1. CONCLUSIONS 3
2. SUMMARY OF RESULTS 4
3. SUPPLEMENTAL SHOWING 5
4. EARTH STATION COORDINATION DATA 6
5. CERTIFICATION 10

1. CONCLUSIONS

An interference study considering all existing, proposed and prior coordinated microwave facilities within the coordination contours of the proposed earth station demonstrates that this site will operate satisfactorily with the common carrier microwave environment. Further, there will be no restrictions of its operation due to interference considerations.

2. SUMMARY OF RESULTS

A number of great circle interference cases were identified during the interference study of the proposed earth station. Each of the cases, which exceeded the interference objective on a line-of-sight basis, was profiled and the propagation losses estimated using NBS TN101 (Revised) techniques. The losses were found to be sufficient to reduce the signal levels to acceptable magnitudes in every case.

3. SUPPLEMENTAL SHOWING

Pursuant to Part 25.203(c) of the FCC Rules and Regulations, the satellite earth station proposed in this application was coordinated by Comsearch using computer techniques and in accordance with Part 25 of the FCC Rules and Regulations.

Coordination data for this earth station was sent to the below listed carriers with a letter dated 04/04/2005.

Company

Charlottesville Cellular Partnership
EASTERBROOKE CELLULAR CORPORATION
NATIONAL RADIO ASTRONOMY OBSERVATORY
New Cingular Wireless PCS LLC - N CAL
New Cingular Wireless PCS LLC -NE Reg
PRINCE WILLIAM COUNTY
Virginia Cellular Inc./Cellular One

4. EARTH STATION COORDINATION DATA

This section presents the data pertinent to frequency coordination of the proposed earth station that was circulated to all carriers within its coordination contours.

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Date: 07/21/2005
Job Number: 050404COMSGE04

Administrative Information

Status ENGINEER PROPOSAL
Call Sign
Licensee Code ZECHOS
Licensee Name Echostar Satellite Operating Corporation

Site Information

MT JACKSON, VA
Venue Name
Latitude (NAD 83) 38° 43' 22.4" N
Longitude (NAD 83) 78° 39' 58.5" W
Climate Zone A
Rain Zone 2
Ground Elevation (AMSL) 282.24 m / 926.0 ft

Link Information

Satellite Type Geostationary
Mode TR - Transmit-Receive
Modulation Digital
Satellite Arc 34° W to 151° West Longitude
Azimuth Range 122.3° to 258.7°
Corresponding Elevation Angles 25.9° / 5.0°
Antenna Centerline (AGL) 7.92 m / 26.0 ft

Antenna Information

	Receive - FCC32	Transmit - FCC32
Manufacturer	TIW	TIW
Model	13.2 Meter	13.2 Meter
Gain / Diameter	62.0 dBi / 13.2 m	65.0 dBi / 13.2 m
3-dB / 15-dB Beamwidth	0.05° / 0.15°	0.05° / 0.10°
Max Available RF Power (dBW/4 kHz)		-1.6
(dBW/MHz)		22.4
Maximum EIRP (dBW/4 kHz)		63.4
(dBW/MHz)		87.4
Interference Objectives:		
Long Term	-156.0 dBW/MHz 20%	-151.0 dBW/4 kHz 20%
Short Term	-146.0 dBW/MHz 0.01%	-128.0 dBW/4 kHz 0.0025%

Frequency Information

	Receive 12.2 GHz	Transmit 17.3 GHz
Emission / Frequency Range (MHz)	300KG2D - 24M0M1F / 12200.0 - 12700.0	1M50G2D - 24M0M1F / 17300.0 - 17800.0
Max Great Circle Coordination Distance	694.3 km / 431.4 mi	462.3 km / 287.2 mi
Precipitation Scatter Contour Radius	604.0 km / 375.3 mi	142.5 km / 88.6 mi

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Coordination Values

MT JACKSON, VA

Licensee Name	Echostar Satellite Operating Corporation				
Latitude (NAD 83)	38° 43' 22.4" N				
Longitude (NAD 83)	78° 39' 58.5" W				
Ground Elevation (AMSL)	282.24 m / 926.0 ft				
Antenna Centerline (AGL)	7.92 m / 26.0 ft				
Antenna Model	TIW 13.2 Meter				
Antenna Mode	Receive 12.2 GHz		Transmit 17.3 GHz		
Interference Objectives:	Long Term	-156.0 dBW/MHz	20%	-151.0 dBW/4 kHz	20%
	Short Term	-146.0 dBW/MHz	0.01%	-128.0 dBW/4 kHz	0.0025%
Max Available RF Power	-1.6 (dBW/4 kHz)				

Azimuth (°)	Horizon Elevation (°)	Antenna Discrimination (°)	Receive 12.2 GHz		Transmit 17.3 GHz	
			Horizon Gain (dBi)	Coordination Distance (km)	Horizon Gain (dBi)	Coordination Distance (km)
0	0.90	101.24	-10.00	182.32	-10.00	106.87
5	0.73	106.22	-10.00	191.52	-10.00	114.54
10	0.80	110.13	-10.00	187.59	-10.00	111.20
15	0.77	105.65	-10.00	189.52	-10.00	112.83
20	0.43	101.12	-10.00	205.73	-10.00	129.62
25	0.44	96.62	-10.00	205.02	-10.00	128.97
30	0.22	92.10	-10.00	225.40	-10.00	147.21
35	0.00	87.60	-10.00	227.19	-10.00	149.00
40	0.00	83.10	-10.00	227.19	-10.00	149.00
45	0.00	78.62	-10.00	227.19	-10.00	149.00
50	0.00	74.15	-10.00	227.19	-10.00	149.00
55	0.00	69.71	-10.00	227.19	-10.00	149.00
60	0.37	65.22	-10.00	211.14	-10.00	133.37
65	1.18	60.63	-10.00	171.25	-10.00	100.00
70	1.69	56.12	-10.00	152.10	-10.00	100.00
75	3.33	51.25	-10.00	118.87	-10.00	100.00
80	3.79	46.77	-9.75	111.98	-9.75	100.00
85	4.22	42.35	-8.67	109.47	-8.67	100.00
90	4.18	38.27	-7.57	113.97	-7.57	100.00
95	3.04	35.04	-6.62	135.40	-6.62	100.00
100	2.29	32.04	-5.64	156.57	-5.64	100.00
105	3.09	28.35	-4.31	144.62	-4.31	100.00
110	3.23	25.64	-3.22	146.76	-3.22	100.00
115	3.29	23.69	-2.37	149.67	-2.37	100.00
120	3.43	22.57	-1.84	149.28	-1.84	100.00
125	3.44	22.59	-1.85	148.88	-1.85	100.00
130	3.27	23.81	-2.42	149.85	-2.42	100.00
135	2.54	26.39	-3.54	161.42	-3.54	100.00
140	1.70	29.63	-4.79	180.16	-4.79	100.25
145	1.09	33.00	-5.96	192.71	-5.96	111.89
150	0.84	35.89	-6.88	198.78	-6.88	118.18
155	0.50	38.60	-7.66	209.61	-7.66	129.89
160	0.24	40.91	-8.30	230.31	-8.30	150.40
165	0.35	42.52	-8.72	218.78	-8.72	139.46
170	0.55	43.59	-8.98	202.15	-8.98	125.42
175	0.82	44.08	-9.11	190.41	-9.11	112.81
180	0.98	44.18	-9.13	182.45	-9.13	106.22
185	1.11	43.80	-9.04	178.25	-9.04	102.78

COMSEARCH

Earth Station Data Sheet


19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Coordination Values		MT JACKSON, VA			
Licensee Name	Echostar Satellite Operating Corporation				
Latitude (NAD 83)	38° 43' 22.4" N				
Longitude (NAD 83)	78° 39' 58.5" W				
Ground Elevation (AMSL)	282.24 m / 926.0 ft				
Antenna Centerline (AGL)	7.92 m / 26.0 ft				
Antenna Model	TIW 13.2 Meter				
Antenna Mode	Receive 12.2 GHz		Transmit 17.3 GHz		
Interference Objectives:	Long Term	-156.0 dBW/MHz	20%	-151.0 dBW/4 kHz	20%
	Short Term	-146.0 dBW/MHz	0.01%	-128.0 dBW/4 kHz	0.0025%
Max Available RF Power					-1.6 (dBW/4 kHz)

Azimuth (°)	Horizon Elevation (°)	Antenna Discrimination (°)	Receive 12.2 GHz		Transmit 17.3 GHz	
			Horizon Gain (dBi)	Coordination Distance (km)	Horizon Gain (dBi)	Coordination Distance (km)
190	1.62	42.55	-8.72	160.53	-8.72	100.00
195	2.22	40.78	-8.26	145.71	-8.26	100.00
200	1.94	39.41	-7.89	154.61	-7.89	100.00
205	1.57	37.70	-7.41	171.28	-7.41	100.00
210	1.16	35.64	-6.80	186.78	-6.80	107.63
215	0.99	33.08	-5.99	195.78	-5.99	114.63
220	0.90	30.20	-5.00	204.09	-5.00	121.33
225	1.62	26.52	-3.59	188.35	-3.59	105.75
230	2.16	22.82	-1.96	181.52	-1.96	100.00
235	2.54	19.13	-0.04	182.15	-0.04	100.00
240	2.59	15.54	2.21	191.99	2.21	104.20
245	2.28	12.11	4.92	208.52	4.92	119.55
250	1.70	8.77	8.42	241.61	8.42	144.00
255	1.35	5.24	14.02	389.98	14.02	246.61
260	1.17	4.06	16.79	694.28	16.79	462.33
265	1.44	7.22	10.53	263.12	10.53	160.83
270	2.65	11.51	5.47	203.34	5.47	114.55
275	3.49	16.34	1.67	168.80	1.67	100.00
280	2.67	21.39	-1.26	172.83	-1.26	100.00
285	2.88	26.35	-3.52	153.20	-3.52	100.00
290	2.94	31.33	-5.40	142.87	-5.40	100.00
295	2.11	36.37	-7.02	154.39	-7.02	100.00
300	1.90	41.37	-8.42	153.23	-8.42	100.00
305	1.62	46.37	-9.66	156.10	-9.66	100.00
310	1.29	51.37	-10.00	167.52	-10.00	100.00
315	1.33	56.35	-10.00	166.34	-10.00	100.00
320	1.32	61.34	-10.00	166.56	-10.00	100.00
325	1.28	66.32	-10.00	167.92	-10.00	100.00
330	1.49	71.31	-10.00	158.35	-10.00	100.00
335	1.55	76.30	-10.00	156.66	-10.00	100.00
340	1.78	81.28	-10.00	149.61	-10.00	100.00
345	1.38	86.28	-10.00	162.19	-10.00	100.00
350	0.97	91.27	-10.00	178.61	-10.00	103.91
355	1.02	96.25	-10.00	176.47	-10.00	102.24

5. CERTIFICATION

I HEREBY CERTIFY THAT I AM THE TECHNICALLY QUALIFIED PERSON RESPONSIBLE FOR THE PREPARATION OF THE FREQUENCY COORDINATION DATA CONTAINED IN THIS APPLICATION, THAT I AM FAMILIAR WITH PARTS 101 AND 25 OF THE FCC RULES AND REGULATIONS, THAT I HAVE EITHER PREPARED OR REVIEWED THE FREQUENCY COORDINATION DATA SUBMITTED WITH THIS APPLICATION, AND THAT IT IS COMPLETE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

BY: 

Gary K. Edwards
Senior Manager
COMSEARCH
19700 Janelia Farm Boulevard
Ashburn, VA 20147

DATED: July 21, 2005