

FREQUENCY COORDINATION AND INTERFERENCE ANALYSIS REPORT

Prepared for
Black News Channel
TALLAHASSEE, FL
Satellite Earth Station

Prepared By:
COMSEARCH
19700 Janelia Farm Boulevard
Ashburn, VA 20147
June 17, 2019

TABLE OF CONTENTS

1. CONCLUSIONS	3
2. SUMMARY OF RESULTS	4
3. SUPPLEMENTAL SHOWING	5
4. EARTH STATION COORDINATION DATA.....	6
5. CERTIFICATION.....	10

1. CONCLUSIONS

An interference study considering all existing, proposed and prior coordinated microwave facilities within the coordination contours of the proposed earth station demonstrates that this site will operate satisfactorily with the common carrier microwave environment. Further, there will be no restrictions of its operation due to interference considerations.

2. SUMMARY OF RESULTS

A number of great circle interference cases were identified during the interference study of the proposed earth station. Each of the cases, which exceeded the interference objective on a line-of-sight basis, was profiled and the propagation losses estimated using NBS TN101 (Revised) techniques. The losses were found to be sufficient to reduce the signal levels to acceptable magnitudes in every case.

The following companies reported potential great circle interference conflicts that did not meet the objectives on a line-of-sight basis. When over-the-horizon losses are considered on the interfering paths, sufficient blockage exists to negate harmful interference from occurring with the proposed transmit-only earth station.

Company

Talquin Electric Cooperative Inc.

No other carriers reported potential interference cases.

3. SUPPLEMENTAL SHOWING

Pursuant to Part 25.203(c) of the FCC Rules and Regulations, the satellite earth station proposed in this application was coordinated by Comsearch using computer techniques and in accordance with Part 25 of the FCC Rules and Regulations.

Coordination data for this earth station was sent to the below listed carriers with a letter dated 05/31/2019.

Company

Alltel Communications LLC - S Florida
Colquitt Electric Membership Corp
Decatur-Grady 911
Duke Energy Business Services, LLC.
Georgia Southern and Florida Railway Co
Harris Corporation - Florida
Lowndes County Dept. of Public Safety
North Florida Broadband Authority
Olympic Wireless, LLC
PowerSouth Energy Cooperative
T-Mobile License LLC
Tallahassee, City of
Talquin Electric Cooperative Inc.
Verizon Wireless (VAW) LLC (Georgia)
Verizon Wireless (VAW) LLC - S Florida
Verizon Wireless of The East LP - (GA)

4. EARTH STATION COORDINATION DATA

This section presents the data pertinent to frequency coordination of the proposed earth station that was circulated to all carriers within its coordination contours.

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Date: 06/17/2019
Job Number: 190531COMSTC05

Administrative Information

Licensee Code: BTNCTV
Licensee Name: Black News Channel

Site Information

TALLAHASSEE, FL
Latitude (NAD 83): 30° 30' 18.2" N
Longitude (NAD 83): 84° 14' 26.7" W
Climate Zone: A
Rain Zone: 1
Ground Elevation (AMSL): 44.9 m / 147.3 ft

Link Information

Satellite Type: Geostationary
Mode: TO - Transmit-Only
Modulation: Digital
Satellite Arc: 58° W to 143° West Longitude
Azimuth Range: 135.8° to 252.9°
Corresponding Elevation Angles: 44.4° / 18.3°
Antenna Centerline (AGL): 5.49 m / 18.0 ft

Antenna Information

Transmit
Manufacturer: ASC
Model: 4.5M
Gain / Diameter: 45.0 dBi / 4.5 m
3-dB / 15-dB Beamwidth: 0.96° / 1.90°

		<u>51K2G7W - 36M0G7W</u>	
Max Available RF Power	(dBW/4 kHz)	-14.0	-14.1
	(dBW/MHz)	2.98	9.9
Maximum EIRP	(dBW/4 kHz)	31.0	30.9
	(dBW/MHz)	42.07	55.9
	(dBW)	42.07	70.44
Interference Objectives:	Long Term	-154.0 dBW/4 kHz	20%
	Short Term	-131.0 dBW/4 kHz	0.0025%

Frequency Information

Transmit 6.1 GHz
Emission / Frequency Range (MHz): 51K2G7W - 36M0G7W / 5925.0 - 6425.0

Max Great Circle Coordination Distance: 117.7 km / 73.2 mi
Precipitation Scatter Contour Radius: 100.0 km / 62.1 mi

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Coordination Values	TALLAHASSEE, FL
Licensee Name	Black News Channel
Latitude (NAD 83)	30° 30' 18.2" N
Longitude (NAD 83)	84° 14' 26.7" W
Ground Elevation (AMSL)	44.9 m / 147.3 ft
Antenna Centerline (AGL)	5.49 m / 18.0 ft
Antenna Mode	Transmit 6.1 GHz
Interference Objectives: Long Term	-154.0 dBW/4 kHz 20%
Short Term	-131.0 dBW/4 kHz 0.0025%
Max Available RF Power	-14.0 (dBW/4 kHz)

Azimuth (°)	Horizon Elevation (°)	Antenna Discrimination (°)	Transmit 6.1 GHz	
			Horizon Gain (dBi)	Coordination Distance (km)
0	1.48	106.36	-10.00	100.00
5	1.04	111.07	-10.00	100.00
10	1.27	115.30	-10.00	100.00
15	1.81	112.17	-10.00	100.00
20	2.00	108.78	-10.00	100.00
25	2.17	105.27	-10.00	100.00
30	2.26	101.68	-10.00	100.00
35	2.30	98.02	-10.00	100.00
40	2.30	94.33	-10.00	100.00
45	2.33	90.63	-10.00	100.00
50	2.36	86.91	-10.00	100.00
55	2.24	83.23	-10.00	100.00
60	2.19	79.56	-10.00	100.00
65	2.01	75.97	-10.00	100.00
70	1.86	72.45	-10.00	100.00
75	1.57	69.07	-10.00	100.00
80	1.46	65.73	-10.00	100.00
85	1.22	62.58	-10.00	100.00
90	0.91	59.64	-10.00	100.00
95	0.54	56.95	-10.00	107.02
100	0.61	54.19	-10.00	103.90
105	0.58	51.73	-10.00	105.10
110	0.57	49.52	-10.00	105.61
115	0.65	47.54	-9.93	102.14
120	0.48	46.14	-9.60	111.03
125	0.41	45.05	-9.34	117.75
130	0.49	44.22	-9.14	111.50
135	0.50	43.91	-9.06	111.24
140	1.07	43.49	-8.96	100.00
145	1.23	43.94	-9.07	100.00
150	1.35	44.89	-9.30	100.00
155	1.43	46.28	-9.64	100.00
160	1.51	48.05	-10.00	100.00
165	1.75	49.89	-10.00	100.00
170	1.85	51.35	-10.00	100.00
175	1.92	52.22	-10.00	100.00
180	2.01	52.44	-10.00	100.00
185	2.07	52.07	-10.00	100.00

COMSEARCH

Earth Station Data Sheet


19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Coordination Values	TALLAHASSEE, FL
Licensee Name	Black News Channel
Latitude (NAD 83)	30° 30' 18.2" N
Longitude (NAD 83)	84° 14' 26.7" W
Ground Elevation (AMSL)	44.9 m / 147.3 ft
Antenna Centerline (AGL)	5.49 m / 18.0 ft
Antenna Mode	Transmit 6.1 GHz
Interference Objectives: Long Term	-154.0 dBW/4 kHz 20%
Short Term	-131.0 dBW/4 kHz 0.0025%
Max Available RF Power	-14.0 (dBW/4 kHz)

Azimuth (°)	Horizon Elevation (°)	Antenna Discrimination (°)	Transmit 6.1 GHz	
			Horizon Gain (dBi)	Coordination Distance (km)
190	2.11	51.11	-10.00	100.00
195	2.25	49.46	-10.00	100.00
200	2.23	47.41	-9.90	100.00
205	2.24	44.86	-9.30	100.00
210	2.29	41.89	-8.55	100.00
215	2.35	38.61	-7.67	100.00
220	2.26	35.18	-6.66	100.00
225	2.03	31.64	-5.50	100.00
230	1.87	27.90	-4.14	100.00
235	1.80	24.14	-2.57	100.00
240	1.64	20.94	-1.02	100.00
245	1.41	18.58	0.28	103.95
250	1.31	17.22	1.10	109.07
255	1.22	17.19	1.12	111.31
260	1.03	18.63	0.25	113.85
265	1.07	20.94	-1.03	108.85
270	1.27	23.95	-2.48	100.00
275	1.34	27.60	-4.02	100.00
280	1.28	31.66	-5.51	100.00
285	1.35	35.88	-6.87	100.00
290	1.30	40.30	-8.13	100.00
295	1.33	44.80	-9.28	100.00
300	1.36	49.38	-10.00	100.00
305	1.34	54.03	-10.00	100.00
310	1.29	58.72	-10.00	100.00
315	1.18	63.45	-10.00	100.00
320	0.80	68.23	-10.00	100.00
325	0.93	72.96	-10.00	100.00
330	1.29	77.69	-10.00	100.00
335	1.42	82.46	-10.00	100.00
340	1.61	87.24	-10.00	100.00
345	1.72	92.03	-10.00	100.00
350	1.79	96.82	-10.00	100.00
355	1.73	101.61	-10.00	100.00

5. CERTIFICATION

I HEREBY CERTIFY THAT I AM THE TECHNICALLY QUALIFIED PERSON RESPONSIBLE FOR THE PREPARATION OF THE FREQUENCY COORDINATION DATA CONTAINED IN THIS APPLICATION, THAT I AM FAMILIAR WITH PARTS 101 AND 25 OF THE FCC RULES AND REGULATIONS, THAT I HAVE EITHER PREPARED OR REVIEWED THE FREQUENCY COORDINATION DATA SUBMITTED WITH THIS APPLICATION, AND THAT IT IS COMPLETE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.



Timothy O. Crutcher
Frequency Planner
COMSEARCH
19700 Janelia Farm Boulevard
Ashburn, VA 20147

DATED: June 17, 2019