

FREQUENCY COORDINATION AND INTERFERENCE ANALYSIS REPORT

Prepared for
Comcast Cable Communications Mgt LLC
LITTLETON, CO
Satellite Earth Station

Prepared By:
COMSEARCH
19700 Janelia Farm Boulevard
Ashburn, VA 20147
September 25, 2019

TABLE OF CONTENTS

1. CONCLUSIONS	3
2. SUMMARY OF RESULTS	4
3. SUPPLEMENTAL SHOWING	5
4. EARTH STATION COORDINATION DATA.....	7
5. CERTIFICATION.....	11

1. CONCLUSIONS

An interference study considering all existing, proposed and prior coordinated microwave facilities within the coordination contours of the proposed earth station demonstrates that this site will operate satisfactorily with the common carrier microwave environment. Further, there will be no restrictions of its operation due to interference considerations.

2. SUMMARY OF RESULTS

A number of great circle interference cases were identified during the interference study of the proposed earth station. Each of the cases, which exceeded the interference objective on a line-of-sight basis, was profiled and the propagation losses estimated using NBS TN101 (Revised) techniques. The losses were found to be sufficient to reduce the signal levels to acceptable magnitudes in every case.

The following companies reported potential great circle interference conflicts that did not meet the objectives on a line-of-sight basis. When over-the-horizon losses are considered on the interfering paths, sufficient blockage exists to negate harmful interference from occurring with the proposed transmit-only earth station.

Company

AirLife Denver
Basin Electric Power Cooperative \
City of Lakewood, CO
Douglas County Sheriff's Office (CO)
MHO Networks
State of Colorado
Xcel Energy Services, Inc.

No other carriers reported potential interference cases.

3. SUPPLEMENTAL SHOWING

Pursuant to Part 25.203(c) of the FCC Rules and Regulations, the satellite earth station proposed in this application was coordinated by Comsearch using computer techniques and in accordance with Part 25 of the FCC Rules and Regulations.

Coordination data for this earth station was sent to the below listed carriers with a letter dated 08/21/2019.

Company

AC BidCO LLC
AT&T Mobility Spectrum LLC - CO
AT&T Mobility Spectrum LLC - ID, MT, WY
AirLife Denver
Arvada Police Dept.
BNSF Railway Company
Basin Electric Power Cooperative
Black Hawk Police Department
Black Hills Power and Light
Bonanza Creek Energy Inc
Boulder, County of
CBS Communications Services Inc
CBS Television Stations
Cellular Inc. Network Corporation
Cellular, Inc. Financial Corporation
Citicasters Licenses, Inc.
City of Aurora
City of Colorado Springs
City of Lakewood, CO
Colorado Interstate Gas Company
Colorado Springs Utilities
Community Radio for Northern Colorado
Denver, City and County of
Douglas County Sheriff's Office (CO)
Elbert County Communications Authority
Entravision Holdings, LLC
Fones West Digital Systems Inc.
Gilpin County Sheriff's Office
Gray Television Licensee, LLC
Grazi Communications, LLC
Holy Cross Electric Association, Inc.
Industrial Tower and Wireless, LLC
Intermountain Rural Electric Association
Inventive Wireless of Nebraska, LLC
KSE Radio Ventures, LLC
Kellin Communications
LP Broadband, Inc.
Larimer County Technical Communications
Live Wire Networks, Inc.
MHO Networks
Morgan County Communications

Morgan County Rural Electric Association
Mountain Broadband LLC
Mountain Parks Electric Inc.
Mountain View Electric Association, Inc.
NE Colorado Cellular, Inc.
New Cingular Wireless PCS - ID, WY
New Cingular Wireless PCS LLC -Colorado
Nex-Tech Wireless, LLC
Olympic Wireless, LLC
Pitkin County
Qwest Corporation
Roggen Enterprises Broadband LLC
Sprint Communications Company, LP
Sprint Spectrum L.P.
State Of Wyoming
State of Colorado
T-Mobile License LLC
Tallgrass Operations, LLC
Tri-State Generation & Transmission Assn
Tribune Broadcasting Denver License, LLC
Union Pacific Railroad Company
Union Telephone Company, Inc.
University Corp for Atmospheric Research
Verizon Wireless (VAW) LLC -CO/ID/MT/WY
Visionary Communications, Inc.
Weld County Colorado
Xcel Energy Services, Inc.

4. EARTH STATION COORDINATION DATA

This section presents the data pertinent to frequency coordination of the proposed earth station that was circulated to all carriers within its coordination contours.

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Date: 09/25/2019
Job Number: 190821COMSGE03

Administrative Information

Status ENGINEER PROPOSAL
Call Sign
Licensee Code COMGTL
Licensee Name Comcast Cable Communications Mgt LLC

Site Information

LITTLETON, CO
Venue Name SUBURBAN #5
Latitude (NAD 83) 39° 34' 45.5" N
Longitude (NAD 83) 104° 56' 16.0" W
Climate Zone A
Rain Zone 2
Ground Elevation (AMSL) 1729.22 m / 5673.3 ft

Link Information

Satellite Type Geostationary
Mode TO - Transmit-Only
Modulation Analog and Digital
Satellite Arc 65° W to 145° West Longitude
Azimuth Range 127.3° to 232.8°
Corresponding Elevation Angles 28.6° / 28.5°
Antenna Centerline (AGL) 5.79 m / 19.0 ft

Antenna Information

Transmit - FCC32
Manufacturer Vertex
Model 9 KPC
Gain / Diameter 53.5 dBi / 9.0 m
3-dB / 15-dB Beamwidth 0.40° / 0.80°

Max Available RF Power (dBW/4 kHz) -0.5
(dBW/MHz) 23.5

Maximum EIRP (dBW/4 kHz) 53.0
(dBW/MHz) 77.0

Interference Objectives: Long Term -154.0 dBW/4 kHz 20%
Short Term -131.0 dBW/4 kHz 0.0025%

Frequency Information

Transmit 6.1 GHz
Emission / Frequency Range (MHz) 36M0F3W – 36M0G7W/ 5945.0 - 6425.0

Max Great Circle Coordination Distance 197.6 km / 122.8 mi
Precipitation Scatter Contour Radius 147.4 km / 91.6 mi

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Coordination Values

LITTLETON, CO

Licensee Name Comcast Cable Communications Mgt LLC
Latitude (NAD 83) 39° 34' 45.5" N
Longitude (NAD 83) 104° 56' 16.0" W
Ground Elevation (AMSL) 1729.22 m / 5673.3 ft
Antenna Centerline (AGL) 5.79 m / 19.0 ft
Antenna Model Vertex 9 meter
Antenna Mode Transmit 6.1 GHz
Interference Objectives: Long Term -154.0 dBW/4 kHz 20%
Short Term -131.0 dBW/4 kHz 0.0025%
Max Available RF Power -0.5 (dBW/4 kHz)

Azimuth (°)	Horizon Elevation (°)	Antenna Discrimination (°)	Transmit 6.1 GHz	
			Horizon Gain (dBi)	Coordination Distance (km)
0	0.00	122.05	-10.00	179.20
5	0.00	117.96	-10.00	179.20
10	0.00	113.72	-10.00	179.20
15	0.00	109.44	-10.00	179.20
20	0.00	105.11	-10.00	179.20
25	0.00	100.76	-10.00	179.20
30	0.00	96.38	-10.00	179.20
35	0.28	92.00	-10.00	170.64
40	0.35	87.60	-10.00	161.02
45	0.32	83.20	-10.00	164.97
50	0.43	78.80	-10.00	153.00
55	0.57	74.41	-10.00	142.80
60	0.62	70.05	-10.00	140.38
65	0.56	65.75	-10.00	143.59
70	0.62	61.48	-10.00	140.50
75	0.72	57.25	-10.00	135.52
80	0.74	53.14	-10.00	134.57
85	0.88	49.08	-10.00	129.52
90	0.92	45.19	-9.38	129.84
95	0.95	41.50	-8.45	131.08
100	0.94	38.07	-7.51	133.35
105	0.91	34.97	-6.59	137.81
110	0.89	32.29	-5.73	142.21
115	0.79	30.20	-5.00	150.02
120	0.72	28.74	-4.46	156.03
125	0.81	27.87	-4.13	152.33
130	0.78	27.94	-4.15	153.90
135	0.93	28.64	-4.43	145.21
140	1.03	30.15	-4.98	138.86
145	1.27	32.19	-5.69	131.18
150	1.30	34.77	-6.53	127.50
155	0.90	37.46	-7.34	135.97
160	0.98	39.41	-7.89	131.61
165	1.37	40.67	-8.23	120.12
170	0.93	42.28	-8.65	131.35
175	0.93	43.02	-8.84	130.86
180	1.02	43.17	-8.88	127.07
185	1.17	42.79	-8.78	123.61

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Coordination Values


LITTLETON, CO

Licensee Name Comcast Cable Communications Mgt LLC
Latitude (NAD 83) 39° 34' 45.5" N
Longitude (NAD 83) 104° 56' 16.0" W
Ground Elevation (AMSL) 1729.22 m / 5673.3 ft
Antenna Centerline (AGL) 5.79 m / 19.0 ft
Antenna Model Vertex 9 meter
Antenna Mode Transmit 6.1 GHz
Interference Objectives: Long Term -154.0 dBW/4 kHz 20%
Short Term -131.0 dBW/4 kHz 0.0025%
Max Available RF Power -0.5 (dBW/4 kHz)

Azimuth (°)	Horizon Elevation (°)	Antenna Discrimination (°)	Transmit 6.1 GHz	
			Horizon Gain (dBi)	Coordination Distance (km)
190	1.37	41.86	-8.55	119.19
195	1.06	40.97	-8.31	128.01
200	1.08	39.32	-7.86	128.78
205	1.05	37.33	-7.30	131.55
210	0.98	35.03	-6.61	134.46
215	0.86	32.53	-5.81	143.36
220	0.67	30.45	-5.09	156.39
225	0.56	28.95	-4.54	164.86
230	0.35	28.29	-4.29	186.01
235	0.26	28.33	-4.30	195.03
240	0.29	29.05	-4.58	191.44
245	0.00	30.79	-5.21	197.61
250	0.00	32.90	-5.93	194.87
255	0.00	35.53	-6.76	191.67
260	0.00	38.57	-7.66	188.24
265	0.00	41.93	-8.56	184.75
270	0.00	45.54	-9.46	181.28
275	0.00	49.35	-10.00	179.20
280	0.00	53.30	-10.00	179.20
285	0.00	57.37	-10.00	179.20
290	0.00	61.53	-10.00	179.20
295	0.00	65.77	-10.00	179.20
300	0.00	70.05	-10.00	179.20
305	0.00	74.38	-10.00	179.20
310	0.00	78.73	-10.00	179.20
315	0.00	83.11	-10.00	179.20
320	0.00	87.50	-10.00	179.20
325	0.00	91.89	-10.00	179.20
330	0.00	96.28	-10.00	179.20
335	0.00	100.66	-10.00	179.20
340	0.00	105.02	-10.00	179.20
345	0.00	109.35	-10.00	179.20
350	0.00	113.64	-10.00	179.20
355	0.00	117.88	-10.00	179.20

5. CERTIFICATION

I HEREBY CERTIFY THAT I AM THE TECHNICALLY QUALIFIED PERSON RESPONSIBLE FOR THE PREPARATION OF THE FREQUENCY COORDINATION DATA CONTAINED IN THIS APPLICATION, THAT I AM FAMILIAR WITH PARTS 101 AND 25 OF THE FCC RULES AND REGULATIONS, THAT I HAVE EITHER PREPARED OR REVIEWED THE FREQUENCY COORDINATION DATA SUBMITTED WITH THIS APPLICATION, AND THAT IT IS COMPLETE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

BY: 

Gary K. Edwards
Senior Manager
COMSEARCH
19700 Janelia Farm Boulevard
Ashburn, VA 20147

DATED: September 25, 2019