

407060D

SAILOR 600 Viasat Ka

Near field power density calculation

Document number: 95-168310-A
Date: 20 June 2019
Author: William Hamilton Yatman

Printed version of this document is only valid if lifecycle is indicated as released in the top banner

Copyright[©] Thrane & Thrane A/S trading as Cobham SATCOM Lundtoftegaardsvej 93D, DK-2800 Kgs. Lyngby, Denmark

ALL RIGHTS RESERVED

Filename: 95-168310-A Near Field Power Density S600 Viasat Ka.docx

REVISION HISTORY							
Rev.	Date	Арр.	Section	Description / Remarks			
А	20-06-2019	WYA	All	Original			
(

© Thrane & Thrane A/S trading as Cobham SATCOM

This Document and any other appended documents and drawings are of [©] copyright to Thrane & Thrane A/S. It contains proprietary information which is disclosed for information purposes only. The contents of this document shall not in whole or in part be used for any other purpose; be disclosed to any member of the recipients organisation not having a need to know such information or to any third party, individual, organisation or Government; be stored in any retrieval system or be produced or transmitted in any form by photocopying or any optical, mechanical or other means without prior permission of Thrane & Thrane A/S.

20 June 2019 Page i of ii

Table of Contents

Table of Contents.		i
List of Figures		i
· ·		
 Scope and Pr 	urpose	
	ocuments	
	es	
	ions	
2. Introduction		2
	on	
	on	

List of Figures

No table of figures entries found.

1. Scope and Purpose

The scope of this document is to describe the near field power density calculation for the SAILOR 600 Viasat Ka, to determine the safety distance.

1.1. Related Documents

(1) "GRASP technical description" from TICRA

1.2. References

[1] N/A

1.3. Abbreviations

BUC Block Up Converte
TBD To Be Defined
TBC To Be Confirmed

20 June 2019 Page 1 of 3

2. Introduction

The near field power density is calculated using GRASP simulation software. The input to the calculation is the antenna dimension of the SAILOR 600 Viasat Ka, BUC power and loss in the RF components and the radome, adjusted to fit measured gain.


2.1. Calculation


The near field power density is calculated using GRASP simulation software. A series of plane cuts in varying distance from the source are made and for each cut the maximum power flux is found by Poynting's vector. The field is assumed to behave approximately as a plane wave (e.g. an aperture field), and the equation can be used, giving the result in w/m^2

$$\bar{P} = \frac{1}{2} Re \left(\bar{E}_{SI} \times \bar{H}_{SI}^*\right)$$


Loss of the radome and feed network are added to fit measured gain. Chapter 4.1 in "GRASP technical description" from TICRA was used for this calculation. http://www.ticra.com/

The safety distance is found when the power density is lower than $10~\text{W/m}^2$ (1mW/cm²). The calculation is made across the frequency band 27.5-31~GHz and the highest value is shown in the graphs below.





20 June 2019 Page 2 of 3



2.2. Conclusion

The safe distance of the S600 Viasat Ka is 12 meters, with a 25 W BUC and 6.25 % duty cycle.

For a 2.8W BUC 30% duty cycle the safety distance is **0** meters.

20 June 2019 Page 3 of 3