

Ka-Band Earth Station – Punta Gorda, FL

Frequency Coordination Report

28 GHz



Prepared on Behalf of
SPACE EXPLORATION
HOLDINGS

July 23, 2020



COMSEARCH
A CommScope Company

Table of Contents

| | |
|---|--------------|
| 1. Summary of Results | - 1 - |
| 2. 28 GHz Common Carrier and LTTS Coordination | - 1 - |
| 3. 28 GHz UMFUS Coordination | - 2 - |
| 4. Earth Station Coordination Data | - 3 - |
| 5. Contact Information | - 7 - |



1. Summary of Results

On behalf of SPACE EXPLORATION HOLDINGS, Comsearch performed a coordination notice under Section 25.203(c) and Section 25.136(a)(4) of the FCC’s rules for all existing and proposed terrestrial licenses within the coordination contours of their proposed Ka-Band earth station in Punta Gorda, FL, which will transmit at 28 GHz¹. Prior-notification letters were sent to the licensees and a copy of the notification data is provided in section four of this report. The earth station coordination was finalized on July 23, 2020.

No objections were received from any of the incumbent 28 GHz licensees.

2. 28 GHz Common Carrier and LTTS Coordination

In accordance with FCC Rules and Regulations, the Ka-Band earth station in Punta Gorda, FL was prior-coordinated by Comsearch. A notification letter and datasheets for this earth station were sent to the following 28 GHz common carrier fixed microwave licensees. These licensees are authorized to operate temporary fixed operations from 27.5 – 29.5 GHz on a nationwide basis or local basis.

| Licensee | Authorized Geographic Area |
|----------|----------------------------|
| AT&T | Statewide: FL |
| Frontier | Nationwide |

A notification letter and datasheets for the Ka-Band earth station in Punta Gorda, FL were also sent to the following 28 GHz local television transmission licensee. This licensee is authorized to operate temporary fixed operations from 27.5 – 29.5 GHz on a nationwide basis.

| Licensee | Authorized Geographic Area |
|--------------------------------|----------------------------|
| Information Super Station, LLC | Continental US |

No objections were received from the common carrier or local television transmission service incumbents.

¹ The proposed earth station will operate in the 27.5 – 29.1 GHz & 29.5 – 30.0 GHz portion of the Ka-Band.

3. 28 GHz UMFUS Coordination

There were three 28 GHz UMFUS licensees identified within the coordination distance of the proposed earth station. The proposed earth station will operate on frequencies that overlap Channel L1 & L2 of the UMFUS service. The total frequency allocation for Channels L1 & L2 of the UMFUS spectrum appears below.

Channel: **L1** 27.500 - 27.925 GHz
 L2 27.925 - 28.350 GHz

| Licensee | Authorized Geographic Area |
|----------------|----------------------------|
| Aries Wireless | Market Based |
| T-Mobile | Market Based |
| Verizon | Market Based |

No objections were received from the UMFUS incumbents within coordination distance.



4. Earth Station Coordination Data

This section presents the data pertinent to the proposed Ka-Band earth station in Punta Gorda, FL. This data was circulated to all incumbent licensees in the shared 28 GHz frequency ranges.

Job Number: 200618COMSGE03

Administrative Information

Status ENGINEER PROPOSAL
Call Sign
Licensee Code SPACEX
Licensee Name Space Exploration Holdings

Site Information PUNTA GORDA, FL

Venue Name
Latitude (NAD 83) 27° 1' 10.8" N
Longitude (NAD 83) 81° 45' 43.3" W
Climate Zone B
Rain Zone 1
Ground Elevation (AMSL) 11.65 m / 38.2 ft

Link Information

Satellite Type Low Earth Orbit
Mode TR - Transmit-Receive
Modulation Digital
Minimum Elevation Angle 25.0°
Azimuth Range 0.0° to 360°
Antenna Centerline (AGL) 0.91 m / 3.0 ft

Antenna Information

| | | Receive - FCC32 | | Transmit - FCC32 |
|--------------------------|--------------------------|----------------------------------|--------------|--|
| Manufacturer | | SpaceX | | SpaceX |
| Model | | 1.47 meter | | 1.47 meter |
| Gain / Diameter | | 46.9 dBi / 1.5 m | | 49.5 dBi / 1.5 m |
| 3-dB / 15-dB Beamwidth | | 0.77° / 1.70° | | 0.49° / 1.17° |
| Max Available RF Power | (dBW/4 kHz) (dBW/MHz) | | | -39.8 -15.8 |
| Maximum EIRP | (dBW/4 kHz) (dBW/MHz) | | | 9.7 33.7 |
| Interference Objectives: | Long Term Short Term | -156.0 dBW/MHz -146.0 dBW/MHz | 20% 0.01% | -151.0 dBW/4 kHz 20% -128.0 dBW/4 kHz 0.0025% |

Frequency Information

| | Receive 18.0 GHz | Transmit 28.0 GHz |
|--|--|--|
| Emission / Frequency Range (MHz) | 62M5D7W - 480MD7W / 17800.0 - 18600.0 62M5D7W - 480MD7W / 18800.0 - 19300.0 | 62M5D7W - 480MD7W / 27500.0 - 29100.0 62M5D7W - 480MD7W / 29500.0 - 30000.0 |
| Max Great Circle Coordination Distance | 262.0 km / 162.8 mi | 125.0 km / 77.7 mi |
| Precipitation Scatter Contour Radius | 100.0 km / 62.1 mi | 100.0 km / 62.1 mi |



SPACE EXPLORATION HOLDINGS
Ka-Band Earth Station – Punta Gorda, FL
Frequency Coordination Report
28 GHz

| | | | |
|------------------------------------|----------------------------|----------------|--------------------------|
| Coordination Values | PUNTA GORDA, FL | | |
| Licensee Name | Space Exploration Holdings | | |
| Latitude (NAD 83) | 27° 1' 10.8" N | | |
| Longitude (NAD 83) | 81° 45' 43.3" W | | |
| Ground Elevation (AMSL) | 11.65 m / 38.2 ft | | |
| Antenna Centerline (AGL) | 0.91 m / 3.0 ft | | |
| Antenna Model | SpaceX 1.47 meter | | |
| Antenna Mode | Receive 18.0 GHz | | Transmit 28.0 GHz |
| Interference Objectives: Long Term | -156.0 dBW/MHz | 20% | -151.0 dBW/4 kHz 20% |
| | Short Term | -146.0 dBW/MHz | 0.01% |
| Max Available RF Power | | | -128.0 dBW/4 kHz 0.0025% |
| | | | -39.8 (dBW/4 kHz) |

| Azimuth (°) | Horizon Elevation (°) | Antenna Discrimination (°) | Receive 18.0 GHz | | Transmit 28.0 GHz | |
|-------------|-----------------------|----------------------------|--------------------|----------------------------|--------------------|----------------------------|
| | | | Horizon Gain (dBi) | Coordination Distance (km) | Horizon Gain (dBi) | Coordination Distance (km) |
| 0 | 0.00 | 93.76 | -3.00 | 262.00 | -3.00 | 125.00 |
| 5 | 0.00 | 88.77 | -3.00 | 262.00 | -3.00 | 125.00 |
| 10 | 0.00 | 83.77 | -3.00 | 262.00 | -3.00 | 125.00 |
| 15 | 0.00 | 78.77 | -3.00 | 262.00 | -3.00 | 125.00 |
| 20 | 0.00 | 73.77 | -3.00 | 262.00 | -3.00 | 125.00 |
| 25 | 0.00 | 68.77 | -3.00 | 262.00 | -3.00 | 125.00 |
| 30 | 0.00 | 63.77 | -3.00 | 262.00 | -3.00 | 125.00 |
| 35 | 0.00 | 58.78 | -3.00 | 262.00 | -3.00 | 125.00 |
| 40 | 0.00 | 53.78 | -3.00 | 262.00 | -3.00 | 125.00 |
| 45 | 0.00 | 48.78 | -3.00 | 262.00 | -3.00 | 125.00 |
| 50 | 0.00 | 43.78 | -3.00 | 262.00 | -3.00 | 125.00 |
| 55 | 0.00 | 38.79 | -3.00 | 262.00 | -3.00 | 125.00 |
| 60 | 0.00 | 33.79 | -3.00 | 262.00 | -3.00 | 125.00 |
| 65 | 0.00 | 28.79 | -3.00 | 262.00 | -3.00 | 125.00 |
| 70 | 0.00 | 23.80 | -3.00 | 262.00 | -3.00 | 125.00 |
| 75 | 0.00 | 18.81 | -3.00 | 262.00 | -3.00 | 125.00 |
| 80 | 0.00 | 13.83 | -3.00 | 262.00 | -3.00 | 125.00 |
| 85 | 0.00 | 8.87 | -3.00 | 262.00 | -3.00 | 125.00 |
| 90 | 0.00 | 4.00 | -3.00 | 262.00 | -3.00 | 125.00 |
| 95 | 0.00 | 1.84 | -3.00 | 262.00 | -3.00 | 125.00 |
| 100 | 0.00 | 6.38 | -3.00 | 262.00 | -3.00 | 125.00 |
| 105 | 0.00 | 11.32 | -3.00 | 262.00 | -3.00 | 125.00 |
| 110 | 0.00 | 16.29 | -3.00 | 262.00 | -3.00 | 125.00 |
| 115 | 0.00 | 21.28 | -3.00 | 262.00 | -3.00 | 125.00 |
| 120 | 0.00 | 26.27 | -3.00 | 262.00 | -3.00 | 125.00 |
| 125 | 0.00 | 31.26 | -3.00 | 262.00 | -3.00 | 125.00 |
| 130 | 0.00 | 36.26 | -3.00 | 262.00 | -3.00 | 125.00 |
| 135 | 0.00 | 41.25 | -3.00 | 262.00 | -3.00 | 125.00 |
| 140 | 0.00 | 46.25 | -3.00 | 262.00 | -3.00 | 125.00 |
| 145 | 0.00 | 51.25 | -3.00 | 262.00 | -3.00 | 125.00 |
| 150 | 0.00 | 56.25 | -3.00 | 262.00 | -3.00 | 125.00 |
| 155 | 0.00 | 61.24 | -3.00 | 262.00 | -3.00 | 125.00 |
| 160 | 0.00 | 66.24 | -3.00 | 262.00 | -3.00 | 125.00 |
| 165 | 0.00 | 71.24 | -3.00 | 262.00 | -3.00 | 125.00 |
| 170 | 0.00 | 76.24 | -3.00 | 262.00 | -3.00 | 125.00 |
| 175 | 0.00 | 81.24 | -3.00 | 262.00 | -3.00 | 125.00 |
| 180 | 0.00 | 86.24 | -3.00 | 262.00 | -3.00 | 125.00 |
| 185 | 0.00 | 91.23 | -3.00 | 262.00 | -3.00 | 125.00 |



SPACE EXPLORATION HOLDINGS
Ka-Band Earth Station – Punta Gorda, FL
Frequency Coordination Report
28 GHz

| | | | |
|------------------------------------|----------------------------|-------|--------------------------|
| Coordination Values | PUNTA GORDA, FL | | |
| Licensee Name | Space Exploration Holdings | | |
| Latitude (NAD 83) | 27° 1' 10.8" N | | |
| Longitude (NAD 83) | 81° 45' 43.3" W | | |
| Ground Elevation (AMSL) | 11.65 m / 38.2 ft | | |
| Antenna Centerline (AGL) | 0.91 m / 3.0 ft | | |
| Antenna Model | SpaceX 1.47 meter | | |
| Antenna Mode | Receive 18.0 GHz | | Transmit 28.0 GHz |
| Interference Objectives: Long Term | -156.0 dBW/MHz | 20% | -151.0 dBW/4 kHz 20% |
| Short Term | -146.0 dBW/MHz | 0.01% | -128.0 dBW/4 kHz 0.0025% |
| Max Available RF Power | -39.8 (dBW/4 kHz) | | |

| Azimuth (°) | Horizon Elevation (°) | Antenna Discrimination (°) | Receive 18.0 GHz | | Transmit 28.0 GHz | |
|-------------|-----------------------|----------------------------|--------------------|----------------------------|--------------------|----------------------------|
| | | | Horizon Gain (dBi) | Coordination Distance (km) | Horizon Gain (dBi) | Coordination Distance (km) |
| 190 | 0.00 | 96.23 | -3.00 | 262.00 | -3.00 | 125.00 |
| 195 | 0.00 | 101.23 | -3.00 | 262.00 | -3.00 | 125.00 |
| 200 | 0.00 | 106.23 | -3.00 | 262.00 | -3.00 | 125.00 |
| 205 | 0.00 | 111.23 | -3.00 | 262.00 | -3.00 | 125.00 |
| 210 | 0.00 | 116.23 | -3.00 | 262.00 | -3.00 | 125.00 |
| 215 | 0.00 | 121.23 | -3.00 | 262.00 | -3.00 | 125.00 |
| 220 | 0.00 | 126.22 | -3.00 | 262.00 | -3.00 | 125.00 |
| 225 | 0.00 | 131.22 | -3.00 | 262.00 | -3.00 | 125.00 |
| 230 | 0.00 | 136.22 | -3.00 | 262.00 | -3.00 | 125.00 |
| 235 | 0.00 | 141.21 | -3.00 | 262.00 | -3.00 | 125.00 |
| 240 | 0.00 | 146.21 | -3.00 | 262.00 | -3.00 | 125.00 |
| 245 | 0.00 | 151.21 | -3.00 | 262.00 | -3.00 | 125.00 |
| 250 | 0.00 | 156.20 | -3.00 | 262.00 | -3.00 | 125.00 |
| 255 | 0.00 | 161.19 | -3.00 | 262.00 | -3.00 | 125.00 |
| 260 | 0.00 | 166.17 | -3.00 | 262.00 | -3.00 | 125.00 |
| 265 | 0.00 | 171.13 | -3.00 | 262.00 | -3.00 | 125.00 |
| 270 | 0.00 | 176.00 | -3.00 | 262.00 | -3.00 | 125.00 |
| 275 | 0.00 | 178.16 | -3.00 | 262.00 | -3.00 | 125.00 |
| 280 | 0.00 | 173.62 | -3.00 | 262.00 | -3.00 | 125.00 |
| 285 | 0.00 | 168.68 | -3.00 | 262.00 | -3.00 | 125.00 |
| 290 | 0.00 | 163.71 | -3.00 | 262.00 | -3.00 | 125.00 |
| 295 | 0.00 | 158.72 | -3.00 | 262.00 | -3.00 | 125.00 |
| 300 | 0.00 | 153.73 | -3.00 | 262.00 | -3.00 | 125.00 |
| 305 | 0.00 | 148.74 | -3.00 | 262.00 | -3.00 | 125.00 |
| 310 | 0.00 | 143.74 | -3.00 | 262.00 | -3.00 | 125.00 |
| 315 | 0.00 | 138.75 | -3.00 | 262.00 | -3.00 | 125.00 |
| 320 | 0.00 | 133.75 | -3.00 | 262.00 | -3.00 | 125.00 |
| 325 | 0.00 | 128.75 | -3.00 | 262.00 | -3.00 | 125.00 |
| 330 | 0.00 | 123.75 | -3.00 | 262.00 | -3.00 | 125.00 |
| 335 | 0.00 | 118.76 | -3.00 | 262.00 | -3.00 | 125.00 |
| 340 | 0.00 | 113.76 | -3.00 | 262.00 | -3.00 | 125.00 |
| 345 | 0.00 | 108.76 | -3.00 | 262.00 | -3.00 | 125.00 |
| 350 | 0.00 | 103.76 | -3.00 | 262.00 | -3.00 | 125.00 |
| 355 | 0.00 | 98.76 | -3.00 | 262.00 | -3.00 | 125.00 |



5. Contact Information

For questions or information regarding the 28 GHz Frequency Coordination Report, please contact:

| | |
|-----------------|---|
| Contact person: | Dennis Jimeno |
| Title: | Engineer III, Telecommunications |
| Company: | Comsearch |
| Address: | 19700 Janelia Farm Blvd., Ashburn, VA 20147 |
| Telephone: | 703-726-5858 |
| Fax: | 703-726-5599 |
| Email: | DJimeno@Comsearch.com |
| Web site: | www.comsearch.com |