Ka-Band Earth Station – Tracy City, TN Frequency Coordination Report 28 GHz



Prepared on Behalf of SPACE EXPLORATION HOLDINGS

August 27, 2020





Table of Contents

1.	Summary of Results	- 1 -
2.	28 GHz Common Carrier and LTTS Coordination	- 1 -
3.	28 GHz UMFUS Coordination	- 2 -
4.	Earth Station Coordination Data	- 3 -
5.	Contact Information	-7-



1. Summary of Results

On behalf of SPACE EXPLORATION HOLDINGS, Comsearch performed a coordination notice under Section 25.203(c) and Section 25.136(a)(4) of the FCC's rules for all existing and proposed terrestrial licenses within the coordination contours of their proposed Ka-Band earth station in Tracy City, TN, which will transmit at 28 GHz¹. Prior-notification letters were sent to the licensees and a copy of the notification data is provided in section four of this report. The earth station coordination was finalized on August 27, 2020.

No objections were received from any of the incumbent 28 GHz licensees.

2. 28 GHz Common Carrier and LTTS Coordination

In accordance with FCC Rules and Regulations, the Ka-Band earth station in Tracy City, TN was prior-coordinated by Comsearch. A notification letter and datasheets for this earth station were sent to the following 28 GHz common carrier fixed microwave licensees. These licensees are authorized to operate temporary fixed operations from 27.5 – 29.5 GHz on a nationwide basis or local basis.

Licensee	Authorized Geographic Area
AT&T	Statewide: TN
Frontier	Nationwide

A notification letter and datasheets for the Ka-Band earth station in Tracy City, TN were also sent to the following 28 GHz local television transmission licensee. This licensee is authorized to operate temporary fixed operations from 27.5 – 29.5 GHz on a nationwide basis.

Licensee	Authorized Geographic Area		
Information Super Station, LLC	Continental US		

No objections were received from the common carrier or local television transmission service incumbents.

 $^{^{1}}$ The proposed earth station will operate in the 27.5 – 29.1 GHz & 29.5 – 30.0 GHz portion of the KaBand.



3. 28 GHz UMFUS Coordination

There were four 28 GHz UMFUS licensees identified within the coordination distance of the proposed earth station. The proposed earth station will operate on frequencies that overlap Channel L1 & L2 of the UMFUS service. The total frequency allocation for Channels L1 & L2 of the UMFUS spectrum appears below.

Channel: L1 27.500 - 27.925 GHz

L2 27.925 - 28.350 GHz

Licensee	Authorized Geographic Area		
T-Mobile	Market Based		
US Cellular	Market Based		
Verizon	Market Based		
Windstream	Market Based		

No objections were received from the UMFUS incumbents within coordination distance.

4. Earth Station Coordination Data

This section presents the data pertinent to the proposed Ka-Band earth station in Tracy City, TN. This data was circulated to all incumbent licensees in the shared 28 GHz frequency ranges.



Job Number:	2	00615COMSGE02			
Administrative Informat	1.230	NGINEER PROPOSAL			
Call Sign Licensee Code	c	PACEX			
Licensee Code Licensee Name		pace Exploration Holdings			
CONTRACTOR -					
Site Information	- 1	RACY CITY, TN			
Venue Name	2	F0 441 FD 40 N			
Latitude (NAD 83)		5° 11' 50.1" N			
Longitude (NAD 83) Climate Zone		5° 39' 57.6" W			
SAMPLE BALLES	A				
Rain Zone	, E	42.42 m / 1779.6 ft			
Ground Elevation (AMSL) 5	42.42 III / 1/19.0 IL			
Link Information					
Satellite Type		ow Earth Orbit			
Mode	T	R - Transmit-Receive			
Modulation		igital			
Minimum Elevation Angle		5.0°			
Azimuth Range		0.0° to 360°			
Antenna Centerline (AGL) 0	.91 m / 3.0 ft			
Antenna Information		Receive - FCC32		Transmit - FCC32	
Manufacturer		SpaceX		SpaceX	
Model		1.47 meter		1.47 meter	
Gain / Diameter		46.9 dBi / 1.5 m		49.5 dBi / 1.5 m	
3-dB / 15-dB Beamwidth		0.77° / 1.70°		0.49° / 1.17°	
Max Available RF Power	(dBW/4 kHz)			-39.8	
	(dBW/MHz)			-15.8	
Maximum EIRP	(dBW/4 kHz)			9.7	
	(dBW/MHz)			33.7	
Interference Objectives:	Long Term	-156.0 dBW/MHz	20%	-151.0 dBW/4 kHz 20%	
	Short Term	-146.0 dBW/MHz	0.01%	-128.0 dBW/4 kHz 0.0025%	
Frequency Information Emission / Frequency Range (MHz)		Receive 18.0 GHz 62M5D7W - 480MD7W / 17800.0 - 18600.0 62M5D7W - 480MD7W / 18800.0 - 19300.0		Transmit 28.0 GHz 62M5D7W - 480MD7W / 27500.0 - 29100.0 62M5D7W - 480MD7W / 29500.0 - 30000.0	
Max Great Circle Coordination Distance Precipitation Scatter Contour Radius		262.0 km / 162.8 mi 100.0 km / 62.1 mi		125.0 km / 77.7 mi 100.0 km / 62.1 mi	

Coordination Values

TRACY CITY, TN Licensee Name Space Exploration Holdings

Latitude (NAD 83) Longitude (NAD 83) Ground Elevation (AMSL) Antenna Centerline (AGL) Antenna Model Antenna Mode

35° 11' 50.1" N 85° 39' 57.6" W 542.42 m / 1779.6 ft 0.91 m / 3.0 ft SpaceX 1.47 meter

Interference Objectives: Long Term Short Term Receive 18.0 GHz -156.0 dBW/MHz 20% -146.0 dBW/MHz 0.01% Transmit 28.0 GHz -151.0 dBW/4 kHz 20% -128.0 dBW/4 kHz 0.0025%

Max Available RF Power

-39.8 (dBW/4 kHz)

			Receive 18.0 GHz		Transmit 28.0 GHz	
	Horizon	Antenna	Horizon	Coordination	Horizon	Coordination
Azimuth (°)	Elevation (°)	Discrimination (°)	Gain (dBi)	Distance (km)	Gain (dBi)	Distance (km
0	0.34	92.49	-3.00	262.00	-3.00	125.00
5	0.34	87.52	-3.00	262.00	-3.00	125.00
10	0.30	82.54	-3.00	262.00	-3.00	125.00
15	0.50	77.56	-3.00	262.00	-3.00	125.00
20	0.35	72.59	-3.00	262.00	-3.00	125.00
25	0.00	67.60	-3.00	262.00	-3.00	125.00
30	0.00	62.62	-3.00	262.00	-3.00	125.00
35	0.52	57.68	-3.00	262.00	-3.00	125.00
40	0.58	52.72	-3.00	262.00	-3.00	125.00
45	0.00	47.71	-3.00	262.00	-3.00	125.00
50	0.00	42.75	-3.00	262.00	-3.00	125.00
55	0.00	37.80	-3.00	262.00	-3.00	125.00
60	0.00	32.86	-3.00	262.00	-3.00	125.00
65	0.00	27.94	-3.00	262.00	-3.00	125.00
70	0.00	23.05	-3.00	262.00	-3.00	125.00
75	0.00	18.22	-3.00	262.00	-3.00	125.00
80	0.00	13.50	-3.00	262.00	-3.00	125.00
85	0.00	9.08	-3.00	262.00	-3.00	125.00
90	0.48	6.14	-3.00	262.00	-3.00	125.00
95	1.02	6.63	-3.00	262.00	-3.00	125.00
100	1.04	9.69	-3.00	262.00	-3.00	125.00
105	0.85	13.83	-3.00	262.00	-3.00	125.00
110	0.62	18.39	-3.00	262.00	-3.00	125.00
115	0.29	23.11	-3.00	262.00	-3.00	125.00
120	0.00	27.93	-3.00	262.00	-3.00	125.00
125	0.00	32.85	-3.00	262.00	-3.00	125.00
130	0.00	37.79	-3.00	262.00	-3.00	125.00
135	0.00	42.75	-3.00	262.00	-3.00	125.00
140	0.00	47.71	-3.00	262.00	-3.00	125.00
145	0.00	52.67	-3.00	262.00	-3.00	125.00
150	0.00	57.64	-3.00	262.00	-3.00	125.00
155	0.33	62.63	-3.00	262.00	-3.00	125.00
160	0.55	67.61	-3.00	262.00	-3.00	125.00
165	0.77	72.59	-3.00	262.00	-3.00	125.00
170	0.80	77.56	-3.00	262.00	-3.00	125.00
175	0.43	82.53	-3.00	262.00	-3.00	125.00
180	0.00	87.51	-3.00	262.00	-3.00	125.00
185	0.28	92.49	-3.00	262.00	-3.00	125.00

Coordination Values TRACY CITY, TN

Licensee Name Space Exploration Holdings

Latitude (NAD 83) 35° 11' 50.1" N
Longitude (NAD 83) 85° 39' 57.6" W
Ground Elevation (AMSL) 542.42 m / 1779.6 ft
Antenna Centerline (AGL) 0.91 m / 3.0 ft
Antenna Model SpaceX 1.47 meter

Antenna Mode Receive 18.0 GHz Transmit 28.0 GHz
Interference Objectives: Long Term Short Term Short Term -146.0 dBW/MHz 0.01% -128.0 dBW/4 kHz 0.0025%

Max Available RF Power -39.8 (dBW/4 kHz)

			Receive 18.0 GHz		Transmit 28.0 GHz	
	Horizon	Antenna	Horizon	Coordination	Horizon	Coordination
Azimuth (°)	Elevation (°)	Discrimination (°)	Gain (dBi)	Distance (km)	Gain (dBi)	Distance (km
190	0.00	97.47	-3.00	262.00	-3.00	125.00
195	0.00	102.45	-3.00	262.00	-3.00	125.00
200	0.00	107.42	-3.00	262.00	-3.00	125.00
205	0.00	112.40	-3.00	262.00	-3.00	125.00
210	0.00	117.38	-3.00	262.00	-3.00	125.00
215	0.00	122.35	-3.00	262.00	-3.00	125.00
220	0.00	127.32	-3.00	262.00	-3.00	125.00
225	0.00	132.29	-3.00	262.00	-3.00	125.00
230	0.00	137.25	-3.00	262.00	-3.00	125.00
235	0.00	142.20	-3.00	262.00	-3.00	125.00
240	0.00	147.14	-3.00	262.00	-3.00	125.00
245	0.00	152.06	-3.00	262.00	-3.00	125.00
250	0.00	156.95	-3.00	262.00	-3.00	125.00
255	0.00	161.78	-3.00	262.00	-3.00	125.00
260	0.26	166.40	-3.00	262.00	-3.00	125.00
265	0.22	170.80	-3.00	262.00	-3.00	125.00
270	0.32	174.01	-3.00	262.00	-3.00	125.00
275	0.47	173.88	-3.00	262.00	-3.00	125.00
280	0.69	170.53	-3.00	262.00	-3.00	125.00
285	0.98	166.11	-3.00	262.00	-3.00	125.00
290	1.07	161.47	-3.00	262.00	-3.00	125.00
295	1.14	156.69	-3.00	262.00	-3.00	125.00
300	0.85	151.91	-3.00	262.00	-3.00	125.00
305	0.50	147.07	-3.00	262.00	-3.00	125.00
310	0.36	142.16	-3.00	262.00	-3.00	125.00
315	0.52	137.20	-3.00	262.00	-3.00	125.00
320	0.63	132.24	-3.00	262.00	-3.00	125.00
325	0.39	127.30	-3.00	262.00	-3.00	125.00
330	0.53	122.33	-3.00	262.00	-3.00	125.00
335	0.58	117.36	-3.00	262.00	-3.00	125.00
340	0.51	112.39	-3.00	262.00	-3.00	125.00
345	0.44	107.42	-3.00	262.00	-3.00	125.00
350	0.72	102.44	-3.00	262.00	-3.00	125.00
355	0.48	97.47	-3.00	262.00	-3.00	125.00

5. Contact Information

For questions or information regarding the 28 GHz Frequency Coordination Report, please contact:

Contact person: Dennis Jimeno

Title: Engineer III, Telecommunications

Company: Comsearch

Address: 19700 Janelia Farm Blvd., Ashburn, VA 20147

Telephone: 703-726-5858 Fax: 703-726-5599

Email: DJimeno@Comsearch.com

Web site: www.comsearch.com