# Ka-Band Earth Station – Marcell, MN Frequency Coordination Report 28 GHz



Prepared on Behalf of SPACE EXPLORATION HOLDINGS

May 20, 2020





## **Table of Contents**

| 1. | Summary of Results                          | - 1 - |
|----|---|-------|
| 2. | 28 GHz Common Carrier and LTTS Coordination | - 1 - |
| 3. | 28 GHz UMFUS Coordination                   | - 2 - |
| 4. | Earth Station Coordination Data             | - 3 - |
| 5. | Contact Information                         | - 7 - |
|    |   |       |



#### 1. Summary of Results

On behalf of SPACE EXPLORATION HOLDINGS, Comsearch performed a coordination notice under Section 25.203(c) and Section 25.136(a)(4) of the FCC's rules for all existing and proposed terrestrial licenses within the coordination contours of their proposed Ka-Band earth station in Marcell, MN, which will transmit at 28 GHz<sup>1</sup>. Prior-notification letters were sent to the licensees and a copy of the notification data is provided in section four of this report. The earth station coordination was finalized on May 20, 2020.

No objections were received from any of the incumbent 28 GHz licensees.

#### 2. 28 GHz Common Carrier and LTTS Coordination

In accordance with FCC Rules and Regulations, the Ka-Band earth station in Marcell, MN was prior-coordinated by Comsearch. A notification letter and datasheets for this earth station were sent to the following 28 GHz common carrier fixed microwave licensees. These licensees are authorized to operate temporary fixed operations from 27.5 – 29.5 GHz on a nationwide basis or local basis.

| Licensee | Authorized Geographic Area |
|----------|----------------------------|
| Frontier | Nationwide                 |

A notification letter and datasheets for the Ka-Band earth station in Marcell, MN were also sent to the following 28 GHz local television transmission licensee. This licensee is authorized to operate temporary fixed operations from 27.5 – 29.5 GHz on a nationwide basis.

| Licensee                       | Authorized Geographic Area |
|--------------------------------|----------------------------|
| Information Super Station, LLC | Continental US             |

No objections were received from the common carrier or local television transmission service incumbents.

 $<sup>^{\</sup>rm 1}$  The proposed earth station will operate in the 27.5 – 29.1 GHz & 29.5 – 30.0 GHz portion of the Ka-Band.



#### **3.** 28 GHz UMFUS Coordination

There were two 28 GHz UMFUS licensees identified within the coordination distance of the proposed earth station. The proposed earth station will operate on frequencies that overlap Channel L1 & L2 of the UMFUS service. The total frequency allocation for Channels L1 & L2 of the UMFUS spectrum appears below.

| Channel: | L1 | 27.500 - 27.925 GHz |
|----------|----|---------------------|
|          | L2 | 27.925 - 28.350 GHz |

| Licensee | Authorized Geographic Area |
|----------|----------------------------|
| T-Mobile | Market Based               |
| Verizon  | Market Based               |

No objections received from the UMFUS incumbents.



### 4. Earth Station Coordination Data

This section presents the data pertinent to the proposed Ka-Band earth station in Marcell, MN. This data was circulated to all incumbent licensees in the shared 28 GHz frequency ranges.



| Job Number:                        |            | 200420COMSGE01   |       |  |  |  |
|------------------------------------|------------|--|-------|--|--|--|
| Administrative Information         |            | ENGINEER PROPOSAL  |       |  |  |  |
|                                    |            |  |       |  |  |  |
| Call Sign                          |            | CRACEY   |       |  |  |  |
| Licensee Code<br>Licensee Name     |            | SPACEX<br>Space Exploration Holding  |       |  |  |  |
| Licensee Mame                      |            | Space Exploration Holding  | 5     |  |  |  |
| Site Information                   |            | MARCELL, MN  |       |  |  |  |
| Venue Name                         |            | ATO DELOS AN MI  |       |  |  |  |
| Latitude (NAD 83)                  |            | 47° 35' 35.4" N<br>93° 41' 33.1" W   |       |  |  |  |
| Longitude (NAD 83)<br>Climate Zone |            | A A  |       |  |  |  |
| Rain Zone                          |            | 2  |       |  |  |  |
| Ground Elevation (AMSL             | Y.         | 2<br>424.17 m / 1391.6 ft  |       |  |  |  |
|                                    | -/         | 424.17 117 1051.010  |       |  |  |  |
| Link Information                   |            | 400.00 APR   |       |  |  |  |
| Satellite Type                     |            | Low Earth Orbit  |       |  |  |  |
| Mode                               |            | TR - Transmit-Receive  |       |  |  |  |
| Modulation                         |            | Digital  |       |  |  |  |
| Minimum Elevation Angle            | е          | 25.0°  |       |  |  |  |
| Azimuth Range                      |            | 0.0° to 360°   |       |  |  |  |
| Antenna Centerline (AGI            | _)         | 0.91 m / 3.0 ft  |       |  |  |  |
| Antenna Information                |            | Receive - FCC32  |       | Transmit - FCC32   |  |  |
| Manufacturer                       |            | SpaceX   |       | SpaceX   |  |  |
| Model                              |            | 1.47 meter   |       | 1.47 meter   |  |  |
| Gain / Diameter                    |            | 46.9 dBi / 1.5 m   |       | 49.5 dBi / 1.5 m   |  |  |
| 3-dB / 15-dB Beamwidth             |            | 0.77° / 1.70°  |       | 0.49° / 1.17°  |  |  |
| Max Available RF Power             | (dBW/4 kH  | (7)  |       | -39.8  |  |  |
|                                    | (dBW/MHz   |  |       | -15.8  |  |  |
| Maximum EIRP (dBW/4 kH             |            | 7)   |       | 97   |  |  |
|                                    | (dBW/MHz   |  |       | 33.7   |  |  |
| Interference Objectives:           | Long Term  | -156.0 dBW/MHz   | 20%   | -151.0 dBW/4 kHz 20%   |  |  |
|                                    | Short Term | -146.0 dBW/MHz   | 0.01% | -128.0 dBW/4 kHz 0.0025%   |  |  |
| Frequency Information              | h a second | Receive 18.0 GHz   |       | Transmit 28.0 GHz  |  |  |
| Emission / Frequency Range (MHz)   |            | 62M5D7W - 480MD7W / 17800.0 - 18600.0<br>62M5D7W - 480MD7W / 18800.0 - 19300.0 |       | 62M5D7W - 480MD7W / 27500.0 - 29100.0<br>62M5D7W - 480MD7W / 29500.0 - 30000.0 |  |  |
| Max Great Circle Coordination      | Distance   | 262.0 km / 162.8 m   | i     | 14.4 km / 8.94 mi  |  |  |
| Precipitation Scatter Contour      | Radius     | 100.0 km / 62.1 mi   |       | 100.0 km / 62.1 mi   |  |  |



| Coordination<br>Licensee Nan<br>Latitude (NAE<br>Longitude (NA<br>Ground Eleva | ne<br>0 83)<br>AD 83)<br>ation (AMSL)   | MARCELL, MN<br>Space Exploration Hol<br>47° 35' 35.4" N<br>93° 41' 33.1" W<br>424.17 m / 1391.6 ft | dings      |                   |                      |              |
|--|---|--|------------|-------------------|----------------------|--------------|
| Antenna Cent   | Contraction of the second s | 0.91 m / 3.0 ft  |            |                   |                      |              |
| Antenna Mod  | 2.5   | SpaceX 1.47 meter  |            | 6.00              | The street state     |              |
| Antenna Mod  |   | Receive 18.0 C   |            |                   | smit 28.0 GHz        |              |
| Interference (   | Objectives: Long Ter  |  |            |                   | .0 dBW/4 kHz 20%     |              |
| Max Availabl   | Short<br>e RF Power   | Term -146.0 dBW/MI   |            | -128<br>BW/4 kHz) | .0 dBW/4 kHz 0.0025% |              |
|  |   |  | Receiv     | e 18.0 GHz        | transmit 28.0 GHz    |              |
|  | Horizon   | Antenna  | Horizon    | Coordination      | Horizon              | Coordination |
| Azimuth (°)  | Elevation (°)   | Discrimination (°)   | Gain (dBi) | Distance (km)     | Gain (dBi)           | Distance (km |
| 0  | 0.21  | 87.33  | -3.00      | 262.00            | -3.00                | 14.40        |
| 5  | 0.00  | 82.42  | -3.00      | 262.00            | -3.00                | 14.40        |
| 10   | 0.00  | 77.51  | -3.00      | 262.00            | -3.00                | 14.40        |
| 15   | 0.00  | 72.61  | -3.00      | 262.00            | -3.00                | 14.40        |
| 20   | 0.26  | 67.74  | -3.00      | 262.00            | -3.00                | 14.40        |
| 25   | 0.23  | 62.85  | -3.00      | 262.00            | -3.00                | 14.40        |
| 30   | 0.29  | 57.99  | -3.00      | 262.00            | -3.00                | 14.40        |
| 35   | 0.33  | 53.14  | -3.00      | 262.00            | -3.00                | 14.40        |
| 40   | 0.41  | 48.32  | -3.00      | 262.00            | -3.00                | 14.40        |
| 45   | 0.59  | 43.55  | -3.00      | 262.00            | -3.00                | 14.40        |
| 50   | 0.57  | 38.79  | -3.00      | 262.00            | -3.00                | 14.40        |
| 55   | 0.48  | 34.06  | -3.00      | 262.00            | -3.00                | 14.40        |
| 60   | 0.28  | 29.36  | -3.00      | 262.00            | -3.00                | 14.40        |
| 65   | 0.29  | 24.85  | -3.00      | 262.00            | -3.00                | 14.40        |
| 70   | 0.30  | 20.56  | -3.00      | 262.00            | -3.00                | 14.40        |
| 75   | 0.00  | 16.44  | -3.00      | 262.00            | -3.00                | 14.40        |
| 80   | 0.41  | 13.53  | -3.00      | 262.00            | -3.00                | 14.40        |
| 85   | 0.30  | 11.55  | -3.00      | 262.00            | -3.00                | 14.40        |
| 90   | 0.23  | 11.58  | -3.00      | 262.00            | -3.00                | 14.40        |
| 95   | 0.24  | 13.64  | -3.00      | 262.00            | -3.00                | 14.40        |
| 100  | 0.31  | 16.98  | -3.00      | 262.00            | -3.00                | 14.40        |
| 105  | 0.35  | 20.96  | -3.00      | 262.00            | -3.00                | 14.40        |
| 110  | 0.32  | 25.26  | -3.00      | 262.00            | -3.00                | 14.40        |
| 115  | 0.22  | 29.75  | -3.00      | 262.00            | -3.00                | 14.40        |
| 120  | 0.21  | 34.40  | -3.00      | 262.00            | -3.00                | 14.40        |
| 125  | 0.20  | 39.12  | -3.00      | 262.00            | -3.00                | 14.40        |
| 130  | 0.00  | 43.86  | -3.00      | 262.00            | -3.00                | 14.40        |
| 135  | 0.00  | 48.68  | -3.00      | 262.00            | -3.00                | 14.40        |
| 140  | 0.00  | 53.53  | -3.00      | 262.00            | -3.00                | 14.40        |
| 145  | 0.00  | 58.39  | -3.00      | 262.00            | -3.00                | 14.40        |
| 150  | 0.00  | 63.27  | -3.00      | 262.00            | -3.00                | 14.40        |
| 155  | 0.00  | 68.16  | -3.00      | 262.00            | -3.00                | 14.40        |
| 160  | 0.00  | 73.05  | -3.00      | 262.00            | -3.00                | 14.40        |
| 165  | 0.00  | 77.96  | -3.00      | 262.00            | -3.00                | 14.40        |
| 170  | 0.00  | 82.86  | -3.00      | 262.00            | -3.00                | 14.40        |
| 175  | 0.00  | 87.77  | -3.00      | 262.00            | -3.00                | 14.40        |
| 180  | 0.00  | 92.68  | -3.00      | 262.00            | -3.00                | 14.40        |
| 185  | 0.00  | 97.58  | -3.00      | 262.00            | -3.00                | 14.40        |



#### SPACE EXPLORATION HOLDINGS Ka-Band Earth Station – Marcell, MN Frequency Coordination Report 28 GHz

| Coordination<br>Licensee Nan<br>Latitude (NAI<br>Longitude (NA<br>Ground Eleva | ne<br>0 83)<br>AD 83)<br>ation (AMSL) | MARCELL, MN<br>Space Exploration Holding<br>47° 35' 35.4" N<br>93° 41' 33.1" W<br>424.17 m / 1391.6 ft | gs         |   |                       |              |
|--|---------------------------------------|--|------------|---|-----------------------|--------------|
| Antenna Cen  |                                       | 0.91 m / 3.0 ft  |            |   |                       |              |
| Antenna Mod  | 32                                    | SpaceX 1.47 meter  |            | Teres   |                       |              |
| Antenna Mod  | e<br>Objectives: Long Term            | Receive 18.0 GHz<br>-156.0 dBW/MHz   | 20%        | Transmit 28.0 GHz<br>-151.0 dBW/4 kHz 20%<br>-128.0 dBW/4 kHz 0.0025% |                       |              |
| interierence (   | Short Te                              |  | 0.01%      |   |                       |              |
| Max Availabl   |                                       | -140.0 0.0 0.0 00 00 00 00 00 00 00 00 00 0  |            | 3W/4 kHz)   | 0 00 W/4 KHZ 0.002070 |              |
|  |                                       |  | Deceiv     | e 18.0 GHz  | transmit 28.0 GHz     |              |
|  | Horizon                               | Antenna  | Horizon    | Coordination  | Horizon               | Coordination |
| Azimuth (°)  | Elevation (°)                         | Discrimination (°)   | Gain (dBi) | Distance (km)   | Gain (dBi)            | Distance (km |
| 190  | 0.00                                  | 102.49   | -3.00      | 262.00  | -3.00                 | 14.40        |
| 195  | 0.00                                  | 107.39   | -3.00      | 262.00  | -3.00                 | 14.40        |
| 200  | 0.00                                  | 112.28   | -3.00      | 262.00  | -3.00                 | 14.40        |
| 205  | 0.00                                  | 117.17   | -3.00      | 262.00  | -3.00                 | 14.40        |
| 210  | 0.00                                  | 122.05   | -3.00      | 262.00  | -3.00                 | 14.40        |
| 215  | 0.00                                  | 126.91   | -3.00      | 262.00  | -3.00                 | 14.40        |
| 220  | 0.00                                  | 131.76   | -3.00      | 262.00  | -3.00                 | 14.40        |
| 225  | 0.00                                  | 136.57   | -3.00      | 262.00  | -3.00                 | 14.40        |
| 230  | 0.00                                  | 141.36   | -3.00      | 262.00  | -3.00                 | 14.40        |
| 235  | 0.00                                  | 146.09   | -3.00      | 262.00  | -3.00                 | 14 40        |
| 240  | 0.00                                  | 150.74   | -3.00      | 262.00  | -3.00                 | 14.40        |
| 245  | 0.00                                  | 155.27   | -3.00      | 262.00  | -3.00                 | 14.40        |
| 250  | 0.00                                  | 159.60   | -3.00      | 262.00  | -3.00                 | 14.40        |
| 255  | 0.00                                  | 163.56   | -3.00      | 262.00  | -3.00                 | 14.40        |
| 260  | 0.00                                  | 166.81   | -3.00      | 262.00  | -3.00                 | 14.40        |
| 265  | 0.00                                  | 168.74   | -3.00      | 262.00  | -3.00                 | 14.40        |
| 270  | 0.00                                  | 168.65   | -3.00      | 262.00  | -3.00                 | 14.40        |
| 275  | 0.00                                  | 166.56   | -3.00      | 262.00  | -3.00                 | 14.40        |
| 280  | 0.00                                  | 163.22   | -3.00      | 262.00  | -3.00                 | 14.40        |
| 285  | 0.00                                  | 159.22   | -3.00      | 262.00  | -3.00                 | 14.40        |
| 290  | 0.00                                  | 154.87   | -3.00      | 262.00  | -3.00                 | 14.40        |
| 295  | 0.00                                  | 150.32   | -3.00      | 262.00  | -3.00                 | 14.40        |
| 300  | 0.00                                  | 145.66   | -3.00      | 262.00  | -3.00                 | 14.40        |
| 305  | 0.00                                  | 140.93   | -3.00      | 262.00  | -3.00                 | 14.40        |
| 310  | 0.00                                  | 136.14   | -3.00      | 262.00  | -3.00                 | 14.40        |
| 315  | 0.00                                  | 131.32   | -3.00      | 262.00  | -3.00                 | 14.40        |
| 320  | 0.00                                  | 126.47   | -3.00      | 262.00  | -3.00                 | 14.40        |
| 325  | 0.00                                  | 121.61   | -3.00      | 262.00  | -3.00                 | 14.40        |
| 330  | 0.33                                  | 116.70   | -3.00      | 262.00  | -3.00                 | 14.40        |
| 335  | 0.00                                  | 111.84   | -3.00      | 262.00  | -3.00                 | 14.40        |
| 340  | 0.00                                  | 106.95   | -3.00      | 262.00  | -3.00                 | 14.40        |
| 345  | 0.00                                  | 102.04   | -3.00      | 262.00  | -3.00                 | 14.40        |
| 350  | 0.37                                  | 97.13  | -3.00      | 262.00  | -3.00                 | 14.40        |
| 355  | 0.00                                  | 92.23  | -3.00      | 262.00  | -3.00                 | 14.40        |



### 5. Contact Information

For questions or information regarding the 28 GHz Frequency Coordination Report, please contact:

| Contact person: | Dennis Jimeno                               |
|-----------------|---|
| Title:          | Engineer III, Telecommunications            |
| Company:        | Comsearch                                   |
| Address:        | 19700 Janelia Farm Blvd., Ashburn, VA 20147 |
| Telephone:      | 703-726-5858                                |
| Fax:            | 703-726-5599                                |
| Email:          | DJimeno@Comsearch.com                       |
| Web site:       | www.comsearch.com                           |