

# FREQUENCY COORDINATION AND INTERFERENCE ANALYSIS REPORT

Prepared for  
**Space Exploration Holdings**  
**FT. LAUDERDALE, FL**  
**Satellite Earth Station**

Prepared By:  
COMSEARCH  
19700 Janelia Farm Boulevard  
Ashburn, VA 20147  
January 14, 2021

## TABLE OF CONTENTS

1. CONCLUSIONS .....	3
2. SUMMARY OF RESULTS .....	4
3. SUPPLEMENTAL SHOWING .....	5
4. EARTH STATION COORDINATION DATA.....	6
5. CERTIFICATION.....	10

## 1. CONCLUSIONS

An interference study considering all existing, proposed and prior coordinated microwave facilities within the coordination contours of the proposed earth station demonstrates that this site will operate satisfactorily with the common carrier microwave environment. Further, there will be no restrictions of its operation due to interference considerations.

## 2. SUMMARY OF RESULTS

A number of great circle interference cases were identified during the interference study of the proposed earth station. Each of the cases, which exceeded the interference objective on a line-of-sight basis, was profiled and the propagation losses estimated using NBS TN101 (Revised) techniques. The losses were found to be sufficient to reduce the signal levels to acceptable magnitudes in every case.

### 3. SUPPLEMENTAL SHOWING

Pursuant to Part 25.203(c) of the FCC Rules and Regulations, the satellite earth station proposed in this application was coordinated by Comsearch using computer techniques and in accordance with Part 25 of the FCC Rules and Regulations.

Coordination data for this earth station was sent to the below listed carriers with a letter dated 12/10/2020.

#### Company

Access Media Holdings, LLC  
Aventura, City of  
Bethesda Memorial Hospital  
Brevard County Public Libraries  
Brevard County Sheriffs Office  
Canaveral Port Authority  
Cellco Partnership - Florida  
Charlotte County Board of County Comm  
City of Miami Beach  
City of Pembroke Pines  
City of Pompano Beach Florida  
Clearwire Spectrum Holdings III, LLC  
Computer Office Solutions, Inc.  
FL Courts 18th Judicial Circuit  
Florida High Speed Internet  
Florida State  
Fort Myers Broadcasting Company  
Global Telecom & Technology Americas  
HiQ Data Corporation  
Miami-Dade County  
NBC Telemundo License LLC  
Olympic Wireless, LLC  
Polk, County of  
Sarasota, County of  
SkyNet360  
Sling Broadband, LLC  
Sprint PCS  
Sprint Spectrum L.P.  
Sprint Spectrum LP DBA Sprint PCS  
Sprintcom, Inc  
T-Mobile License LLC  
Towerstream Corp.  
Verizon Wireless (VAW) LLC - S Florida  
Verizon Wireless Personal Comm, LP(S FL)  
Village of Wellington  
WPLG, Inc  
Webpass Inc.  
Xiber, LLC

## **4. EARTH STATION COORDINATION DATA**

This section presents the data pertinent to frequency coordination of the proposed earth station that was circulated to all carriers within its coordination contours.

# COMSEARCH

## Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147  
(703)726-5500 <http://www.comsearch.com>

Date: 01/14/2021  
Job Number: 201210COMSGE08

---

### Administrative Information

Status ENGINEER PROPOSAL  
Call Sign  
Licensee Code SPACEX  
Licensee Name Space Exploration Holdings

---

### Site Information FT. LAUDERDALE, FL

Venue Name  
Latitude (NAD 83) 26° 11' 27.1" N  
Longitude (NAD 83) 80° 11' 35.1" W  
Climate Zone A  
Rain Zone 1  
Ground Elevation (AMSL) 2.69 m / 8.8 ft

---

### Link Information

Satellite Type Low Earth Orbit  
Mode TR - Transmit-Receive  
Modulation Digital  
Minimum Elevation Angle 25.0°  
Azimuth Range 0.0° to 360°  
Antenna Centerline (AGL) 0.91 m / 3.0 ft

---

### Antenna Information

	Receive - FCC32	Transmit - FCC32
Manufacturer	SpaceX	SpaceX
Model	1.47 meter	1.47 meter
Gain / Diameter	46.9 dBi / 1.5 m	49.5 dBi / 1.5 m
3-dB / 15-dB Beamwidth	0.77° / 1.70°	0.49° / 1.17°
Max Available RF Power (dBW/4 kHz)		-39.8
(dBW/MHz)		-15.8
Maximum EIRP (dBW/4 kHz)		9.7
(dBW/MHz)		33.7
Interference Objectives:	Long Term -156.0 dBW/MHz 20%	-151.0 dBW/4 kHz 20%
	Short Term -146.0 dBW/MHz 0.01%	-128.0 dBW/4 kHz 0.0025%

---

### Frequency Information

	Receive 18.0 GHz	Transmit 28.0 GHz
Emission / Frequency Range (MHz)	62M5D7W - 480MD7W / 17800.0 - 18600.0 62M5D7W - 480MD7W / 18800.0 - 19300.0	62M5D7W - 480MD7W / 27500.0 - 29100.0 62M5D7W - 480MD7W / 29500.0 - 30000.0
Max Great Circle Coordination Distance	262.0 km / 162.8 mi	125.0 km / 77.7 mi
Precipitation Scatter Contour Radius	100.0 km / 62.1 mi	100.0 km / 62.1 mi

# COMSEARCH

## Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147  
(703)726-5500 <http://www.comsearch.com>

### Coordination Values

### FT. LAUDERDA, FL

Licensee Name	Space Exploration Holdings		
Latitude (NAD 83)	26° 11' 27.1" N		
Longitude (NAD 83)	80° 11' 35.1" W		
Ground Elevation (AMSL)	2.69 m / 8.8 ft		
Antenna Centerline (AGL)	0.91 m / 3.0 ft		
Antenna Model	SpaceX 1.47 meter		
Antenna Mode	Receive 18.0 GHz		Transmit 28.0 GHz
Interference Objectives: Long Term	-156.0 dBW/MHz	20%	-151.0 dBW/4 kHz 20%
Short Term	-146.0 dBW/MHz	0.01%	-128.0 dBW/4 kHz 0.0025%
Max Available RF Power		-39.8 (dBW/4 kHz)	

Azimuth (°)	Horizon Elevation (°)	Antenna Discrimination (°)	Receive 18.0 GHz		Transmit 28.0 GHz	
			Horizon Gain (dBi)	Coordination Distance (km)	Horizon Gain (dBi)	Coordination Distance (km)
0	0.00	94.36	-3.00	262.00	-3.00	125.00
5	0.00	89.36	-3.00	262.00	-3.00	125.00
10	0.00	84.36	-3.00	262.00	-3.00	125.00
15	0.00	79.36	-3.00	262.00	-3.00	125.00
20	0.00	74.36	-3.00	262.00	-3.00	125.00
25	0.00	69.36	-3.00	262.00	-3.00	125.00
30	0.00	64.36	-3.00	262.00	-3.00	125.00
35	0.00	59.36	-3.00	262.00	-3.00	125.00
40	0.00	54.36	-3.00	262.00	-3.00	125.00
45	0.00	49.36	-3.00	262.00	-3.00	125.00
50	0.00	44.36	-3.00	262.00	-3.00	125.00
55	0.00	39.36	-3.00	262.00	-3.00	125.00
60	0.00	34.36	-3.00	262.00	-3.00	125.00
65	0.00	29.37	-3.00	262.00	-3.00	125.00
70	0.00	24.37	-3.00	262.00	-3.00	125.00
75	0.00	19.37	-3.00	262.00	-3.00	125.00
80	0.00	14.37	-3.00	262.00	-3.00	125.00
85	0.00	9.37	-3.00	262.00	-3.00	125.00
90	0.00	4.37	-3.00	262.00	-3.00	125.00
95	0.00	0.64	-3.00	262.00	-3.00	125.00
100	0.00	5.64	-3.00	262.00	-3.00	125.00
105	0.00	10.64	-3.00	262.00	-3.00	125.00
110	0.00	15.64	-3.00	262.00	-3.00	125.00
115	0.00	20.64	-3.00	262.00	-3.00	125.00
120	0.00	25.64	-3.00	262.00	-3.00	125.00
125	0.00	30.64	-3.00	262.00	-3.00	125.00
130	0.00	35.64	-3.00	262.00	-3.00	125.00
135	0.00	40.64	-3.00	262.00	-3.00	125.00
140	0.00	45.64	-3.00	262.00	-3.00	125.00
145	0.00	50.64	-3.00	262.00	-3.00	125.00
150	0.00	55.64	-3.00	262.00	-3.00	125.00
155	0.00	60.64	-3.00	262.00	-3.00	125.00
160	0.00	65.64	-3.00	262.00	-3.00	125.00
165	0.00	70.64	-3.00	262.00	-3.00	125.00
170	0.00	75.64	-3.00	262.00	-3.00	125.00
175	0.00	80.64	-3.00	262.00	-3.00	125.00
180	0.00	85.64	-3.00	262.00	-3.00	125.00
185	0.00	90.64	-3.00	262.00	-3.00	125.00



# COMSEARCH

## Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147  
(703)726-5500 <http://www.comsearch.com>

### Coordination Values


### FT. LAUDERDA, FL

Licensee Name Space Exploration Holdings  
Latitude (NAD 83) 26° 11' 27.1" N  
Longitude (NAD 83) 80° 11' 35.1" W  
Ground Elevation (AMSL) 2.69 m / 8.8 ft  
Antenna Centerline (AGL) 0.91 m / 3.0 ft  
Antenna Model SpaceX 1.47 meter  
Antenna Mode Receive 18.0 GHz Transmit 28.0 GHz  
Interference Objectives: Long Term -156.0 dBW/MHz 20% -151.0 dBW/4 kHz 20%  
Short Term -146.0 dBW/MHz 0.01% -128.0 dBW/4 kHz 0.0025%  
Max Available RF Power -39.8 (dBW/4 kHz)

Azimuth (°)	Horizon Elevation (°)	Antenna Discrimination (°)	Receive 18.0 GHz		Transmit 28.0 GHz	
			Horizon Gain (dBi)	Coordination Distance (km)	Horizon Gain (dBi)	Coordination Distance (km)
190	0.00	95.64	-3.00	262.00	-3.00	125.00
195	0.00	100.64	-3.00	262.00	-3.00	125.00
200	0.00	105.64	-3.00	262.00	-3.00	125.00
205	0.00	110.64	-3.00	262.00	-3.00	125.00
210	0.00	115.64	-3.00	262.00	-3.00	125.00
215	0.00	120.64	-3.00	262.00	-3.00	125.00
220	0.00	125.64	-3.00	262.00	-3.00	125.00
225	0.00	130.64	-3.00	262.00	-3.00	125.00
230	0.00	135.64	-3.00	262.00	-3.00	125.00
235	0.00	140.64	-3.00	262.00	-3.00	125.00
240	0.00	145.64	-3.00	262.00	-3.00	125.00
245	0.00	150.64	-3.00	262.00	-3.00	125.00
250	0.00	155.64	-3.00	262.00	-3.00	125.00
255	0.00	160.63	-3.00	262.00	-3.00	125.00
260	0.00	165.63	-3.00	262.00	-3.00	125.00
265	0.00	170.63	-3.00	262.00	-3.00	125.00
270	0.00	175.63	-3.00	262.00	-3.00	125.00
275	0.00	179.36	-3.00	262.00	-3.00	125.00
280	0.00	174.36	-3.00	262.00	-3.00	125.00
285	0.00	169.36	-3.00	262.00	-3.00	125.00
290	0.00	164.36	-3.00	262.00	-3.00	125.00
295	0.00	159.36	-3.00	262.00	-3.00	125.00
300	0.00	154.36	-3.00	262.00	-3.00	125.00
305	0.00	149.36	-3.00	262.00	-3.00	125.00
310	0.00	144.36	-3.00	262.00	-3.00	125.00
315	0.00	139.36	-3.00	262.00	-3.00	125.00
320	0.00	134.36	-3.00	262.00	-3.00	125.00
325	0.00	129.36	-3.00	262.00	-3.00	125.00
330	0.22	124.36	-3.00	262.00	-3.00	125.00
335	0.00	119.36	-3.00	262.00	-3.00	125.00
340	0.00	114.36	-3.00	262.00	-3.00	125.00
345	0.00	109.36	-3.00	262.00	-3.00	125.00
350	0.00	104.36	-3.00	262.00	-3.00	125.00
355	0.25	99.36	-3.00	262.00	-3.00	125.00

## 5. CERTIFICATION

I HEREBY CERTIFY THAT I AM THE TECHNICALLY QUALIFIED PERSON RESPONSIBLE FOR THE PREPARATION OF THE FREQUENCY COORDINATION DATA CONTAINED IN THIS APPLICATION, THAT I AM FAMILIAR WITH PARTS 101 AND 25 OF THE FCC RULES AND REGULATIONS, THAT I HAVE EITHER PREPARED OR REVIEWED THE FREQUENCY COORDINATION DATA SUBMITTED WITH THIS APPLICATION, AND THAT IT IS COMPLETE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

BY: 

Gary K. Edwards  
Senior Manager  
COMSEARCH  
19700 Janelia Farm Boulevard  
Ashburn, VA 20147

DATED: January 14, 2021