Ka-Band Earth Station – Cherokee, GA Frequency Coordination Report 28 GHz



Prepared on Behalf of ViaSat, Inc.

May 7, 2021





Table of Contents

1.	Summary of Results	- 8 -
2.	28 GHz Common Carrier and LTTS Coordination	- 8 -
3.	28 GHz UMFUS Coordination	- 9 -
4.	Earth Station Coordination Data	- 10 -
5.	Contact Information	- 11 -



1. Summary of Results

On behalf of ViaSat. Inc., Comsearch issued coordination notice under Section 25.203(c) and Section 25.136(a)(4) of the FCC's rules for all existing and proposed terrestrial licenses within the coordination contours of their proposed Ka-Band earth station in Cherokee-GA, which will transmit at 28 GHz¹. Prior-notification emails were sent to the licensees and a copy of the notification data is provided in section four of this report. The earth station coordination was finalized on April 30, 2021.

No objections were received from any of the incumbent 28 GHz licensees.

2. 28 GHz Common Carrier and LTTS Coordination

In accordance with FCC Rules and Regulations, the Ka-Band earth station in Cherokee, GA was prior-coordinated by Comsearch. A notification email, datasheet and Google Earth file showing the area around the site outside which the -77.6 dBm/m2 per MHz threshold value is not exceeded for this earth station were sent to the following 28 GHz common carrier fixed microwave licensees. These licensees are authorized to operate temporary fixed operations from 27.5 – 29.5 GHz on a nationwide basis or local basis.

Licensee	Authorized Geographic Area
AT&T	Statewide: GA
Frontier	Nationwide

A notification email, datasheet and Google Earth file showing the area around the site outside which the -77.6 dBm/m2 per MHz threshold value is not exceeded for the Ka-Band earth station in Cherokee, GA were also sent to the following 28 GHz local television transmission licensee. This licensee is authorized to operate temporary fixed operations from 27.5 – 29.5 GHz on a nationwide basis.

Licensee	Authorized Geographic Area
Information Super Station, LLC	Continental US

No objections were received from the common carrier or local television transmission service incumbents.

.

 $^{^{1}}$ The proposed earth station will operate in the 27.5 – 29.1 GHz & 29.5 – 30.0 GHz portion of the KaBand.



3. 28 GHz UMFUS Coordination

Two 28 GHz UMFUS licensees were identified within the coordination distance of the proposed earth station. The proposed earth station will operate on frequencies that overlap Channel L1 & L2 of the UMFUS service. The total frequency allocation for Channels L1 & L2 of the UMFUS spectrum appears below.

Channel: L1 27.500 - 27.925 GHz

L2 27.925 - 28.350 GHz

Licensee	Authorized Geographic Area
T-Mobile	Market Based
Verizon	Market Based

No objections were received from the UMFUS incumbents within coordination distance.



4. Earth Station Coordination Data

This section presents the data pertinent to the proposed Ka-Band earth station in Cherokee, GA. This data was circulated to all incumbent licensees in the shared 28 GHz frequency ranges.

Date:					
Administrative Information Status	Date:	03/30	0/2021		
Status	Job Number: 210		30COMSNR15		
Call Sign Licensee Code VIASAT Licensee Name ViaSat, Inc	Administrative Inform	nation			
Licensee Code VIASAT Licensee Name ViaSat, Inc Site Information Venue Name Latitude (NAD 83) 34° 09' 10.97" N Longitude (NAD 83) 84° 30' 42.58" W Climate Zone A Rain Zone 1 Ground Elevation (AMSL) 308.35 m / 1011.7 ft Link Information Satellite Type Geostationary Mode TO - Transmit-Only Modulation Digital Satellite Arc 78" W to 91" West Longitude Azimuth Range 168.5" to 191.4" Corresponding Elevation Angles Antenna Centerline (AGL) 1.5 m / 4.9 ft Antenna Information Manufacturer Vissat NC. Model 13001XX Gain / Diameter 52.6 dBi / 2.4 m 0.40" / 0.80" Max Available RF Power (dBW/4 kHz) 9.5 (dBW/MHz) -18.5 Maximum EIRP (dBW/4 kHz) 9.5 (dBW/MHz) 33.5 Interference Objectives: Long Term -141.0 dBW/4 kHz 20% Emission / Frequency Range (MHz) Transmit 28.0 GHz Frequency Information Transmit 28.0 GHz		ENGI	ENGINEER PROPOSAL		
Site Information		VIAS	AT		
Venue Name 34° 09' 10.97" N Longitude (NAD 83) 84° 30' 42.58" W Climate Zone A Rain Zone 1 Ground Elevation (AMSL) 308.35 m / 1011.7 ft Link Information Satellite Type Satellite Type Geostationary Mode TO - Transmit-Only Modulation Digital Satellite Arc 78° W to 91° West Longitude Azimuth Range 186.5° to 191.4° Corresponding Elevation Angles 49.7° / 49.7° Antenna Centerline (AGL) 1.5 m / 4.9 ft Antenna Information Transmit - VES001 Manufacturer VASATINC. Model 13001XX Gain / Diameter 52.6 dBi / 2.4 m 3-dB / 15-dB Beamwidth 0.40° / 0.80° Max Available RF Power (dBW/MHz) 42.5 (dBW/MHz) 9.5 (dBW/MHz) 33.5 Interference Objectives: Long Term -141.0 dBW/4 kHz 20% Frequency Information Transmit 28.0 GHz Emission / Frequency Range (MHz) <	Licensee Name	ViaSa	at, Inc		
Latitude (NAD 83) 34° 09' 10.97" N Longitude (NAD 83) 84° 30' 42.58" W Climate Zone A Rain Zone 1 Ground Elevation (AMSL) 308.35 m / 1011.7 ft Link Information Satellite Type Geostationary Mode TO - Transmit-Only Modulation Digital Satellite Arc 78° W to 91° West Longitude Azimuth Range 186.5° to 191.4° Corresponding Elevation Angles 49.7° / 49.7° Antenna Centerline (AGL) 1.5 m / 4.9 ft Antenna Information Manufacturer VIASATINC. Model 13001XX Gain / Diameter 52.6 dBi / 2.4 m 3-dB / 15-dB Beamwidth 0.40° / 0.80° Max Available RF Power (dBW/4 kHz) 42.5 (dBW/MHz) -18.5 Maximum EIRP (dBW/4 kHz) 9.5 (dBW/4 kHz) 23.5 Interference Objectives: Long Term 5hort Term -118.0 dBW/4 kHz 20% Emission / Frequency Range (MHz) 464MG7D / 27500.0 - 29500.0	Site Information	CHE	ROKEE, GA		
Longitude (NAD 83)					
Climate Zone					
Rain Zone 1 308.35 m / 1011.7 ft			0 42.30 W		
Content					
Satellite Type	Ground Elevation (AMSL	.) 308.3	95 m / 1011.7 ft		
Mode TO - Transmit-Only Modulation Digital Satellite Arc 78° W to 91° West Longitude Azimuth Range 168.5° to 191.4° Corresponding Elevation Angles 49.7° / 49.7° Antenna Centerline (AGL) 1.5 m / 4.9 ft Antenna Information Transmit - VES001 Manufacturer VIASAT INC. Model 13001XX Gain / Diameter 52.6 dBi / 2.4 m 3-dB / 15-dB Beamwidth 0.40° / 0.80° Max Available RF Power (dBW/4 kHz) 42.5 (dBW/MHz) -18.5 Maximum EIRP (dBW/4 kHz) 9.5 (dBW/MHz) 33.5 Interference Objectives: Long Term -141.0 dBW/4 kHz 20% Frequency Information Transmit 28.0 GHz Emission / Frequency Range (MHz) 464MG7D / 27500.0 - 29500.0					
Modulation Digital 78 W to 91° West Longitude Azimuth Range 168.5° to 191.4° Azimuth Range 49.7° / 49.7° Antenna Centerline (AGL) 1.5 m / 4.9 ft Antenna Information Transmit - VES001 Manufacturer VIASAT INC. Model 13001XX Gain / Diameter 52.6 dBi / 2.4 m 3-dB / 15-dB Beamwidth 0.40° / 0.80° Max Available RF Power (dBW/4 kHz) 42.5 (dBW/MHz) -18.5 Maximum EIRP (dBW/4 kHz) 9.5 (dBW/MHz) 33.5 Interference Objectives: Long Term Short Term -141.0 dBW/4 kHz 20% Frequency Information Emission / Frequency Range (MHz) Transmit 28.0 GHz 464MG7D / 27500.0 - 29500.0	21				
Satellite Arc 78° W to 91° West Longitude 168.5° to 191.4° 49.7° 49.7° 49.7° Antenna Centerline (AGL) 1.5 m / 4.9 ft			•		
Azimuth Range					
Antenna Information Manufacturer Model Gain / Diameter 3-dB / 15-dB Beamwidth Max Available RF Power (dBW/4 kHz) (dBW/MHz) Interference Objectives: Long Term Short Term Emission / Frequency Range (MHz) 1.5 m / 4.9 ft Transmit - VES001 VIASAT INC. VIASAT INC. 13001XX 52.6 dBi / 2.4 m 0.40° / 0.80° 42.5 (dBW/A kHz) -18.5 42.5 (dBW/MHz) -18.5 Amaximum EIRP (dBW/4 kHz) -18.5 Amaximum EIRP (dBW/MHz) -14.0 dBW/4 kHz -17.0 dBW/4 kHz -118.0 dBW/4 kHz -11					
Antenna Information Transmit - VES001 Manufacturer VIASAT INC. Model 13001XX Gain / Diameter 52.6 dBi / 2.4 m 3-dB / 15-dB Beamwidth 0.40° / 0.80° Max Available RF Power (dBW/4 kHz) (dBW/MHz) -18.5 Maximum EIRP (dBW/4 kHz) (dBW/MHz) 9.5 (dBW/MHz) (dBW/MHz) 33.5 Interference Objectives: Long Term Short Term -141.0 dBW/4 kHz 20% -118.0 dBW/4 kHz 0.0025% Frequency Information Emission / Frequency Range (MHz) Transmit 28.0 GHz 464MG7D / 27500.0 - 29500.0	Corresponding Elevation	Angles 49.7°	/49.7°		
Manufacturer VIASAT INC. Model 13001XX Gain / Diameter 52.6 dBi / 2.4 m 3-dB / 15-dB Beamwidth 0.40° / 0.80° Max Available RF Power (dBW/4 kHz) 42.5 (dBW/MHz) -18.5 Maximum EIRP (dBW/4 kHz) 9.5 (dBW/MHz) 33.5 Interference Objectives: Long Term Short Term -141.0 dBW/4 kHz 20% -118.0 dBW/4 kHz 0.0025% Frequency Information Emission / Frequency Range (MHz) Transmit 28.0 GHz 464MG7D / 27500.0 - 29500.0	Antenna Centerline (AGI	L) 1.5 m	1/4.9 ft		
Model					
Sain / Diameter S2.6 dBi / 2.4 m O.40° / 0.80°					
3-dB / 15-dB Beamwidth					
Max Available RF Power (dBW/4 kHz) (dBW/MHz) -42.5 (dBW/MHz) Maximum EIRP (dBW/4 kHz) (dBW/MHz) 9.5 (dBW/MHz) Interference Objectives: Long Term Short Term -141.0 dBW/4 kHz 20% -118.0 dBW/4 kHz 0.0025% Frequency Information Emission / Frequency Range (MHz) Transmit 28.0 GHz 464MG7D / 27500.0 - 29500.0					
Maximum EIRP (dBW/MHz) 9.5 (dBW/MHz) 33.5					
Maximum EIRP	Max Available RF Power		•		
(dBW/MHz) 33.5 Interference Objectives: Long Term		(dBW/MHz)	-18.5		
Interference Objectives: Long Term	Maximum EIRP	(dBW/4 kHz)	9.5		
Short Term		(dBW/MHz)	33.5		
Short Term					
Frequency Information Transmit 28.0 GHz Emission / Frequency Range (MHz) 464MG7D / 27500.0 - 29500.0					
Emission / Frequency Range (MHz) 464MG7D / 27500.0 - 29500.0					
Coordination Distance 0.4 km / 0.25 mi	Emission / Frequency Kange	(MП2)	404MG/LJ / Z/30U.U - 283UU.U		
V. I BILLY V. EV III	Coordination Distance		0.4 km / 0.25 mi		
	Continuon Distance		V. I III I V. LO III		



5. Contact Information

For questions or information regarding the 28 GHz Frequency Coordination Report, please contact:

Contact person: Naveen Raghavan
Title: Engineering Manager

Company: Comsearch

Address: 19700 Janelia Farm Blvd., Ashburn, VA 20147

Telephone: 703-726-5648

Email: nraghavan@Comsearch.com

Web site: www.comsearch.com