

GUSA Licensee LLC
Response to FCC Form 312, Schedule B, Question E18
Page 1 of 1

Attachment 1: Comsearch Frequency Coordination and Interference Analysis Report

Attachment 2: Information on Microwave Landing System Sites

ATTACHMENT 1

**FREQUENCY COORDINATION AND INTERFERENCE
ANALYSIS REPORT**

Prepared for
GUSA Licensee, LLC
CLIFTON CGT1, TX
Satellite Earth Station

Prepared By:
COMSEARCH
21515 Ridgetop Circle, Suite 300
Sterling, VA 20166
March 22, 2023

TABLE OF CONTENTS

1. CONCLUSIONS	3
2. SUMMARY OF RESULTS	4
3. SUPPLEMENTAL SHOWING	5
4. EARTH STATION COORDINATION DATA.....	6
5. CERTIFICATION.....	11

1. CONCLUSIONS

An interference study considering all existing, proposed and prior coordinated microwave facilities within the coordination contours of the proposed earth station demonstrates that this site will operate satisfactorily with the common carrier microwave environment. Further, there will be no restrictions of its operation due to interference considerations.

2. SUMMARY OF RESULTS

A number of great circle interference cases were identified during the interference study of the proposed earth station. Each of the cases, which exceeded the interference objective on a line-of-sight basis, was profiled and the propagation losses estimated using NBS TN101 (Revised) techniques. The losses were found to be sufficient to reduce the signal levels to acceptable magnitudes in every case.

3. SUPPLEMENTAL SHOWING

Pursuant to Part 25.203(c) of the FCC Rules and Regulations, the satellite earth station proposed in this application was coordinated by Comsearch using computer techniques and in accordance with Part 25 of the FCC Rules and Regulations.

Coordination data for this earth station was sent to the below listed carriers with a letter dated 02/21/2023.

Company

CBS Stations Group of Texas, Inc
Capital of Texas Public Telecomm Council
Central Texas College
Community TV Educators of Dfw
Corridor Television, LLP
Gray Television Licensee, LLC (KWTX-KBTX
KAKW License Partnership, L.P.
KDAF, LLC
KEYE Licensee, LLC
KUVN License Partnership, L.P.
KVUE Television, Inc.
LSB Broadcasting, Inc.
Lieberman Television of Dallas License
Mission Broadcasting, Inc.
NBC Telemundo License LLC - Ft Worth TX
NBC Telemundo License LLC
NW Communications of Austin, Inc.
NW Communications of Texas, Inc.
Nexstar Broadcasting Group Inc - KTAB-TV
Nexstar Media Inc. KWKT TV
Nexstar Media Inc.
North Texas Public Broadcasting Inc.
SBE Coordinator
Scripps Broadcasting Holdings, LLC,
Sinclair Media Licensee, LLC
Station Venture Operations, LP
Station Venture Operations, LP
Television Station KTXA L.P.
Trinity Broadcasting of Texas, Inc.
Unimas Dallas LLC
WFAA-TV, Inc
Warwick Communications, Inc.

4. EARTH STATION COORDINATION DATA

This section presents the data pertinent to frequency coordination of the proposed earth station that was circulated to all carriers within its coordination contours.

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Date: 03/22/2023
Job Number: 230221COMSGE03

Administrative Information

Status: ENGINEER PROPOSAL
Call Sign:
Licensee Code: ZAIRSA
Licensee Name: GUSA Licensee, LLC

Site Information

CLIFTON CGT1, TX

Venue Name:
Latitude (NAD 83): 31° 48' 1.0" N
Longitude (NAD 83): 97° 36' 42.6" W
Climate Zone: A
Rain Zone: 2
Ground Elevation (AMSL): 218.54 m / 717.0 ft

Link Information

Satellite Type: Low Earth Orbit
Mode: TR - Transmit-Receive
Modulation: Analog and Digital
Minimum Elevation Angle: 5.0°
Azimuth Range: 0.0° to 360°
Antenna Centerline (AGL): 8.69 m / 28.5 ft

Antenna Information

Receive - FCC32

Transmit - FCC32

Manufacturer	Seatel	Seatel
Model	Tracker T 6000	Tracker T 6000
Gain / Diameter	51.2 dBi / 6.0 m	47.6 dBi / 6.0 m
3-dB / 15-dB Beamwidth	0.44° / 0.88°	0.60° / 2.00°
Max Available RF Power (dBW/4 kHz)		10.9
(dBW/MHz)		20.9
Maximum EIRP (dBW/4 kHz)		58.5
(dBW/MHz)		68.5
Interference Objectives:	Long Term	-153.0 dBW/MHz 20%
	Short Term	-143.0 dBW/MHz 0.01%
		-140.0 dBW/4 kHz 20%
		-103.0 dBW/4 kHz 0.0025%

Frequency Information

Receive 7.0 GHz

Transmit 5.1 GHz

Emission / Frequency Range (MHz)	2M50G7D / 6900.0 - 7055.0	4M50G7D / 5096.0 - 5250.0
	1M23G7W - 1M23XXX / 6900.0 - 7055.0	1M23G7W - 1M23XXX / 5096.0 - 5250.0
	200KG7D / 6900.0 - 7055.0	76K0F2D / 5091.0 - 5092.0
	70K0G7D / 6875.9 - 6879.1	50K0N0N / 5091.0 - 5092.0
	50K0N0N / 6900.0 - 7055.0	40K0G2D / 5091.0 - 5092.0
	7K00G1D / 6875.9 - 6879.1	
Max Great Circle Coordination Distance	226.0 km / 140.4 mi	285.0 km / 177.1 mi
Precipitation Scatter Contour Radius	471.4 km / 292.9 mi	100.0 km / 62.1 mi

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Coordination Values

CLIFTON CGT1, TX

Licensee Name GUSA Licensee, LLC
Latitude (NAD 83) 31° 48' 1.0" N
Longitude (NAD 83) 97° 36' 42.6" W
Ground Elevation (AMSL) 218.54 m / 717.0 ft
Antenna Centerline (AGL) 8.69 m / 28.5 ft
Antenna Model Seatel 6.0 meter
Antenna Mode Receive 7.0 GHz Transmit 5.1 GHz
Interference Objectives: Long Term -153.0 dBW/MHz 20% -140.0 dBW/4 kHz 20%
Short Term -143.0 dBW/MHz 0.01% -103.0 dBW/4 kHz 0.0025%
Max Available RF Power 10.9 (dBW/4 kHz)

Azimuth (°)	Horizon Elevation (°)	Antenna Discrimination (°)	Receive 7.0 GHz		Transmit 5.1 GHz	
			Horizon Gain (dBi)	Coordination Distance (km)	Horizon Gain (dBi)	Coordination Distance (km)
0	0.28	86.11	10.40	226.00	10.40	285.00
5	0.88	81.32	10.40	226.00	10.40	285.00
10	0.39	76.48	10.40	226.00	10.40	285.00
15	1.27	71.75	10.40	226.00	10.40	285.00
20	0.38	66.87	10.40	226.00	10.40	285.00
25	0.38	62.09	10.40	226.00	10.40	285.00
30	0.38	57.32	10.40	226.00	10.40	285.00
35	0.39	52.59	10.40	226.00	10.40	285.00
40	0.41	47.90	10.40	226.00	10.40	285.00
45	0.30	43.22	10.40	226.00	10.40	285.00
50	0.33	38.65	10.40	226.00	10.40	285.00
55	0.32	34.16	10.40	226.00	10.40	285.00
60	0.35	29.83	10.40	226.00	10.40	285.00
65	0.33	25.70	10.40	226.00	10.40	285.00
70	0.30	21.89	10.40	226.00	10.40	285.00
75	0.32	18.66	10.40	226.00	10.40	285.00
80	0.25	16.23	10.40	226.00	10.40	285.00
85	0.27	15.17	10.40	226.00	10.40	285.00
90	0.22	15.60	10.40	226.00	10.40	285.00
95	0.00	17.34	10.40	226.00	10.40	285.00
100	0.00	20.33	10.40	226.00	10.40	285.00
105	0.00	23.98	10.40	226.00	10.40	285.00
110	0.00	28.02	10.40	226.00	10.40	285.00
115	0.00	32.32	10.40	226.00	10.40	285.00
120	0.00	36.77	10.40	226.00	10.40	285.00
125	0.00	41.34	10.40	226.00	10.40	285.00
130	0.00	45.98	10.40	226.00	10.40	285.00
135	0.31	50.74	10.40	226.00	10.40	285.00
140	0.38	55.48	10.40	226.00	10.40	285.00
145	0.56	60.26	10.40	226.00	10.40	285.00
150	0.72	65.05	10.40	226.00	10.40	285.00
155	0.94	69.85	10.40	226.00	10.40	285.00
160	1.33	74.68	10.40	226.00	10.40	285.00
165	1.46	79.47	10.40	226.00	10.40	285.00
170	1.60	84.27	10.40	226.00	10.40	285.00
175	1.62	89.07	10.40	226.00	10.40	285.00
180	1.42	93.86	10.40	226.00	10.40	285.00
185	1.89	98.64	10.40	226.00	10.40	285.00

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>


Coordination Values

CLIFTON CGT1, TX

Licensee Name GUSA Licensee, LLC
Latitude (NAD 83) 31° 48' 1.0" N
Longitude (NAD 83) 97° 36' 42.6" W
Ground Elevation (AMSL) 218.54 m / 717.0 ft
Antenna Centerline (AGL) 8.69 m / 28.5 ft
Antenna Model Seatel 6.0 meter
Antenna Mode Receive 7.0 GHz Transmit 5.1 GHz
Interference Objectives: Long Term -153.0 dBW/MHz 20% -140.0 dBW/4 kHz 20%
Short Term -143.0 dBW/MHz 0.01% -103.0 dBW/4 kHz 0.0025%
Max Available RF Power 10.9 (dBW/4 kHz)

Azimuth (°)	Horizon Elevation (°)	Antenna Discrimination (°)	Receive 7.0 GHz		Transmit 5.1 GHz	
			Horizon Gain (dBi)	Coordination Distance (km)	Horizon Gain (dBi)	Coordination Distance (km)
190	1.47	103.45	10.40	226.00	10.40	285.00
195	1.28	108.25	10.40	226.00	10.40	285.00
200	1.46	113.00	10.40	226.00	10.40	285.00
205	1.55	117.74	10.40	226.00	10.40	285.00
210	1.81	122.41	10.40	226.00	10.40	285.00
215	1.61	127.14	10.40	226.00	10.40	285.00
220	1.60	131.80	10.40	226.00	10.40	285.00
225	1.72	136.35	10.40	226.00	10.40	285.00
230	2.00	140.76	10.40	226.00	10.40	285.00
235	2.13	145.08	10.40	226.00	10.40	285.00
240	2.24	149.23	10.40	226.00	10.40	285.00
245	2.33	153.12	10.40	226.00	10.40	285.00
250	1.87	157.02	10.40	226.00	10.40	285.00
255	1.44	160.42	10.40	226.00	10.40	285.00
260	1.53	162.57	10.40	226.00	10.40	285.00
265	1.64	163.46	10.40	226.00	10.40	285.00
270	1.58	163.08	10.40	226.00	10.40	285.00
275	1.45	161.41	10.40	226.00	10.40	285.00
280	1.23	158.77	10.40	226.00	10.40	285.00
285	0.00	156.02	10.40	226.00	10.40	285.00
290	0.62	151.66	10.40	226.00	10.40	285.00
295	0.67	147.40	10.40	226.00	10.40	285.00
300	0.56	143.03	10.40	226.00	10.40	285.00
305	0.51	138.51	10.40	226.00	10.40	285.00
310	0.72	133.83	10.40	226.00	10.40	285.00
315	1.00	129.10	10.40	226.00	10.40	285.00
320	1.01	124.40	10.40	226.00	10.40	285.00
325	0.91	119.69	10.40	226.00	10.40	285.00
330	0.87	114.93	10.40	226.00	10.40	285.00
335	0.89	110.15	10.40	226.00	10.40	285.00
340	0.70	105.37	10.40	226.00	10.40	285.00
345	0.26	100.59	10.40	226.00	10.40	285.00
350	0.00	95.77	10.40	226.00	10.40	285.00
355	0.00	90.94	10.40	226.00	10.40	285.00

COMSEARCH
Earth Station Data Sheet
19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>
GUSA Licensee, LLC



Legend:

Scale: 1:8,000,000

Great Circle: 5.1 GHz 

7.0 GHz 

Precipitation Scatter: 5.1 GHz 

7.0 GHz 


Earth Station Site: 



COMSEARCH®
21515 Ridgetop Circle, Suite
300
Sterling, VA 20166

5. CERTIFICATION

I HEREBY CERTIFY THAT I AM THE TECHNICALLY QUALIFIED PERSON RESPONSIBLE FOR THE PREPARATION OF THE FREQUENCY COORDINATION DATA CONTAINED IN THIS APPLICATION, THAT I AM FAMILIAR WITH PARTS 101 AND 25 OF THE FCC RULES AND REGULATIONS, THAT I HAVE EITHER PREPARED OR REVIEWED THE FREQUENCY COORDINATION DATA SUBMITTED WITH THIS APPLICATION, AND THAT IT IS COMPLETE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

BY: 

Gary K. Edwards
Senior Manager
COMSEARCH
21515 Ridgetop Circle, Suite 300
Sterling, VA 20166

DATED: March 22, 2023

ATTACHMENT 2

Information on Microwave Landing System Sites

For the Clifton, Texas, Globalstar gateway site, there are four potential MLS sites, i.e., Category III airports, within the 200 nautical mile coordination distance. The Clifton antenna site is located at 31-48-1.0 N, 97-36-42.6 W. The airports are:

IAH	Houston – George Bush International Airport, approximately 163 nautical miles from Clifton
AUS	Austin – Bergstrom International Airport, approximately 91 nautical miles away
DFW	Dallas/Ft. Worth International Airport, approximately 71 nautical miles away
AFW	Ft. Worth Alliance Field, approximately 68 nautical miles away

Based on a directory used for MLS coordination purposes, and to the best of its knowledge, Globalstar believes that MLS is not active at any of those sites.