

FREQUENCY COORDINATION AND INTERFERENCE ANALYSIS REPORT

Prepared for
Hawaii Teleport Holdings, LLC
KAPOLEI, HI
Satellite Earth Station

Prepared By:
COMSEARCH
19700 Janelia Farm Boulevard
Ashburn, VA 20147
May 06, 2009

TABLE OF CONTENTS

1. CONCLUSIONS	3
2. SUMMARY OF RESULTS	4
3. SUPPLEMENTAL SHOWING	5
4. EARTH STATION COORDINATION DATA.....	6
5. CERTIFICATION.....	10

1. CONCLUSIONS

An interference study considering all existing, proposed and prior coordinated microwave facilities within the coordination contours of the proposed earth station demonstrates that this site will operate satisfactorily with the common carrier microwave environment. Further, there will be no restrictions of its operation due to interference considerations.

2. SUMMARY OF RESULTS

A number of great circle interference cases were identified during the interference study of the proposed earth station. Each of the cases, which exceeded the interference objective on a line-of-sight basis, was profiled and the propagation losses estimated using NBS TN101 (Revised) techniques. The losses were found to be sufficient to reduce the signal levels to acceptable magnitudes in every case.

The following companies reported potential great circle interference conflicts that did not meet the objectives on a line-of-sight basis. When over-the-horizon losses are considered on the interfering paths, sufficient blockage exists to negate harmful interference from occurring with the proposed transmit-receive earth station.

Company

HONOLULU CITY & COUNTY DEPT OF INFO TECH
Hawaii State

No other carriers reported potential interference cases.

3. SUPPLEMENTAL SHOWING

Pursuant to Part 25.203(c) of the FCC Rules and Regulations, the satellite earth station proposed in this application was coordinated by Comsearch using computer techniques and in accordance with Part 25 of the FCC Rules and Regulations.

Coordination data for this earth station was sent to the below listed carriers with a letter dated 05/06/2009.

Company

AT&T CORP

HONOLULU CITY & COUNTY DEPT OF INFO TECH

Hawaii State

Hawaiian Telcom (debtor-in-possession)

MAUI, COUNTY OF

New Cingular Wireless PCS LLC - Hawaii

University of Hawaii

Wireless Infrastrucure Services

4. EARTH STATION COORDINATION DATA

This section presents the data pertinent to frequency coordination of the proposed earth station that was circulated to all carriers within its coordination contours.

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Date: 05/06/2009
Job Number: 090506COMSTC04

Administrative Information

Call Sign: KA278
Licensee Name: Hawaii Teleport Holdings, LLC

Site Information

KAPOLEI, HI

Latitude (NAD 83): 21° 20' 12.0" N
Longitude (NAD 83): 158° 5' 25.2" W
Climate Zone: A
Rain Zone: 4
Ground Elevation (AMSL): 46.41 m / 152.3 ft

Link Information

Satellite Type: Geostationary
Mode: TR - Transmit-Receive
Modulation: Digital
Satellite Arc: 177°W to 186° West Longitude
Azimuth Range: 223.3° to 235.5°
Corresponding Elevation Angles: 57.1° / 49.8°
Antenna Centerline (AGL): 8.23 m / 27.0 ft

Antenna Information

Receive - U41551

Transmit - U61551

Manufacturer:	UNIVERSAL ANTENNAS	UNIVERSAL ANTENNAS
Model:	1155C	1155C
Gain / Diameter:	54.7 dBi / 15.5 m	58.0 dBi / 15.5 m
3-dB / 15-dB Beamwidth:	0.29° / 0.61°	0.18° / 0.38°

		<u>2M05G7E</u>	<u>1M54G7E</u>	<u>45K0G1E</u>	<u>51K2G7W - 36M0G7W</u>	
Max Available RF Power	(dBW/4 kHz)	-4.8	-12.2	-2.7	-12.55	-12.55
	(dBW/MHz)	19.2	11.8	21.3	11.45	11.45
Maximum EIRP	(dBW/4 kHz)	53.2	45.8	55.3	45.45	45.45
	(dBW/MHz)	77.2	69.8	79.3	69.45	69.45
	(dBW)	80.3	71.65	65.82	56.52	85.00
Interference Objectives:	Long Term	-150.0 dBW/MHz	20%	-154.0 dBW/4 kHz	20%	
	Short Term	-130.0 dBW/MHz	0.01%	-131.0 dBW/4 kHz	0.0025%	

Frequency Information

Receive 4.0 GHz

Transmit 6.1 GHz

Emission / Frequency Range (MHz)	2M05G7E / 3700.0 - 4200.0	2M05G7E / 5925.0 - 6425.0
	51K2G7W - 36M0G7W / 3700.0 - 4200.0	1M54G7E / 5925.0 - 6425.0
		45K0G1E / 5925.0 - 6425.0
		51K2G7W - 36M0G7W / 5925.0 - 6425.0

Max Great Circle Coordination Distance	205.8 km / 127.9 mi	170.8 km / 106.1 mi
Precipitation Scatter Contour Radius	100.0 km / 62.1 mi	100.0 km / 62.1 mi

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Coordination Values

KAPOLEI, HI

Licensee Name Hawaii Teleport Holding, LLC
Latitude (NAD 83) 21° 20' 12.0" N
Longitude (NAD 83) 158° 5' 25.2" W
Ground Elevation (AMSL) 46.41 m / 152.3 ft
Antenna Centerline (AGL) 8.23 m / 27.0 ft
Antenna Model UNIVERSAL ANTENNAS 1155C
Antenna Mode Receive 4.0 GHz Transmit 6.1 GHz
Interference Objectives: Long Term -150.0 dBW/MHz 20% -154.0 dBW/4 kHz 20%
Short Term -130.0 dBW/MHz 0.01% -131.0 dBW/4 kHz 0.0025%
Max Available RF Power -2.7 (dBW/4 kHz)

Azimuth (°)	Horizon Elevation (°)	Antenna Discrimination (°)	Receive 4.0 GHz		Transmit 6.1 GHz	
			Horizon Gain (dBi)	Coordination Distance (km)	Horizon Gain (dBi)	Coordination Distance (km)
0	11.30	116.31	-10.30	100.00	-10.00	100.00
5	9.13	118.84	-10.30	100.00	-10.00	100.00
10	9.94	122.54	-10.30	100.00	-10.00	100.00
15	9.14	125.22	-10.30	100.00	-10.00	100.00
20	7.39	126.47	-10.30	100.00	-10.00	100.00
25	7.86	128.34	-10.30	100.00	-10.00	100.00
30	6.50	128.19	-10.30	100.00	-10.00	100.00
35	4.95	127.41	-10.30	100.00	-10.00	100.00
40	4.92	127.78	-10.30	100.00	-10.00	100.00
45	4.71	127.62	-10.30	100.00	-10.00	100.00
50	3.30	125.94	-10.30	100.00	-10.00	100.00
55	2.67	124.74	-10.30	109.68	-10.00	100.00
60	2.33	123.56	-10.30	116.12	-10.00	100.00
65	0.87	121.11	-10.30	153.94	-10.00	123.54
70	0.47	119.45	-10.30	179.31	-10.00	141.58
75	0.00	117.54	-10.30	205.64	-10.00	170.66
80	0.00	115.83	-10.30	205.64	-10.00	170.66
85	0.00	113.93	-10.30	205.64	-10.00	170.66
90	0.00	111.88	-10.30	205.64	-10.00	170.66
95	0.00	109.68	-10.30	205.64	-10.00	170.66
100	0.00	107.35	-10.30	205.64	-10.00	170.66
105	0.00	104.92	-10.30	205.64	-10.00	170.66
110	0.00	102.40	-10.30	205.64	-10.00	170.66
115	0.00	99.81	-10.30	205.64	-10.00	170.66
120	0.00	97.17	-10.30	205.64	-10.00	170.66
125	0.00	94.49	-10.30	205.64	-10.00	170.66
130	0.00	91.78	-10.30	205.64	-10.00	170.66
135	0.00	89.06	-10.30	205.64	-10.00	170.66
140	0.00	86.35	-10.30	205.64	-10.00	170.66
145	0.00	83.66	-10.30	205.64	-10.00	170.66
150	0.00	81.00	-10.30	205.64	-10.00	170.66
155	0.00	78.39	-10.30	205.64	-10.00	170.66
160	0.00	75.85	-10.30	205.64	-10.00	170.66
165	0.00	73.39	-10.30	205.64	-10.00	170.66
170	0.00	71.03	-10.30	205.64	-10.00	170.66
175	0.00	68.79	-10.30	205.64	-10.00	170.66
180	0.00	66.68	-10.30	205.64	-10.00	170.66
185	0.00	64.74	-10.30	205.64	-10.00	170.66

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Coordination Values

KAPOLEI, HI

Licensee Name	Hawaii Teleport Holding, LLC		
Latitude (NAD 83)	21° 20' 12.0" N		
Longitude (NAD 83)	158° 5' 25.2" W		
Ground Elevation (AMSL)	46.41 m / 152.3 ft		
Antenna Centerline (AGL)	8.23 m / 27.0 ft		
Antenna Model	UNIVERSAL ANTENNAS 1155C		
Antenna Mode	Receive 4.0 GHz	Transmit 6.1 GHz	
Interference Objectives: Long Term	-150.0 dBW/MHz	20%	-154.0 dBW/4 kHz
Short Term	-130.0 dBW/MHz	0.01%	-131.0 dBW/4 kHz
Max Available RF Power			-2.7 (dBW/4 kHz)

Azimuth (°)	Horizon Elevation (°)	Antenna Discrimination (°)	Receive 4.0 GHz		Transmit 6.1 GHz	
			Horizon Gain (dBi)	Coordination Distance (km)	Horizon Gain (dBi)	Coordination Distance (km)
190	0.00	62.92	-10.30	205.64	-10.00	170.66
195	0.00	60.61	-10.30	205.64	-10.00	170.66
200	0.00	58.30	-10.30	205.64	-10.00	170.66
205	0.00	56.21	-10.30	205.64	-10.00	170.66
210	0.00	54.37	-10.30	205.64	-10.00	170.66
215	0.00	52.80	-10.30	205.64	-10.00	170.66
220	0.00	51.54	-10.30	205.64	-10.00	170.66
225	0.00	50.61	-10.30	205.64	-10.00	170.66
230	0.00	50.02	-10.30	205.64	-10.00	170.66
235	0.00	49.80	-10.26	205.79	-9.96	170.81
240	0.00	49.95	-10.29	205.68	-9.99	170.70
245	0.00	50.46	-10.30	205.64	-10.00	170.66
250	0.00	51.32	-10.30	205.64	-10.00	170.66
255	0.00	52.52	-10.30	205.64	-10.00	170.66
260	0.00	54.02	-10.30	205.64	-10.00	170.66
265	0.00	55.81	-10.30	205.64	-10.00	170.66
270	0.00	57.86	-10.30	205.64	-10.00	170.66
275	0.00	60.12	-10.30	205.64	-10.00	170.66
280	0.00	62.58	-10.30	205.64	-10.00	170.66
285	0.00	65.21	-10.30	205.64	-10.00	170.66
290	0.23	67.87	-10.30	202.40	-10.00	165.23
295	0.91	70.50	-10.30	151.55	-10.00	121.50
300	1.39	73.39	-10.30	136.42	-10.00	107.59
305	1.97	76.39	-10.30	123.37	-10.00	100.00
310	2.79	79.49	-10.30	107.30	-10.00	100.00
315	3.18	82.80	-10.30	100.00	-10.00	100.00
320	3.81	86.17	-10.30	100.00	-10.00	100.00
325	4.31	89.64	-10.30	100.00	-10.00	100.00
330	4.86	93.17	-10.30	100.00	-10.00	100.00
335	5.31	96.75	-10.30	100.00	-10.00	100.00
340	5.94	100.39	-10.30	100.00	-10.00	100.00
345	7.02	104.17	-10.30	100.00	-10.00	100.00
350	9.08	108.31	-10.30	100.00	-10.00	100.00
355	10.71	112.46	-10.30	100.00	-10.00	100.00

5. CERTIFICATION

I HEREBY CERTIFY THAT I AM THE TECHNICALLY QUALIFIED PERSON RESPONSIBLE FOR THE PREPARATION OF THE FREQUENCY COORDINATION DATA CONTAINED IN THIS APPLICATION, THAT I AM FAMILIAR WITH PARTS 101 AND 25 OF THE FCC RULES AND REGULATIONS, THAT I HAVE EITHER PREPARED OR REVIEWED THE FREQUENCY COORDINATION DATA SUBMITTED WITH THIS APPLICATION, AND THAT IT IS COMPLETE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.



Timothy O. Crutcher
Frequency Planner
COMSEARCH
19700 Janelia Farm Boulevard
Ashburn, VA 20147

DATED: May 06, 2009