

City	Old EIRPs	Old EIRPs + 2.7	4/20 Turbo 8PSK 2/3 EIRPs	Delta (4/21 EIRPs - 4/20 EIRPs)	4/21 Turbo 8PSK 2/3 EIRPs	Delta (8PSK 2/3 - Old EIRPs)	Turbo 8PSK 3/4 EIRPs	Delta (8PSK 3/4 - Old EIRPs)
HONOLULU HI	50.00	52.70	50.00	#REF!	#REF!	#REF!	#REF!	#REF!
TAMPA FL	54.00	56.70	58.00	#REF!	#REF!	#REF!	#REF!	#REF!
ST PETERSBUR	54.00	56.70	58.00	#REF!	#REF!	#REF!	#REF!	#REF!
SARASOTA FL	54.00	56.70	58.00	#REF!	#REF!	#REF!	#REF!	#REF!
CHARLESTON S	54.00	56.70	58.00	#REF!	#REF!	#REF!	#REF!	#REF!
NEW ORLEANS	54.00	56.70	57.50	#REF!	#REF!	#REF!	#REF!	#REF!
HOUSTON TX	53.00	55.70	56.70	#REF!	#REF!	#REF!	#REF!	#REF!
SAN ANTONIO T	50.00	52.70	51.60	#REF!	#REF!	#REF!	#REF!	#REF!
ATLANTA GA	54.00	56.70	55.50	#REF!	#REF!	#REF!	#REF!	#REF!
NASHVILLE TN	54.00	56.70	55.70	#REF!	#REF!	#REF!	#REF!	#REF!
EL PASO TX	48.00	50.70	50.00	#REF!	#REF!	#REF!	#REF!	#REF!
LAS CRUCES N	48.00	50.70	50.00	#REF!	#REF!	#REF!	#REF!	#REF!
SHREVEPORT L	52.00	54.70	54.40	#REF!	#REF!	#REF!	#REF!	#REF!
PHOENIX AZ	48.00	50.70	50.00	#REF!	#REF!	#REF!	#REF!	#REF!
PRESCOTT AZ	48.00	50.70	50.00	#REF!	#REF!	#REF!	#REF!	#REF!
OKLAHOMA CIT	49.50	52.20	52.20	#REF!	#REF!	#REF!	#REF!	#REF!
LOS ANGELES C	48.00	50.70	50.00	#REF!	#REF!	#REF!	#REF!	#REF!
WASHINGTON D	54.00	56.70	55.30	#REF!	#REF!	#REF!	#REF!	#REF!
HAGERSTOWN	54.00	56.70	55.30	#REF!	#REF!	#REF!	#REF!	#REF!
ST LOUIS MO	50.50	53.20	53.20	#REF!	#REF!	#REF!	#REF!	#REF!
SAN FRANCISCO	48.00	50.70	50.00	#REF!	#REF!	#REF!	#REF!	#REF!
OAKLAND CA	48.00	50.70	50.00	#REF!	#REF!	#REF!	#REF!	#REF!
SAN JOSE CA	48.00	50.70	50.00	#REF!	#REF!	#REF!	#REF!	#REF!
DENVER CO	48.00	50.70	50.00	#REF!	#REF!	#REF!	#REF!	#REF!
SALT LAKE CITY	48.00	50.70	50.00	#REF!	#REF!	#REF!	#REF!	#REF!
CLEVELAND OH	51.10	53.80	54.50	#REF!	#REF!	#REF!	#REF!	#REF!
AKRON OH	51.10	53.80	54.50	#REF!	#REF!	#REF!	#REF!	#REF!
CANTON OH	51.10	53.80	54.50	#REF!	#REF!	#REF!	#REF!	#REF!
CHICAGO IL	51.50	54.20	53.90	#REF!	#REF!	#REF!	#REF!	#REF!
BOISE ID	48.00	50.70	50.00	#REF!	#REF!	#REF!	#REF!	#REF!
MARQUETTE IA	50.80	53.50	53.50	#REF!	#REF!	#REF!	#REF!	#REF!
MARQUETTE IL	51.50	54.20	53.60	#REF!	#REF!	#REF!	#REF!	#REF!
MARQUETTE KS	49.00	51.70	51.10	#REF!	#REF!	#REF!	#REF!	#REF!
MARQUETTE MI	50.50	53.20	53.00	#REF!	#REF!	#REF!	#REF!	#REF!
MARQUETTE NE	49.00	51.70	51.30	#REF!	#REF!	#REF!	#REF!	#REF!
MARQUETTE W	50.50	53.20	52.40	#REF!	#REF!	#REF!	#REF!	#REF!
MINNEAPOLIS M	50.00	52.70	52.10	#REF!	#REF!	#REF!	#REF!	#REF!
ST PAUL MN	50.00	52.70	52.10	#REF!	#REF!	#REF!	#REF!	#REF!
SEATTLE WA	49.00	51.70	50.50	#REF!	#REF!	#REF!	#REF!	#REF!
TACOMA WA	49.00	51.70	50.50	#REF!	#REF!	#REF!	#REF!	#REF!
PORTLAND OR	49.00	51.70	50.50	#REF!	#REF!	#REF!	#REF!	#REF!
GREAT FALLS M	54.00	56.70	55.30	#REF!	#REF!	#REF!	#REF!	#REF!
GREAT FALLS N	48.00	50.70	50.00	#REF!	#REF!	#REF!	#REF!	#REF!
GREAT FALLS S	54.00	56.70	56.70	#REF!	#REF!	#REF!	#REF!	#REF!
GREAT FALLS V	54.00	56.70	55.30	#REF!	#REF!	#REF!	#REF!	#REF!
MINOT ND	49.40	52.10	51.90	#REF!	#REF!	#REF!	#REF!	#REF!
BISMARCK ND	49.40	52.10	51.80	#REF!	#REF!	#REF!	#REF!	#REF!
DICKINSON ND	49.40	52.10	50.00	#REF!	#REF!	#REF!	#REF!	#REF!
MIAMI FL	54.00	56.70	58.00	#REF!	#REF!	#REF!	#REF!	#REF!
ANCHORAGE A	49.00	51.70	51.70	#REF!	#REF!	#REF!	#REF!	#REF!
CORPUS CHRIS	51.00	53.70	51.60	#REF!	#REF!	#REF!	#REF!	#REF!
LUBBOCK TX	49.00	51.70	50.40	#REF!	#REF!	#REF!	#REF!	#REF!
BAKERSFIELD C	48.00	50.70	50.00	#REF!	#REF!	#REF!	#REF!	#REF!
INDIANAPOLIS I	53.00	55.70	55.30	#REF!	#REF!	#REF!	#REF!	#REF!
TOPEKA KS	49.00	51.70	52.50	#REF!	#REF!	#REF!	#REF!	#REF!
SIOUX FALLS S	49.00	51.70	51.60	#REF!	#REF!	#REF!	#REF!	#REF!
EUGENE OR	48.00	50.70	50.00	#REF!	#REF!	#REF!	#REF!	#REF!
IDAHO FALLS ID	48.00	50.70	50.00	#REF!	#REF!	#REF!	#REF!	#REF!
FARGO ND	49.00	51.70	52.00	#REF!	#REF!	#REF!	#REF!	#REF!
SPOKANE WA	48.00	50.70	50.00	#REF!	#REF!	#REF!	#REF!	#REF!
			# decreased:	0.00	Average:	#REF!	Average:	#REF!

Green: lower than old EIRPs + 2.7 dB
Red: higher

BSS @129W

	Eb/No	datarate		EIRP values?
DVB S2 QPSK 1/4	0.75	9804.86	#DIV/0!	n/a
DVB S2 QPSK 1/3	0.59	13128.96	#DIV/0!	n/a
DVB S2 QPSK 2/5	0.73	15788.24	#DIV/0!	n/a
Turbo QPSK 1/2	1.7	18974.44	#DIV/0!	updated 3/23 Old EIRPs
DVB S2 QPSK 3/5	1.48	23766.08	#DIV/0!	n/a
Turbo QPSK 2/3	2.7	#REF!	#REF!	updated 3/23 Old EIRPs
Turbo QPSK 3/4	3.1	#REF!	#REF!	updated 3/23 Old EIRPs
DVB S2 QPSK 4/5	2.67	#REF!	#REF!	n/a
Turbo QPSK 5/6	3.7	#REF!	#REF!	updated 4/18 u: 4/19 EIRPs
Turbo QPSK 7/8	4.2	#REF!	#REF!	updated 4/19 u: 4/19 EIRPs
DVB S2 QPSK 9/10	3.89	#REF!	#REF!	n/a
Turbo 8PSK 2/3	4.4	#REF!	#REF!	updated 4/18 u: 4/19 EIRPs
Turbo 8PSK 3/4	4.9	#REF!	#REF!	updated 4/18 u: 4/19 EIRPs
Turbo 8PSK 5/6	6.4	#REF!	#REF!	updated 4/18 u: 4/19 EIRPs
Turbo 8PSK 8/9	6.7	#REF!	#REF!	updated 4/18 u: n/a

Earth Station G/T degrade by:	0.5	dB
----------------------------------	-----	----

DATA RATE
 NUMBER OF PHASES
 LDPC
 SPECTRAL EFFICIENCY
 REQUIRED Eb/No
 IF BANDWIDTH
 C/N REQUIRED
 Faded System Margin
 Antenna Efficiency

18974.44	kbps
4	
1 / 2	
0.948722	
1.70	dB
20000.0	kHz
1.47	dB
0.3	dB
63.00%	

sat #REF!
 xpdr #REF!
 loc #REF!

UPLINK SITE #NAME? #NAME?
 UPLINK SFD #NAME? dBW/m2
 ATTENUATOR 10.0 dB
 UPLINK G/T #NAME? dB/K
 UPLINK FREQ #REF! MHz
 DOWNLINK FREQ #REF! MHz
 UPLINK EIRP #NAME? dBW
 Uncompensated U/L Fade 0.0 dB
 UPLINK C/N #NAME? dB

Spacing Factor
 Required Bandwidth
 Allocated Bandwidth
 Transponder SCPC IBO
 Transponder SCPC OBO
 Carrier IBO
 Carrier OBO

1.2	
24.000	MHz
24.000	MHz
0.0	dB
0.0	dB
0.00	dB
0.00	dB

Adjacent satellite C/I 15
 Spot beam C/I 15.0
 Transponder Bandwidth 24.0 MHz
 Required Bandwidth 100.00 %
 Allocated Bandwidth 100.00 %
 Carrier Allocated Power 100.00 %

RECEIVE SITE	0.45	ANT DIA (m)	ES Tsys (K)	ANT G/T (dB/K)	Assumed C/I (dB)	MINIMUM C/N DOWN (dB)	XPDR SAT EIRP (dBW)	CXR EIRP (dBW)	CLEAR-SKY DOWNLINK C/N (dB)	MARGIN TO MIN C/Ndn (dB)
#NAME?	0.45	110.0	13.6	12.0	#NAME?	50.00	50.00	#NAME?	#NAME?	#
#NAME?	0.45	110.0	13.6	12.0	#NAME?	52.60	52.60	#NAME?	#NAME?	#
#NAME?	0.45	110.0	13.6	12.0	#NAME?	52.60	52.60	#NAME?	#NAME?	#
#NAME?	0.45	110.0	13.6	12.0	#NAME?	52.60	52.60	#NAME?	#NAME?	#
#NAME?	0.45	110.0	13.6	12.0	#NAME?	53.80	53.80	#NAME?	#NAME?	#
#NAME?	0.45	110.0	13.6	12.0	#NAME?	51.50	51.50	#NAME?	#NAME?	#
#NAME?	0.45	110.0	13.6	12.0	#NAME?	51.00	51.00	#NAME?	#NAME?	#
#NAME?	0.45	110.0	13.6	12.0	#NAME?	50.00	50.00	#NAME?	#NAME?	#
#NAME?	0.45	110.0	13.6	12.0	#NAME?	52.60	52.60	#NAME?	#NAME?	#
#NAME?	0.45	110.0	13.6	12.0	#NAME?	52.50	52.50	#NAME?	#NAME?	#
#NAME?	0.45	110.0	13.6	12.0	#NAME?	48.00	48.00	#NAME?	#NAME?	#
#NAME?	0.45	110.0	13.6	12.0	#NAME?	48.00	48.00	#NAME?	#NAME?	#
#NAME?	0.45	110.0	13.6	12.0	#NAME?	52.00	52.00	#NAME?	#NAME?	#
#NAME?	0.45	110.0	13.6	12.0	#NAME?	48.00	48.00	#NAME?	#NAME?	#
#NAME?	0.45	110.0	13.6	12.0	#NAME?	48.00	48.00	#NAME?	#NAME?	#
#NAME?	0.45	110.0	13.6	12.0	#NAME?	49.50	49.50	#NAME?	#NAME?	#
#NAME?	0.45	110.0	13.6	12.0	#NAME?	48.00	48.00	#NAME?	#NAME?	#
#NAME?	0.45	110.0	13.6	12.0	#NAME?	52.50	52.50	#NAME?	#NAME?	#
#NAME?	0.45	110.0	13.6	12.0	#NAME?	52.50	52.50	#NAME?	#NAME?	#
#NAME?	0.45	110.0	13.6	12.0	#NAME?	50.00	50.00	#NAME?	#NAME?	#
#NAME?	0.45	110.0	13.6	12.0	#NAME?	48.00	48.00	#NAME?	#NAME?	#
#NAME?	0.45	110.0	13.6	12.0	#NAME?	48.00	48.00	#NAME?	#NAME?	#
#NAME?	0.45	110.0	13.6	12.0	#NAME?	48.00	48.00	#NAME?	#NAME?	#
#NAME?	0.45	110.0	13.6	12.0	#NAME?	48.00	48.00	#NAME?	#NAME?	#
#NAME?	0.45	110.0	13.6	12.0	#NAME?	48.00	48.00	#NAME?	#NAME?	#
#NAME?	0.45	110.0	13.6	12.0	#NAME?	48.00	48.00	#NAME?	#NAME?	#
#NAME?	0.45	110.0	13.6	12.0	#NAME?	48.00	48.00	#NAME?	#NAME?	#
#NAME?	0.45	110.0	13.6	12.0	#NAME?	51.50	51.50	#NAME?	#NAME?	#
#NAME?	0.45	110.0	13.6	12.0	#NAME?	51.50	51.50	#NAME?	#NAME?	#
#NAME?	0.45	110.0	13.6	12.0	#NAME?	51.50	51.50	#NAME?	#NAME?	#
#NAME?	0.45	110.0	13.6	12.0	#NAME?	51.00	51.00	#NAME?	#NAME?	#
#NAME?	0.45	110.0	13.6	12.0	#NAME?	48.00	48.00	#NAME?	#NAME?	#
#NAME?	0.45	110.0	13.6	12.0	#NAME?	50.50	50.50	#NAME?	#NAME?	#

#NAME?	0.45	110.0	13.6	12.0	#NAME?	50.50	50.50	#NAME?	#NAME?	#
#NAME?	0.45	110.0	13.6	12.0	#NAME?	48.50	48.50	#NAME?	#NAME?	#
#NAME?	0.45	110.0	13.6	12.0	#NAME?	50.00	50.00	#NAME?	#NAME?	#
#NAME?	0.45	110.0	13.6	12.0	#NAME?	48.50	48.50	#NAME?	#NAME?	#
#NAME?	0.45	110.0	13.6	12.0	#NAME?	50.00	50.00	#NAME?	#NAME?	#
#NAME?	0.45	110.0	13.6	12.0	#NAME?	49.10	49.10	#NAME?	#NAME?	#
#NAME?	0.45	110.0	13.6	12.0	#NAME?	49.10	49.10	#NAME?	#NAME?	#
#NAME?	0.45	110.0	13.6	12.0	#NAME?	48.00	48.00	#NAME?	#NAME?	#
#NAME?	0.45	110.0	13.6	12.0	#NAME?	48.00	48.00	#NAME?	#NAME?	#
#NAME?	0.45	110.0	13.6	12.0	#NAME?	48.00	48.00	#NAME?	#NAME?	#
#NAME?	0.45	110.0	13.6	12.0	#NAME?	48.00	48.00	#NAME?	#NAME?	#
#NAME?	0.45	110.0	13.6	12.0	#NAME?	48.30	48.30	#NAME?	#NAME?	#
#NAME?	0.45	110.0	13.6	12.0	#NAME?	48.30	48.30	#NAME?	#NAME?	#
#NAME?	0.45	110.0	13.6	12.0	#NAME?	48.90	48.90	#NAME?	#NAME?	#
#NAME?	0.45	110.0	13.6	12.0	#NAME?	48.90	48.90	#NAME?	#NAME?	#
#NAME?	0.45	110.0	13.6	12.0	#NAME?	48.90	48.90	#NAME?	#NAME?	#
#NAME?	0.45	110.0	13.6	12.0	#NAME?	53.00	53.00	#NAME?	#NAME?	#
#NAME?	0.45	110.0	13.6	12.0	#NAME?	49.00	49.00	#NAME?	#NAME?	#

Table A,4.2-1 (schedule S, section S-13