

Date & Time Filed: Mar 22 2012 7:57:59:150PM  
File Number: SES-MFS-20120322-00290

|  |              |
|--|--------------|
| FCC APPLICATION FOR SPACE AND EARTH STATION:MOD OR AMD – MAIN FORM | FCC Use Only |
| FCC 312 MAIN FORM FOR OFFICIAL USE ONLY                            |              |

APPLICANT INFORMATION

Enter a description of this application to identify it on the main menu:  
March 2012 Modification of E060445 to Add Antennas and POC

|                              |                        |                      |                          |
|------------------------------|------------------------|----------------------|--------------------------|
| 1-8. Legal Name of Applicant |                        |                      |                          |
| <b>Name:</b>                 | HNS License Sub, LLC   | <b>Phone Number:</b> | 301-428-5506             |
| <b>DBA Name:</b>             |                        | <b>Fax Number:</b>   | 301-428-2802             |
| <b>Street:</b>               | 11717 Exploration Lane | <b>E-Mail:</b>       | Steven.Doiron@hughes.com |
| <b>City:</b>                 | Germantown             | <b>State:</b>        | MD                       |
| <b>Country:</b>              | USA                    | <b>Zipcode:</b>      | 20876 -                  |
| <b>Attention:</b>            | Mr. Steven Doiron      |                      |                          |

9-16. Name of Contact Representative

|                   |                               |                      |                          |
|-------------------|-------------------------------|----------------------|--------------------------|
| <b>Name:</b>      | Stephen D. Baruch             | <b>Phone Number:</b> | 202-416-6782             |
| <b>Company:</b>   | Lerman Senter PLLC            | <b>Fax Number:</b>   | 202-293-7783             |
| <b>Street:</b>    | 2000 K Street NW<br>Suite 600 | <b>E-Mail:</b>       | sbaruch@lermansenter.com |
| <b>City:</b>      | Washington                    | <b>State:</b>        | DC                       |
| <b>Country:</b>   | USA                           | <b>Zipcode:</b>      | 20006-                   |
| <b>Attention:</b> | Stephen D. Baruch             | <b>Relationship:</b> | Legal Counsel            |

CLASSIFICATION OF FILING

17. Choose the button next to the classification that applies to this filing for both questions a. and b. Choose only one for 17a and only one for 17b.

- a1. Earth Station
- a2. Space Station

- (N/A) b1. Application for License of New Station
- (N/A) b2. Application for Registration of New Domestic Receive-Only Station
- b3. Amendment to a Pending Application
- b4. Modification of License or Registration
- b5. Assignment of License or Registration
- b6. Transfer of Control of License or Registration
- b7. Notification of Minor Modification
- (N/A) b8. Application for License of New Receive-Only Station Using Non-U.S. Licensed Satellite
- (N/A) b9. Letter of Intent to Use Non-U.S. Licensed Satellite to Provide Service in the United States
- (N/A) b10. Other (Please specify)
- (N/A) b11. Application for Earth Station to Access a Non-U.S. satellite Not Currently Authorized to Provide the Proposed Service in the Proposed Frequencies in the United States
- (N/A) b12. Application for Database Entry
- b13. Amendment to a Pending Database Entry Application
- b14. Modification of Database Entry

|  |  |
|--|--|
| <p>17c. Is a fee submitted with this application?</p> <p><input checked="" type="radio"/> If Yes, complete and attach FCC Form 159. If No, indicate reason for fee exemption (see 47 C.F.R.Section 1.1114).</p> <p><input type="radio"/> Governmental Entity    <input type="radio"/> Noncommercial educational licensee</p> <p><input type="radio"/> Other(please explain):</p> |  |
| <p>17d.</p> <p>Fee Classification CGV – Fixed Satellite VSAT System</p>  |  |
| <p>18. If this filing is in reference to an existing station, enter:</p> <p>(a) Call sign of station:<br/>E060445</p>  | <p>19. If this filing is an amendment to a pending application enter both fields, if this filing is a modification please enter only the file number:</p> <p>(a) Date pending application was filed:</p> <p>(b) File number:<br/>SESMFS2011070100767</p> |

**TYPE OF SERVICE**

|   |  |
|---|--|
| <p>20. NATURE OF SERVICE: This filing is for an authorization to provide or use the following type(s) of service(s): Select all that apply:</p> <p><input checked="" type="checkbox"/> a. Fixed Satellite<br/><input type="checkbox"/> b. Mobile Satellite<br/><input type="checkbox"/> c. Radiodetermination Satellite<br/><input type="checkbox"/> d. Earth Exploration Satellite<br/><input type="checkbox"/> e. Direct to Home Fixed Satellite<br/><input type="checkbox"/> f. Digital Audio Radio Service<br/><input type="checkbox"/> g. Other (please specify)</p> |  |
| <p>21. STATUS: Choose the button next to the applicable status. Choose only one.<br/><input type="radio"/> Common Carrier    <input checked="" type="radio"/> Non-Common Carrier</p>  | <p>22. If earth station applicant, check all that apply.<br/><input checked="" type="checkbox"/> Using U.S. licensed satellites<br/><input checked="" type="checkbox"/> Using Non-U.S. licensed satellites</p> |
| <p>23. If applicant is providing INTERNATIONAL COMMON CARRIER service, see instructions regarding Sec. 214 filings. Choose one. Are these facilities:<br/><input type="radio"/> Connected to a Public Switched Network    <input type="radio"/> Not connected to a Public Switched Network    <input checked="" type="radio"/> N/A</p>  |  |
| <p>24. FREQUENCY BAND(S): Place an 'X' in the box(es) next to all applicable frequency band(s).<br/><input type="checkbox"/> a. C-Band (4/6 GHz)    <input type="checkbox"/> b. Ku-Band (12/14 GHz)<br/><input checked="" type="checkbox"/> c. Other (Please specify upper and lower frequencies in MHz.)<br/>Frequency Lower: 18300.0000    Frequency Upper: 30000.0000    (Please specify additional frequencies in an attachment)</p>  |  |

## TYPE OF STATION

25. CLASS OF STATION: Choose the button next to the class of station that applies. Choose only one.

- a. Fixed Earth Station
- b. Temporary–Fixed Earth Station
- c. 12/14 GHz VSAT Network
- d. Mobile Earth Station
- e. Geostationary Space Station
- f. Non–Geostationary Space Station
- g. Other (please specify)    20/30 GHz VSAT Network

26. TYPE OF EARTH STATION FACILITY:

- Transmit/Receive     Transmit–Only     Receive–Only     N/A

"For Space Station applications, select N/A."

## PURPOSE OF MODIFICATION

27. The purpose of this proposed modification is to: (Place an 'X' in the box(es) next to all that apply.)

- a -- authorization to add new emission designator and related service
- b -- authorization to change emission designator and related service
- c -- authorization to increase EIRP and EIRP density
- d -- authorization to replace antenna
- e -- authorization to add antenna
- f -- authorization to relocate fixed station
- g -- authorization to change frequency(ies)
- h -- authorization to add frequency
- i -- authorization to add Points of Communication (satellites & countries)
- j -- authorization to change Points of Communication (satellites & countries)
- k -- authorization for facilities for which environmental assessment and radiation hazard reporting is required
- l -- authorization to change orbit location
- m -- authorization to perform fleet management
- n -- authorization to extend milestones
- o -- Other (Please specify)

ENVIRONMENTAL POLICY

|   |   |
|---|---|
| <p>28. Would a Commission grant of any proposal in this application or amendment have a significant environmental impact as defined by 47 CFR 1.1307? If YES, submit the statement as required by Sections 1.1308 and 1.1311 of the Commission’s rules, 47 C.F.R. 1.1308 and 1.1311, as an exhibit to this application. A Radiation Hazard Study must accompany all applications for new transmitting facilities, major modifications, or major amendments.</p> | <p><input type="radio"/> Yes <input checked="" type="radio"/> No</p> <p>Exhibit B</p> |
|---|---|

ALIEN OWNERSHIP Earth station applicants not proposing to provide broadcast, common carrier, aeronautical en route or aeronautical fixed radio station services are not required to respond to Items 30–34.

|  |  |
|--|--|
| <p>29. Is the applicant a foreign government or the representative of any foreign government?</p>  | <p><input type="radio"/> Yes <input checked="" type="radio"/> No</p>                           |
| <p>30. Is the applicant an alien or the representative of an alien?</p>  | <p><input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A</p> |
| <p>31. Is the applicant a corporation organized under the laws of any foreign government?</p>  | <p><input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A</p> |
| <p>32. Is the applicant a corporation of which more than one–fifth of the capital stock is owned of record or voted by aliens or their representatives or by a foreign government or representative thereof or by any corporation organized under the laws of a foreign country?</p> | <p><input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A</p> |

33. Is the applicant a corporation directly or indirectly controlled by any other corporation of which more than one-fourth of the capital stock is owned of record or voted by aliens, their representatives, or by a foreign government or representative thereof or by any corporation organized under the laws of a foreign country?

Yes  No  N/A

34. If any answer to questions 29, 30, 31, 32 and/or 33 is Yes, attach as an exhibit an identification of the aliens or foreign entities, their nationality, their relationship to the applicant, and the percentage of stock they own or vote.

#### BASIC QUALIFICATIONS

35. Does the Applicant request any waivers or exemptions from any of the Commission's Rules?  
If Yes, attach as an exhibit, copies of the requests for waivers or exceptions with supporting documents.

Yes  No

36. Has the applicant or any party to this application or amendment had any FCC station authorization or license revoked or had any application for an initial, modification or renewal of FCC station authorization, license, or construction permit denied by the Commission? If Yes, attach as an exhibit, an explanation of circumstances.

Yes  No

Question 36



37. Has the applicant, or any party to this application or amendment, or any party directly or indirectly controlling the applicant ever been convicted of a felony by any state or federal court? If Yes, attach as an exhibit, an explanation of circumstances.

Yes  No

38. Has any court finally adjudged the applicant, or any person directly or indirectly controlling the applicant, guilty of unlawfully monopolizing or attempting unlawfully to monopolize radio communication, directly or indirectly, through control of manufacture or sale of radio apparatus, exclusive traffic arrangement or any other means or unfair methods of competition? If Yes, attach as an exhibit, an explanation of circumstances

Yes  No

39. Is the applicant, or any person directly or indirectly controlling the applicant, currently a party in any pending matter referred to in the preceding two items? If yes, attach as an exhibit, an explanation of the circumstances.

Yes  No

40. If the applicant is a corporation and is applying for a space station license, attach as an exhibit the names, address, and citizenship of those stockholders owning a record and/or voting 10 percent or more of the Filer's voting stock and the percentages so held. In the case of fiduciary control, indicate the beneficiary(ies) or class of beneficiaries. Also list the names and addresses of the officers and directors of the Filer.

41. By checking Yes, the undersigned certifies, that neither applicant nor any other party to the application is subject to a denial of Federal benefits that includes FCC benefits pursuant to Section 5301 of the Anti-Drug Act of 1988, 21 U.S.C. Section 862, because of a conviction for possession or distribution of a controlled substance. See 47 CFR 1.2002(b) for the meaning of "party to the application" for these purposes.

Yes  No

42a. Does the applicant intend to use a non-U.S. licensed satellite to provide service in the United States? If Yes, answer 42b and attach an exhibit providing the information specified in 47 C.F.R. 25.137, as appropriate. If No, proceed to question 43.

Yes  No

Exhibit D

42b. What administration has licensed or is in the process of licensing the space station? If no license will be issued, what administration has coordinated or is in the process of coordinating the space station? United Kingdom

43. Description. (Summarize the nature of the application and the services to be provided). (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

See Narrative Exhibit.

Exhibit A

43a. Geographic Service Rule Certification

By selecting A, the undersigned certifies that the applicant is not subject to the geographic service or geographic coverage requirements specified in 47 C.F.R. Part 25.

A

By selecting B, the undersigned certifies that the applicant is subject to the geographic service or geographic coverage requirements specified in 47 C.F.R. Part 25 and will comply with such requirements.

B

By selecting C, the undersigned certifies that the applicant is subject to the geographic service or geographic coverage requirements specified in 47 C.F.R. Part 25 and will not comply with such requirements because it is not feasible as a technical matter to do so, or that, while technically feasible, such services would require so many compromises in satellite design and operation as to make it economically unreasonable. A narrative description and technical analysis demonstrating this claim are attached.

C

**CERTIFICATION**

The Applicant waives any claim to the use of any particular frequency or of the electromagnetic spectrum as against the regulatory power of the United States because of the previous use of the same, whether by license or otherwise, and requests an authorization in accordance with this application. The applicant certifies that grant of this application would not cause the applicant to be in violation of the spectrum aggregation limit in 47 CFR Part 20. All statements made in exhibits are a material part hereof and are incorporated herein as if set out in full in this application. The undersigned, individually and for the applicant, hereby certifies that all statements made in this application and in all attached exhibits are true, complete and correct to the best of his or her knowledge and belief, and are made in good faith.

44. Applicant is a (an): (Choose the button next to applicable response.)

- Individual
- Unincorporated Association
- Partnership
- Corporation
- Governmental Entity
- Other (please specify)

45. Name of Person Signing  
Steven Doiron

46. Title of Person Signing  
Senior Director, Regulatory Affairs

-->

WILLFUL FALSE STATEMENTS MADE ON THIS FORM ARE PUNISHABLE BY FINE AND / OR IMPRISONMENT  
(U.S. Code, Title 18, Section 1001), AND/OR REVOCATION OF ANY STATION AUTHORIZATION  
(U.S. Code, Title 47, Section 312(a)(1)), AND/OR FORFEITURE (U.S. Code, Title 47, Section 503).

SATELLITE EARTH STATION AUTHORIZATIONS  
 FCC Form 312 – Schedule B:(Technical and Operational Description)  
 FOR OFFICIAL USE ONLY

Location of Earth Station Site

|                               |  |   |                           |
|-------------------------------|--|---|---------------------------|
| E1: Site Identifier:          | TFTR 1.2M                                    | E5. Call Sign:                          | E060445                   |
| E2: Contact Name              | Network<br>Management Ctr<br>(Bill McHargue) | E6. Phone<br>Number:                    | 301-428-7205              |
| E3. Street:                   |  | E7. City:                               |                           |
| E4. State                     |  | E8. County:                             |                           |
| E10. Area of Operation:       |  | E9. Zip Code                            |                           |
| E11. Latitude:                | 0 °0 '0.0 "N                                 | CONUS, AK, HI, PR, VI                   |                           |
| E12. Longitude:               | 0 °0 '0.0 "W                                 |   |                           |
| E13. Lat/Lon Coordinates are: | <input type="radio"/> NAD-27                 | <input checked="" type="radio"/> NAD-83 | <input type="radio"/> N/A |
| E14. Site Elevation (AMSL):   | 0.0 meters                                   |   |                           |

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.

Yes     No     N/A

|  |   |
|--|---|
| E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements? | <input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A |
| E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.   | <input checked="" type="radio"/> Yes <input type="radio"/> No                           |

|   |   |
|---|---|
| E18. Is frequency coordination required? If YES, attach a frequency coordination report as  | <input type="radio"/> Yes <input checked="" type="radio"/> No |
| E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as  | <input type="radio"/> Yes <input checked="" type="radio"/> No |
| <p>E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA's study regarding the potential hazard of the structure to aviation?</p> <p><b>FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.</b></p> | <input type="radio"/> Yes <input checked="" type="radio"/> No |

**POINTS OF COMMUNICATION**

|  |                |
|--|----------------|
| Satellite Name: SPACEWAY 4   S2753 SAT-LOI-200911   107.1 W.L.    If you selected OTHER, please enter the following: |                |
| E21. Common Name:  | E22. ITU Name: |
| E23. Orbit Location:   | E24. Country:  |

|   |
|---|
| Satellite Name: ECHOSTAR -9   ECHOSTAR-9   121 W.L.    If you selected OTHER, please enter the following: |
|---|

|                      |                |
|----------------------|----------------|
| E21. Common Name:    | E22. ITU Name: |
| E23. Orbit Location: | E24. Country:  |

**POINTS OF COMMUNICATION (Destination Points)**

|                       |               |
|-----------------------|---------------|
| E25. Site Identifier: |               |
| E26. Common Name:     | E27. Country: |

**ANTENNA**

| Site ID   | E28. Antenna Id | E29. Quantity | E30. Manufacturer | E31. Model | E32. Antenna Size<meters> | E41/42. Antenna Gain Transmint and/or Recieve (___ dBi at ___ GHz) |  |
|-----------|-----------------|---------------|-------------------|------------|---------------------------|--|--|
| TFTR 1.2M | TFTR 1.2        | 1000          | AVL TECHNOLOGIES  | 1210K      | 1.2                       | 45.9 dBi at 19.9500  |  |
| TFTR 1.2M | TFTR 1.2        | 1000          | AVL TECHNOLOGIES  | 1210K      | 1.2                       | 49.3 dBi at 29.7500  |  |

| E28. Antenna Id | E33/34. Diameter Minor/Major (meters) | E35. Above Ground Level (meters) | E36. Above Sea Level(meters) | E37. Building Height Above Ground Level (meters) | E38. Total Input Power at antenna flange (Watts) | E39. Maximum Antenna Height Above Rooftop (meters) | E40. Total EIRP for al carriers(dBW) |
|-----------------|---------------------------------------|----------------------------------|------------------------------|--|--|--|--------------------------------------|
| TFTR 1.2        | 0.0/0.0                               | 0.0                              | 0.0                          | 0.0  | 4.6  | 0.0  | 55.9                                 |

**FREQUENCY**

| E28. Antenna Id | E43/44. Frequency Bands (MHz) | E45. T/R<br>Mode | E46. Antenna Polarization(H,V, L,R) | E47. Emission Designator | E48. Maximum EIRP per Carrier (dBW) | E49. Maximum ERIP Density per Carrier (dBW/4kHz) |
|-----------------|-------------------------------|------------------|-------------------------------------|--------------------------|-------------------------------------|--|
|-----------------|-------------------------------|------------------|-------------------------------------|--------------------------|-------------------------------------|--|







|   |                           |                                     |                        |
|---|---------------------------|-------------------------------------|------------------------|
| E62. Street Address<br>11717 Exploration Lane |                           |                                     |                        |
| E63. City<br>Germantown                       | E68. County<br>Montgomery | E67/68.<br>State/Country<br>MD/ USA | E64. Zip Code<br>20876 |

**SATELLITE EARTH STATION AUTHORIZATIONS**  
 FCC Form 312 – Schedule B:(Technical and Operational Description)  
 FOR OFFICIAL USE ONLY

Location of Earth Station Site

|   |  |
|---|--|
| E1: Site Identifier: TFTR 74CM                          | E5. Call Sign: E060445   |
| E2: Contact Name Network Management Ctr (Bill McHargue) | E6. Phone Number: 301-428-7205   |
| E3. Street:   | E7. City:  |
| E4. State   | E8. County:  |
| E10. Area of Operation:                                 | E9. Zip Code   |
| E11. Latitude: 0 °0 '0.0 "N                             | CONUS, AK, HI, PR, VI  |
| E12. Longitude: 0 °0 '0.0 "W                            |  |
| E13. Lat/Lon Coordinates are:                           | <input type="radio"/> NAD-27 <input checked="" type="radio"/> NAD-83 <input type="radio"/> N/A |
| E14. Site Elevation (AMSL):                             | 0.0 meters   |

|   |  |
|---|--|
| <p>E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer’s qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.</p> | <p><input checked="" type="radio"/> Yes   <input type="radio"/> No   <input type="radio"/> N/A</p> |
| <p>E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer’s qualification measurements?</p>                     | <p><input type="radio"/> Yes   <input type="radio"/> No   <input checked="" type="radio"/> N/A</p> |
| <p>E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.</p>   | <p><input checked="" type="radio"/> Yes   <input type="radio"/> No</p>                             |
| <p>E18. Is frequency coordination required? If YES, attach a frequency coordination report as</p>   | <p><input type="radio"/> Yes   <input checked="" type="radio"/> No</p>                             |
| <p>E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as</p>   | <p><input type="radio"/> Yes   <input checked="" type="radio"/> No</p>                             |
| <p>E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA’s study regarding the potential hazard of the structure to aviation?<br/> <b>FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.</b></p>                       | <p><input type="radio"/> Yes   <input checked="" type="radio"/> No</p>                             |

**POINTS OF COMMUNICATION**

|   |
|---|
| <p>Satellite Name: ECHOSTAR -9   ECHOSTAR-9   121 W.L.   If you selected OTHER, please enter the following:</p> |
|---|

E21. Common Name:

E22. ITU Name:

E23. Orbit Location:

E24. Country:

|   |                |
|---|----------------|
| Satellite Name: SPACEWAY 4   S2753 SAT-LOI-200911   107.1 W.L. If you selected OTHER, please enter the following: |                |
| E21. Common Name:   | E22. ITU Name: |
| E23. Orbit Location:  | E24. Country:  |

**POINTS OF COMMUNICATION (Destination Points)**

|                       |               |
|-----------------------|---------------|
| E25. Site Identifier: |               |
| E26. Common Name:     | E27. Country: |

**ANTENNA**

| Site ID   | E28. Antenna Id | E29. Quantity | E30. Manufacturer | E31. Model | E32. Antenna Size<meters> | E41/42. Antenna Gain Transmint and/or Recieve (___dBi at ___GHz) |  |
|-----------|-----------------|---------------|-------------------|------------|---------------------------|--|--|
| TFTR 74CM | 74CM (TC)       | 25000         | GD SATCOM         | AN8-074P   | 0.74                      | 42.2 dBi at 19.9500  |  |
| TFTR 74CM | 74CM (TC)       | 25000         | GD SATCOM         | AN8-074P   | 0.74                      | 45.6 dBi at 29.7500  |  |
| TFTR 74CM | 74CM (TB)       | 25000         | Raven             | AN8-074R   | 0.98                      | 40.0 dBi at 19.9500  |  |
| TFTR 74CM | 74CM (TB)       | 25000         | Raven             | AN8-074R   | 0.98                      | 44.4 dBi at 29.7500  |  |

|           |           |       |          |            |      |                        |  |
|-----------|-----------|-------|----------|------------|------|------------------------|--|
| TFTR 74CM | 74CM (TA) | 25000 | Prodelin | HNS1031929 | 0.74 | 42.2 dBi at<br>19.9500 |  |
| TFTR 74CM | 74CM (TA) | 25000 | Prodelin | HNS1031929 | 0.74 | 45.6 dBi at<br>29.7500 |  |

| <b>E28. Antenna Id</b> | <b>E33/34. Diameter Minor/Major (meters)</b> | <b>E35. Above Ground Level (meters)</b> | <b>E36. Above Sea Level(meters)</b> | <b>E37. Building Height Above Ground Level (meters)</b> | <b>E38. Total Input Power at antenna flange (Watts)</b> | <b>E39. Maximum Antenna Height Above Rooftop (meters)</b> | <b>E40. Total EIRP for al carriers(dBW)</b> |
|------------------------|--|---|-------------------------------------|---|---|---|---|
| 74CM (TC)              | 0.0/0.0                                      | 0.0                                     | 0.0                                 | 0.0   | 2.0   | 0.0   | 48.6  |
| 74CM (TB)              | 0.0/0.0                                      | 0.0                                     | 0.0                                 | 0.0   | 2.0   | 0.0   | 47.4  |
| 74CM (TA)              | 0.0/0.0                                      | 0.0                                     | 0.0                                 | 0.0   | 2.0   | 0.0   | 48.6  |

**FREQUENCY**

| <b>E28. Antenna Id</b> | <b>E43/44. Frequency Bands (MHz)</b> | <b>E45. T/R&lt;br&gt;Mode</b> | <b>E46. Antenna Polarization(H,V, L,R)</b> | <b>E47. Emission Designator</b> | <b>E48. Maximum EIRP per Carrier (dBW)</b> | <b>E49. Maximum ERIP Density per Carrier (dBW/4kHz)</b> |
|------------------------|--------------------------------------|-------------------------------|--|---------------------------------|--|---|
| 74CM (TC)              | 18300.0000<br>19300.0000             | R                             | Left and Right<br>Circular                 | 100KG7W                         | 0.0  | 0.0   |

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

100 kHz WIDE, PSK, DIGITAL CARRIER

|  |                          |   |                            |         |     |     |
|--|--------------------------|---|----------------------------|---------|-----|-----|
| 74CM (TC)  | 18800.0000<br>19300.0000 | R | Left and Right<br>Circular | 500MG7W | 0.0 | 0.0 |
| E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) |                          |   |                            |         |     |     |
| 500 MHz WIDE, PSK, DIGITAL CARRIER   |                          |   |                            |         |     |     |
| 74CM (TC)  | 19700.0000<br>20200.0000 | R | Left and Right<br>Circular | 100KG7W | 0.0 | 0.0 |
| E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) |                          |   |                            |         |     |     |
| 100 kHz WIDE, PSK, DIGITAL CARRIER   |                          |   |                            |         |     |     |
| 74CM (TB)  | 18300.0000<br>19300.0000 | R | Left and Right<br>Circular | 100KG7W | 0.0 | 0.0 |
| E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) |                          |   |                            |         |     |     |
| 100 kHz WIDE, PSK, DIGITAL CARRIER   |                          |   |                            |         |     |     |

|  |                          |   |                            |         |     |     |
|--|--------------------------|---|----------------------------|---------|-----|-----|
| 74CM (TB)  | 18800.0000<br>19300.0000 | R | Left and Right<br>Circular | 500MG7W | 0.0 | 0.0 |
| E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) |                          |   |                            |         |     |     |
| 500 MHz WIDE, PSK, DIGITAL CARRIER   |                          |   |                            |         |     |     |
| 74CM (TB)  | 19700.0000<br>20200.0000 | R | Left and Right<br>Circular | 100KG7W | 0.0 | 0.0 |
| E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) |                          |   |                            |         |     |     |
| 100 kHz WIDE, PSK, DIGITAL CARRIER   |                          |   |                            |         |     |     |
| 74CM (TA)  | 18300.0000<br>19300.0000 | R | Left and Right<br>Circular | 100KG7W | 0.0 | 0.0 |
| E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) |                          |   |                            |         |     |     |
| 100 kHz WIDE, PSK, DIGITAL CARRIER   |                          |   |                            |         |     |     |

|           |                          |   |                            |         |     |     |
|-----------|--------------------------|---|----------------------------|---------|-----|-----|
| 74CM (TA) | 18800.0000<br>19300.0000 | R | Left and Right<br>Circular | 500MG7W | 0.0 | 0.0 |
|-----------|--------------------------|---|----------------------------|---------|-----|-----|

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

500 MHz WIDE, PSK, DIGITAL CARRIER

|           |                          |   |                            |         |     |     |
|-----------|--------------------------|---|----------------------------|---------|-----|-----|
| 74CM (TA) | 19700.0000<br>20200.0000 | R | Left and Right<br>Circular | 100KG7W | 0.0 | 0.0 |
|-----------|--------------------------|---|----------------------------|---------|-----|-----|

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

100 kHz WIDE, PSK, DIGITAL CARRIER

#### FREQUENCY COORDINATION

| E28. Antenna Id | E51. Satellite Orbit Type | E52/53. Frequency Limits(MHz) | E54/55. Range of Satellite Arc Eastern/Western Limit | E56. Earth Station Azimuth Angle Eastern Limit | E57. Antenna Elevation Angle Eastern Limit | E58. Earth Station Azimuth Angle Western Limit | E59. Antenna Elevation Angle Western Limit | E60. Maximum EIRP Density toward the Horizon (dBW/4kHz) |
|-----------------|---------------------------|-------------------------------|--|--|--|--|--|---|
| 74CM (TC)       | Geostationary             | 19700.0000<br>20200.0000      | 95.0/103.0   | 172.2  | 43.4                                       | 184.7  | 43.6                                       | 0.0   |



|           |               |                          |            |       |      |       |      |       |
|-----------|---------------|--------------------------|------------|-------|------|-------|------|-------|
|           | Geostationary | 29500.0000<br>30000.0000 | 95.0/103.0 | 172.2 | 43.4 | 184.7 | 43.6 | -20.0 |
| 74CM (TB) | Geostationary | 19700.0000<br>20200.0000 | 95.0/103.0 | 172.2 | 43.4 | 184.7 | 43.6 | 0.0   |
|           | Geostationary | 29500.0000<br>30000.0000 | 95.0/103.0 | 172.2 | 43.4 | 184.7 | 43.6 | -20.0 |
| 74CM (TA) | Geostationary | 19700.0000<br>20200.0000 | 95.0/103.0 | 172.2 | 43.4 | 184.7 | 43.6 | 0.0   |
|           | Geostationary | 29500.0000<br>30000.0000 | 95.0/103.0 | 172.2 | 43.4 | 184.7 | 43.6 | -20.0 |

**REMOTE CONTROL POINT LOCATION**

|   |                           |                                     |                        |
|---|---------------------------|-------------------------------------|------------------------|
| E61. Call Sign<br>E060445<br>NOTE: Please enter the callsign of the controlling station, not the<br>callsign for which this application is being filed. |                           | E66. Phone Number<br>301-428-7205   |                        |
| E62. Street Address<br>11717 Exploration Lane   |                           |                                     |                        |
| E63. City<br>Germantown   | E68. County<br>Montgomery | E67/68.<br>State/Country<br>MD/ USA | E64. Zip Code<br>20876 |



|  |   |
|--|---|
| E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements? | <input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A |
| E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.   | <input checked="" type="radio"/> Yes <input type="radio"/> No                           |

E18. Is frequency coordination required? If YES, attach a frequency coordination report as

Yes     No

E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as

Yes     No

E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA's study regarding the potential hazard of the structure to aviation?

Yes     No

**FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.**

**POINTS OF COMMUNICATION**

|  |                |
|--|----------------|
| Satellite Name: SPACEWAY 4   S2753 SAT-LOI-200911   107.1 W.L.    If you selected OTHER, please enter the following: |                |
| E21. Common Name:  | E22. ITU Name: |
| E23. Orbit Location:   | E24. Country:  |

|   |
|---|
| Satellite Name: ECHOSTAR -9   ECHOSTAR-9   121 W.L.    If you selected OTHER, please enter the following: |
|---|

|                      |                |
|----------------------|----------------|
| E21. Common Name:    | E22. ITU Name: |
| E23. Orbit Location: | E24. Country:  |

**POINTS OF COMMUNICATION (Destination Points)**

|                       |               |
|-----------------------|---------------|
| E25. Site Identifier: |               |
| E26. Common Name:     | E27. Country: |

**ANTENNA**

| Site ID   | E28. Antenna Id | E29. Quantity | E30. Manufacturer | E31. Model | E32. Antenna Size<meters> | E41/42. Antenna Gain Transmint and/or Recieve (___ dBi at ___ GHz) |  |
|-----------|-----------------|---------------|-------------------|------------|---------------------------|--|--|
| TFTR 98CM | TFTR 98CM       | 10000         | GD SATCOM         | AN8-098P   | 0.98                      | 44.6 dBi at 19.9500  |  |
| TFTR 98CM | TFTR 98CM       | 10000         | GD SATCOM         | AN8-098P   | 0.98                      | 48.0 dBi at 29.7500  |  |
| TFTR 98CM | TFTR 98(3)      | 10000         | AVL Technologies  | 1010K      | 0.98                      | 44.4 dBi at 19.9500  |  |
| TFTR 98CM | TFTR 98(3)      | 10000         | AVL Technologies  | 1010K      | 0.98                      | 48.0 dBi at 29.7500  |  |
| TFTR 98CM | TFTR 98(2)      | 10000         | Raven Mfg. Ltd.   | AN8-098R   | 0.98                      | 44.6 dBi at 19.9500  |  |

|           |            |       |                 |          |      |                        |  |
|-----------|------------|-------|-----------------|----------|------|------------------------|--|
| TFTR 98CM | TFTR 98(2) | 10000 | Raven Mfg. Ltd. | AN8-098R | 0.98 | 48.0 dBi at<br>29.7500 |  |
|-----------|------------|-------|-----------------|----------|------|------------------------|--|

| <b>E28. Antenna Id</b> | <b>E33/34. Diameter Minor/Major (meters)</b> | <b>E35. Above Ground Level (meters)</b> | <b>E36. Above Sea Level(meters)</b> | <b>E37. Building Height Above Ground Level (meters)</b> | <b>E38. Total Input Power at antenna flange (Watts)</b> | <b>E39. Maximum Antenna Height Above Rooftop (meters)</b> | <b>E40. Total EIRP for all carriers(dBW)</b> |
|------------------------|--|---|-------------------------------------|---|---|---|--|
| TFTR 98CM              | 0.0/0.0                                      | 0.0                                     | 0.0                                 | 0.0   | 3.5   | 0.0   | 53.4   |
| TFTR 98(3)             | 0.0/0.0                                      | 0.0                                     | 0.0                                 | 0.0   | 3.3   | 0.0   | 52.9   |
| TFTR 98(2)             | 0.0/0.0                                      | 0.0                                     | 0.0                                 | 0.0   | 3.5   | 0.0   | 53.4   |

**FREQUENCY**

| <b>E28. Antenna Id</b>   | <b>E43/44. Frequency Bands (MHz)</b> | <b>E45. T/R&lt;br&gt;Mode</b> | <b>E46. Antenna Polarization(H, V, L,R)</b> | <b>E47. Emission Designator</b> | <b>E48. Maximum EIRP per Carrier (dBW)</b> | <b>E49. Maximum EIRP Density per Carrier (dBW/4kHz)</b> |
|--|--------------------------------------|-------------------------------|---|---------------------------------|--|---|
| TFTR 98CM  | 18300.0000<br>19300.0000             | R                             | Left and Right<br>Circular                  | 100KG7W                         | 0.0  | 0.0   |
| <p>E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)</p> <div style="border: 1px solid black; padding: 5px; min-height: 100px;"> <p>100 kHz WIDE, PSK, DIGITAL CARRIER</p> </div> |                                      |                               |   |                                 |  |   |
| TFTR 98CM  | 18300.0000<br>19300.0000             | R                             | Left and Right<br>Circular                  | 500MG7W                         | 0.0  | 0.0   |

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

500 MHz WIDE, PSK, DIGITAL CARRIER

|           |                          |   |                            |         |     |     |
|-----------|--------------------------|---|----------------------------|---------|-----|-----|
| TFTR 98CM | 19700.0000<br>20200.0000 | R | Left and Right<br>Circular | 100KG7W | 0.0 | 0.0 |
|-----------|--------------------------|---|----------------------------|---------|-----|-----|

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

100 kHz WIDE, PSK, DIGITAL CARRIER

|           |                          |   |                            |         |      |      |
|-----------|--------------------------|---|----------------------------|---------|------|------|
| TFTR 98CM | 29250.0000<br>29500.0000 | T | Left and Right<br>Circular | 650KG7W | 49.4 | 27.3 |
|-----------|--------------------------|---|----------------------------|---------|------|------|

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

512 KBPS, PSK, DIGITAL CARRIER

|           |                          |   |                            |         |      |      |
|-----------|--------------------------|---|----------------------------|---------|------|------|
| TFTR 98CM | 29250.0000<br>29500.0000 | T | Left and Right<br>Circular | 2M61G7W | 53.4 | 25.3 |
|-----------|--------------------------|---|----------------------------|---------|------|------|

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

2.048 MBPS, PSK, DIGITAL CARRIER

|            |                          |   |                            |         |     |     |
|------------|--------------------------|---|----------------------------|---------|-----|-----|
| TFTR 98(3) | 18300.0000<br>19300.0000 | R | Left and Right<br>Circular | 100KG7W | 0.0 | 0.0 |
|------------|--------------------------|---|----------------------------|---------|-----|-----|

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

QPSK, DATA, OUTROUTE, 64 KSPS

|            |                          |   |                            |         |     |     |
|------------|--------------------------|---|----------------------------|---------|-----|-----|
| TFTR 98(3) | 18300.0000<br>19300.0000 | R | Left and Right<br>Circular | 500MG7W | 0.0 | 0.0 |
|------------|--------------------------|---|----------------------------|---------|-----|-----|

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

QPSK, DATA, OUTROUTE, 30 MSPS

|            |                          |   |                            |         |      |      |
|------------|--------------------------|---|----------------------------|---------|------|------|
| TFTR 98(3) | 29250.0000<br>29500.0000 | T | Left and Right<br>Circular | 500MG7W | 41.2 | 27.2 |
|------------|--------------------------|---|----------------------------|---------|------|------|

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

QPSK, DATA, INROUTE, 64 KSPS

|            |                          |   |                            |         |      |      |
|------------|--------------------------|---|----------------------------|---------|------|------|
| TFTR 98(3) | 29250.0000<br>29500.0000 | T | Left and Right<br>Circular | 2M61G7W | 52.9 | 24.8 |
|------------|--------------------------|---|----------------------------|---------|------|------|

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

QPSK, DATA, INROUTE, 2048 KSPS

|            |                          |   |                            |         |     |     |
|------------|--------------------------|---|----------------------------|---------|-----|-----|
| TFTR 98(2) | 18300.0000<br>19300.0000 | R | Left and Right<br>Circular | 100KG7W | 0.0 | 0.0 |
|------------|--------------------------|---|----------------------------|---------|-----|-----|

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

100 kHz WIDE, PSK, DIGITAL CARRIER

|            |                          |   |                            |         |     |     |
|------------|--------------------------|---|----------------------------|---------|-----|-----|
| TFTR 98(2) | 18300.0000<br>19300.0000 | R | Left and Right<br>Circular | 500MG7W | 0.0 | 0.0 |
|------------|--------------------------|---|----------------------------|---------|-----|-----|



E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

500 MHz WIDE, PSK, DIGITAL CARRIER

|            |                          |   |                            |         |     |     |
|------------|--------------------------|---|----------------------------|---------|-----|-----|
| TFTR 98(2) | 19700.0000<br>20200.0000 | R | Left and Right<br>Circular | 100KG7W | 0.0 | 0.0 |
|------------|--------------------------|---|----------------------------|---------|-----|-----|

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

100 kHz WIDE, PSK, DIGITAL CARRIER

|            |                          |   |                            |         |      |      |
|------------|--------------------------|---|----------------------------|---------|------|------|
| TFTR 98(2) | 29250.0000<br>29500.0000 | T | Left and Right<br>Circular | 650KG7W | 49.4 | 27.3 |
|------------|--------------------------|---|----------------------------|---------|------|------|

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

512 KBPS, PSK, DIGITAL CARRIER

|            |                          |   |                            |         |      |      |
|------------|--------------------------|---|----------------------------|---------|------|------|
| TFTR 98(2) | 29250.0000<br>29500.0000 | T | Left and Right<br>Circular | 2M61G7W | 53.4 | 25.3 |
|------------|--------------------------|---|----------------------------|---------|------|------|

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

2.048 MBPS, PSK, DIGITAL CARRIER

**FREQUENCY COORDINATION**

| <b>E28. Antenna Id</b> | <b>E51. Satellite Orbit Type</b> | <b>E52/53. Frequency Limits(MHz)</b> | <b>E54/55. Range of Satellite Arc Eastern/Western Limit</b> | <b>E56. Earth Station Azimuth Angle Eastern Limit</b> | <b>E57. Antenna Elevation Angle Eastern Limit</b> | <b>E58. Earth Station Azimuth Angle Western Limit</b> | <b>E59. Antenna Elevation Angle Western Limit</b> | <b>E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)</b> |
|------------------------|----------------------------------|--------------------------------------|---|---|---|---|---|--|
| TFTR 98CM              | Geostationary                    | 19700.0000<br>20200.0000             | 95.0/103.0  | 172.2   | 43.4  | 184.7   | 43.6  | 0.0  |
|                        | Geostationary                    | 29500.0000<br>30000.0000             | 95.0/103.0  | 172.2   | 43.4  | 184.7   | 43.6  | -20.0  |
| TFTR 98(3)             | Geostationary                    | 19700.0000<br>20200.0000             | 95.0/103.0  | 172.2   | 43.4  | 184.7   | 43.6  | 0.0  |
|                        | Geostationary                    | 29500.0000<br>30000.0000             | 95.0/103.0  | 172.2   | 43.4  | 184.7   | 43.6  | -20.0  |
| TFTR 98(2)             | Geostationary                    | 19700.0000<br>20200.0000             | 95.0/103.0  | 172.2   | 43.4  | 184.7   | 43.6  | 0.0  |

|  |               |                          |            |       |      |       |      |       |
|--|---------------|--------------------------|------------|-------|------|-------|------|-------|
|  | Geostationary | 29500.0000<br>30000.0000 | 95.0/103.0 | 172.2 | 43.4 | 184.7 | 43.6 | -20.0 |
|--|---------------|--------------------------|------------|-------|------|-------|------|-------|

**REMOTE CONTROL POINT LOCATION**

|   |  |                                     |  |
|---|--|-------------------------------------|--|
| E61. Call Sign<br>E060445<br>NOTE: Please enter the callsign of the controlling station, not the<br>callsign for which this application is being filed. |  | E66. Phone Number<br>301-428-7205   |  |
| E62. Street Address<br>11717 Exploration Lane   |  |                                     |  |
| E63. City<br>Germantown   |  | E68. County<br>Montgomery           |  |
|   |  | E67/68.<br>State/Country<br>MD/ USA |  |
|   |  | E64. Zip Code<br>20876              |  |

**SATELLITE EARTH STATION AUTHORIZATIONS**  
**FCC Form 312 – Schedule B:(Technical and Operational Description)**  
**FOR OFFICIAL USE ONLY**

|                                |  |   |                           |
|--------------------------------|--|---|---------------------------|
| Location of Earth Station Site |  |   |                           |
| E1: Site Identifier:           | TR 1.2M                                      | E5. Call Sign:                          | E060445                   |
| E2: Contact Name               | Network<br>Management Ctr<br>(Bill McHargue) | E6. Phone<br>Number:                    | 301-428-7205              |
| E3. Street:                    |  | E7. City:                               |                           |
| E4. State                      |  | E8. County:                             |                           |
| E10. Area of Operation:        |  | E9. Zip Code                            |                           |
| E11. Latitude:                 | 0 °0 '0.0 "N                                 | CONUS, AK, HI, PR, VI                   |                           |
| E12. Longitude:                | 0 °0 '0.0 "W                                 |   |                           |
| E13. Lat/Lon Coordinates are:  | <input type="radio"/> NAD-27                 | <input checked="" type="radio"/> NAD-83 | <input type="radio"/> N/A |
| E14. Site Elevation (AMSL):    | 0.0 meters                                   |   |                           |

|  |   |
|--|---|
| E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy. | <input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> N/A |
| E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?                     | <input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A |

|  |   |
|--|---|
| E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point. | <input checked="" type="radio"/> Yes <input type="radio"/> No |
|--|---|

|  |   |
|--|---|
| E18. Is frequency coordination required? If YES, attach a frequency coordination report as | <input type="radio"/> Yes <input checked="" type="radio"/> No |
|--|---|

|  |   |
|--|---|
| E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as | <input type="radio"/> Yes <input checked="" type="radio"/> No |
|--|---|

|  |   |
|--|---|
| <p>E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA’s study regarding the potential hazard of the structure to aviation?</p> <p>FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.</p> | <input type="radio"/> Yes <input checked="" type="radio"/> No |
|--|---|

**POINTS OF COMMUNICATION**

|  |                |
|--|----------------|
| Satellite Name: SPACEWAY 4   S2753 SAT-LOI-200911   107.1 W.L.    If you selected OTHER, please enter the following: |                |
| E21. Common Name:  | E22. ITU Name: |
| E23. Orbit Location:   | E24. Country:  |

|   |                |
|---|----------------|
| Satellite Name: ECHOSTAR -9   ECHOSTAR-9   121 W.L.    If you selected OTHER, please enter the following: |                |
| E21. Common Name:   | E22. ITU Name: |
| E23. Orbit Location:  | E24. Country:  |

**POINTS OF COMMUNICATION (Destination Points)**

|                       |  |
|-----------------------|--|
| E25. Site Identifier: |  |
|-----------------------|--|

|                   |               |
|-------------------|---------------|
| E26. Common Name: | E27. Country: |
|-------------------|---------------|

ANTENNA

| Site ID | E28. Antenna Id | E29. Quantity | E30. Manufacturer | E31. Model | E32. Antenna Size<meters> | E41/42. Antenna Gain Transmint and/or Recieve (____ dBi at ____ GHz) |  |
|---------|-----------------|---------------|-------------------|------------|---------------------------|--|--|
| TR 1.2M | TR 1.2          | 100000        | Prodelin          | 3120-131   | 1.2                       | 46.4 dBi at 19.9500  |  |
| TR 1.2M | TR 1.2          | 100000        | Prodelin          | 3120-131   | 1.2                       | 49.8 dBi at 29.7500  |  |

| E28. Antenna Id | E33/34. Diameter Minor/Major (meters) | E35. Above Ground Level (meters) | E36. Above Sea Level(meters) | E37. Building Height Above Ground Level (meters) | E38. Total Input Power at antenna flange (Watts) | E39. Maximum Antenna Height Above Rooftop (meters) | E40. Total EIRP for al carriers(dBW) |
|-----------------|---------------------------------------|----------------------------------|------------------------------|--|--|--|--------------------------------------|
| TR 1.2          | 0.0/0.0                               | 0.0                              | 0.0                          | 0.0  | 20.0   | 0.0  | 55.2                                 |

FREQUENCY

| E28. Antenna Id | E43/44. Frequency Bands (MHz) | E45. T/R<br>Mode | E46. Antenna Polarization(H,V, L,R) | E47. Emission Designator | E48. Maximum EIRP per Carrier (dBW) | E49. Maximum ERIP Density per Carrier (dBW/4kHz) |
|-----------------|-------------------------------|------------------|-------------------------------------|--------------------------|-------------------------------------|--|
| TR 1.2          | 18300.0000<br>19300.0000      | R                | Left and Right Circular             | 100KG7W                  | 0.0                                 | 0.0  |

|  |                          |   |                            |         |      |      |
|--|--------------------------|---|----------------------------|---------|------|------|
| E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) |                          |   |                            |         |      |      |
| 100 kHz WIDE, PSK, DIGITAL CARRIER   |                          |   |                            |         |      |      |
| TR 1.2   | 18300.0000<br>19300.0000 | R | Left and Right<br>Circular | 500MG7W | 0.0  | 0.0  |
| E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) |                          |   |                            |         |      |      |
| 500 MHz WIDE, PSK, DIGITAL CARRIER   |                          |   |                            |         |      |      |
| TR 1.2   | 19700.0000<br>20200.0000 | R | Left and Right<br>Circular | 100KG7W | 0.0  | 0.0  |
| E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) |                          |   |                            |         |      |      |
| 100 kHz WIDE, PSK, DIGITAL CARRIER   |                          |   |                            |         |      |      |
| TR 1.2   | 29250.0000<br>29500.0000 | T | Left and Right<br>Circular | 650KG7W | 51.2 | 29.1 |

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

512 KBPS, PSK, DIGITAL CARRIER

|        |                          |   |                            |         |      |      |
|--------|--------------------------|---|----------------------------|---------|------|------|
| TR 1.2 | 29250.0000<br>29500.0000 | T | Left and Right<br>Circular | 2M61G7W | 57.2 | 29.1 |
|--------|--------------------------|---|----------------------------|---------|------|------|

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

2.048 MBPS, PSK, DIGITAL CARRIER

**FREQUENCY COORDINATION**

| <b>E28. Antenna Id</b> | <b>E51. Satellite Orbit Type</b> | <b>E52/53. Frequency Limits(MHz)</b> | <b>E54/55. Range of Satellite Arc Eastern/Western Limit</b> | <b>E56. Earth Station Azimuth Angle Eastern Limit</b> | <b>E57. Antenna Elevation Angle Eastern Limit</b> | <b>E58. Earth Station Azimuth Angle Western Limit</b> | <b>E59. Antenna Elevation Angle Western Limit</b> | <b>E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)</b> |
|------------------------|----------------------------------|--------------------------------------|---|---|---|---|---|--|
| TR 1.2                 | Geostationary                    | 19700.0000<br>20200.0000             | 95.0/103.0  | 172.2   | 43.4  | 184.7   | 43.6  | 0.0  |



|  |               |                          |            |       |      |       |      |       |
|--|---------------|--------------------------|------------|-------|------|-------|------|-------|
|  | Geostationary | 29500.0000<br>30000.0000 | 95.0/103.0 | 172.2 | 43.4 | 184.7 | 43.6 | -20.0 |
|--|---------------|--------------------------|------------|-------|------|-------|------|-------|

**REMOTE CONTROL POINT LOCATION**

|   |                           |                                     |                        |
|---|---------------------------|-------------------------------------|------------------------|
| E61. Call Sign<br>E060445<br>NOTE: Please enter the callsign of the controlling station, not the<br>callsign for which this application is being filed. |                           | E66. Phone Number<br>301-428-7205   |                        |
| E62. Street Address<br>11717 Exploration Lane   |                           |                                     |                        |
| E63. City<br>Germantown   | E68. County<br>Montgomery | E67/68.<br>State/Country<br>MD/ USA | E64. Zip Code<br>20876 |

**SATELLITE EARTH STATION AUTHORIZATIONS**  
**FCC Form 312 – Schedule B:(Technical and Operational Description)**  
**FOR OFFICIAL USE ONLY**

Location of Earth Station Site

|                               |  |   |                           |
|-------------------------------|--|---|---------------------------|
| E1. Site Identifier:          | TR 1.8M                                      | E5. Call Sign:                          | E060445                   |
| E2. Contact Name              | Network<br>Management Ctr<br>(Bill McHargue) | E6. Phone<br>Number:                    | 301-428-7205              |
| E3. Street:                   |  | E7. City:                               |                           |
| E4. State                     |  | E8. County:                             |                           |
| E10. Area of Operation:       |  | E9. Zip Code                            |                           |
| E11. Latitude:                | 0 °0 '0.0 "N                                 | CONUS, AK, HI, PR, VI                   |                           |
| E12. Longitude:               | 0 °0 '0.0 "W                                 |   |                           |
| E13. Lat/Lon Coordinates are: | <input checked="" type="radio"/> NAD-27      | <input checked="" type="radio"/> NAD-83 | <input type="radio"/> N/A |
| E14. Site Elevation (AMSL):   | 0.0 meters                                   |   |                           |

|   |  |
|---|--|
| <p>E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.</p> | <p><input checked="" type="radio"/> Yes   <input type="radio"/> No   <input type="radio"/> N/A</p> |
| <p>E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?</p>                     | <p><input type="radio"/> Yes   <input type="radio"/> No   <input checked="" type="radio"/> N/A</p> |
| <p>E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.</p>   | <p><input checked="" type="radio"/> Yes   <input type="radio"/> No</p>                             |
| <p>E18. Is frequency coordination required? If YES, attach a frequency coordination report as</p>   | <p><input type="radio"/> Yes   <input checked="" type="radio"/> No</p>                             |
| <p>E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as</p>   | <p><input type="radio"/> Yes   <input checked="" type="radio"/> No</p>                             |
| <p>E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA's study regarding the potential hazard of the structure to aviation?<br/> <b>FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.</b></p>                       | <p><input type="radio"/> Yes   <input checked="" type="radio"/> No</p>                             |

**POINTS OF COMMUNICATION**

|  |
|--|
| <p>Satellite Name: SPACEWAY 4   S2753 SAT-LOI-200911   107.1 W.L.   If you selected OTHER, please enter the following:</p> |
|--|

|                      |                |
|----------------------|----------------|
| E21. Common Name:    | E22. ITU Name: |
| E23. Orbit Location: | E24. Country:  |

|  |                |
|--|----------------|
| Satellite Name: ECHOSTAR -9   ECHOSTAR-9   121 W.L. If you selected OTHER, please enter the following: |                |
| E21. Common Name:  | E22. ITU Name: |
| E23. Orbit Location:   | E24. Country:  |

**POINTS OF COMMUNICATION (Destination Points)**

|                       |               |
|-----------------------|---------------|
| E25. Site Identifier: |               |
| E26. Common Name:     | E27. Country: |

**ANTENNA**

| Site ID | E28. Antenna Id | E29. Quantity | E30. Manufacturer | E31. Model | E32. Antenna Size<meters> | E41/42. Antenna Gain Transmint and/or Recieve ( ___ dBi at ___ GHz) dBi at |
|---------|-----------------|---------------|-------------------|------------|---------------------------|--|
|---------|-----------------|---------------|-------------------|------------|---------------------------|--|

| E28. Antenna Id | E33/34. Diameter Minor/Major (meters) | E35. Above Ground Level (meters) | E36. Above Sea Level(meters) | E37. Building Height Above Ground Level (meters) | E38. Total Input Power at antenna flange (Watts) | E39. Maximum Antenna Height Above Rooftop (meters) | E40. Total EIRP for al carriers(dBW) |
|-----------------|---------------------------------------|----------------------------------|------------------------------|--|--|--|--------------------------------------|
|                 | /                                     |                                  |                              |  |  |  |                                      |

**FREQUENCY**

| E28. Antenna Id | E43/44. Frequency Bands (MHz) | E45. T/R<br>Mode | E46. Antenna Polarization(H,V, L,R) | E47. Emission Designator | E48. Maximum EIRP per Carrier (dBW) | E49. Maximum ERIP Density per Carrier (dBW/4kHz) |
|-----------------|-------------------------------|------------------|-------------------------------------|--------------------------|-------------------------------------|--|
|                 |                               |                  |                                     |                          |                                     |  |

|  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|
|  |  |  |  |  |  |  |
| <p>E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)</p> <div style="border: 1px solid black; height: 100px; width: 100%;"></div> |  |  |  |  |  |  |

**FREQUENCY COORDINATION**

| <b>E28. Antenna Id</b> | <b>E51. Satellite Orbit Type</b> | <b>E52/53. Frequency Limits(MHz)</b> | <b>E54/55. Range of Satellite Arc Eastern/Western Limit</b> | <b>E56. Earth Station Azimuth Angle Eastern Limit</b> | <b>E57. Antenna Elevation Angle Eastern Limit</b> | <b>E58. Earth Station Azimuth Angle Western Limit</b> | <b>E59. Antenna Elevation Angle Western Limit</b> | <b>E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)</b> |
|------------------------|----------------------------------|--------------------------------------|---|---|---|---|---|--|
|                        |                                  |                                      | /   |   |   |   |   |  |

**REMOTE CONTROL POINT LOCATION**

|  |  |                          |                                    |                      |
|--|--|--------------------------|------------------------------------|----------------------|
| <p>E61. Call Sign</p> <p>NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.</p> |  | <p>E66. Phone Number</p> |                                    |                      |
| <p>E62. Street Address</p>   |  |                          |                                    |                      |
| <p>E63. City</p>   |  | <p>E68. County</p>       | <p>E67/68. State/Country<br/>/</p> | <p>E64. Zip Code</p> |

SATELLITE EARTH STATION AUTHORIZATIONS  
FCC Form 312 – Schedule B:(Technical and Operational Description)  
FOR OFFICIAL USE ONLY

Location of Earth Station Site

|                               |  |   |                           |
|-------------------------------|--|---|---------------------------|
| E1: Site Identifier:          | TR 3.5M                                      | E5: Call Sign:                          | E060445                   |
| E2: Contact Name              | Network<br>Management Ctr<br>(Bill McHargue) | E6: Phone<br>Number:                    | 301-428-7205              |
| E3: Street:                   |  | E7: City:                               |                           |
| E4: State                     |  | E8: County:                             |                           |
| E10: Area of Operation:       |  | E9: Zip Code                            |                           |
| E11: Latitude:                | 0 °0 '0.0 "N                                 | CONUS, AK, HI, PR, VI                   |                           |
| E12: Longitude:               | 0 °0 '0.0 "W                                 |   |                           |
| E13: Lat/Lon Coordinates are: | <input type="radio"/> NAD-27                 | <input checked="" type="radio"/> NAD-83 | <input type="radio"/> N/A |
| E14: Site Elevation (AMSL):   | 0.0 meters                                   |   |                           |

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.

Yes    No    N/A

|  |   |
|--|---|
| E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements? | <input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A |
| E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.   | <input checked="" type="radio"/> Yes <input type="radio"/> No                           |

|   |   |                                      |                                     |
|---|---|--------------------------------------|-------------------------------------|
| E18. Is frequency coordination required? If YES, attach a frequency coordination report as  | <input type="radio"/> Yes <input checked="" type="radio"/> No   |                                      |                                     |
| E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as  | <input type="radio"/> Yes <input checked="" type="radio"/> No   |                                      |                                     |
| <p>E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA's study regarding the potential hazard of the structure to aviation?</p> <p><b>FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.</b></p> | <table border="1"> <tr> <td data-bbox="1566 951 1734 1016"><input checked="" type="radio"/> Yes</td> <td data-bbox="1734 951 1898 1016"><input checked="" type="radio"/> No</td> </tr> </table> | <input checked="" type="radio"/> Yes | <input checked="" type="radio"/> No |
| <input checked="" type="radio"/> Yes  | <input checked="" type="radio"/> No   |                                      |                                     |

**POINTS OF COMMUNICATION**

|   |                |
|---|----------------|
| Satellite Name: ECHOSTAR -9   ECHOSTAR-9   121 W.L.    If you selected OTHER, please enter the following: |                |
| E21. Common Name:   | E22. ITU Name: |
| E23. Orbit Location:  | E24. Country:  |

|  |
|--|
| Satellite Name: SPACEWAY 4   S2753 SAT-LOI-200911   107.1 W.L.    If you selected OTHER, please enter the following: |
|--|

|                      |                |
|----------------------|----------------|
| E21. Common Name:    | E22. ITU Name: |
| E23. Orbit Location: | E24. Country:  |

**POINTS OF COMMUNICATION (Destination Points)**

|                       |               |
|-----------------------|---------------|
| E25. Site Identifier: |               |
| E26. Common Name:     | E27. Country: |

**ANTENNA**

| Site ID | E28. Antenna Id | E29. Quantity | E30. Manufacturer | E31. Model | E32. Antenna Size<meters> | E41/42. Antenna Gain Transmint and/or Recieve (___ dBi at ___ GHz) |  |
|---------|-----------------|---------------|-------------------|------------|---------------------------|--|--|
| TR 3.5M | TR 3.5M         | 50000         | Andrew            | ES35SRT-1  | 3.5                       | 44.6 dBi at 19.9500  |  |
| TR 3.5M | TR 3.5M         | 50000         | Andrew            | ES35SRT-1  | 3.5                       | 48.0 dBi at 29.7500  |  |

| E28. Antenna Id | E33/34. Diameter Minor/Major (meters) | E35. Above Ground Level (meters) | E36. Above Sea Level(meters) | E37. Building Height Above Ground Level (meters) | E38. Total Input Power at antenna flange (Watts) | E39. Maximum Antenna Height Above Rooftop (meters) | E40. Total EIRP for al carriers(dBW) |
|-----------------|---------------------------------------|----------------------------------|------------------------------|--|--|--|--------------------------------------|
| TR 3.5M         | 0.0/0.0                               | 0.0                              | 0.0                          | 0.0  | 185.0  | 0.0  | 78.3                                 |

**FREQUENCY**

| E28. Antenna Id | E43/44. Frequency Bands (MHz) | E45. T/R<br>Mode | E46. Antenna Polarization(H,V, L,R) | E47. Emission Designator | E48. Maximum EIRP per Carrier (dBW) | E49. Maximum ERIP Density per Carrier (dBW/4kHz) |
|-----------------|-------------------------------|------------------|-------------------------------------|--------------------------|-------------------------------------|--|
|                 |                               |                  |                                     |                          |                                     |  |



|  |                          |   |                            |         |     |     |
|--|--------------------------|---|----------------------------|---------|-----|-----|
| TR 3.5M  | 18300.0000<br>19300.0000 | R | Left and Right<br>Circular | 100KG7W | 0.0 | 0.0 |
| E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) |                          |   |                            |         |     |     |
| 100 kHz WIDE, PSK, DIGITAL CARRIER   |                          |   |                            |         |     |     |
| TR 3.5M  | 18300.0000<br>19300.0000 | R | Left and Right<br>Circular | 500MG7W | 0.0 | 0.0 |
| E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) |                          |   |                            |         |     |     |
| 500 MHz WIDE, PSK, DIGITAL CARRIER   |                          |   |                            |         |     |     |
| TR 3.5M  | 19700.0000<br>20200.0000 | R | Left and Right<br>Circular | 100KG7W | 0.0 | 0.0 |
| E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) |                          |   |                            |         |     |     |
| 100 kHz WIDE, PSK, DIGITAL CARRIER   |                          |   |                            |         |     |     |

|         |                          |   |                            |         |      |      |
|---------|--------------------------|---|----------------------------|---------|------|------|
| TR 3.5M | 29250.0000<br>29500.0000 | T | Left and Right<br>Circular | 650KG7W | 60.3 | 38.2 |
|---------|--------------------------|---|----------------------------|---------|------|------|

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

512 KBPS, PSK, DIGITAL CARRIER

|         |                          |   |                            |         |      |      |
|---------|--------------------------|---|----------------------------|---------|------|------|
| TR 3.5M | 29250.0000<br>29500.0000 | T | Left and Right<br>Circular | 20M9G7W | 75.4 | 38.2 |
|---------|--------------------------|---|----------------------------|---------|------|------|

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

2.048 MBPS, PSK, DIGITAL CARRIER

**FREQUENCY COORDINATION**

| <b>E28. Antenna Id</b> | <b>E51. Satellite Orbit Type</b> | <b>E52/53. Frequency Limits(MHz)</b> | <b>E54/55. Range of Satellite Arc Eastern/Western Limit</b> | <b>E56. Earth Station Azimuth Angle Eastern Limit</b> | <b>E57. Antenna Elevation Angle Eastern Limit</b> | <b>E58. Earth Station Azimuth Angle Western Limit</b> | <b>E59. Antenna Elevation Angle Western Limit</b> | <b>E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)</b> |
|------------------------|----------------------------------|--------------------------------------|---|---|---|---|---|--|
| TR 3.5M                | Geostationary                    | 19700.0000<br>20200.0000             | 95.0/103.0  | 172.2   | 43.4  | 184.7   | 43.6  | 0.0  |

|  |               |                          |            |       |      |       |      |       |
|--|---------------|--------------------------|------------|-------|------|-------|------|-------|
|  | Geostationary | 29500.0000<br>30000.0000 | 95.0/103.0 | 172.2 | 43.4 | 184.7 | 43.6 | -20.0 |
|--|---------------|--------------------------|------------|-------|------|-------|------|-------|

**REMOTE CONTROL POINT LOCATION**

|  |  |                                   |  |
|--|--|-----------------------------------|--|
| E61. Call Sign<br>E060445<br>NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed. |  | E66. Phone Number<br>301-428-7205 |  |
| E62. Street Address<br>11717 Exploration Lane  |  |                                   |  |
| E63. City<br>Germantown  |  | E68. County<br>Montgomery         |  |
|  |  | E67/68. State/Country<br>MD/ USA  |  |
|  |  | E64. Zip Code<br>20876            |  |

**SATELLITE EARTH STATION AUTHORIZATIONS**  
**FCC Form 312 – Schedule B:(Technical and Operational Description)**  
**FOR OFFICIAL USE ONLY**

|                                |  |   |                           |
|--------------------------------|--|---|---------------------------|
| Location of Earth Station Site |  |   |                           |
| E1: Site Identifier:           | TR 74CM                                      | E5. Call Sign:                          | E060445                   |
| E2: Contact Name               | Network<br>Management Ctr<br>(Bill McHargue) | E6. Phone<br>Number:                    | 301-428-7205              |
| E3. Street:                    |  | E7. City:                               |                           |
| E4. State                      |  | E8. County:                             |                           |
| E10. Area of Operation:        |  | E9. Zip Code                            |                           |
| E11. Latitude:                 | 0 °0 '0.0 "N                                 | CONUS, AK, HI, PR, VI                   |                           |
| E12. Longitude:                | 0 °0 '0.0 "W                                 |   |                           |
| E13. Lat/Lon Coordinates are:  | <input type="radio"/> NAD-27                 | <input checked="" type="radio"/> NAD-83 | <input type="radio"/> N/A |
| E14. Site Elevation (AMSL):    | 0.0 meters                                   |   |                           |

|  |   |
|--|---|
| E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy. | <input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> N/A |
| E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?                     | <input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A |

|  |   |
|--|---|
| E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point. | <input checked="" type="radio"/> Yes <input type="radio"/> No |
|--|---|

|  |   |
|--|---|
| E18. Is frequency coordination required? If YES, attach a frequency coordination report as | <input type="radio"/> Yes <input checked="" type="radio"/> No |
|--|---|

|  |   |
|--|---|
| E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as | <input type="radio"/> Yes <input checked="" type="radio"/> No |
|--|---|

|  |   |
|--|---|
| <p>E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA’s study regarding the potential hazard of the structure to aviation?</p> <p>FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.</p> | <input type="radio"/> Yes <input checked="" type="radio"/> No |
|--|---|

**POINTS OF COMMUNICATION**

|  |                |
|--|----------------|
| Satellite Name: SPACEWAY 4   S2753 SAT–LOI–200911   107.1 W.L.    If you selected OTHER, please enter the following: |                |
| E21. Common Name:  | E22. ITU Name: |
| E23. Orbit Location:   | E24. Country:  |

|   |                |
|---|----------------|
| Satellite Name: ECHOSTAR –9   ECHOSTAR–9   121 W.L.    If you selected OTHER, please enter the following: |                |
| E21. Common Name:   | E22. ITU Name: |
| E23. Orbit Location:  | E24. Country:  |

**POINTS OF COMMUNICATION (Destination Points)**

|                       |  |
|-----------------------|--|
| E25. Site Identifier: |  |
|-----------------------|--|

|                   |               |
|-------------------|---------------|
| E26. Common Name: | E27. Country: |
|-------------------|---------------|

ANTENNA

| Site ID | E28. Antenna Id | E29. Quantity | E30. Manufacturer | E31. Model | E32. Antenna Size<meters> | E41/42. Antenna Gain Transmint and/or Recieve (____ dBi at ____ GHz) |  |
|---------|-----------------|---------------|-------------------|------------|---------------------------|--|--|
| TR 74CM | 74CM(FA)        | 2000000       | GD SATCOM         | AN8-074P   | 0.74                      | 42.2 dBi at 19.9500  |  |
| TR 74CM | 74CM(FA)        | 2000000       | GD SATCOM         | AN8-074P   | 0.74                      | 45.6 dBi at 29.7500  |  |
| TR 74CM | 74CM(FB)        | 2000000       | Prodelin          | HNS1031929 | 0.74                      | 42.2 dBi at 19.9500  |  |
| TR 74CM | 74CM(FB)        | 2000000       | Prodelin          | HNS1031929 | 0.74                      | 45.6 dBi at 29.7500  |  |
| TR 74CM | 74CM(FC)        | 2000000       | Raven             | AN8-074R   | 0.74                      | 40.0 dBi at 19.9500  |  |
| TR 74CM | 74CM(FC)        | 2000000       | Raven             | AN8-074R   | 0.74                      | 44.4 dBi at 29.7500  |  |

| E28. Antenna Id | E33/34. Diameter Minor/Major (meters) | E35. Above Ground Level (meters) | E36. Above Sea Level(meters) | E37. Building Height Above Ground Level (meters) | E38. Total Input Power at antenna flange (Watts) | E39. Maximum Antenna Height Above Rooftop (meters) | E40. Total EIRP for all carriers(dBW) |
|-----------------|---------------------------------------|----------------------------------|------------------------------|--|--|--|---------------------------------------|
| 74CM(FA)        | 0.0/0.0                               | 0.0                              | 0.0                          | 0.0  | 2.0  | 0.0  | 48.6                                  |
| 74CM(FB)        | 0.0/0.0                               | 0.0                              | 0.0                          | 0.0  | 2.0  | 0.0  | 48.6                                  |
| 74CM(FC)        | 0.0/0.0                               | 0.0                              | 0.0                          | 0.0  | 2.0  | 0.0  | 47.4                                  |

**FREQUENCY**

| E28. Antenna Id   | E43/44. Frequency Bands (MHz) | E45. T/R<br>Mode | E46. Antenna Polarization(H,V, L,R) | E47. Emission Designator | E48. Maximum EIRP per Carrier (dBW) | E49. Maximum ERIP Density per Carrier (dBW/4kHz) |
|---|-------------------------------|------------------|-------------------------------------|--------------------------|-------------------------------------|--|
| 74CM(FA)  | 19700.0000<br>20200.0000      | R                | Left and Right Circular             | 100KG7W                  | 0.0                                 | 0.0  |
| <p>E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)</p> <div style="border: 1px solid black; padding: 5px; min-height: 100px;"> <p>100 kHz, PSK, DIGITAL CARRIER</p> </div> |                               |                  |                                     |                          |                                     |  |
| 74CM(FA)  | 18300.0000<br>19300.0000      | R                | Left and Right Circular             | 100KG7W                  | 0.0                                 | 0.0  |

|  |                          |   |                            |         |     |     |
|--|--------------------------|---|----------------------------|---------|-----|-----|
| E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) |                          |   |                            |         |     |     |
| 100 kHz WIDE, PSK, DIGITAL CARRIER   |                          |   |                            |         |     |     |
| 74CM(FA)   | 18800.0000<br>19300.0000 | R | Left and Right<br>Circular | 500MG7W | 0.0 | 0.0 |
| E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) |                          |   |                            |         |     |     |
| 500 MHz WIDE, PSK, DIGITAL CARRIER   |                          |   |                            |         |     |     |
| 74CM(FB)   | 18300.0000<br>19300.0000 | R | Left and Right<br>Circular | 100KG7W | 0.0 | 0.0 |
| E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) |                          |   |                            |         |     |     |
| 100 kHz, PSK, DIGITAL CARRIER  |                          |   |                            |         |     |     |
| 74CM(FB)   | 18300.0000<br>19300.0000 | R | Left and Right<br>Circular | 500MG7W | 0.0 | 0.0 |



E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

500 MHz, PSK, DIGITAL CARRIER

|          |                          |   |                            |         |     |     |
|----------|--------------------------|---|----------------------------|---------|-----|-----|
| 74CM(FB) | 19700.0000<br>20200.0000 | R | Left and Right<br>Circular | 100KG7W | 0.0 | 0.0 |
|----------|--------------------------|---|----------------------------|---------|-----|-----|

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

100 kHz, PSK, DIGITAL CARRIER

|          |                          |   |                            |         |     |     |
|----------|--------------------------|---|----------------------------|---------|-----|-----|
| 74CM(FB) | 19700.0000<br>20200.0000 | R | Left and Right<br>Circular | 500MG7W | 0.0 | 0.0 |
|----------|--------------------------|---|----------------------------|---------|-----|-----|

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

500 MHz, PSK, DIGITAL CARRIER

|          |                          |   |                            |         |      |      |
|----------|--------------------------|---|----------------------------|---------|------|------|
| 74CM(FB) | 29250.0000<br>30000.0000 | T | Left and Right<br>Circular | 650KG7W | 45.8 | 23.7 |
|----------|--------------------------|---|----------------------------|---------|------|------|

|  |                          |   |                            |         |     |     |
|--|--------------------------|---|----------------------------|---------|-----|-----|
| E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) |                          |   |                            |         |     |     |
| 512 KSPS, PSK, DIGITAL CARRIER   |                          |   |                            |         |     |     |
| 74CM(FC)   | 18300.0000<br>19300.0000 | R | Left and Right<br>Circular | 100KG7W | 0.0 | 0.0 |
| E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) |                          |   |                            |         |     |     |
| 100 kHz WIDE, PSK, DIGITAL CARRIER   |                          |   |                            |         |     |     |
| 74CM(FC)   | 18300.0000<br>19300.0000 | R | Left and Right<br>Circular | 500MG7W | 0.0 | 0.0 |
| E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) |                          |   |                            |         |     |     |
| 500 MHz WIDE, PSK, DIGITAL CARRIER   |                          |   |                            |         |     |     |
| 74CM(FC)   | 19700.0000<br>20200.0000 | R | Left and Right<br>Circular | 100KG7W | 0.0 | 0.0 |

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

100 kHz WIDE, PSK, DIGITAL CARRIER

|          |                          |   |                            |         |     |     |
|----------|--------------------------|---|----------------------------|---------|-----|-----|
| 74CM(FC) | 19700.0000<br>20200.0000 | R | Left and Right<br>Circular | 500MG7W | 0.0 | 0.0 |
|----------|--------------------------|---|----------------------------|---------|-----|-----|

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

500 MHz WIDE, PSK, DIGITAL CARRIER

|          |                          |   |                            |         |      |      |
|----------|--------------------------|---|----------------------------|---------|------|------|
| 74CM(FC) | 29250.0000<br>30000.0000 | T | Left and Right<br>Circular | 650KG7W | 47.0 | 24.9 |
|----------|--------------------------|---|----------------------------|---------|------|------|

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

512 KBPS, PSK, DIGITAL CARRIER

FREQUENCY COORDINATION

| <b>E28. Antenna Id</b> | <b>E51. Satellite Orbit Type</b> | <b>E52/53. Frequency Limits(MHz)</b> | <b>E54/55. Range of Satellite Arc Eastern/Western Limit</b> | <b>E56. Earth Station Azimuth Angle Eastern Limit</b> | <b>E57. Antenna Elevation Angle Eastern Limit</b> | <b>E58. Earth Station Azimuth Angle Western Limit</b> | <b>E59. Antenna Elevation Angle Western Limit</b> | <b>E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)</b> |
|------------------------|----------------------------------|--------------------------------------|---|---|---|---|---|--|
| 74CM(FA)               | Geostationary                    | 19700.0000<br>20200.0000             | 95.0/103.0  | 172.2   | 43.4  | 184.7   | 43.6  | 0.0  |
|                        | Geostationary                    | 29500.0000<br>30000.0000             | 95.0/103.0  | 172.2   | 43.4  | 184.7   | 43.6  | -20.0  |
| 74CM(FB)               | Geostationary                    | 19700.0000<br>20200.0000             | 95.0/103.0  | 172.2   | 43.4  | 184.7   | 43.6  | 0.0  |
|                        | Geostationary                    | 29500.0000<br>30000.0000             | 95.0/103.0  | 172.2   | 43.4  | 184.7   | 43.6  | -20.0  |
| 74CM(FC)               | Geostationary                    | 19700.0000<br>20200.0000             | 95.0/103.0  | 172.2   | 43.4  | 184.7   | 43.6  | 0.0  |
|                        | Geostationary                    | 29500.0000<br>30000.0000             | 95.0/103.0  | 172.2   | 43.4  | 184.7   | 43.6  | -20.0  |

**REMOTE CONTROL POINT LOCATION**

|   |   |
|---|---|
| <p>E61. Call Sign<br/>E060445<br/>NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.</p> | <p>E66. Phone Number<br/>301-428-7205</p> |
|---|---|

|   |                           |                                     |                        |
|---|---------------------------|-------------------------------------|------------------------|
| E62. Street Address<br>11717 Exploration Lane |                           |                                     |                        |
| E63. City<br>Germantown                       | E68. County<br>Montgomery | E67/68.<br>State/Country<br>MD/ USA | E64. Zip Code<br>20876 |

**SATELLITE EARTH STATION AUTHORIZATIONS**  
 FCC Form 312 – Schedule B:(Technical and Operational Description)  
 FOR OFFICIAL USE ONLY

Location of Earth Station Site

|   |  |
|---|--|
| E1: Site Identifier: TR 98CM                            | E5. Call Sign: E060445   |
| E2: Contact Name Network Management Ctr (Bill McHargue) | E6. Phone Number: 301-428-7205   |
| E3. Street:   | E7. City:  |
| E4. State   | E8. County:  |
| E10. Area of Operation:                                 | E9. Zip Code   |
| E11. Latitude: 0 °0 '0.0 "N                             | CONUS, AK, HI, PR, VI  |
| E12. Longitude: 0 °0 '0.0 "W                            |  |
| E13. Lat/Lon Coordinates are:                           | <input type="radio"/> NAD-27 <input checked="" type="radio"/> NAD-83 <input type="radio"/> N/A |
| E14. Site Elevation (AMSL):                             | 0.0 meters   |

|   |  |
|---|--|
| <p>E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.</p> | <p><input checked="" type="radio"/> Yes   <input type="radio"/> No   <input type="radio"/> N/A</p> |
| <p>E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?</p>                     | <p><input type="radio"/> Yes   <input type="radio"/> No   <input checked="" type="radio"/> N/A</p> |
| <p>E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.</p>   | <p><input checked="" type="radio"/> Yes   <input type="radio"/> No</p>                             |
| <p>E18. Is frequency coordination required? If YES, attach a frequency coordination report as</p>   | <p><input type="radio"/> Yes   <input checked="" type="radio"/> No</p>                             |
| <p>E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as</p>   | <p><input type="radio"/> Yes   <input checked="" type="radio"/> No</p>                             |
| <p>E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA's study regarding the potential hazard of the structure to aviation?<br/> <b>FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.</b></p>                       | <p><input type="radio"/> Yes   <input checked="" type="radio"/> No</p>                             |
| <p><b>POINTS OF COMMUNICATION</b></p>   |  |
| <p>Satellite Name: SPACEWAY 4   S2753 SAT-LOI-200911   107.1 W.L.   If you selected OTHER, please enter the following:</p>  |  |

|                      |                |
|----------------------|----------------|
| E21. Common Name:    | E22. ITU Name: |
| E23. Orbit Location: | E24. Country:  |

|  |                |
|--|----------------|
| Satellite Name: ECHOSTAR -9   ECHOSTAR-9   121 W.L. If you selected OTHER, please enter the following: |                |
| E21. Common Name:  | E22. ITU Name: |
| E23. Orbit Location:   | E24. Country:  |

**POINTS OF COMMUNICATION (Destination Points)**

|                       |               |
|-----------------------|---------------|
| E25. Site Identifier: |               |
| E26. Common Name:     | E27. Country: |

**ANTENNA**

| Site ID | E28. Antenna Id | E29. Quantity | E30. Manufacturer | E31. Model | E32. Antenna Size<meters> | E41/42. Antenna Gain Transmint and/or Recieve (___ dBi at ___ GHz) |  |
|---------|-----------------|---------------|-------------------|------------|---------------------------|--|--|
| TR 98CM | TR 98CM(1)      | 250000        | GD SATCOM         | AN8-098P   | 0.98                      | 44.6 dBi at 19.9500  |  |
| TR 98CM | TR 98CM(1)      | 250000        | GD SATCOM         | AN8-098P   | 0.98                      | 48.0 dBi at 29.7500  |  |
| TR 98CM | TR 98CM(2)      | 250000        | Raven Mfg. Ltd.   | AN8-098R   | 0.98                      | 44.6 dBi at 19.5900  |  |
| TR 98CM | TR 98CM(2)      | 250000        | Raven Mfg. Ltd.   | AN8-098R   | 0.98                      | 48.0 dBi at 29.7500  |  |

| <b>E28. Antenna Id</b> | <b>E33/34. Diameter Minor/Major (meters)</b> | <b>E35. Above Ground Level (meters)</b> | <b>E36. Above Sea Level(meters)</b> | <b>E37. Building Height Above Ground Level (meters)</b> | <b>E38. Total Input Power at antenna flange (Watts)</b> | <b>E39. Maximum Antenna Height Above Rooftop (meters)</b> | <b>E40. Total EIRP for all carriers(dBW)</b> |
|------------------------|--|---|-------------------------------------|---|---|---|--|
| TR 98CM(1)             | 0.0/0.0                                      | 0.0                                     | 0.0                                 | 0.0   | 3.5   | 0.0   | 53.4   |
| TR 98CM(2)             | 0.0/0.0                                      | 0.0                                     | 0.0                                 | 0.0   | 3.5   | 0.0   | 53.4   |

**FREQUENCY**

| <b>E28. Antenna Id</b>   | <b>E43/44. Frequency Bands (MHz)</b> | <b>E45. T/R&lt;br&gt;Mode</b> | <b>E46. Antenna Polarization(H,V, L,R)</b> | <b>E47. Emission Designator</b> | <b>E48. Maximum EIRP per Carrier (dBW)</b> | <b>E49. Maximum ERIP Density per Carrier (dBW/4kHz)</b> |
|--|--------------------------------------|-------------------------------|--|---------------------------------|--|---|
| TR 98CM(1)   | 18300.0000<br>19300.0000             | R                             | Left and Right<br>Circular                 | 100KG7W                         | 0.0  | 0.0   |
| <p>E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)</p> <div style="border: 1px solid black; padding: 5px; min-height: 100px;"> <p>100 kHz WIDE, PSK, DIGITAL CARRIER</p> </div> |                                      |                               |  |                                 |  |   |
| TR 98CM(1)   | 18300.0000<br>19300.0000             | R                             | Left and Right<br>Circular                 | 500MG7W                         | 0.0  | 0.0   |



E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

500 MHz WIDE, PSK, DIGITAL CARRIER

|            |                          |   |                            |         |     |     |
|------------|--------------------------|---|----------------------------|---------|-----|-----|
| TR 98CM(1) | 19700.0000<br>20200.0000 | R | Left and Right<br>Circular | 100KG7W | 0.0 | 0.0 |
|------------|--------------------------|---|----------------------------|---------|-----|-----|

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

100 kHz WIDE, PSK, DIGITAL CARRIER

|            |                          |   |                            |         |      |      |
|------------|--------------------------|---|----------------------------|---------|------|------|
| TR 98CM(1) | 29250.0000<br>29500.0000 | T | Left and Right<br>Circular | 650KG7W | 49.4 | 27.3 |
|------------|--------------------------|---|----------------------------|---------|------|------|

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

512 KBPS, PSK, DIGITAL CARRIER

|            |                          |   |                            |         |      |      |
|------------|--------------------------|---|----------------------------|---------|------|------|
| TR 98CM(1) | 29250.0000<br>29500.0000 | T | Left and Right<br>Circular | 2M61G7W | 53.4 | 25.3 |
|------------|--------------------------|---|----------------------------|---------|------|------|

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

2.048 MBPS, PSK, DIGITAL CARRIER

|            |                          |   |                            |         |     |     |
|------------|--------------------------|---|----------------------------|---------|-----|-----|
| TR 98CM(2) | 18300.0000<br>19300.0000 | R | Left and Right<br>Circular | 100KG7W | 0.0 | 0.0 |
|------------|--------------------------|---|----------------------------|---------|-----|-----|

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

100 kHz WIDE, PSK, DIGITAL CARRIER

|            |                          |   |                            |         |     |     |
|------------|--------------------------|---|----------------------------|---------|-----|-----|
| TR 98CM(2) | 18300.0000<br>19300.0000 | R | Left and Right<br>Circular | 500MG7W | 0.0 | 0.0 |
|------------|--------------------------|---|----------------------------|---------|-----|-----|

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

500 MHz WIDE, PSK, DIGITAL CARRIER

|            |                          |   |                            |         |     |     |
|------------|--------------------------|---|----------------------------|---------|-----|-----|
| TR 98CM(2) | 19700.0000<br>20200.0000 | R | Left and Right<br>Circular | 100KG7W | 0.0 | 0.0 |
|------------|--------------------------|---|----------------------------|---------|-----|-----|

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

100 kHz WIDE, PSK, DIGITAL CARRIER

|            |                          |   |                            |         |      |      |
|------------|--------------------------|---|----------------------------|---------|------|------|
| TR 98CM(2) | 29250.0000<br>29500.0000 | T | Left and Right<br>Circular | 650KG7W | 49.4 | 27.3 |
|------------|--------------------------|---|----------------------------|---------|------|------|

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

512 KBPS, PSK, DIGITAL CARRIER

|            |                          |   |                            |         |      |      |
|------------|--------------------------|---|----------------------------|---------|------|------|
| TR 98CM(2) | 29250.0000<br>29500.0000 | T | Left and Right<br>Circular | 2M61G7W | 53.4 | 25.3 |
|------------|--------------------------|---|----------------------------|---------|------|------|

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

2.048 MBPS, PSK, DIGITAL CARRIER

FREQUENCY COORDINATION

| <b>E28. Antenna Id</b> | <b>E51. Satellite Orbit Type</b> | <b>E52/53. Frequency Limits(MHz)</b> | <b>E54/55. Range of Satellite Arc Eastern/Western Limit</b> | <b>E56. Earth Station Azimuth Angle Eastern Limit</b> | <b>E57. Antenna Elevation Angle Eastern Limit</b> | <b>E58. Earth Station Azimuth Angle Western Limit</b> | <b>E59. Antenna Elevation Angle Western Limit</b> | <b>E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)</b> |
|------------------------|----------------------------------|--------------------------------------|---|---|---|---|---|--|
| TR 98CM(1)             | Geostationary                    | 19700.0000<br>20200.0000             | 95.0/103.0  | 172.2   | 43.4  | 184.7   | 43.6  | 0.0  |
|                        | Geostationary                    | 29500.0000<br>30000.0000             | 95.0/103.0  | 172.2   | 43.4  | 184.7   | 43.6  | -20.0  |
| TR 98CM(2)             | Geostationary                    | 19700.0000<br>20200.0000             | 95.0/103.0  | 172.2   | 43.4  | 184.7   | 43.6  | 0.0  |
|                        | Geostationary                    | 29500.0000<br>30000.0000             | 95.0/103.0  | 172.2   | 43.4  | 184.7   | 43.6  | -20.0  |

**REMOTE CONTROL POINT LOCATION**

|  |  |                                     |                        |
|--|--|-------------------------------------|------------------------|
| E61. Call Sign<br>E060445<br>NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed. |  | E66. Phone Number<br>301-428-7205   |                        |
| E62. Street Address<br>11717 Exploration Lane  |  |                                     |                        |
| E63. City<br>Germantown  |  | E68. County<br>Montgomery           |                        |
|  |  | E67/68.<br>State/Country<br>MD/ USA | E64. Zip Code<br>20876 |

SATELLITE EARTH STATION AUTHORIZATIONS  
 FCC Form 312 – Schedule B:(Technical and Operational Description)  
 FOR OFFICIAL USE ONLY

Location of Earth Station Site

|                               |  |   |                           |
|-------------------------------|--|---|---------------------------|
| E1: Site Identifier:          | TR 69CM                                      | E5. Call Sign:                          | E060445                   |
| E2: Contact Name              | Network<br>Management Ctr<br>(Bill McHargue) | E6. Phone<br>Number:                    | 301-428-7205              |
| E3. Street:                   |  | E7. City:                               |                           |
| E4. State                     |  | E8. County:                             |                           |
| E10. Area of Operation:       |  | E9. Zip Code                            |                           |
| E11. Latitude:                | 0 °0 '0.0 "N                                 | CONUS, AK, HI, PR, VI                   |                           |
| E12. Longitude:               | 0 °0 '0.0 "W                                 |   |                           |
| E13. Lat/Lon Coordinates are: | <input type="radio"/> NAD-27                 | <input checked="" type="radio"/> NAD-83 | <input type="radio"/> N/A |
| E14. Site Elevation (AMSL):   | 0.0 meters                                   |   |                           |

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.

Yes     No     N/A

|  |   |
|--|---|
| E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements? | <input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A |
| E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.   | <input checked="" type="radio"/> Yes <input type="radio"/> No                           |

|   |   |
|---|---|
| E18. Is frequency coordination required? If YES, attach a frequency coordination report as  | <input type="radio"/> Yes <input checked="" type="radio"/> No |
| E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as  | <input type="radio"/> Yes <input checked="" type="radio"/> No |
| <p>E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA's study regarding the potential hazard of the structure to aviation?</p> <p><b>FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.</b></p> | <input type="radio"/> Yes <input checked="" type="radio"/> No |

**POINTS OF COMMUNICATION**

|   |                |
|---|----------------|
| Satellite Name: AMC-16   AMC 16   85 W.L.    If you selected OTHER, please enter the following: |                |
| E21. Common Name:   | E22. ITU Name: |
| E23. Orbit Location:  | E24. Country:  |

|  |
|--|
| Satellite Name: SPACEWAY 1   SPACEWAY 1   103 W.L.    If you selected OTHER, please enter the following: |
|--|

|                      |                |
|----------------------|----------------|
| E21. Common Name:    | E22. ITU Name: |
| E23. Orbit Location: | E24. Country:  |

|   |                |
|---|----------------|
| Satellite Name: SPACEWAY 3   USASAT 700   94.95 W.L. If you selected OTHER, please enter the following: |                |
| E21. Common Name:   | E22. ITU Name: |
| E23. Orbit Location:  | E24. Country:  |

|   |                |
|---|----------------|
| Satellite Name: AMC-15   AMC-15   105 W.L. If you selected OTHER, please enter the following: |                |
| E21. Common Name:   | E22. ITU Name: |
| E23. Orbit Location:  | E24. Country:  |

|  |                |
|--|----------------|
| Satellite Name: ECHOSTAR -9   ECHOSTAR-9   121 W.L. If you selected OTHER, please enter the following: |                |
| E21. Common Name:  | E22. ITU Name: |
| E23. Orbit Location:   | E24. Country:  |

|   |                |
|---|----------------|
| Satellite Name: SPACEWAY 4   S2753 SAT-LOI-200911   107.1 W.L. If you selected OTHER, please enter the following: |                |
| E21. Common Name:   | E22. ITU Name: |
| E23. Orbit Location:  | E24. Country:  |

|  |                |
|--|----------------|
| Satellite Name: SPACEWAY 2   SPACEWAY 2   99 W.L. If you selected OTHER, please enter the following: |                |
| E21. Common Name:  | E22. ITU Name: |
| E23. Orbit Location:   | E24. Country:  |

POINTS OF COMMUNICATION (Destination Points)

|                       |  |
|-----------------------|--|
| E25. Site Identifier: |  |
|-----------------------|--|

|                   |               |
|-------------------|---------------|
| E26. Common Name: | E27. Country: |
|-------------------|---------------|

ANTENNA

| Site ID | E28. Antenna Id | E29. Quantity | E30. Manufacturer | E31. Model   | E32. Antenna Size<meters> | E41/42. Antenna Gain Transmint and/or Recieve (____ dBi at ____ GHz) |  |
|---------|-----------------|---------------|-------------------|--------------|---------------------------|--|--|
| TR 69CM | 69CM            | 1000000       | Raven             | HNS-AN8-069R | 0.69                      | 41.5 dBi at 19.9500  |  |
| TR 69CM | 69CM            | 1000000       | Raven             | HNS-AN8-069R | 0.69                      | 45.0 dBi at 29.7500  |  |

| E28. Antenna Id | E33/34. Diameter Minor/Major (meters) | E35. Above Ground Level (meters) | E36. Above Sea Level(meters) | E37. Building Height Above Ground Level (meters) | E38. Total Input Power at antenna flange (Watts) | E39. Maximum Antenna Height Above Rooftop (meters) | E40. Total EIRP for al carriers(dBW) |
|-----------------|---------------------------------------|----------------------------------|------------------------------|--|--|--|--------------------------------------|
| 69CM            | 0.0/0.0                               | 0.0                              | 0.0                          | 0.0  | 1.5  | 0.0  | 46.8                                 |

FREQUENCY

| E28. Antenna Id | E43/44. Frequency Bands (MHz) | E45. T/R<br>Mode | E46. Antenna Polarization(H,V, L,R) | E47. Emission Designator | E48. Maximum EIRP per Carrier (dBW) | E49. Maximum ERIP Density per Carrier (dBW/4kHz) |
|-----------------|-------------------------------|------------------|-------------------------------------|--------------------------|-------------------------------------|--|
| 69CM            | 18300.0000<br>19300.0000      | R                | Left and Right Circular             | 100KG7W                  | 0.0                                 | 0.0  |



E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

M-ARY Phase shift keying Digital Carrier

|      |                          |   |                            |         |     |     |
|------|--------------------------|---|----------------------------|---------|-----|-----|
| 69CM | 18300.0000<br>19300.0000 | R | Left and Right<br>Circular | 500MG7W | 0.0 | 0.0 |
|------|--------------------------|---|----------------------------|---------|-----|-----|

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

M-ARY Phase shift keying Digital Carrier

|      |                          |   |                            |         |     |     |
|------|--------------------------|---|----------------------------|---------|-----|-----|
| 69CM | 19700.0000<br>20200.0000 | R | Left and Right<br>Circular | 100KG7W | 0.0 | 0.0 |
|------|--------------------------|---|----------------------------|---------|-----|-----|

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

M-ARY Phase shift keying Digital Carrier

|      |                          |   |                            |         |     |     |
|------|--------------------------|---|----------------------------|---------|-----|-----|
| 69CM | 19700.0000<br>20200.0000 | R | Left and Right<br>Circular | 500MG7W | 0.0 | 0.0 |
|------|--------------------------|---|----------------------------|---------|-----|-----|

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

M-ARY Phase shift keying Digital Carrier

|      |                          |   |                            |         |      |      |
|------|--------------------------|---|----------------------------|---------|------|------|
| 69CM | 29250.0000<br>29500.0000 | T | Left and Right<br>Circular | 100KG7W | 38.5 | 24.5 |
|------|--------------------------|---|----------------------------|---------|------|------|

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

M-ARY Phase shift keying Digital Carrier

|      |                          |   |                            |         |      |      |
|------|--------------------------|---|----------------------------|---------|------|------|
| 69CM | 29250.0000<br>29500.0000 | T | Left and Right<br>Circular | 2M00G7W | 46.8 | 19.8 |
|------|--------------------------|---|----------------------------|---------|------|------|

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

M-ARY Phase shift keying Digital Carrier

|      |                          |   |                            |         |      |      |
|------|--------------------------|---|----------------------------|---------|------|------|
| 69CM | 29250.0000<br>29500.0000 | T | Left and Right<br>Circular | 670KG7W | 46.8 | 24.5 |
|------|--------------------------|---|----------------------------|---------|------|------|

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

M-ARY Phase shift keying Digital Carrier

**FREQUENCY COORDINATION**

| <b>E28. Antenna Id</b> | <b>E51. Satellite Orbit Type</b> | <b>E52/53. Frequency Limits(MHz)</b> | <b>E54/55. Range of Satellite Arc Eastern/Western Limit</b> | <b>E56. Earth Station Azimuth Angle Eastern Limit</b> | <b>E57. Antenna Elevation Angle Eastern Limit</b> | <b>E58. Earth Station Azimuth Angle Western Limit</b> | <b>E59. Antenna Elevation Angle Western Limit</b> | <b>E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)</b> |
|------------------------|----------------------------------|--------------------------------------|---|---|---|---|---|--|
| 69CM                   | Geostationary                    | 19700.0000<br>20200.0000             | 95.0/103.0  | 172.2   | 43.4  | 184.7   | 43.6  | 0.0  |
|                        | Geostationary                    | 29500.0000<br>30000.0000             | 95.0/103.0  | 172.2   | 43.4  | 184.7   | 43.6  | -20.0  |

**REMOTE CONTROL POINT LOCATION**

|   |   |
|---|---|
| <p>E61. Call Sign<br/>E060445<br/>NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.</p> | <p>E66. Phone Number<br/>301-428-7205</p> |
| <p>E62. Street Address<br/>11717 Exploration Lane</p>   |   |

|                         |                           |                                     |                        |
|-------------------------|---------------------------|-------------------------------------|------------------------|
| E63. City<br>Germantown | E68. County<br>Montgomery | E67/68.<br>State/Country<br>MD/ USA | E64. Zip Code<br>20876 |
|-------------------------|---------------------------|-------------------------------------|------------------------|

**FCC NOTICE REQUIRED BY THE PAPERWORK REDUCTION ACT**

The public reporting for this collection of information is estimated to average 2 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the required data, and completing and reviewing the collection of information. If you have any comments on this burden estimate, or how we can improve the collection and reduce the burden it causes you, please write to the Federal Communications Commission, AMD-PER, Paperwork Reduction Project (3060-0678), Washington, DC 20554. We will also accept your comments regarding the Paperwork Reduction Act aspects of this collection via the Internet if you send them to PRA@fcc.gov. PLEASE DO NOT SEND COMPLETED FORMS TO THIS ADDRESS.

Remember – You are not required to respond to a collection of information sponsored by the Federal government, and the government may not conduct or sponsor this collection, unless it displays a currently valid OMB control number or if we fail to provide you with this notice. This collection has been assigned an OMB control number of 3060-0678.

**THE FOREGOING NOTICE IS REQUIRED BY THE PAPERWORK REDUCTION ACT OF 1995, PUBLIC LAW 104-13, OCTOBER 1, 1995, 44 U.S.C. SECTION 3507.**