

From: Shoemaker, Troy [troys Shoemaker@clearchannel.com]  
Sent: Monday, December 08, 2003 4:37 PM  
To: Towanda Bryant  
Subject: RE: Changes to Entravisions mod 31208.doc

Hello Towanda,

Yes, George and I talked about the B to D, on the 400KGiB. I was suppose to advise you of that change too. Sorry about that.

Please make the change from 400KG1b to 400KG1D.

Thanks for all your help.

Regards,  
Troy Shoemaker  
Clear Channel Satellite Services  
7042 So. Revere Parkway #450  
Englewood CO. 80112  
303 925 1708 Voice  
303 925 1714 Fax  
troys Shoemaker@clearchannel.com

-----Original Message-----

From: Towanda Bryant [mailto:Towanda.Bryant@fcc.gov]  
Sent: Monday, December 08, 2003 1:36 PM  
To: Shoemaker, Troy  
Subject: RE: Changes to Entravisions mod 31208.doc

Tnx. I just sent you a fax, disregard it, I hadn't changed the EIRP and EIRP Density. George informed me that your Emission should be 400KG1D and not 400KG1B, I need you to confirm this.

Tnx. T.

-----Original Message-----

From: Shoemaker, Troy [mailto:troys Shoemaker@clearchannel.com]  
Sent: Monday, December 08, 2003 12:27 PM  
To: Towanda Bryant  
Cc: Shoemaker, Troy  
Subject: Changes to Entravisions mod 31208.doc

<<Changes to Entravisions mod 31208.doc>>

Changes to Entravisions mod 31208.doc