

Date & Time Filed: Mar 17 2006 3:54:26:283PM
File Number: SES-MOD-INTR2006-00729

FCC APPLICATION FOR SPACE AND EARTH STATION:MOD OR AMD – MAIN FORM	FCC Use Only
FCC 312 MAIN FORM FOR OFFICIAL USE ONLY	

APPLICANT INFORMATION

Enter a description of this application to identify it on the main menu:
Modification of E000658 to add remotes

1-8. Legal Name of Applicant			
Name:	MCI Communications Services, Inc. (fka MCI WorldCom Communications, Inc.)	Phone Number:	972-729-6406
DBA Name:		Fax Number:	972-729-2690
Street:	2400 N. Glenville Drive Dept/Loc 63378/107	E-Mail:	laura.birkelbach@verizonbusiness.com
City:	Richardson	State:	TX
Country:	USA	Zipcode:	75082 -
Attention:	Laura J Birkelbach		

9-16. Name of Contact Representative

Name:	MCI Communications Services, Inc. (fka MCI WorldCom Communications, Inc.)	Phone Number:	972-729-6406
Company:		Fax Number:	972-729-2690
Street:	2400 N. Glenville Drive Dept/Loc 63378/107	E-Mail:	laura.birkelbach@verizonbusiness.com
City:	Richardson	State:	TX
Country:	USA	Zipcode:	75082-
Attention:	Laura J Birkelbach	Relationship:	Engineer

CLASSIFICATION OF FILING

17. Choose the button next to the classification that applies to this filing for both questions a. and b. Choose only one for 17a and only one for 17b.

- a1. Earth Station
- a2. Space Station

- (N/A) b1. Application for License of New Station
- (N/A) b2. Application for Registration of New Domestic Receive-Only Station
- (N/A) b3. Amendment to a Pending Application
- (N/A) b4. Modification of License or Registration
- b5. Assignment of License or Registration
- b6. Transfer of Control of License or Registration
- (N/A) b7. Notification of Minor Modification
- (N/A) b8. Application for License of New Receive-Only Station Using Non-U.S. Licensed Satellite
- (N/A) b9. Letter of Intent to Use Non-U.S. Licensed Satellite to Provide Service in the United States
- (N/A) b10. Other (Please specify)

<p>17c. Is a fee submitted with this application?</p> <p><input checked="" type="radio"/> If Yes, complete and attach FCC Form 159. If No, indicate reason for fee exemption (see 47 C.F.R. Section 1.1114).</p> <p><input type="radio"/> Governmental Entity <input type="radio"/> Noncommercial educational licensee</p> <p><input type="radio"/> Other (please explain):</p>	
<p>17d.</p> <p>Fee Classification CGV – Fixed Satellite VSAT System</p>	
<p>18. If this filing is in reference to an existing station, enter:</p> <p>(a) Call sign of station: E000658</p>	<p>19. If this filing is an amendment to a pending application enter both fields, if this filing is a modification please enter only the file number:</p> <p>(a) Date pending application was filed:</p> <p>(b) File number: SESLIC2000092802041</p>

TYPE OF SERVICE

<p>20. NATURE OF SERVICE: This filing is for an authorization to provide or use the following type(s) of service(s): Select all that apply:</p> <p><input checked="" type="checkbox"/> a. Fixed Satellite <input type="checkbox"/> b. Mobile Satellite <input type="checkbox"/> c. Radiodetermination Satellite <input type="checkbox"/> d. Earth Exploration Satellite <input type="checkbox"/> e. Direct to Home Fixed Satellite <input type="checkbox"/> f. Digital Audio Radio Service <input type="checkbox"/> g. Other (please specify)</p>	
<p>21. STATUS: Choose the button next to the applicable status. Choose only one.</p> <p><input type="radio"/> Common Carrier <input checked="" type="radio"/> Non-Common Carrier</p>	<p>22. If earth station applicant, check all that apply.</p> <p><input checked="" type="checkbox"/> Using U.S. licensed satellites <input type="checkbox"/> Using Non-U.S. licensed satellites</p>
<p>23. If applicant is providing INTERNATIONAL COMMON CARRIER service, see instructions regarding Sec. 214 filings. Choose one. Are these facilities:</p> <p><input type="radio"/> Connected to a Public Switched Network <input type="radio"/> Not connected to a Public Switched Network <input checked="" type="radio"/> N/A</p>	
<p>24. FREQUENCY BAND(S): Place an 'X' in the box(es) next to all applicable frequency band(s).</p> <p><input type="checkbox"/> a. C-Band (4/6 GHz) <input checked="" type="checkbox"/> b. Ku-Band (12/14 GHz) <input type="checkbox"/> c. Other (Please specify upper and lower frequencies in MHz.)</p> <p>Frequency Lower: Frequency Upper: (Please specify additional frequencies in an attachment)</p>	

TYPE OF STATION

25. CLASS OF STATION: Choose the button next to the class of station that applies. Choose only one.

- a. Fixed Earth Station
- b. Temporary–Fixed Earth Station
- c. 12/14 GHz VSAT Network
- d. Mobile Earth Station
- e. Geostationary Space Station
- f. Non–Geostationary Space Station
- g. Other (please specify)

26. TYPE OF EARTH STATION FACILITY:

- Transmit/Receive Transmit–Only Receive–Only N/A

"For Space Station applications, select N/A."

PURPOSE OF MODIFICATION

27. The purpose of this proposed modification is to: (Place an 'X' in the box(es) next to all that apply.)

- a -- authorization to add new emission designator and related service
- b -- authorization to change emission designator and related service
- c -- authorization to increase EIRP and EIRP density
- d -- authorization to replace antenna
- e -- authorization to add antenna
- f -- authorization to relocate fixed station
- g -- authorization to change frequency(ies)
- h -- authorization to add frequency
- i -- authorization to add Points of Communication (satellites & countries)
- j -- authorization to change Points of Communication (satellites & countries)
- k -- authorization for facilities for which environmental assessment and radiation hazard reporting is required
- l -- authorization to change orbit location
- m -- authorization to perform fleet management
- n -- authorization to extend milestones
- o -- Other (Please specify)

ENVIRONMENTAL POLICY

<p>28. Would a Commission grant of any proposal in this application or amendment have a significant environmental impact as defined by 47 CFR 1.1307? If YES, submit the statement as required by Sections 1.1308 and 1.1311 of the Commission’s rules, 47 C.F.R. 1.1308 and 1.1311, as an exhibit to this application. A Radiation Hazard Study must accompany all applications for new transmitting facilities, major modifications, or major amendments.</p>	<p><input type="radio"/> Yes <input checked="" type="radio"/> No</p> <p>Radiation Report.pdf</p>
---	--

ALIEN OWNERSHIP Earth station applicants not proposing to provide broadcast, common carrier, aeronautical en route or aeronautical fixed radio station services are not required to respond to Items 30–34.

<p>29. Is the applicant a foreign government or the representative of any foreign government?</p>	<p><input type="radio"/> Yes <input checked="" type="radio"/> No</p>
<p>30. Is the applicant an alien or the representative of an alien?</p>	<p><input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> N/A</p>
<p>31. Is the applicant a corporation organized under the laws of any foreign government?</p>	<p><input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> N/A</p>
<p>32. Is the applicant a corporation of which more than one–fifth of the capital stock is owned of record or voted by aliens or their representatives or by a foreign government or representative thereof or by any corporation organized under the laws of a foreign country?</p>	<p><input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> N/A</p>

33. Is the applicant a corporation directly or indirectly controlled by any other corporation of which more than one-fourth of the capital stock is owned of record or voted by aliens, their representatives, or by a foreign government or representative thereof or by any corporation organized under the laws of a foreign country?

Yes No N/A

34. If any answer to questions 29, 30, 31, 32 and/or 33 is Yes, attach as an exhibit an identification of the aliens or foreign entities, their nationality, their relationship to the applicant, and the percentage of stock they own or vote.

BASIC QUALIFICATIONS

35. Does the Applicant request any waivers or exemptions from any of the Commission's Rules?
If Yes, attach as an exhibit, copies of the requests for waivers or exceptions with supporting documents.

Yes No

Let SES Americom.pdf

36. Has the applicant or any party to this application or amendment had any FCC station authorization or license revoked or had any application for an initial, modification or renewal of FCC station authorization, license, or construction permit denied by the Commission? If Yes, attach as an exhibit, an explanation of circumstances.

Yes No

Letter Panamsat.pdf

37. Has the applicant, or any party to this application or amendment, or any party directly or indirectly controlling the applicant ever been convicted of a felony by any state or federal court? If Yes, attach as an exhibit, an explanation of circumstances.

Yes No

FAA Notice.pdg

38. Has any court finally adjudged the applicant, or any person directly or indirectly controlling the applicant, guilty of unlawfully monopolizing or attempting unlawfully to monopolize radio communication, directly or indirectly, through control of manufacture or sale of radio apparatus, exclusive traffic arrangement or any other means or unfair methods of competition? If Yes, attach as an exhibit, an explanation of circumstances

Yes No

39. Is the applicant, or any person directly or indirectly controlling the applicant, currently a party in any pending matter referred to in the preceding two items? If yes, attach as an exhibit, an explanation of the circumstances.

Yes No

40. If the applicant is a corporation and is applying for a space station license, attach as an exhibit the names, address, and citizenship of those stockholders owning a record and/or voting 10 percent or more of the Filer's voting stock and the percentages so held. In the case of fiduciary control, indicate the beneficiary(ies) or class of beneficiaries. Also list the names and addresses of the officers and directors of the Filer.

41. By checking Yes, the undersigned certifies, that neither applicant nor any other party to the application is subject to a denial of Federal benefits that includes FCC benefits pursuant to Section 5301 of the Anti-Drug Act of 1988, 21 U.S.C. Section 862, because of a conviction for possession or distribution of a controlled substance. See 47 CFR 1.2002(b) for the meaning of "party to the application"; for these purposes.

Yes No

42a. Does the applicant intend to use a non-U.S. licensed satellite to provide service in the United States? If Yes, answer 42b and attach an exhibit providing the information specified in 47 C.F.R. 25.137, as appropriate. If No, proceed to question 43.

Yes No

42b. What administration has licensed or is in the process of licensing the space station? If no license will be issued, what administration has coordinated or is in the process of coordinating the space station?

43. Description. (Summarize the nature of the application and the services to be provided). (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

MCI Communications Services, Inc seeks to add new remote antennas to their domestic Ku-band VSAT license, E000658. The VSAT network will provide digital video and data services. Antennas will be used to facilitate customer communication requirements including full-time traffic, back-up service, and disaster recovery such as hurricane and

CERTIFICATION

The Applicant waives any claim to the use of any particular frequency or of the electromagnetic spectrum as against the regulatory power of the United States because of the previous use of the same, whether by license or otherwise, and requests an authorization in accordance with this application. The applicant certifies that grant of this application would not cause the applicant to be in violation of the spectrum aggregation limit in 47 CFR Part 20. All statements made in exhibits are a material part hereof and are incorporated herein as if set out in full in this application. The undersigned, individually and for the applicant, hereby certifies that all statements made in this application and in all attached exhibits are true, complete and correct to the best of his or her knowledge and belief, and are made in good faith.

44. Applicant is a (an): (Choose the button next to applicable response.)

- Individual
- Unincorporated Association
- Partnership
- Corporation
- Governmental Entity
- Other (please specify)

45. Name of Person Signing Laura Birkelbach	46. Title of Person Signing Senior Engineer
--	--

-->

WILLFUL FALSE STATEMENTS MADE ON THIS FORM ARE PUNISHABLE BY FINE AND / OR IMPRISONMENT (U.S. Code, Title 18, Section 1001), AND/OR REVOCATION OF ANY STATION AUTHORIZATION (U.S. Code, Title 47, Section 312(a)(1)), AND/OR FORFEITURE (U.S. Code, Title 47, Section 503).

SATELLITE EARTH STATION AUTHORIZATIONS
 FCC Form 312 – Schedule B:(Technical and Operational Description)
 FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1. Site Identifier: Remote 1	E5. Call Sign: E000658
E2. Contact Name Charlie Hoff	E6. Phone Number: 207-364-7871
E3. Street:	E7. City:
E4. State	E8. County:
E10. Area of Operation:	E9. Zip Code
E11. Latitude: 0 °0 '0.0 "	CONUS, AK, HI, PR, VI
E12. Longitude: 0 °0 '0.0 "	
E13. Lat/Lon Coordinates are:	<input type="radio"/> NAD-27 <input type="radio"/> NAD-83 <input checked="" type="radio"/> N/A
E14. Site Elevation (AMSL):	0.0 meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.

Yes No N/A

E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	<input type="radio"/> Yes <input checked="" type="radio"/> No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	<input type="radio"/> Yes <input checked="" type="radio"/> No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	<input type="radio"/> Yes <input checked="" type="radio"/> No
<p>E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA's study regarding the potential hazard of the structure to aviation?</p> <p>FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.</p>	<input type="radio"/> Yes <input checked="" type="radio"/> No

POINTS OF COMMUNICATION

Satellite Name: ALSAT ALL AUTHORIZED U.S. ALSAT If you selected OTHER, please enter the following:	
E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier: Remote 1	
--------------------------------	--

E26. Common Name:	E27. Country:
-------------------	---------------

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna Gain Transmint and/or Recieve (____ dBi at ____ GHz)	
Remote 1	R1	6000	Prodelin	1123	1.2	41.7 dBi at 11.95	
Remote 1	R1	6000	Prodelin	1123	1.2	43.2 dBi at 14.25	

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level(meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers(dBW)
R1	0.0/0.0	2.0	0.0	0.0	14.0	0.0	54.7

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
R1	11700.0 12200.0	R	Horizontal and Vertical	156KG7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R1	11700.0 12200.0	R	Horizontal and Vertical	2M50G7W	0.0	0.0
----	--------------------	---	----------------------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R1	14000.0 14500.0	T	Horizontal and Vertical	156KG7W	45.1	29.2
----	--------------------	---	----------------------------	---------	------	------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R1	14000.0 14500.0	T	Horizontal and Vertical	2M50G7W	54.7	26.7
----	--------------------	---	----------------------------	---------	------	------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/Western Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
R1	Geostationary	11700.0 12200.0	60.0/143.0	0.0	5.0	0.0	5.0	0.0
	Geostationary	14000.0 14500.0	60.0/143.0	0.0	5.0	0.0	5.0	-0.35

REMOTE CONTROL POINT LOCATION

E61. Call Sign		E66. Phone Number	
NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.			
E62. Street Address			
E63. City	E68. County	E67/68. State/Country /	E64. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
 FCC Form 312 – Schedule B:(Technical and Operational Description)
 FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1. Site Identifier: Remote 2	E5. Call Sign: E000658
E2. Contact Name Charlie Hoff	E6. Phone Number: 207-364-7871
E3. Street:	E7. City:
E4. State	E8. County:
E10. Area of Operation:	E9. Zip Code
	CONUS, AK, HI, PR, VI
E11. Latitude: 0 °0 '0.0 "	
E12. Longitude: 0 °0 '0.0 "	
E13. Lat/Lon Coordinates are:	<input type="radio"/> NAD-27 <input type="radio"/> NAD-83 <input checked="" type="radio"/> N/A
E14. Site Elevation (AMSL):	0.0 meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.

Yes No N/A

E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	<input type="radio"/> Yes <input checked="" type="radio"/> No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	<input type="radio"/> Yes <input checked="" type="radio"/> No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	<input type="radio"/> Yes <input checked="" type="radio"/> No
<p>E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA's study regarding the potential hazard of the structure to aviation?</p> <p>FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.</p>	<input type="radio"/> Yes <input checked="" type="radio"/> No

POINTS OF COMMUNICATION

Satellite Name: ALSAT ALL AUTHORIZED U.S. ALSAT If you selected OTHER, please enter the following:	
E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier: Remote 2	
--------------------------------	--

E26. Common Name:	E27. Country:
-------------------	---------------

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna Gain Transmint and/or Recieve (____ dBi at ____ GHz)	
Remote 2	R2	3000	Prodelin	1183	1.8	45.0 dBi at 11.95	
Remote 2	R2	3000	Prodelin	1183	1.8	46.5 dBi at 14.25	

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level(meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers(dBW)
R2	0.0/0.0	2.5	0.0	0.0	14.0	0.0	58.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
R2	11700.0 12200.0	R	Horizontal and Vertical	156KG7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R2	11700.0 12200.0	R	Horizontal and Vertical	2M50G7W	0.0	0.0
----	--------------------	---	----------------------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R2	14000.0 14500.0	T	Horizontal and Vertical	156KG7W	48.4	32.5
----	--------------------	---	----------------------------	---------	------	------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R2	14000.0 14500.0	T	Horizontal and Vertical	2M50G7W	58.0	30.0
----	--------------------	---	----------------------------	---------	------	------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/Western Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
R2	Geostationary	11700.0 12200.0	60.0/143.0	0.0	5.0	0.0	5.0	0.0
	Geostationary	14000.0 14500.0	60.0/143.0	0.0	5.0	0.0	5.0	-0.35

REMOTE CONTROL POINT LOCATION

E61. Call Sign		E66. Phone Number	
NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.			
E62. Street Address			
E63. City	E68. County	E67/68. State/Country /	E64. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
 FCC Form 312 – Schedule B:(Technical and Operational Description)
 FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1. Site Identifier: Remote 3	E5. Call Sign: E000658
E2. Contact Name Charlie Hoff	E6. Phone Number: 207-364-7871
E3. Street:	E7. City:
E4. State	E8. County:
E10. Area of Operation:	E9. Zip Code
E11. Latitude: 0 °0 '0.0 "	CONUS, AK, HI, PR, VI
E12. Longitude: 0 °0 '0.0 "	
E13. Lat/Lon Coordinates are:	<input type="radio"/> NAD-27 <input type="radio"/> NAD-83 <input checked="" type="radio"/> N/A
E14. Site Elevation (AMSL):	0.0 meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.

Yes No N/A

E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	<input type="radio"/> Yes <input checked="" type="radio"/> No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	<input type="radio"/> Yes <input checked="" type="radio"/> No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	<input type="radio"/> Yes <input checked="" type="radio"/> No
<p>E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA's study regarding the potential hazard of the structure to aviation?</p> <p>FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.</p>	<input type="radio"/> Yes <input checked="" type="radio"/> No

POINTS OF COMMUNICATION

Satellite Name: ALSAT ALL AUTHORIZED U.S. ALSAT If you selected OTHER, please enter the following:	
E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier: Remote 3	
--------------------------------	--

E26. Common Name:	E27. Country:
-------------------	---------------

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna Gain Transmint and/or Recieve (____ dBi at ____ GHz)	
Remote 3	R3	1000	Prodelin	1251	2.4	47.6 dBi at 11.95	
Remote 3	R3	1000	Prodelin	1251	2.4	49.2 dBi at 14.25	

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level(meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers(dBW)
R3	0.0/0.0	3.0	0.0	0.0	14.0	0.0	60.7

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
R3	11700.0 12200.0	R	Horizontal and Vertical	156KG7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R3	11700.0 12200.0	R	Horizontal and Vertical	2M50G7W	0.0	0.0
----	--------------------	---	----------------------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R3	14000.0 14500.0	T	Horizontal and Vertical	156KG7W	51.1	35.2
----	--------------------	---	----------------------------	---------	------	------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R3	14000.0 14500.0	T	Horizontal and Vertical	2M50G7W	60.7	32.7
----	--------------------	---	----------------------------	---------	------	------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/Western Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
R3	Geostationary	11700.0 12200.0	60.0/143.0	0.0	5.0	0.0	5.0	0.0
	Geostationary	14000.0 14500.0	60.0/143.0	0.0	5.0	0.0	5.0	-0.35

REMOTE CONTROL POINT LOCATION

E61. Call Sign		E66. Phone Number	
NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.			
E62. Street Address			
E63. City	E68. County	E67/68. State/Country /	E64. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1. Site Identifier: Remote 4	E5. Call Sign: E000658		
E2. Contact Name Charlie Hoff	E6. Phone Number: 207-364-7871		
E3. Street:	E7. City:		
E4. State	E8. County:		
E10. Area of Operation:	E9. Zip Code	CONUS, AK,, HI, PR, VI	
E11. Latitude: 0 °0 '0.0 "			
E12. Longitude: 0 °0 '0.0 "			
E13. Lat/Lon Coordinates are:	<input type="radio"/> NAD-27	<input type="radio"/> NAD-83	<input checked="" type="radio"/> N/A
E14. Site Elevation (AMSL):	0.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.

Yes
 No
 N/A

E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	<input type="radio"/> Yes <input checked="" type="radio"/> No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	<input type="radio"/> Yes <input checked="" type="radio"/> No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	<input type="radio"/> Yes <input checked="" type="radio"/> No
<p>E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA's study regarding the potential hazard of the structure to aviation?</p> <p>FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.</p>	<input type="radio"/> Yes <input checked="" type="radio"/> No

POINTS OF COMMUNICATION

Satellite Name: ALSAT ALL AUTHORIZED U.S. ALSAT If you selected OTHER, please enter the following:	
E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier: Remote 4	
--------------------------------	--

E26. Common Name:	E27. Country:
-------------------	---------------

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna Gain Transmint and/or Recieve (____ dBi at ____ GHz)	
Remote 4	R4	6000	Patriot	TX-INT120KU	1.2	43.4 dBi at 14.25	
Remote 4	R4	6000	Patriot	TX-INT120KU	1.2	41.8 dBi at 11.725	

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level(meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers(dBW)
R4	0.0/0.0	2.0	0.0	0.0	14.0	0.0	54.9

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
R4	11700.0 12200.0	R	Horizontal and Vertical	156KG7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R4	11700.0 12200.0	R	Horizontal and Vertical	2M50G7W	0.0	0.0
----	--------------------	---	----------------------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R4	14000.0 14500.0	T	Horizontal and Vertical	156KG7W	45.3	29.4
----	--------------------	---	----------------------------	---------	------	------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R4	14000.0 14500.0	T	Horizontal and Vertical	2M50G7W	54.9	26.9
----	--------------------	---	----------------------------	---------	------	------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/Western Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
R4	Geostationary	11700.0 12200.0	60.0/143.0	0.0	5.0	0.0	5.0	0.0
	Geostationary	14000.0 14500.0	60.0/143.0	0.0	5.0	0.0	5.0	-0.35

REMOTE CONTROL POINT LOCATION

E61. Call Sign		E66. Phone Number	
NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.			
E62. Street Address			
E63. City	E68. County	E67/68. State/Country /	E64. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
 FCC Form 312 – Schedule B:(Technical and Operational Description)
 FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1. Site Identifier: Remote 5	E5. Call Sign: E000658
E2. Contact Name Charlie Hoff	E6. Phone Number: 207-364-7871
E3. Street:	E7. City:
E4. State	E8. County:
E10. Area of Operation:	E9. Zip Code
E11. Latitude: 0 °0 '0.0 "	CONUS, AK, HI, PR, VI
E12. Longitude: 0 °0 '0.0 "	
E13. Lat/Lon Coordinates are:	<input type="radio"/> NAD-27 <input type="radio"/> NAD-83 <input checked="" type="radio"/> N/A
E14. Site Elevation (AMSL):	0.0 meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.

Yes No N/A

E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	<input type="radio"/> Yes <input checked="" type="radio"/> No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	<input type="radio"/> Yes <input checked="" type="radio"/> No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	<input type="radio"/> Yes <input checked="" type="radio"/> No
<p>E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA's study regarding the potential hazard of the structure to aviation?</p> <p>FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.</p>	<input type="radio"/> Yes <input checked="" type="radio"/> No

POINTS OF COMMUNICATION

Satellite Name: ALSAT ALL AUTHORIZED U.S. ALSAT If you selected OTHER, please enter the following:	
E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier: Remote 5	
--------------------------------	--

E26. Common Name:	E27. Country:
-------------------	---------------

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna Gain Transmint and/or Recieve (____ dBi at ____ GHz)	
Remote 5	R5	3000	Patriot	TX-INT180KU	1.8	47.0 dBi at 14.25	
Remote 5	R5	3000	Patriot	TX-INT180KU	1.8	45.3 dBi at 11.725	

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level(meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers(dBW)
R5	0.0/0.0	2.5	0.0	0.0	14.0	0.0	58.5

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
R5	11700.0 12200.0	R	Horizontal and Vertical	156KG7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R5	11700.0 12200.0	R	Horizontal and Vertical	2M50G7W	0.0	0.0
----	--------------------	---	----------------------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R5	14000.0 14500.0	T	Horizontal and Vertical	156KG7W	48.9	33.0
----	--------------------	---	----------------------------	---------	------	------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R5	14000.0 14500.0	T	Horizontal and Vertical	2M50G7W	58.5	30.5
----	--------------------	---	----------------------------	---------	------	------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/Western Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
R5	Geostationary	11700.0 12200.0	60.0/143.0	0.0	5.0	0.0	5.0	0.0
	Geostationary	14000.0 14500.0	60.0/143.0	0.0	5.0	0.0	5.0	-0.35

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E66. Phone Number	
E62. Street Address			
E63. City	E68. County	E67/68. State/Country /	E64. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
 FCC Form 312 – Schedule B:(Technical and Operational Description)
 FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Remote 6	E5. Call Sign:	E000658
E2: Contact Name	Charlie Hoff	E6. Phone Number:	207-364-7871
E3. Street:		E7. City:	
E4. State		E8. County:	
E10. Area of Operation:		E9. Zip Code	
			CONUS, AK, HI, PR, VI
E11. Latitude:	0 °0 '0.0 "		
E12. Longitude:	0 °0 '0.0 "		
E13. Lat/Lon Coordinates are:	<input type="radio"/> NAD-27	<input type="radio"/> NAD-83	<input checked="" type="radio"/> N/A
E14. Site Elevation (AMSL):	0.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.

Yes No N/A

E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	<input type="radio"/> Yes <input checked="" type="radio"/> No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	<input type="radio"/> Yes <input checked="" type="radio"/> No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	<input type="radio"/> Yes <input checked="" type="radio"/> No
<p>E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA's study regarding the potential hazard of the structure to aviation?</p> <p>FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.</p>	<input type="radio"/> Yes <input checked="" type="radio"/> No

POINTS OF COMMUNICATION

Satellite Name: ALSAT ALL AUTHORIZED U.S. ALSAT If you selected OTHER, please enter the following:	
E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier: Remote 6	
--------------------------------	--

E26. Common Name:	E27. Country:
-------------------	---------------

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna Gain Transmint and/or Recieve (____ dBi at ____ GHz)	
Remote 6	R6	1000	Patriot	TXFCC-240KUS	2.4	49.6 dBi at 14.25	
Remote 6	R6	1000	Patriot	TXFCC-240KUS	2.4	48.0 dBi at 11.725	

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level(meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers(dBW)
R6	0.0/0.0	3.0	0.0	0.0	14.0	0.0	61.1

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
R6	11700.0 12200.0	R	Horizontal and Vertical	156KG7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R6	11700.0 12200.0	R	Horizontal and Vertical	2M50G7W	0.0	0.0
----	--------------------	---	----------------------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R6	14000.0 14500.0	T	Horizontal and Vertical	156KG7W	51.5	35.6
----	--------------------	---	----------------------------	---------	------	------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R6	14000.0 14500.0	T	Horizontal and Vertical	2M50G7W	61.1	33.1
----	--------------------	---	----------------------------	---------	------	------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/Western Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
R6	Geostationary	11700.0 12200.0	60.0/143.0	0.0	5.0	0.0	5.0	0.0
	Geostationary	14000.0 14500.0	60.0/143.0	0.0	5.0	0.0	5.0	-0.35

REMOTE CONTROL POINT LOCATION

E61. Call Sign		E66. Phone Number	
NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.			
E62. Street Address			
E63. City	E68. County	E67/68. State/Country /	E64. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1. Site Identifier: Remote 7	E5. Call Sign: E000658
E2. Contact Name Charlie Hoff	E6. Phone Number: 207-364-7871
E3. Street:	E7. City:
E4. State	E8. County:
E10. Area of Operation:	E9. Zip Code
E11. Latitude: 0 °0 '0.0 "	CONUS, AK, HI, PR, VI
E12. Longitude: 0 °0 '0.0 "	
E13. Lat/Lon Coordinates are:	<input type="radio"/> NAD-27 <input type="radio"/> NAD-83 <input checked="" type="radio"/> N/A
E14. Site Elevation (AMSL):	0.0 meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.

Yes
 No
 N/A

E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	<input type="radio"/> Yes <input checked="" type="radio"/> No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	<input type="radio"/> Yes <input checked="" type="radio"/> No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	<input type="radio"/> Yes <input checked="" type="radio"/> No
<p>E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA's study regarding the potential hazard of the structure to aviation?</p> <p>FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.</p>	<input type="radio"/> Yes <input checked="" type="radio"/> No

POINTS OF COMMUNICATION

Satellite Name: ALSAT ALL AUTHORIZED U.S. ALSAT If you selected OTHER, please enter the following:	
E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier: Remote 7	
--------------------------------	--

E26. Common Name:	E27. Country:
-------------------	---------------

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna Gain Transmint and/or Recieve (____ dBi at ____ GHz)	
Remote 7	R7	6000	Channel Master	Type 123	1.2	41.8 dBi at 11.95	
Remote 7	R7	6000	Channel Master	Type 123	1.2	43.3 dBi at 14.25	

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level(meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers(dBW)
R7	0.0/0.0	2.0	0.0	0.0	14.0	0.0	54.8

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
R7	11700.0 12200.0	R	Horizontal and Vertical	156KG7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R7	11700.0 12200.0	R	Horizontal and Vertical	2M50G7W	0.0	0.0
----	--------------------	---	----------------------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R7	14000.0 14500.0	T	Horizontal and Vertical	156KG7W	45.2	29.3
----	--------------------	---	----------------------------	---------	------	------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R7	14000.0 14500.0	T	Horizontal and Vertical	2M50G7W	54.8	26.8
----	--------------------	---	----------------------------	---------	------	------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/Western Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
R7	Geostationary	11700.0 12200.0	60.0/143.0	0.0	5.0	0.0	5.0	0.0
	Geostationary	14000.0 14500.0	60.0/143.0	0.0	5.0	0.0	5.0	-0.35

REMOTE CONTROL POINT LOCATION

E61. Call Sign		E66. Phone Number	
NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.			
E62. Street Address			
E63. City	E68. County	E67/68. State/Country /	E64. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
 FCC Form 312 – Schedule B:(Technical and Operational Description)
 FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1. Site Identifier: Remote 8	E5. Call Sign: E000658
E2. Contact Name Charlie Hoff	E6. Phone Number: 207-364-7871
E3. Street:	E7. City:
E4. State	E8. County:
E10. Area of Operation:	E9. Zip Code
	CONUS, AK, HI, PR, VI
E11. Latitude: 0 °0 '0.0 "	
E12. Longitude: 0 °0 '0.0 "	
E13. Lat/Lon Coordinates are:	<input type="radio"/> NAD-27 <input type="radio"/> NAD-83 <input checked="" type="radio"/> N/A
E14. Site Elevation (AMSL):	0.0 meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.

Yes No N/A

E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	<input type="radio"/> Yes <input checked="" type="radio"/> No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	<input type="radio"/> Yes <input checked="" type="radio"/> No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	<input type="radio"/> Yes <input checked="" type="radio"/> No
<p>E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA's study regarding the potential hazard of the structure to aviation?</p> <p>FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.</p>	<input type="radio"/> Yes <input checked="" type="radio"/> No

POINTS OF COMMUNICATION

Satellite Name: ALSAT ALL AUTHORIZED U.S. ALSAT If you selected OTHER, please enter the following:	
E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier: Remote 8	
--------------------------------	--

E26. Common Name:	E27. Country:
-------------------	---------------

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna Gain Transmint and/or Recieve (____ dBi at ____ GHz)	
Remote 8	R8	3000	Channel Master	Type 180	1.8	45.3 dBi at 11.95	
Remote 8	R8	3000	Channel Master	Type 180	1.8	46.8 dBi at 14.25	

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level(meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers(dBW)
R8	0.0/0.0	2.5	0.0	0.0	14.0	0.0	58.3

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
R8	11700.0 12200.0	R	Horizontal and Vertical	156KG7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R8	11700.0 12200.0	R	Horizontal and Vertical	2M50G7W	0.0	0.0
----	--------------------	---	----------------------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R8	11700.0 14500.0	T	Horizontal and Vertical	156KG7W	48.7	32.8
----	--------------------	---	----------------------------	---------	------	------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R8	14000.0 14500.0	T	Horizontal and Vertical	2M50G7W	58.3	30.3
----	--------------------	---	----------------------------	---------	------	------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/Western Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
R8	Geostationary	11700.0 12200.0	60.0/143.0	0.0	5.0	0.0	5.0	0.0
	Geostationary	14000.0 14500.0	60.0/143.0	0.0	5.0	0.0	5.0	-0.35

REMOTE CONTROL POINT LOCATION

E61. Call Sign		E66. Phone Number	
NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.			
E62. Street Address			
E63. City	E68. County	E67/68. State/Country /	E64. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
 FCC Form 312 – Schedule B:(Technical and Operational Description)
 FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1. Site Identifier: Remote 9	E5. Call Sign: E000658
E2. Contact Name Charlie Hoff	E6. Phone Number: 207-364-7871
E3. Street:	E7. City:
E4. State	E8. County:
E10. Area of Operation:	E9. Zip Code
	CONUS, AK, HI, PR, VI
E11. Latitude: 0 °0 '0.0 "	
E12. Longitude: 0 °0 '0.0 "	
E13. Lat/Lon Coordinates are:	<input type="radio"/> NAD-27 <input type="radio"/> NAD-83 <input checked="" type="radio"/> N/A
E14. Site Elevation (AMSL):	0.0 meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.

Yes No N/A

E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	<input type="radio"/> Yes <input checked="" type="radio"/> No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	<input type="radio"/> Yes <input checked="" type="radio"/> No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	<input type="radio"/> Yes <input checked="" type="radio"/> No
<p>E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA's study regarding the potential hazard of the structure to aviation?</p> <p>FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.</p>	<input type="radio"/> Yes <input checked="" type="radio"/> No

POINTS OF COMMUNICATION

Satellite Name: ALSAT ALL AUTHORIZED U.S. ALSAT If you selected OTHER, please enter the following:	
E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier: Remote 9	
--------------------------------	--

E26. Common Name:	E27. Country:
-------------------	---------------

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna Gain Transmint and/or Recieve (____ dBi at ____ GHz)	
Remote 9	R 9	3000	Channel Master	Type 183	1.8	45.3 dBi at 11.95	
Remote 9	R 9	3000	Channel Master	Type 183	1.8	46.8 dBi at 14.25	

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level(meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers(dBW)
R 9	0.0/0.0	3.5	0.0	0.0	14.0	0.0	58.3

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
R 9	11700.0 12200.0	R	Horizontal and Vertical	156KG7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R 9	11700.0 12200.0	R	Horizontal and Vertical	2M50G7W	0.0	0.0
-----	--------------------	---	----------------------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R 9	14000.0 14500.0	T	Horizontal and Vertical	156KG7W	48.7	32.8
-----	--------------------	---	----------------------------	---------	------	------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R 9	14000.0 14500.0	T	Horizontal and Vertical	2M50G7W	58.3	30.3
-----	--------------------	---	----------------------------	---------	------	------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/Western Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
R 9	Geostationary	11700.0 12200.0	60.0/143.0	0.0	5.0	0.0	5.0	0.0
	Geostationary	14000.0 14500.0	60.0/143.0	0.0	5.0	0.0	5.0	-0.35

REMOTE CONTROL POINT LOCATION

E61. Call Sign		E66. Phone Number	
NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.			
E62. Street Address			
E63. City	E68. County	E67/68. State/Country /	E64. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
 FCC Form 312 – Schedule B:(Technical and Operational Description)
 FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1. Site Identifier: Remote 10	E5. Call Sign: E000658
E2. Contact Name Charlie Hoff	E6. Phone Number: 207-364-7871
E3. Street:	E7. City:
E4. State	E8. County:
E10. Area of Operation:	E9. Zip Code
E11. Latitude: 0 °0 '0.0 "	CONUS, AK, HI, PR, VI
E12. Longitude: 0 °0 '0.0 "	
E13. Lat/Lon Coordinates are:	<input type="radio"/> NAD-27 <input type="radio"/> NAD-83 <input checked="" type="radio"/> N/A
E14. Site Elevation (AMSL):	0.0 meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.

Yes No N/A

E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	<input type="radio"/> Yes <input checked="" type="radio"/> No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	<input type="radio"/> Yes <input checked="" type="radio"/> No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	<input type="radio"/> Yes <input checked="" type="radio"/> No
<p>E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA's study regarding the potential hazard of the structure to aviation?</p> <p>FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.</p>	<input type="radio"/> Yes <input checked="" type="radio"/> No

POINTS OF COMMUNICATION

Satellite Name: ALSAT ALL AUTHORIZED U.S. ALSAT If you selected OTHER, please enter the following:	
E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier: Remote 10	
---------------------------------	--

E26. Common Name:	E27. Country:
-------------------	---------------

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna Gain Transmint and/or Recieve (____ dBi at ____ GHz)	
Remote 10	R 10	1000	Channel Master	Type 243	2.4	47.6 dBi at 11.95	
Remote 10	R 10	1000	Channel Master	Type 243	2.4	49.3 dBi at 14.25	

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level(meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers(dBW)
R 10	0.0/0.0	2.5	0.0	0.0	14.0	0.0	60.8

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
R 10	11700.0 12200.0	R	Horizontal and Vertical	156KG7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
Digital Video and Data						
R 10	11700.0 12200.0	R	Horizontal and Vertical	2M50G7W	0.0	0.0
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
Digital Video and Data						
R 10	14000.0 14500.0	T	Horizontal and Vertical	156KG7W	51.2	35.3
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
Digital Video and Data						
R 10	14000.0 14500.0	T	Horizontal and Vertical	2M50G7W	60.8	32.8

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/Western Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
R 10	Geostationary	11700.0 12200.0	60.0/143.0	0.0	5.0	0.0	5.0	0.0
	Geostationary	14000.0 14500.0	60.0/143.0	0.0	5.0	0.0	5.0	-0.35

REMOTE CONTROL POINT LOCATION

E61. Call Sign		E66. Phone Number	
NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.			
E62. Street Address			
E63. City	E68. County	E67/68. State/Country /	E64. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
 FCC Form 312 – Schedule B:(Technical and Operational Description)
 FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1. Site Identifier: Remote 11	E5. Call Sign: E000658
E2. Contact Name Charlie Hoff	E6. Phone Number: 207-364-7871
E3. Street:	E7. City:
E4. State	E8. County:
E10. Area of Operation:	E9. Zip Code
	CONUS, AK, HI, PR, VI
E11. Latitude: 0 °0 '0.0 "	
E12. Longitude: 0 °0 '0.0 "	
E13. Lat/Lon Coordinates are:	<input type="radio"/> NAD-27 <input type="radio"/> NAD-83 <input checked="" type="radio"/> N/A
E14. Site Elevation (AMSL):	0.0 meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.

Yes No N/A

E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	<input type="radio"/> Yes <input checked="" type="radio"/> No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	<input type="radio"/> Yes <input checked="" type="radio"/> No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	<input type="radio"/> Yes <input checked="" type="radio"/> No
<p>E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA's study regarding the potential hazard of the structure to aviation?</p> <p>FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.</p>	<input type="radio"/> Yes <input checked="" type="radio"/> No

POINTS OF COMMUNICATION

Satellite Name: IA-8 IA-8 89 W.L. If you selected OTHER, please enter the following:	
E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier: Remote 11	
---------------------------------	--

E26. Common Name:	E27. Country:
-------------------	---------------

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna Gain Transmint and/or Recieve (____ dBi at ____ GHz)	
Remote 11	R 11	3000	Prodelin	1951	0.95	39.7 dBi at 11.95	
Remote 11	R 11	3000	Prodelin	1951	0.95	41.2 dBi at 14.25	

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level(meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers(dBW)
R 11	0.67/1.35	1.5	0.0	0.0	13.0	0.0	52.34

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
R 11	11700.0 12200.0	R	Horizontal and Vertical	156KG7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R 11	11700.0 12200.0	R	Horizontal and Vertical	2M50G7W	0.0	0.0
------	--------------------	---	----------------------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R 11	14000.0 14500.0	T	Horizontal and Vertical	156KG7W	39.1	23.2
------	--------------------	---	----------------------------	---------	------	------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R 11	14000.0 14500.0	T	Horizontal and Vertical	2M50G7W	51.2	23.2
------	--------------------	---	----------------------------	---------	------	------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/Western Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
R 11	Geostationary	11700.0 12200.0	60.0/143.0	0.0	5.0	0.0	5.0	0.0
	Geostationary	14000.0 14500.0	60.0/143.0	0.0	5.0	0.0	5.0	-0.35

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E66. Phone Number	
E62. Street Address			
E63. City	E68. County	E67/68. State/Country /	E64. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
 FCC Form 312 – Schedule B:(Technical and Operational Description)
 FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1. Site Identifier: Remote 12	E5. Call Sign: E000658
E2. Contact Name Charlie Hoff	E6. Phone Number: 207-364-7871
E3. Street:	E7. City:
E4. State	E8. County:
E10. Area of Operation:	E9. Zip Code
E11. Latitude: 0 °0 '0.0 "	CONUS, AK, HI, PR, VI
E12. Longitude: 0 °0 '0.0 "	
E13. Lat/Lon Coordinates are:	<input type="radio"/> NAD-27 <input type="radio"/> NAD-83 <input checked="" type="radio"/> N/A
E14. Site Elevation (AMSL):	0.0 meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.

Yes No N/A

E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	<input type="radio"/> Yes <input checked="" type="radio"/> No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	<input type="radio"/> Yes <input checked="" type="radio"/> No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	<input type="radio"/> Yes <input checked="" type="radio"/> No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	<input type="radio"/> Yes <input checked="" type="radio"/> No

POINTS OF COMMUNICATION

Satellite Name: IA-8 IA-8 89 W.L. If you selected OTHER, please enter the following:	
E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier: Remote 12	
---------------------------------	--

E26. Common Name:	E27. Country:
-------------------	---------------

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna Gain Transmint and/or Recieve (____ dBi at ____ GHz)	
Remote 12	R 12	3000	Prodelin	1981	0.98	39.8 dBi at 11.95	
Remote 12	R 12	3000	Prodelin	1981	0.98	41.3 dBi at 14.25	

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level(meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers(dBW)
R 12	0.0/0.0	1.5	0.0	0.0	14.0	0.0	52.76

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
R 12	11700.0 12200.0	R	Horizontal and Vertical	156KG7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R 12	11700.0 12200.0	R	Horizontal and Vertical	2M50G7W	0.0	0.0
------	--------------------	---	----------------------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R 12	14000.0 14500.0	T	Horizontal and Vertical	156KG7W	43.2	27.3
------	--------------------	---	----------------------------	---------	------	------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R 12	14000.0 14500.0	T	Horizontal and Vertical	2M50G7W	52.8	24.8
------	--------------------	---	----------------------------	---------	------	------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/Western Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
R 12	Geostationary	11700.0 12200.0	60.0/143.0	0.0	5.0	0.0	5.0	0.0
	Geostationary	14000.0 14500.0	60.0/143.0	0.0	5.0	0.0	5.0	-0.35

REMOTE CONTROL POINT LOCATION

E61. Call Sign		E66. Phone Number	
NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.			
E62. Street Address			
E63. City	E68. County	E67/68. State/Country /	E64. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
 FCC Form 312 – Schedule B:(Technical and Operational Description)
 FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1. Site Identifier: Remote 13	E5. Call Sign: E000658
E2. Contact Name Charlie Hoff	E6. Phone Number: 207-364-7871
E3. Street:	E7. City:
E4. State	E8. County:
E10. Area of Operation:	E9. Zip Code
E11. Latitude: 0 °0 '0.0 "	CONUS, AK, HI, PR, VI
E12. Longitude: 0 °0 '0.0 "	
E13. Lat/Lon Coordinates are:	<input type="radio"/> NAD-27 <input type="radio"/> NAD-83 <input checked="" type="radio"/> N/A
E14. Site Elevation (AMSL):	0.0 meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.

Yes No N/A

E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	<input type="radio"/> Yes <input checked="" type="radio"/> No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	<input type="radio"/> Yes <input checked="" type="radio"/> No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	<input type="radio"/> Yes <input checked="" type="radio"/> No
<p>E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA's study regarding the potential hazard of the structure to aviation?</p> <p>FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.</p>	<input type="radio"/> Yes <input checked="" type="radio"/> No

POINTS OF COMMUNICATION

Satellite Name: ALSAT ALL AUTHORIZED U.S. ALSAT If you selected OTHER, please enter the following:	
E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier: Remote 13	
---------------------------------	--

E26. Common Name:	E27. Country:
-------------------	---------------

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna Gain Transmint and/or Recieve (____ dBi at ____ GHz)	
Remote 13	R 13	6000	Prodelin	1134	1.2	41.5 dBi at 11.95	
Remote 13	R 13	6000	Prodelin	1134	1.2	43.0 dBi at 14.25	

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level(meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers(dBW)
R 13	0.0/0.0	1.8	0.0	0.0	14.0	0.0	54.46

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
R 13	11700.0 12200.0	R	Horizontal and Vertical	156KG7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R 13	11700.0 12200.0	R	Horizontal and Vertical	2M50G7W	0.0	0.0
------	--------------------	---	----------------------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R 13	14000.0 14500.0	T	Horizontal and Vertical	156KG7W	44.9	29.0
------	--------------------	---	----------------------------	---------	------	------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R 13	14000.0 14500.0	T	Horizontal and Vertical	2M50G7W	54.5	26.5
------	--------------------	---	----------------------------	---------	------	------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/Western Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
R 13	Geostationary	11700.0 12200.0	60.0/143.0	0.0	5.0	0.0	5.0	0.0
	Geostationary	14000.0 14500.0	60.0/143.0	0.0	5.0	0.0	5.0	-0.35

REMOTE CONTROL POINT LOCATION

E61. Call Sign		E66. Phone Number	
NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.			
E62. Street Address			
E63. City	E68. County	E67/68. State/Country /	E64. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier: Remote 14 E5. Call Sign: E000658
E2: Contact Name Charlie Hoff E6. Phone 207-364-7871
Number:
E3. Street: E7. City:
E8. County:
E4. State E9. Zip Code
E10. Area of Operation: CONUS, AK, HI, PR, VI
E11. Latitude: 0 °0 '0.0 "
E12. Longitude: 0 °0 '0.0 "
E13. Lat/Lon Coordinates are: NAD-27 NAD-83 N/A
E14. Site Elevation (AMSL): 0.0 meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.

Yes No N/A

E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	<input type="radio"/> Yes <input checked="" type="radio"/> No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	<input type="radio"/> Yes <input checked="" type="radio"/> No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	<input type="radio"/> Yes <input checked="" type="radio"/> No
<p>E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA's study regarding the potential hazard of the structure to aviation?</p> <p>FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.</p>	<input type="radio"/> Yes <input checked="" type="radio"/> No

POINTS OF COMMUNICATION

Satellite Name: ALSAT ALL AUTHORIZED U.S. ALSAT If you selected OTHER, please enter the following:	
E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier: Remote 14	
---------------------------------	--

E26. Common Name:	E27. Country:
-------------------	---------------

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna Gain Transmint and/or Recieve (____ dBi at ____ GHz)	
Remote 14	R 14	6000	Prodelin	1138	1.2	41.6 dBi at 11.95	
Remote 14	R 14	6000	Prodelin	1138	1.2	43.2 dBi at 14.25	

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level(meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers(dBW)
R 14	0.0/0.0	1.8	0.0	0.0	14.0	0.0	54.66

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
R 14	11700.0 12200.0	R	Horizontal and Vertical	156KG7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R 14	11700.0 12200.0	R	Horizontal and Vertical	2M50G7W	0.0	0.0
------	--------------------	---	----------------------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R 14	14000.0 14500.0	T	Horizontal and Vertical	156KG7W	45.1	29.2
------	--------------------	---	----------------------------	---------	------	------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R 14	14000.0 14500.0	T	Horizontal and Vertical	2M50G7W	54.7	26.7
------	--------------------	---	----------------------------	---------	------	------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/Western Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
R 14	Geostationary	11700.0 12200.0	60.0/143.0	0.0	5.0	0.0	5.0	0.0
	Geostationary	14000.0 14500.0	60.0/143.0	0.0	5.0	0.0	5.0	-0.35

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E66. Phone Number	
E62. Street Address			
E63. City	E68. County	E67/68. State/Country /	E64. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
 FCC Form 312 – Schedule B:(Technical and Operational Description)
 FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1. Site Identifier: Remote 15	E5. Call Sign: E000658
E2. Contact Name Charlie Hoff	E6. Phone Number: 207-364-7871
E3. Street:	E7. City:
E4. State	E8. County:
E10. Area of Operation:	E9. Zip Code
	CONUS, AK, HI, PR, VI
E11. Latitude: 0 °0 '0.0 "	
E12. Longitude: 0 °0 '0.0 "	
E13. Lat/Lon Coordinates are:	<input type="radio"/> NAD-27 <input type="radio"/> NAD-83 <input checked="" type="radio"/> N/A
E14. Site Elevation (AMSL):	0.0 meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.

Yes No N/A

E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	<input type="radio"/> Yes <input checked="" type="radio"/> No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	<input type="radio"/> Yes <input checked="" type="radio"/> No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	<input type="radio"/> Yes <input checked="" type="radio"/> No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	<input type="radio"/> Yes <input checked="" type="radio"/> No

POINTS OF COMMUNICATION

Satellite Name: ALSAT ALL AUTHORIZED U.S. ALSAT If you selected OTHER, please enter the following:	
E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier: Remote 15	
---------------------------------	--

E26. Common Name:	E27. Country:
-------------------	---------------

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna Gain Transmint and/or Recieve (____ dBi at ____ GHz)	
Remote 15	R 15	3000	Prodelin	1189	1.8	44.0 dBi at 11.95	
Remote 15	R 15	3000	Prodelin	1189	1.8	45.3 dBi at 14.25	

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level(meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers(dBW)
R 15	0.0/0.0	2.8	0.0	0.0	14.0	0.0	56.76

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
R 15	11700.0 12200.0	R	Horizontal and Vertical	156KG7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R 15	11700.0 12200.0	R	Horizontal and Vertical	2M50G7W	0.0	0.0
------	--------------------	---	----------------------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R 15	14000.0 14500.0	T	Horizontal and Vertical	156KG7W	47.2	31.3
------	--------------------	---	----------------------------	---------	------	------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R 15	14000.0 14500.0	T	Horizontal and Vertical	2M50G7W	56.8	28.8
------	--------------------	---	----------------------------	---------	------	------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/Western Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
R 15	Geostationary	11700.0 12200.0	60.0/143.0	0.0	5.0	0.0	5.0	0.0
	Geostationary	14000.0 14500.0	60.0/143.0	0.0	5.0	0.0	5.0	-0.35

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E66. Phone Number	
E62. Street Address			
E63. City	E68. County	E67/68. State/Country /	E64. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1. Site Identifier: Remote 16	E5. Call Sign: E000658
E2. Contact Name Charlie Hoff	E6. Phone Number: 207-364-7871
E3. Street:	E7. City:
E4. State	E8. County:
E10. Area of Operation:	E9. Zip Code
E11. Latitude: 0 °0 '0.0 "	CONUS, AK, HI, PR, VI
E12. Longitude: 0 °0 '0.0 "	
E13. Lat/Lon Coordinates are:	<input type="radio"/> NAD-27 <input type="radio"/> NAD-83 <input checked="" type="radio"/> N/A
E14. Site Elevation (AMSL):	0.0 meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.

Yes No N/A

E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	<input type="radio"/> Yes <input checked="" type="radio"/> No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	<input type="radio"/> Yes <input checked="" type="radio"/> No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	<input type="radio"/> Yes <input checked="" type="radio"/> No
<p>E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA's study regarding the potential hazard of the structure to aviation?</p> <p>FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.</p>	<input type="radio"/> Yes <input checked="" type="radio"/> No

POINTS OF COMMUNICATION

Satellite Name: ALSAT ALL AUTHORIZED U.S. ALSAT If you selected OTHER, please enter the following:	
E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier: Remote 16	
---------------------------------	--

E26. Common Name:	E27. Country:
-------------------	---------------

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna Gain Transmint and/or Recieve (____ dBi at ____ GHz)	
Remote 16	R 16	1000	Prodelin	1259	2.4	47.6 dBi at 11.95	
Remote 16	R 16	1000	Prodelin	1259	2.4	49.2 dBi at 14.25	

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level(meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers(dBW)
R 16	0.0/0.0	3.5	0.0	0.0	14.0	0.0	60.66

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
R 16	11700.0 12200.0	R	Horizontal and Vertical	156KG7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R 16	11700.0 12200.0	R	Horizontal and Vertical	2M50G7W	0.0	0.0
------	--------------------	---	----------------------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R 16	14000.0 14500.0	T	Horizontal and Vertical	156KG7W	51.1	35.2
------	--------------------	---	----------------------------	---------	------	------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R 16	14000.0 14500.0	T	Horizontal and Vertical	2M50G7W	60.7	32.7
------	--------------------	---	----------------------------	---------	------	------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/Western Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
R 16	Geostationary	11700.0 12200.0	60.0/143.0	0.0	5.0	0.0	5.0	0.0
	Geostationary	14000.0 14500.0	60.0/143.0	0.0	5.0	0.0	5.0	-0.35

REMOTE CONTROL POINT LOCATION

E61. Call Sign		E66. Phone Number	
NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.			
E62. Street Address			
E63. City	E68. County	E67/68. State/Country /	E64. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Remote 17	E5. Call Sign:	E000658
E2: Contact Name	Charlie Hoff	E6. Phone Number:	207-364-7871
E3. Street:		E7. City:	
E4. State		E8. County:	
E10. Area of Operation:		E9. Zip Code	
			CONUS, AK, HI, PR, VI
E11. Latitude:	0 °0 '0.0 "		
E12. Longitude:	0 °0 '0.0 "		
E13. Lat/Lon Coordinates are:	<input type="radio"/> NAD-27	<input type="radio"/> NAD-83	<input checked="" type="radio"/> N/A
E14. Site Elevation (AMSL):	0.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.

Yes
 No
 N/A

E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	<input type="radio"/> Yes <input checked="" type="radio"/> No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	<input type="radio"/> Yes <input checked="" type="radio"/> No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	<input type="radio"/> Yes <input checked="" type="radio"/> No
<p>E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA's study regarding the potential hazard of the structure to aviation?</p> <p>FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.</p>	<input type="radio"/> Yes <input checked="" type="radio"/> No

POINTS OF COMMUNICATION

Satellite Name: IA-8 IA-8 89 W.L. If you selected OTHER, please enter the following:	
E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier: Remote 17	
---------------------------------	--

E26. Common Name:	E27. Country:
-------------------	---------------

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna Gain Transmint and/or Recieve (____ dBi at ____ GHz)	
Remote 17	R 17	3000	Channel Master	960	0.96	39.7 dBi at 11.95	
Remote 17	R 17	3000	Channel Master	960	0.96	41.2 dBi at 14.25	

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level(meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers(dBW)
R 17	0.0/0.0	1.5	0.0	0.0	14.0	0.0	52.66

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
R 17	11700.0 12200.0	R	Horizontal and Vertical	156KG7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R 17	11700.0 12200.0	R	Horizontal and Vertical	2M50G7W	0.0	0.0
------	--------------------	---	----------------------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R 17	14000.0 14500.0	T	Horizontal and Vertical	156KG7W	43.1	27.2
------	--------------------	---	----------------------------	---------	------	------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R 17	14000.0 14500.0	T	Horizontal and Vertical	2M50G7W	52.7	24.7
------	--------------------	---	----------------------------	---------	------	------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/Western Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
R 17	Geostationary	11700.0 12200.0	60.0/143.0	0.0	5.0	0.0	5.0	0.0
	Geostationary	14000.0 14500.0	60.0/143.0	0.0	5.0	0.0	5.0	-0.35

REMOTE CONTROL POINT LOCATION

E61. Call Sign		E66. Phone Number	
NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.			
E62. Street Address			
E63. City	E68. County	E67/68. State/Country /	E64. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
 FCC Form 312 – Schedule B:(Technical and Operational Description)
 FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1. Site Identifier: Remote 18	E5. Call Sign: E000658
E2. Contact Name Charlie Hoff	E6. Phone Number: 207-364-7871
E3. Street:	E7. City:
E4. State	E8. County:
E10. Area of Operation:	E9. Zip Code
E11. Latitude: 0 °0 '0.0 "	CONUS, AK, HI, PR, VI
E12. Longitude: 0 °0 '0.0 "	
E13. Lat/Lon Coordinates are:	<input type="radio"/> NAD-27 <input type="radio"/> NAD-83 <input checked="" type="radio"/> N/A
E14. Site Elevation (AMSL):	0.0 meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.

Yes No N/A

E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	<input type="radio"/> Yes <input checked="" type="radio"/> No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	<input type="radio"/> Yes <input checked="" type="radio"/> No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	<input type="radio"/> Yes <input checked="" type="radio"/> No
<p>E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA's study regarding the potential hazard of the structure to aviation?</p> <p>FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.</p>	<input type="radio"/> Yes <input checked="" type="radio"/> No

POINTS OF COMMUNICATION

Satellite Name: IA-8 IA-8 89 W.L. If you selected OTHER, please enter the following:	
E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier: Remote 18	
---------------------------------	--

E26. Common Name:	E27. Country:
-------------------	---------------

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna Gain Transmint and/or Recieve (____ dBi at ____ GHz)	
Remote 18	R 18	3000	Patriot	INT100	1.0	40.2 dBi at 11.725	
Remote 18	R 18	3000	Patriot	INT100	1.0	41.9 dBi at 14.125	

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level(meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers(dBW)
R 18	0.0/0.0	1.5	0.0	0.0	14.0	0.0	53.36

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
R 18	11700.0 12200.0	R	Horizontal and Vertical	156KG7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R 18	11700.0 12200.0	R	Horizontal and Vertical	2M50G7W	0.0	0.0
------	--------------------	---	----------------------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R 18	14000.0 14500.0	T	Horizontal and Vertical	156KG7W	43.8	27.9
------	--------------------	---	----------------------------	---------	------	------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R 18	14000.0 14500.0	T	Horizontal and Vertical	2M50G7W	53.4	25.4
------	--------------------	---	----------------------------	---------	------	------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/Western Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
R 18	Geostationary	11700.0 12200.0	60.0/143.0	0.0	5.0	0.0	5.0	0.0
	Geostationary	14000.0 14500.0	60.0/143.0	0.0	5.0	0.0	5.0	-0.35

REMOTE CONTROL POINT LOCATION

E61. Call Sign		E66. Phone Number	
NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.			
E62. Street Address			
E63. City	E68. County	E67/68. State/Country /	E64. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier: Remote 19	E5. Call Sign: 6000
E2: Contact Name Charlie Hoff	E6. Phone Number: 207-364-7871
E3. Street:	E7. City:
E4. State	E8. County:
E10. Area of Operation:	E9. Zip Code
E11. Latitude: 0 °0 '0.0 "	CONUS, AK, HI, PR, VI
E12. Longitude: 0 °0 '0.0 "	
E13. Lat/Lon Coordinates are:	<input type="radio"/> NAD-27 <input type="radio"/> NAD-83 <input checked="" type="radio"/> N/A
E14. Site Elevation (AMSL):	0.0 meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.

Yes
 No
 N/A

E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	<input type="radio"/> Yes <input checked="" type="radio"/> No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	<input type="radio"/> Yes <input checked="" type="radio"/> No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	<input type="radio"/> Yes <input checked="" type="radio"/> No
<p>E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA's study regarding the potential hazard of the structure to aviation?</p> <p>FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.</p>	<input type="radio"/> Yes <input checked="" type="radio"/> No

POINTS OF COMMUNICATION

Satellite Name: ALSAT ALL AUTHORIZED U.S. ALSAT If you selected OTHER, please enter the following:	
E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier: Remote 19	
---------------------------------	--

E26. Common Name:	E27. Country:
-------------------	---------------

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna Gain Transmint and/or Recieve (____ dBi at ____ GHz)	
Remote 19	R 19	6000	Patriot	120KU	1.2	41.8 dBi at 11.95	
Remote 19	R 19	6000	Patriot	120KU	1.2	43.5 dBi at 14.25	

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level(meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers(dBW)
R 19	0.0/0.0	1.8	0.0	0.0	14.0	0.0	54.96

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
R 19	11700.0 12200.0	R	Horizontal and Vertical	156KG7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R 19	11700.0 12200.0	R	Horizontal and Vertical	2M50G7W	0.0	0.0
------	--------------------	---	----------------------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R 19	14000.0 14500.0	T	Horizontal and Vertical	156KG7W	45.4	29.5
------	--------------------	---	----------------------------	---------	------	------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R 19	14000.0 14500.0	T	Horizontal and Vertical	2M50G7W	55.0	27.0
------	--------------------	---	----------------------------	---------	------	------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/Western Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
R 19	Geostationary	11700.0 12200.0	60.0/143.0	0.0	5.0	0.0	5.0	0.0
	Geostationary	14000.0 14500.0	60.0/143.0	0.0	5.0	0.0	5.0	-0.35

REMOTE CONTROL POINT LOCATION

E61. Call Sign		E66. Phone Number	
NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.			
E62. Street Address			
E63. City	E68. County	E67/68. State/Country /	E64. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
 FCC Form 312 – Schedule B:(Technical and Operational Description)
 FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1. Site Identifier: Remote 20	E5. Call Sign: E000658
E2. Contact Name Charlie Hoff	E6. Phone Number: 207-364-7871
E3. Street:	E7. City:
E4. State	E8. County:
E10. Area of Operation:	E9. Zip Code
	CONUS, AK, HI, PR, VI
E11. Latitude: 0 °0 '0.0 "	
E12. Longitude: 0 °0 '0.0 "	
E13. Lat/Lon Coordinates are:	<input type="radio"/> NAD-27 <input type="radio"/> NAD-83 <input checked="" type="radio"/> N/A
E14. Site Elevation (AMSL):	0.0 meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.

Yes No N/A

E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	<input type="radio"/> Yes <input checked="" type="radio"/> No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	<input type="radio"/> Yes <input checked="" type="radio"/> No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	<input type="radio"/> Yes <input checked="" type="radio"/> No
<p>E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA's study regarding the potential hazard of the structure to aviation?</p> <p>FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.</p>	<input type="radio"/> Yes <input checked="" type="radio"/> No

POINTS OF COMMUNICATION

Satellite Name: ALSAT ALL AUTHORIZED U.S. ALSAT If you selected OTHER, please enter the following:	
E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier: Remote 20	
---------------------------------	--

E26. Common Name:	E27. Country:
-------------------	---------------

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna Gain Transmint and/or Recieve (____ dBi at ____ GHz)	
Remote 20	R 20	3000	Patriot	180KU	1.8	35.6 dBi at 11.95	
Remote 20	R 20	3000	Patriot	180KU	1.8	39.5 dBi at 14.25	

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level(meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers(dBW)
R 20	0.0/0.0	2.8	0.0	0.0	14.0	0.0	50.96

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
R 20	11700.0 12200.0	R	Horizontal and Vertical	156KG7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R 20	11700.0 12200.0	R	Horizontal and Vertical	2M50G7W	0.0	0.0
------	--------------------	---	----------------------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R 20	14000.0 14500.0	T	Horizontal and Vertical	156KG7W	41.4	25.5
------	--------------------	---	----------------------------	---------	------	------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R 20	14000.0 14500.0	T	Horizontal and Vertical	2M50G7W	51.0	23.0
------	--------------------	---	----------------------------	---------	------	------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/Western Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
R 20	Geostationary	11700.0 12200.0	60.0/143.0	0.0	5.0	0.0	5.0	0.0
	Geostationary	14000.0 14500.0	60.0/143.0	0.0	5.0	0.0	5.0	-0.35

REMOTE CONTROL POINT LOCATION

E61. Call Sign		E66. Phone Number	
NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.			
E62. Street Address			
E63. City	E68. County	E67/68. State/Country /	E64. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
 FCC Form 312 – Schedule B:(Technical and Operational Description)
 FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1. Site Identifier: Remote 21	E5. Call Sign: E000658
E2. Contact Name Charlie Hoff	E6. Phone Number: 207-364-7871
E3. Street:	E7. City:
E4. State	E8. County:
E10. Area of Operation:	E9. Zip Code
E11. Latitude: 0 °0 '0.0 "	CONUS, AK, HI, PR, VI
E12. Longitude: 0 °0 '0.0 "	
E13. Lat/Lon Coordinates are:	<input type="radio"/> NAD-27 <input type="radio"/> NAD-83 <input checked="" type="radio"/> N/A
E14. Site Elevation (AMSL):	0.0 meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.

Yes No N/A

E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	<input type="radio"/> Yes <input checked="" type="radio"/> No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	<input type="radio"/> Yes <input checked="" type="radio"/> No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	<input type="radio"/> Yes <input checked="" type="radio"/> No
<p>E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA's study regarding the potential hazard of the structure to aviation?</p> <p>FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.</p>	<input type="radio"/> Yes <input checked="" type="radio"/> No

POINTS OF COMMUNICATION

Satellite Name: IA-8 IA-8 89 W.L. If you selected OTHER, please enter the following:	
E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier: Remote 21	
---------------------------------	--

E26. Common Name:	E27. Country:
-------------------	---------------

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna Gain Transmint and/or Recieve (____ dBi at ____ GHz)	
Remote 21	R 21	3000	Prodelin	1984	0.98	39.8 dBi at 11.95	
Remote 21	R 21	3000	Prodelin	1984	0.98	41.3 dBi at 14.25	

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level(meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers(dBW)
R 21	0.0/0.0	1.5	0.0	0.0	14.0	0.0	52.76

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
R 21	11700.0 12200.0	R	Horizontal and Vertical	156KG7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
Digital Video and Data						
R 21	11700.0 12200.0	R	Horizontal and Vertical	2M50G7W	0.0	0.0
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
Digital Video and Data						
R 21	14000.0 14500.0	T	Horizontal and Vertical	156KG7W	43.2	27.3
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
Digital Video and Data						
R 21	14000.0 14500.0	T	Horizontal and Vertical	2M50G7W	52.8	24.8

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/Western Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
R 21	Geostationary	11700.0 12200.0	60.0/143.0	0.0	5.0	0.0	5.0	0.0
	Geostationary	14000.0 14500.0	60.0/143.0	0.0	5.0	0.0	5.0	-0.35

REMOTE CONTROL POINT LOCATION

E61. Call Sign		E66. Phone Number	
NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.			
E62. Street Address			
E63. City	E68. County	E67/68. State/Country /	E64. Zip Code

FCC NOTICE REQUIRED BY THE PAPERWORK REDUCTION ACT

The public reporting for this collection of information is estimated to average 2 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the required data, and completing and reviewing the collection of information. If you have any comments on this burden estimate, or how we can improve the collection and reduce the burden it causes you, please write to the Federal Communications Commission, AMD–PERM, Paperwork Reduction Project (3060–0678), Washington, DC 20554. We will also accept your comments regarding the Paperwork Reduction Act aspects of this collection via the Internet if you send them to jboley@fcc.gov. PLEASE DO NOT SEND COMPLETED FORMS TO THIS ADDRESS.

Remember – You are not required to respond to a collection of information sponsored by the Federal government, and the government may not conduct or sponsor this collection, unless it displays a currently valid OMB control number or if we fail to provide you with this notice. This collection has been assigned an OMB control number of 3060–0678.

THE FOREGOING NOTICE IS REQUIRED BY THE PAPERWORK REDUCTION ACT OF 1995, PUBLIC LAW 104–13, OCTOBER 1, 1995, 44 U.S.C. SECTION 3507.

43. Description. (Summarize the nature of the application and the services to be provided).

MCI Communications Services, Inc seeks to add new remote antennas to their domestic Ku-band VSAT license, E000658. The VSAT network will provide digital video and data services. Antennas will be used to facilitate customer communication requirements including full-time traffic, back-up service, and disaster recovery such as hurricane and other emergencies.