

Date & Time Filed: Apr 20 2006 6:59:02:546PM
File Number: SES-MOD-INTR2006-01092

FCC APPLICATION FOR SPACE AND EARTH STATION:MOD OR AMD – MAIN FORM	FCC Use Only
FCC 312 MAIN FORM FOR OFFICIAL USE ONLY	

APPLICANT INFORMATION

Enter a description of this application to identify it on the main menu:
Modification of E000329

1-8. Legal Name of Applicant			
Name:	Clear Channel Satellite Services	Phone Number:	303-925-1708
DBA Name:		Fax Number:	303-925-1714
Street:	76 Inverness Dr. East	E-Mail:	CCSS_Contracts@clearchannel.com
	Suite B		
City:	Englewood	State:	CO
Country:	USA	Zipcode:	80112 -
Attention:	Mrs Liz Karr		

9-16. Name of Contact Representative

Name:	Clear Channel Satellite Services	Phone Number:	303-925-1708
Company:		Fax Number:	303-925-1714
Street:	76 Inverness Dr. East	E-Mail:	CCSS_Contracts@clearchannel.com
	Suite B		
City:	Englewood	State:	CO
Country:	USA	Zipcode:	80112-
Attention:	Mrs Liz Karr	Relationship:	

CLASSIFICATION OF FILING

17. Choose the button next to the classification that applies to this filing for both questions a. and b. Choose only one for 17a and only one for 17b.

- a1. Earth Station
- a2. Space Station

- (N/A) b1. Application for License of New Station
- (N/A) b2. Application for Registration of New Domestic Receive-Only Station
- (N/A) b3. Amendment to a Pending Application
- (N/A) b4. Modification of License or Registration
- b5. Assignment of License or Registration
- b6. Transfer of Control of License or Registration
- (N/A) b7. Notification of Minor Modification
- (N/A) b8. Application for License of New Receive-Only Station Using Non-U.S. Licensed Satellite
- (N/A) b9. Letter of Intent to Use Non-U.S. Licensed Satellite to Provide Service in the United States
- (N/A) b10. Other (Please specify)

<p>17c. Is a fee submitted with this application?</p> <p><input checked="" type="radio"/> If Yes, complete and attach FCC Form 159. If No, indicate reason for fee exemption (see 47 C.F.R.Section 1.1114).</p> <p><input type="radio"/> Governmental Entity <input type="radio"/> Noncommercial educational licensee</p> <p><input type="radio"/> Other(please explain):</p>	
<p>17d.</p> <p>Fee Classification CGV – Fixed Satellite VSAT System</p>	
<p>18. If this filing is in reference to an existing station, enter:</p> <p>(a) Call sign of station: E000329</p>	<p>19. If this filing is an amendment to a pending application enter both fields, if this filing is a modification please enter only the file number:</p> <p>(a) Date pending application was filed:</p> <p>(b) File number: SESMOD2004100801506</p>

TYPE OF SERVICE

<p>20. NATURE OF SERVICE: This filing is for an authorization to provide or use the following type(s) of service(s): Select all that apply:</p> <p><input checked="" type="checkbox"/> a. Fixed Satellite <input type="checkbox"/> b. Mobile Satellite <input type="checkbox"/> c. Radiodetermination Satellite <input type="checkbox"/> d. Earth Exploration Satellite <input type="checkbox"/> e. Direct to Home Fixed Satellite <input type="checkbox"/> f. Digital Audio Radio Service <input type="checkbox"/> g. Other (please specify)</p>	
<p>21. STATUS: Choose the button next to the applicable status. Choose only one.</p> <p><input type="radio"/> Common Carrier <input checked="" type="radio"/> Non-Common Carrier</p>	<p>22. If earth station applicant, check all that apply.</p> <p><input checked="" type="checkbox"/> Using U.S. licensed satellites <input type="checkbox"/> Using Non-U.S. licensed satellites</p>
<p>23. If applicant is providing INTERNATIONAL COMMON CARRIER service, see instructions regarding Sec. 214 filings. Choose one. Are these facilities:</p> <p><input type="radio"/> Connected to a Public Switched Network <input type="radio"/> Not connected to a Public Switched Network <input checked="" type="radio"/> N/A</p>	
<p>24. FREQUENCY BAND(S): Place an 'X' in the box(es) next to all applicable frequency band(s).</p> <p><input type="checkbox"/> a. C-Band (4/6 GHz) <input checked="" type="checkbox"/> b. Ku-Band (12/14 GHz) <input type="checkbox"/> c. Other (Please specify upper and lower frequencies in MHz.)</p> <p>Frequency Lower: Frequency Upper: (Please specify additional frequencies in an attachment)</p>	

TYPE OF STATION

25. CLASS OF STATION: Choose the button next to the class of station that applies. Choose only one.

- a. Fixed Earth Station
- b. Temporary–Fixed Earth Station
- c. 12/14 GHz VSAT Network
- d. Mobile Earth Station
- e. Geostationary Space Station
- f. Non–Geostationary Space Station
- g. Other (please specify)

26. TYPE OF EARTH STATION FACILITY:

- Transmit/Receive Transmit–Only Receive–Only N/A

"For Space Station applications, select N/A."

PURPOSE OF MODIFICATION

27. The purpose of this proposed modification is to: (Place an 'X' in the box(es) next to all that apply.)

- a -- authorization to add new emission designator and related service
- b -- authorization to change emission designator and related service
- c -- authorization to increase EIRP and EIRP density
- d -- authorization to replace antenna
- e -- authorization to add antenna
- f -- authorization to relocate fixed station
- g -- authorization to change frequency(ies)
- h -- authorization to add frequency
- i -- authorization to add Points of Communication (satellites & countries)
- j -- authorization to change Points of Communication (satellites & countries)
- k -- authorization for facilities for which environmental assessment and radiation hazard reporting is required
- l -- authorization to change orbit location
- m -- authorization to perform fleet management
- n -- authorization to extend milestones
- o -- Other (Please specify)

ENVIRONMENTAL POLICY

28. Would a Commission grant of any proposal in this application or amendment have a significant environmental impact as defined by 47 CFR 1.1307? If YES, submit the statement as required by Sections 1.1308 and 1.1311 of the Commission’s rules, 47 C.F.R. 1.1308 and 1.1311, as an exhibit to this application. A Radiation Hazard Study must accompany all applications for new transmitting facilities, major modifications, or major amendments. Yes No

ALIEN OWNERSHIP Earth station applicants not proposing to provide broadcast, common carrier, aeronautical en route or aeronautical fixed radio station services are not required to respond to Items 30–34.

29. Is the applicant a foreign government or the representative of any foreign government? Yes No

30. Is the applicant an alien or the representative of an alien? Yes No N/A

31. Is the applicant a corporation organized under the laws of any foreign government? Yes No N/A

32. Is the applicant a corporation of which more than one–fifth of the capital stock is owned of record or voted by aliens or their representatives or by a foreign government or representative thereof or by any corporation organized under the laws of a foreign country? Yes No N/A

33. Is the applicant a corporation directly or indirectly controlled by any other corporation of which more than one-fourth of the capital stock is owned of record or voted by aliens, their representatives, or by a foreign government or representative thereof or by any corporation organized under the laws of a foreign country?

Yes No N/A

34. If any answer to questions 29, 30, 31, 32 and/or 33 is Yes, attach as an exhibit an identification of the aliens or foreign entities, their nationality, their relationship to the applicant, and the percentage of stock they own or vote.

BASIC QUALIFICATIONS

35. Does the Applicant request any waivers or exemptions from any of the Commission's Rules?
If Yes, attach as an exhibit, copies of the requests for waivers or exceptions with supporting documents.

Yes No

Adding Letter

36. Has the applicant or any party to this application or amendment had any FCC station authorization or license revoked or had any application for an initial, modification or renewal of FCC station authorization, license, or construction permit denied by the Commission? If Yes, attach as an exhibit, an explanation of circumstances.

Yes No

Deleting Letter

37. Has the applicant, or any party to this application or amendment, or any party directly or indirectly controlling the applicant ever been convicted of a felony by any state or federal court? If Yes, attach as an exhibit, an explanation of circumstances.

Yes No

Left Unchanged

38. Has any court finally adjudged the applicant, or any person directly or indirectly controlling the applicant, guilty of unlawfully monopolizing or attempting unlawfully to monopolize radio communication, directly or indirectly, through control of manufacture or sale of radio apparatus, exclusive traffic arrangement or any other means or unfair methods of competition? If Yes, attach as an exhibit, an explanation of circumstances

Yes No

Address Change

39. Is the applicant, or any person directly or indirectly controlling the applicant, currently a party in any pending matter referred to in the preceding two items? If yes, attach as an exhibit, an explanation of the circumstances.

Yes No

40. If the applicant is a corporation and is applying for a space station license, attach as an exhibit the names, address, and citizenship of those stockholders owning a record and/or voting 10 percent or more of the Filer's voting stock and the percentages so held. In the case of fiduciary control, indicate the beneficiary(ies) or class of beneficiaries. Also list the names and addresses of the officers and directors of the Filer.

41. By checking Yes, the undersigned certifies, that neither applicant nor any other party to the application is subject to a denial of Federal benefits that includes FCC benefits pursuant to Section 5301 of the Anti-Drug Act of 1988, 21 U.S.C. Section 862, because of a conviction for possession or distribution of a controlled substance. See 47 CFR 1.2002(b) for the meaning of "party to the application" for these purposes.

Yes No

42a. Does the applicant intend to use a non-U.S. licensed satellite to provide service in the United States? If Yes, answer 42b and attach an exhibit providing the information specified in 47 C.F.R. 25.137, as appropriate. If No, proceed to question 43.

Yes No

42b. What administration has licensed or is in the process of licensing the space station? If no license will be issued, what administration has coordinated or is in the process of coordinating the space station?

43. Description. (Summarize the nature of the application and the services to be provided). (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Enable the applicant to distribute audio and data to their locations and clients.

CERTIFICATION

The Applicant waives any claim to the use of any particular frequency or of the electromagnetic spectrum as against the regulatory power of the United States because of the previous use of the same, whether by license or otherwise, and requests an authorization in accordance with this application. The applicant certifies that grant of this application would not cause the applicant to be in violation of the spectrum aggregation limit in 47 CFR Part 20. All statements made in exhibits are a material part hereof and are incorporated herein as if set out in full in this application. The undersigned, individually and for the applicant, hereby certifies that all statements made in this application and in all attached exhibits are true, complete and correct to the best of his or her knowledge and belief, and are made in good faith.

44. Applicant is a (an): (Choose the button next to applicable response.)

- Individual
- Unincorporated Association
- Partnership
- Corporation
- Governmental Entity
- Other (please specify)

45. Name of Person Signing Liz Karr	46. Title of Person Signing Office Manager
--	---

-->

**WILLFUL FALSE STATEMENTS MADE ON THIS FORM ARE PUNISHABLE BY FINE AND / OR IMPRISONMENT
(U.S. Code, Title 18, Section 1001), AND/OR REVOCATION OF ANY STATION AUTHORIZATION
(U.S. Code, Title 47, Section 312(a)(1)), AND/OR FORFEITURE (U.S. Code, Title 47, Section 503).**

SATELLITE EARTH STATION AUTHORIZATIONS
 FCC Form 312 – Schedule B:(Technical and Operational Description)
 FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1. Site Identifier: DR1_8050	E5. Call Sign: E000329
E2. Contact Name Liz Karr	E6. Phone Number: 303-925-1708
E3. Street:	E7. City:
E4. State	E8. County:
E10. Area of Operation:	E9. Zip Code
E11. Latitude: 0 °0 '0.0 "N	ALSAT
E12. Longitude: 0 °0 '0.0 "W	
E13. Lat/Lon Coordinates are:	<input checked="" type="radio"/> NAD-27 <input type="radio"/> NAD-83 <input type="radio"/> N/A
E14. Site Elevation (AMSL):	0.0 meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.

Yes No N/A

E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	<input type="radio"/> Yes <input checked="" type="radio"/> No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as DR1_8050 SPECS	<input type="radio"/> Yes <input checked="" type="radio"/> No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	<input type="radio"/> Yes <input checked="" type="radio"/> No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA's study regarding the potential hazard of the structure to aviation?DR1_8050 RHS FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	<input type="radio"/> Yes <input checked="" type="radio"/> No

POINTS OF COMMUNICATION

Satellite Name: ALSAT ALL AUTHORIZED U.S. ALSAT If you selected OTHER, please enter the following:	
E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier: DR1_8050	
--------------------------------	--

E26. Common Name:	E27. Country: USA
-------------------	-------------------

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna Gain Transmint and/or Recieve (____ dBi at ____ GHz)	
DR1_8050	DR18050	8	Prodelin	1184	1.8	45.0 dBi at 11.85	
DR1_8050	DR18050	8	Prodelin	1184	1.8	46.5 dBi at 14.25	

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level(meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers(dBW)
DR18050	1.8/1.8	0.0	0.0	0.0	50.0	0.0	58.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
DR18050	11700 12200	R	Horizontal and Vertical	10M0G1D	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

QPSK

DR18050	14000 14500	T	Horizontal and Vertical	10M0G1D	58.0	24.02
---------	----------------	---	----------------------------	---------	------	-------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

QPSK

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/West ern Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
DR18050	Geostationary	11700 12200	72.0/139.0	0.0	0.0	0.0	0.0	0.0
	Geostationary	14000 14500	72.0/139.0	0.0	6.0	0.0	6.0	-4.3

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E66. Phone Number	
E62. Street Address			
E63. City	E68. County	E67/68. State/Country /	E64. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier: DR3_7150 E5. Call Sign: E000329
 E2: Contact Name Liz Karr E6. Phone Number: 303-925-1708
 E3. Street: E7. City:
 E8. County:
 E4. State E9. Zip Code
 E10. Area of Operation: ALSAT
 E11. Latitude: 0 °0 '0.0 "N
 E12. Longitude: 0 °0 '0.0 "W
 E13. Lat/Lon Coordinates are: NAD-27 NAD-83 N/A
 E14. Site Elevation (AMSL): 0.0 meters

<p>E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.</p>	<p><input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> N/A</p>
---	--

<p>E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?</p>	<p><input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A</p>
---	--

E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

E18. Is frequency coordination required? If YES, attach a frequency coordination report as DR3_7150 SPECS	<input type="radio"/> Yes <input checked="" type="radio"/> No
---	---

E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

<p>E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA’s study regarding the potential hazard of the structure to aviation?DR3_7150 RHS</p> <p>FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.</p>	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

POINTS OF COMMUNICATION

Satellite Name: ALSAT ALL AUTHORIZED U.S. ALSAT If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
-------------------	----------------

E23. Orbit Location:	E24. Country:
----------------------	---------------

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier: DR3_7150	
--------------------------------	--

E26. Common Name:	E27. Country: USA
-------------------	----------------------

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna Gain Transmint and/or Recieve (____ dBi at _____ GHz)	
DR3_7150	DR37150	5	Suman	SM-T3.7R	3.7	51.5 dBi at 11.85	
DR3_7150	DR37150	5	Suman	SM-T3.7R	3.7	52.3 dBi at 14.25	

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level(meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers(dBW)
DR37150	3.7/3.7	0.0	0.0	0.0	150.0	0.0	72.06

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
DR37150	11700 12200	R	Horizontal and Vertical	10M0G1D	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

QPSK

DR37150	14000 14500	T	Horizontal and Vertical	10M0G1D	70.56	36.58
---------	----------------	---	----------------------------	---------	-------	-------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

QPSK

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/West ern Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
DR37150	Geostationary	11700 12200	72.0/139.0	0.0	0.0	0.0	0.0	0.0
	Geostationary	14000 14500	72.0/139.0	0.0	6.0	0.0	6.0	-4.3

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E66. Phone Number	
E62. Street Address			
E63. City	E68. County	E67/68. State/Country /	E64. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site			
E1: Site Identifier:	MRV1_8050	E5. Call Sign:	E000329
E2: Contact Name	Liz Karr	E6. Phone Number:	303-925-1708
E3. Street:		E7. City:	
E4. State		E8. County:	
E10. Area of Operation:		E9. Zip Code	
E11. Latitude:	0 °0 '0.0 "N	ALSAT	
E12. Longitude:	0 °0 '0.0 "W		
E13. Lat/Lon Coordinates are:	<input checked="" type="radio"/> NAD-27	<input type="radio"/> NAD-83	<input type="radio"/> N/A
E14. Site Elevation (AMSL):	0.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A

E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

E18. Is frequency coordination required? If YES, attach a frequency coordination report as MRV1_8050 SPECS	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA’s study regarding the potential hazard of the structure to aviation?MRV1_8050 RHS FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	<input type="radio"/> Yes <input checked="" type="radio"/> No
---	---

POINTS OF COMMUNICATION

Satellite Name: ALSAT ALL AUTHORIZED U.S. ALSAT If you selected OTHER, please enter the following:	
E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier: MRV1_8050	
E26. Common Name:	E27. Country: USA

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna Gain Transmint and/or Recieve (____ dBi at _____ GHz)	
MRV1_8050	MRV18050	3	AVL Technologies	1.8 SNG	1.8	45.3 dBi at 12.2	
MRV1_8050	MRV18050	3	AVL Technologies	1.8 SNG	1.8	46.7 dBi at 14.25	

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level(meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers(dBW)
MRV18050	1.8/1.8	0.0	0.0	0.0	50.0	0.0	60.69

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
MRV18050	11700 12200	R	Horizontal and Vertical	10M0G1D	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

QPSK

MRV18050	14000 14500	T	Horizontal and Vertical	10M0G1D	60.69	26.71
----------	----------------	---	----------------------------	---------	-------	-------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

QPSK

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/West ern Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
MRV18050	Geostationary	11700 12200	72.0/139.0	0.0	0.0	0.0	0.0	0.0
	Geostationary	14000 14500	72.0/139.0	0.0	6.0	0.0	6.0	-4.3

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E66. Phone Number	
E62. Street Address			
E63. City	E68. County	E67/68. State/Country /	E64. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site			
E1. Site Identifier:	TT1_2020	E5. Call Sign:	E000329
E2. Contact Name	Liz Karr	E6. Phone Number:	303-925-1708
E3. Street:		E7. City:	
E4. State		E8. County:	
E10. Area of Operation:		E9. Zip Code	
E11. Latitude:	0 °0 '0.0 "N	ALSAT	
E12. Longitude:	0 °0 '0.0 "W		
E13. Lat/Lon Coordinates are:	<input checked="" type="radio"/> NAD-27	<input type="radio"/> NAD-83	<input type="radio"/> N/A
E14. Site Elevation (AMSL):	0.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A

E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

E18. Is frequency coordination required? If YES, attach a frequency coordination report as TT1_2020 SPECS	<input type="radio"/> Yes <input checked="" type="radio"/> No
---	---

E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA’s study regarding the potential hazard of the structure to aviation?TT1_2020 RHS FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

POINTS OF COMMUNICATION

Satellite Name: ALSAT ALL AUTHORIZED U.S. ALSAT If you selected OTHER, please enter the following:	
E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier: TT1_2020	
E26. Common Name:	E27. Country: USA

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna Gain Transmint and/or Recieve (____ dBi at _____ GHz)	
TT1_2020	TT12020	15	Channel Master	Type 121	1.2	41.8 dBi at 11.95	
TT1_2020	TT12020	15	Channel Master	Type 121	1.2	43.3 dBi at 14.25	

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level(meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers(dBW)
TT12020	1.2/1.2	0.0	0.0	0.0	20.0	0.0	53.8

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
TT12020	11700 12200	R	Horizontal and Vertical	6M00G1D	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

QPSK

TT12020	14000 14500	T	Horizontal and Vertical	6M00G1D	53.8	22.04
---------	----------------	---	----------------------------	---------	------	-------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

QPSK

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/West ern Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
TT12020	Geostationary	11700 12200	72.0/139.0	0.0	0.0	0.0	0.0	0.0
	Geostationary	14000 14500	72.0/139.0	0.0	6.0	0.0	6.0	-4.3

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E66. Phone Number	
E62. Street Address			
E63. City	E68. County	E67/68. State/Country /	E64. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site			
E1. Site Identifier:	TT1_8050	E5. Call Sign:	E000329
E2. Contact Name	Liz Karr	E6. Phone Number:	303-925-1708
E3. Street:		E7. City:	
E4. State		E8. County:	
E10. Area of Operation:		E9. Zip Code	
E11. Latitude:	0 °0 '0.0 "N	ALSAT	
E12. Longitude:	0 °0 '0.0 "W		
E13. Lat/Lon Coordinates are:	<input checked="" type="radio"/> NAD-27	<input type="radio"/> NAD-83	<input type="radio"/> N/A
E14. Site Elevation (AMSL):	0.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A

E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

E18. Is frequency coordination required? If YES, attach a frequency coordination report as TT1_8050 SPECS	<input type="radio"/> Yes <input checked="" type="radio"/> No
---	---

E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

<p>E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA’s study regarding the potential hazard of the structure to aviation?TT1_8050 RHS FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.</p>	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

POINTS OF COMMUNICATION

Satellite Name: ALSAT ALL AUTHORIZED U.S. ALSAT If you selected OTHER, please enter the following:	
E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier: TT1_8050	
E26. Common Name:	E27. Country: USA

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna Gain Transmint and/or Recieve (____ dBi at _____ GHz)	
TT1_8050	TT18050	12	Prodelin	1184	1.8	45.0 dBi at 11.85	
TT1_8050	TT18050	12	Prodelin	1184	1.8	46.5 dBi at 14.25	

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level(meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers(dBW)
TT18050	1.8/1.8	0.0	0.0	0.0	50.0	0.0	58.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
TT18050	11700 12200	R	Horizontal and Vertical	400KG1D	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

QPSK

TT18050	14000 14500	T	Horizontal and Vertical	400KG1D	52.0	32.0
---------	----------------	---	----------------------------	---------	------	------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

QPSK

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/West ern Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
TT18050	Geostationary	11700 12200	72.0/139.0	0.0	0.0	0.0	0.0	0.0
	Geostationary	14000 14500	72.0/139.0	0.0	6.0	0.0	6.0	-4.3

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E66. Phone Number	
E62. Street Address			
E63. City	E68. County	E67/68. State/Country /	E64. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site			
E1. Site Identifier:	TT2_4100	E5. Call Sign:	E000329
E2. Contact Name	Liz Karr	E6. Phone Number:	303-925-1708
E3. Street:		E7. City:	
E4. State		E8. County:	
E10. Area of Operation:		E9. Zip Code	
E11. Latitude:	0 °0 '0.0 "N	ALSAT	
E12. Longitude:	0 °0 '0.0 "W		
E13. Lat/Lon Coordinates are:	<input checked="" type="radio"/> NAD-27	<input type="radio"/> NAD-83	<input type="radio"/> N/A
E14. Site Elevation (AMSL):	0.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A

E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

E18. Is frequency coordination required? If YES, attach a frequency coordination report as TT2_4100 SPECS	<input type="radio"/> Yes <input checked="" type="radio"/> No
---	---

E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

<p>E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA’s study regarding the potential hazard of the structure to aviation?TT2_4100 RHS FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.</p>	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

POINTS OF COMMUNICATION

Satellite Name: ALSAT ALL AUTHORIZED U.S. ALSAT If you selected OTHER, please enter the following:	
E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier: TT2_4100	
E26. Common Name:	E27. Country: USA

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna Gain Transmint and/or Recieve (____ dBi at _____ GHz)	
TT2_4100	TT24100	15	Suman	SM-T2.4R	2.4	47.7 dBi at 11.85	
TT2_4100	TT24100	15	Suman	SM-T2.4R	2.4	49.0 dBi at 14.25	

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level(meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers(dBW)
TT24100	2.4/2.4	0.0	0.0	0.0	100.0	0.0	66.5

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
TT24100	11700 12200	R	Horizontal and Vertical	400KG1D	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

QPSK

TT24100	14000 14500	T	Horizontal and Vertical	400KG1D	54.0	34.0
---------	----------------	---	----------------------------	---------	------	------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

QPSK

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/West ern Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
TT24100	Geostationary	11700 12200	72.0/139.0	0.0	0.0	0.0	0.0	0.0
	Geostationary	14000 14500	72.0/139.0	0.0	6.0	0.0	6.0	-4.3

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E66. Phone Number	
E62. Street Address			
E63. City	E68. County	E67/68. State/Country /	E64. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site			
E1. Site Identifier:	TT3_7150	E5. Call Sign:	E000329
E2. Contact Name	Liz Karr	E6. Phone Number:	303-925-1708
E3. Street:		E7. City:	
E4. State		E8. County:	
E10. Area of Operation:		E9. Zip Code	
E11. Latitude:	0 °0 '0.0 "N	ALSAT	
E12. Longitude:	0 °0 '0.0 "W		
E13. Lat/Lon Coordinates are:	<input checked="" type="radio"/> NAD-27	<input type="radio"/> NAD-83	<input type="radio"/> N/A
E14. Site Elevation (AMSL):	0.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A

E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

E18. Is frequency coordination required? If YES, attach a frequency coordination report as TT3_7150 SPECS	<input type="radio"/> Yes <input checked="" type="radio"/> No
---	---

E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA’s study regarding the potential hazard of the structure to aviation?TT3_7150 RHS FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	<input type="radio"/> Yes <input checked="" type="radio"/> No
---	---

POINTS OF COMMUNICATION

Satellite Name: ALSAT ALL AUTHORIZED U.S. ALSAT If you selected OTHER, please enter the following:	
E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier: TT3_7150	
E26. Common Name:	E27. Country: USA

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna Gain Transmint and/or Recieve (____ dBi at _____ GHz)	
TT3_7150	TT37150	10	Suman	SM-T3.7R	3.7	51.5 dBi at 11.85	
TT3_7150	TT37150	10	Suman	SM-T3.7R	3.7	52.3 dBi at 14.25	

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level(meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers(dBW)
TT37150	3.7/3.7	0.0	0.0	0.0	150.0	0.0	72.06

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
TT37150	11700 12200	R	Horizontal and Vertical	400KG1D	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

QPSK

TT37150	14000 14500	T	Horizontal and Vertical	400KG1D	57.5	37.5
---------	----------------	---	----------------------------	---------	------	------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

QPSK

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/West ern Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
TT37150	Geostationary	11700 12200	72.0/139.0	0.0	0.0	0.0	0.0	0.0
	Geostationary	14000 14500	72.0/139.0	0.0	6.0	0.0	6.0	-4.3

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E66. Phone Number	
E62. Street Address			
E63. City	E68. County	E67/68. State/Country /	E64. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site			
E1. Site Identifier:	CCSSCM2_4100	E5. Call Sign:	X
E2. Contact Name	Liz Karr	E6. Phone Number:	303-925-1708
E3. Street:	76 Inverness Drive East	E7. City:	Englewood
	Suite B	E8. County:	Arapahoe
E4. State	CO	E9. Zip Code	80112
E10. Area of Operation:	ALSAT		
E11. Latitude:	39 °34 '47.0 "N		
E12. Longitude:	104 °51 '35.0 "W		
E13. Lat/Lon Coordinates are:	<input checked="" type="radio"/> NAD-27	<input type="radio"/> NAD-83	<input type="radio"/> N/A
E14. Site Elevation (AMSL):	1751.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A

E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

E18. Is frequency coordination required? If YES, attach a frequency coordination report as CCSCM24100_SPECS	<input type="radio"/> Yes <input checked="" type="radio"/> No
---	---

E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA’s study regarding the potential hazard of the structure to aviation?CCSSCM2_4100 RHS FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

POINTS OF COMMUNICATION

Satellite Name: ALSAT ALL AUTHORIZED U.S. ALSAT If you selected OTHER, please enter the following:	
E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier: CCSSCM2_4100	
E26. Common Name:	E27. Country: USA

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna Gain Transmint and/or Recieve (____ dBi at _____ GHz)	
CCSSCM2_4100	CCSCM24100	2	Channel Master	Type 243	2.4	47.6 dBi at 11.72	
CCSSCM2_4100	CCSCM24100	2	Channel Master	Type 243	2.4	49.3 dBi at 14.12	

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level(meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers(dBW)
CCSCM24100	2.4/2.4	4.0	1755.0	0.0	100.0	0.0	66.8

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
CCSCM24100	11700 12200	R	Horizontal and Vertical	400KG1D	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

QPSK

CCSCM24100	14000 14500	T	Horizontal and Vertical	400KG1D	54.5	34.5
------------	----------------	---	----------------------------	---------	------	------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

QPSK

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/West ern Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
CCSCM24100	Geostationary	11700 12200	72.0/139.0	134.85	33.46	227.3	32.25	-5.71
	Geostationary	14000 14500	72.0/139.0	134.85	33.46	227.3	32.25	-5.71

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E66. Phone Number	
E62. Street Address			
E63. City	E68. County	E67/68. State/Country /	E64. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site			
E1. Site Identifier:	CCSSCM1_8050	E5. Call Sign:	X
E2. Contact Name	Liz Karr	E6. Phone Number:	303-925-1708
E3. Street:	76 Inverness Drive East	E7. City:	Englewood
	Suite B	E8. County:	Arapahoe
E4. State	CO	E9. Zip Code	80112
E10. Area of Operation:	ALSAT		
E11. Latitude:	39 °34 '47.0 "N		
E12. Longitude:	104 °51 '35.0 "W		
E13. Lat/Lon Coordinates are:	<input checked="" type="radio"/> NAD-27	<input type="radio"/> NAD-83	<input type="radio"/> N/A
E14. Site Elevation (AMSL):	1751.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A

E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

E18. Is frequency coordination required? If YES, attach a frequency coordination report as CCSCM18050_SPECS	<input type="radio"/> Yes <input checked="" type="radio"/> No
---	---

E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

<p>E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA’s study regarding the potential hazard of the structure to aviation?CCSSCM1_8050 RHS</p> <p>FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.</p>	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

POINTS OF COMMUNICATION

Satellite Name: ALSAT ALL AUTHORIZED U.S. ALSAT If you selected OTHER, please enter the following:	
E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier: CCSSCM1_8050	
E26. Common Name:	E27. Country: USA

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna Gain Transmint and/or Recieve (____ dBi at _____ GHz)	
CCSSCM1_8050	CCSCM18050	2	Channel Master	183 Tx/Rx	1.8	45.3 dBi at 11.72	
CCSSCM1_8050	CCSCM18050	2	Channel Master	183 Tx/Rx	1.8	46.8 dBi at 14.12	

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level(meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers(dBW)
CCSCM18050	1.8/1.8	3.0	1754.0	0.0	50.0	0.0	58.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
CCSCM18050	11700 12200	R	Horizontal and Vertical	400KG1D	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

QPSK

CCSCM18050	14000 14500	T	Horizontal and Vertical	400KG1D	52.0	32.0
------------	----------------	---	----------------------------	---------	------	------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

QPSK

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/West ern Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
CCSCM18050	Geostationary	11700 12200	72.0/139.0	134.85	33.46	227.3	32.25	-5.71
	Geostationary	14000 14500	72.0/139.0	134.85	33.46	227.3	32.25	-5.71

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E66. Phone Number	
E62. Street Address			
E63. City	E68. County	E67/68. State/Country /	E64. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site			
E1. Site Identifier:	CCSSMN3_7150	E5. Call Sign:	X
E2. Contact Name	Liz Karr	E6. Phone Number:	303-925-1708
E3. Street:	76 Inverness Drive East	E7. City:	Englewood
	Suite B	E8. County:	Arapahoe
E4. State	CO	E9. Zip Code	80112
E10. Area of Operation:	ALSAT		
E11. Latitude:	39 °34 '47.0 "N		
E12. Longitude:	104 °51 '35.0 "W		
E13. Lat/Lon Coordinates are:	<input checked="" type="radio"/> NAD-27	<input type="radio"/> NAD-83	<input type="radio"/> N/A
E14. Site Elevation (AMSL):	1751.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A

E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

E18. Is frequency coordination required? If YES, attach a frequency coordination report as CCSMN37150_SPECS	<input type="radio"/> Yes <input checked="" type="radio"/> No
---	---

E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA’s study regarding the potential hazard of the structure to aviation?CCSSMN3_7150 RHS FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	<input type="radio"/> Yes <input checked="" type="radio"/> No
---	---

POINTS OF COMMUNICATION

Satellite Name: ALSAT ALL AUTHORIZED U.S. ALSAT If you selected OTHER, please enter the following:	
E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier: CCSSMN3_7150	
E26. Common Name:	E27. Country: USA

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna Gain Transmint and/or Recieve (____ dBi at _____ GHz)	
CCSSMN3_7150	CCSMN37150	2	Suman	SM-T3.7R	3.7	51.5 dBi at 12.5	
CCSSMN3_7150	CCSMN37150	2	Suman	SM-T3.7R	3.7	52.3 dBi at 14.25	

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level(meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers(dBW)
CCSMN37150	3.7/3.7	4.0	1755.0	0.0	150.0	0.0	72.06

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
CCSMN37150	11700 12200	R	Horizontal and Vertical	400KG1D	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

QPSK

CCSMN37150	14000 14500	T	Horizontal and Vertical	400KG1D	57.5	37.5
------------	----------------	---	----------------------------	---------	------	------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

QPSK

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/West ern Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
CCSMN37150	Geostationary	11700 12200	72.0/139.0	134.85	33.46	227.3	32.25	-5.71
	Geostationary	14000 14500	72.0/139.0	134.85	33.46	227.3	32.25	-5.71

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E66. Phone Number	
E62. Street Address			
E63. City	E68. County	E67/68. State/Country /	E64. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site			
E1: Site Identifier:	CM2_4100	E5. Call Sign:	X
E2: Contact Name	Liz Karr	E6. Phone Number:	303-925-1708
E3. Street:		E7. City:	
E4. State		E8. County:	
E10. Area of Operation:		E9. Zip Code	
E11. Latitude:	0 °0 '0.0 "N	ALSAT	
E12. Longitude:	0 °0 '0.0 "W		
E13. Lat/Lon Coordinates are:	<input checked="" type="radio"/> NAD-27	<input type="radio"/> NAD-83	<input type="radio"/> N/A
E14. Site Elevation (AMSL):	0.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A

E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

E18. Is frequency coordination required? If YES, attach a frequency coordination report as CM24100_SPECS	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

<p>E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA’s study regarding the potential hazard of the structure to aviation?CM2_4100 RHS</p> <p>FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.</p>	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

POINTS OF COMMUNICATION

Satellite Name: ALSAT ALL AUTHORIZED U.S. ALSAT If you selected OTHER, please enter the following:	
E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier: CM2_4100	
E26. Common Name:	E27. Country: USA

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna Gain Transmint and/or Recieve (____ dBi at _____ GHz)	
CM2_4100	CM2_4100	15	Channel Master	Type 243	2.4	47.6 dBi at 11.72	
CM2_4100	CM2_4100	15	Channel Master	Type 243	2.4	49.3 dBi at 14.12	

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level(meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers(dBW)
CM2_4100	2.4/2.4	0.0	0.0	0.0	100.0	0.0	68.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
CM2_4100	11700 12200	R	Horizontal and Vertical	400KG1D	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

QPSK

CM2_4100	14000 14500	T	Horizontal and Vertical	400KG1D	54.5	34.5
----------	----------------	---	----------------------------	---------	------	------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

QPSK

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/West ern Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
CM2_4100	Geostationary	11700 12200	72.0/139.0	0.0	0.0	0.0	0.0	0.0
	Geostationary	14000 14500	72.0/139.0	0.0	6.0	0.0	6.0	-4.3

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E66. Phone Number	
E62. Street Address			
E63. City	E68. County	E67/68. State/Country /	E64. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site			
E1. Site Identifier:	CCITSMN2_4100	E5. Call Sign:	X
E2. Contact Name	Ted Turner	E6. Phone Number:	210-253-5239
E3. Street:	20880 Stone Oak Parkway	E7. City:	San Antonio
		E8. County:	Bexar
E4. State	TX	E9. Zip Code	78258
E10. Area of Operation:	ALSAT		
E11. Latitude:	29 °38 '49.0 "N		
E12. Longitude:	98 °27 '13.0 "W		
E13. Lat/Lon Coordinates are:	<input type="radio"/> NAD-27	<input checked="" type="radio"/> NAD-83	<input type="radio"/> N/A
E14. Site Elevation (AMSL):	332.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A

E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

E18. Is frequency coordination required? If YES, attach a frequency coordination report as CCITSMN24100_SPECS	<input type="radio"/> Yes <input checked="" type="radio"/> No
---	---

E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA’s study regarding the potential hazard of the structure to aviation?CCITSMN2_4100 RHS FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

POINTS OF COMMUNICATION

Satellite Name: ALSAT ALL AUTHORIZED U.S. ALSAT If you selected OTHER, please enter the following:	
E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier: CCITSMN2_4100	
E26. Common Name:	E27. Country: USA

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna Gain Transmint and/or Recieve (____ dBi at _____ GHz)	
CCITSMN2_4100	CCIT24100	1	Suman	SM-T2.4R	2.4	47.77 dBi at 12.5	
CCITSMN2_4100	CCIT24100	1	Suman	SM-T2.4R	2.4	49.0 dBi at 14.25	

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level(meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers(dBW)
CCIT24100	2.4/2.4	3.0	335.0	0.0	100.0	0.0	66.5

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
CCIT24100	11700 12200	R	Horizontal and Vertical	400KG1D	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

QPSK

CCIT24100	14000 14500	T	Horizontal and Vertical	400KG1D	54.0	34.0
-----------	----------------	---	----------------------------	---------	------	------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

QPSK

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/West ern Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
CCIT24100	Geostationary	11700 12200	72.0/139.0	134.83	45.28	240.33	34.13	-6.32
	Geostationary	14000 14500	72.0/139.0	134.83	45.28	240.33	34.13	-6.32

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E66. Phone Number	
E62. Street Address			
E63. City	E68. County	E67/68. State/Country /	E64. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site			
E1. Site Identifier:	FineCity2_4100	E5. Call Sign:	X
E2. Contact Name	Mike Glickenhau	E6. Phone Number:	858-522-5499
E3. Street:	9660 Granite Ridge Drive	E7. City:	San Diego
	Suite B	E8. County:	San Diego
E4. State	CA	E9. Zip Code	92123
E10. Area of Operation:	ALSAT		
E11. Latitude:	32 °48 '25.0 "N		
E12. Longitude:	117 °7 '11.0 "W		
E13. Lat/Lon Coordinates are:	<input checked="" type="radio"/> NAD-27	<input type="radio"/> NAD-83	<input type="radio"/> N/A
E14. Site Elevation (AMSL):	100.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A

E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

E18. Is frequency coordination required? If YES, attach a frequency coordination report as Fine2_4100_SPECS	<input type="radio"/> Yes <input checked="" type="radio"/> No
---	---

E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

<p>E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA’s study regarding the potential hazard of the structure to aviation?FineCity2_4100 RHS</p> <p>FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.</p>	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

POINTS OF COMMUNICATION

Satellite Name: ALSAT ALL AUTHORIZED U.S. ALSAT If you selected OTHER, please enter the following:	
E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier: FineCity2_4100	
E26. Common Name:	E27. Country: USA

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna Gain Transmint and/or Recieve (____ dBi at _____ GHz)	
FineCity2_4100	Fine2_4100	3	Channel Master	Type 243	2.4	47.6 dBi at 11.72	
FineCity2_4100	Fine2_4100	3	Channel Master	Type 243	2.4	49.3 dBi at 14.12	

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level(meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers(dBW)
Fine2_4100	2.4/2.4	3.0	103.0	0.0	100.0	0.0	66.8

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
Fine2_4100	11700 12200	R	Horizontal and Vertical	400KG1D	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

QPSK

Fine2_4100	14000 14500	T	Horizontal and Vertical	400KG1D	54.5	34.5
------------	----------------	---	----------------------------	---------	------	------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

QPSK

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/West ern Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
Fine2_4100	Geostationary	11700 12200	72.0/139.0	118.18	28.96	216.86	45.4	-4.54
	Geostationary	14000 14500	72.0/139.0	118.18	28.96	216.86	45.4	-4.54

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E66. Phone Number	
E62. Street Address			
E63. City	E68. County	E67/68. State/Country /	E64. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site			
E1. Site Identifier:	HorizonPRD2_401 6	E5. Call Sign:	X
E2. Contact Name	Karen Woods	E6. Phone Number:	816-233-5773
E3. Street:	1212 Faraon Street	E7. City:	S. Joseph
		E8. County:	Buchanan
E4. State	MO	E9. Zip Code	64501
E10. Area of Operation:	ALSAT		
E11. Latitude:	39 °46 '7.0 "N		
E12. Longitude:	94 °50 '40.0 "W		
E13. Lat/Lon Coordinates are:	<input type="radio"/> NAD-27	<input checked="" type="radio"/> NAD-83	<input type="radio"/> N/A
E14. Site Elevation (AMSL):	273.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A

E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

E18. Is frequency coordination required? If YES, attach a frequency coordination report as HRNPRD24100_SPECS	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

<p>E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA’s study regarding the potential hazard of the structure to aviation? HorizonPRD2_4016 RHS</p> <p>FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.</p>	<input type="radio"/> Yes <input checked="" type="radio"/> No
---	---

POINTS OF COMMUNICATION

Satellite Name: ALSAT ALL AUTHORIZED U.S. ALSAT If you selected OTHER, please enter the following:	
E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier: HorizonPRD2_4016	
E26. Common Name:	E27. Country: USA

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna Gain Transmint and/or Recieve (____ dBi at _____ GHz)	
HorizonPRD2_4016	HORPRD2416	1	Prodelin	1251	2.4	47.6 dBi at 11.85	
HorizonPRD2_4016	HORPRD2416	1	Prodelin	1251	2.4	49.2 dBi at 14.12	

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level(meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers(dBW)
HORPRD2416	2.4/2.4	7.0	273.0	4.0	16.0	3.0	60.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
HORPRD2416	11700 12200	R	Horizontal and Vertical	400KG1D	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

QPSK

HORPRD2416	14000 14500	T	Horizontal and Vertical	400KG1D	54.5	34.5
------------	----------------	---	----------------------------	---------	------	------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

QPSK

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/West ern Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
HORPRD2416	Geostationary	11700 12200	72.0/139.0	146.91	38.73	237.11	25.57	-3.19
	Geostationary	14000 14500	72.0/139.0	146.91	38.73	237.11	25.57	-4.3

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E66. Phone Number	
E62. Street Address			
E63. City	E68. County	E67/68. State/Country /	E64. Zip Code

FCC NOTICE REQUIRED BY THE PAPERWORK REDUCTION ACT

The public reporting for this collection of information is estimated to average 2 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the required data, and completing and reviewing the collection of information. If you have any comments on this burden estimate, or how we can improve the collection and reduce the burden it causes you, please write to the Federal Communications Commission, AMD–PERM, Paperwork Reduction Project (3060–0678), Washington, DC 20554. We will also accept your comments regarding the Paperwork Reduction Act aspects of this collection via the Internet if you send them to jboley@fcc.gov. PLEASE DO NOT SEND COMPLETED FORMS TO THIS ADDRESS.

Remember – You are not required to respond to a collection of information sponsored by the Federal government, and the government may not conduct or sponsor this collection, unless it displays a currently valid OMB control number or if we fail to provide you with this notice. This collection has been assigned an OMB control number of 3060–0678.

THE FOREGOING NOTICE IS REQUIRED BY THE PAPERWORK REDUCTION ACT OF 1995, PUBLIC LAW 104–13, OCTOBER 1, 1995, 44 U.S.C. SECTION 3507.