Date & Time Filed: Jan 8 2007 12:11:57:093PM File Number: SES-MOD-INTR2007-00067

FCC APPLICATION FOR SPACE AND EARTH STATION:MOD OR AMD – MAIN FORM	FCC Use Only
FCC 312 MAIN FORM FOR OFFICIAL USE ONLY	

APPLICANT INFORMATION

Enter a description of this application to identify it on the main menu:

Modification of CSAT Network License E040163

Legal Name of A	pplicant		
Name:	Enterprise Products, LLC	Phone Number:	210-528-3802
DBA Name:		Fax Number:	210-528-3888
Street:	10647 Gulfdale	E–Mail:	rwaguespack@eprod.com
City:	San Antonio	State:	TX
Country:	USA	Zipcode:	78216 –
Attention:	Mr Ronnie Waguespack		

9–16. Name of Contact Representative

Name: Enterprise Products, LLC **Phone Number:** 210–528–3802

Company: Fax Number: 210–528–3888

Street: 10647 Gulfdale E–Mail: rwaguespack@eprod.com

City: San Antonio State: TX

Country: USA Zipcode: 78216–

Attention: Mr Ronnie Waguespack **Relationship:**

CLASSIFICATION OF FILING

17. Choose the button next to the classification that applies to this filing for both questions a. and b. Choose only one for 17a and only one for 17b.

a1. Earth Station

a2. Space Station

(N/A) b1. Application for License of New Station

(N/A) b2. Application for Registration of New Domestic Receive-Only Station

b 3. Amendment to a Pending Application

b4. Modification of License or Registration

b5. Assignment of License or Registration

b6. Transfer of Control of License or Registration

b7. Notification of Minor Modification

(N/A) b8. Application for License of New Receive-Only Station Using Non-U.S. Licensed Satellite

(N/A) b9. Letter of Intent to Use Non-U.S. Licensed Satellite to Provide Service in the United States

(N/A) b10. Other (Please specify)

(N/A) b11. Application for Earth Station to Access a Non–U.S.satellite Not Currently Authorized to Provide the Proposed Service in the Proposed Frequencies in the United States

(N/A) b12. Application for Database Entry

b13. Amendment to a Pending Database Entry Application

b14. Modification of Database Entry

17c. Is a fee submitted with this application? If Yes, complete and attach FCC Form 159. If No, indicate reason for fee exemption (see 47 C.F.R.Section 1.1114).						
O Governmental Entity O Noncommercial educational licensee						
Other(please explain):						
17d.						
Fee Classification CGV – Fixed Satellite VSAT System						
18. If this filing is in reference to an existing station, enter: 19. If this filing is an amendment to a pending application enter both fields, if this filing is a modification please enter only the file number:						
(a) Call sign of station: E040163	(a) Date pending application was filed:	(b) File number:				
E040103		SESLIC2004032900471				

TYPE OF SERVICE

20. NATURE OF SERVICE: This filing is for an authorization to provide of	or use the following type(s) of service(s): Select all that apply:
a. Fixed Satellite	
b. Mobile Satellite	
c. Radiodetermination Satellite	
d. Earth Exploration Satellite	
e. Direct to Home Fixed Satellite	
f. Digital Audio Radio Service	
g. Other (please specify)	
	2. If earth station applicant, check all that apply.
only one.	Using U.S. licensed satellites
Common Carrier Non–Common Carrier	Using Non–U.S. licensed satellites
23. If applicant is providing INTERNATIONAL COMMON CARRIER ser facilities:	vice, see instructions regarding Sec. 214 filings. Choose one. Are these
Connected to a Public Switched Network Not connected to a Public Switched Network	blic Switched Network N/A
24. FREQUENCY BAND(S): Place an 'X' in the box(es) next to all app	licable frequency band(s).
a. C–Band (4/6 GHz) b. Ku–Band (12/14 GHz)	
c.Other (Please specify upper and lower frequencies in MHz.)	
Frequency Lower: Frequency Upper: (Please specify additional	l frequencies in an attachment)

TYPE OF STATION

25. CLASS OF STATION: Choose the button next to the class of station that applies. Choose only one.
a. Fixed Earth Station
b. Temporary–Fixed Earth Station
c. 12/14 GHz VSAT Network
d. Mobile Earth Station
e. Geostationary Space Station
f. Non-Geostationary Space Station
g. Other (please specify) CSAT Network
26. TYPE OF EARTH STATION FACILITY:
Transmit/Receive Transmit-Only Receive-Only N/A
"For Space Station applications, select N/A."

PURPOSE OF MODIFICATION

27. The purpose of this proposed modification is to: (Place an 'X' in the box(es) next to all that apply.)					
a — authorization to add new emission designator and related service					
b — authorization to change emission designator and related service					
c — authorization to increase EIRP and EIRP density					
d — authorization to replace antenna					
e — authorization to add antenna					
f — authorization to relocate fixed station					
g — authorization to change frequency(ies)					
h — authorization to add frequency					
i — authorization to add Points of Communication (satellites & mp; countries)					
j — authorization to change Points of Communication (satellites & mp; countries)					
k — authorization for facilities for which environmental assessment and					
radiation hazard reporting is required					
1 — authorization to change orbit location					
m — authorization to perform fleet management					
n — authorization to extend milestones					
o — Other (Please specify)					

ENVIRONMENTAL POLICY

under the laws of a foreign country?

impact as defined by 47 CFR 1.1307? If YES, submit the statement as required by Sections 1.1308 and 1.1311 of the Commission's rules, 47 C.F.R. 1.1308 and 1.1311, as an exhibit to this application. A Radiation Hazard Study must accompany all applications for new transmitting facilities, major modifications, or major amendments.	_		•			
ALIEN OWNERSHIP Earth station applicants not proposing to provide broadcast, common carrier, aerona aeronautical fixed radio station services are not required to respond to Items 30–34.	autic	al er	ı roı	ıte o	r	
29. Is the applicant a foreign government or the representative of any foreign government?	٥	Yes	•	, No)	
30. Is the applicant an alien or the representative of an alien?	0	Yes	•	. No	0	N/A
31. Is the applicant a corporation organized under the laws of any foreign government?	0	Yes	•	, No	, o	N/A
32. Is the applicant a corporation of which more than one—fifth of the capital stock is owned of record or voted by aliens or their representatives or by a foreign government or representative thereof or by any corporation organized	0	Yes	•	. No	· o	N/A

O Yes No

28. Would a Commission grant of any proposal in this application or amendment have a significant environmental

		
33. Is the applicant a corporation directly or indirectly controlled by any other corporation of which more than one–fourth of the capital stock is owned of record or voted by aliens, their representatives, or by a foreign government or representative thereof or by any corporation organized under the laws of a foreign country?	O Yes •	No O N/A
34. If any answer to questions 29, 30, 31, 32 and/or 33 is Yes, attach as an exhibit an identification of the aliens or foreign entities, their nationality, their relationship to the applicant, and the percentage of stock they own or vote.		
BASIC QUALIFICATIONS		
35. Does the Applicant request any waivers or exemptions from any of the Commission's Rules? If Yes, attach as an exhibit, copies of the requests for waivers or exceptions with supporting documents.	• Yes	No
36. Has the applicant or any party to this application or amendment had any FCC station authorization or license revoked or had any application for an initial, modification or renewal of FCC station authorization, license, or construction permit denied by the Commission? If Yes, attach as an exhibit, an explination of circumstances.	O Yes	No

37. Has the applicant, or any party to this application or amendment, or any party directly or indirectly controlling the applicant ever been convicted of a felony by any state or federal court? If Yes, attach as an exhibit, an explination of circumstances.	O Yes	⊚ No
38. Has any court finally adjudged the applicant, or any person directly or indirectly controlling the applicant, guilty of unlawfully monopolizing or attempting unlawfully to monopolize radio communication, directly or indirectly, through control of manufacture or sale of radio apparatus, exclusive traffic arrangement or any other means or unfair methods of competition? If Yes, attach as an exhibit, an explanation of circumstances	O Yes	⊚ No
39. Is the applicant, or any person directly or indirectly controlling the applicant, currently a party in any pending matter referred to in the preceding two items? If yes, attach as an exhinit, an explanation of the circumstances.	O Yes	⊘ No
40. If the applicant is a corporation and is applying for a space station license, attach as an exhibit the names, address, and citizenship of those stockholders owning a record and/or voting 10 percent or more of the Filer's voting stock and the percentages so held. In the case of fiduciary control, indicate the beneficiary(ies) or class of beneficiaries. Also list the names and addresses of the officers and directors of the Filer.		

41. By checking Yes, the undersigned certifies, that neither applicant nor any other party to the application is subject to a denial of Federal benefits that includes FCC benefits pursuant to Section 5301 of the Anti–Drug Act of 1988, 21 U.S.C. Section 862, because of a conviction for possession or distribution of a controlled substance. See 47 CFR 1.2002(b) for the meaning of "party to the application" for these purposes.	Yes	O No		
42a. Does the applicant intend to use a non–U.S. licensed satellite to provide service in the United States? If Yes, answer 42b and attach an exhibit providing the information specified in 47 C.F.R. 25.137, as appropriate. If No, proceed to question 43.	○ Yes	No		
42b. What administration has licensed or is in the process of licensing the space station? If no license will be issued, what administration has coordinated or is in the process of coordinating the space station?				

43. Description. (Summarize the nature of the application and the services to be provided). (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Enterprise Products Operating LP seeks to modify the license (E040163) of their existing CSAT network to add a second hub antenna, two new remote sites, and satellite AMC-6 to the license.

CERTIFICATION

The Applicant waives any claim to the use of any particular frequency or of the electromagnetic spectrum as against the regulatory power of the United States because of the previous use of the same, whether by license or otherwise, and requests an authorization in accordance with this application. The applicant certifies that grant of this application would not cause the applicant to be in violation of the spectrum aggregation limit in 47 CFR Part 20. All statements made in exhibits are a material part hereof and are incorporated herein as if set out in full in this application. The undersigned, individually and for the applicant, hereby certifies that all statements made in this application and in all attached exhibits are true, complete and correct to the best of his or her knowledge and belief, and are made in good faith.

44. <i>I</i>	Applicant is a (an): (Choose the button next to ap	oplicable response.)	
0000	Individual Unincorporated Association Partnership Corporation Governmental Entity Other (please specify)		
	5. Name of Person Signing Ronnie Waguespack >	46. Title of Person Signing Communications Engineer	

WILLFUL FALSE STATEMENTS MADE ON THIS FORM ARE PUNISHABLE BY FINE AND / OR IMPRISONMENT (U.S. Code, Title 18, Section 1001), AND/OR REVOCATION OF ANY STATION AUTHORIZATION (U.S. Code, Title 47, Section 312(a)(1)), AND/OR FORFEITURE (U.S. Code, Title 47, Section 503).

SATELLITE EARTH STATION AUTHORIZATIONS FCC Form 312 – Schedule B:(Technical and Operational Description) FOR OFFICIAL USE ONLY

Location of Earth Station Site E1: Site Identifier: Missouri City E5. Call Sign: E910638 E2: Contact Name Guy Brewer E6. Phone 281-261-0708 Number: E3. Street: 1920 Scanlin Road E7. City: Missouri City E8. County: Ft. Bend E9. Zip Code E4. State TX77459 E10. Area of Operation: Southeastern United States and Gulf of Mexico 29 °36 '24.8 "N E11. Latitude: E12. Longitude: 95 °31 '53.8 "W E13. Lat/Lon Coordinates are: NAD-27 **⋒** NAD-83 N/A E14. Site Elevation (AMSL): 23.8 meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two–degree spacing policy.

E16. If the proposed antenna(s) do not operate in the Fixed Satellite Set Satellite Service (FSS) with non–geostationary satellites, do(es) the progain patterns specified in Section 25.209(a2) and (b) as demonstrated by measurements?	oposed antenna(s) comply with the antenna	O Yes	O No	⊚ N/A
E17. Is the facility operated by remote control? If YES, provide the loc point.	ation and telephone number of the control	O Yes	•	No
E18. Is frequency coordination required? If YES, attach a frequency co	ordination report as Exhibit A	● Yes	0	No
E19. Is coordination with another country required? If YES, attach the coordination contours as	name of the country(ies) and plot of	O Yes	•	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA's study regarding the potential hazard of the structure to aviation? Exhibit C FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.			•	No
POINTS OF COMMUNICATION		-		
Satellite Name: AMC-6 AMC-6 72 W.L. If you selected OTHER	please enter the following:			
E21. Common Name:	E22. ITU Name:			
E23. Orbit Location:	E24. Country:			
Satellite Name: ALSAT ALL AUTHORIZED U.S. ALSAT If you	selected OTHER, please enter the following:			

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:
A NUTERINIA	

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna Gain Transmint and/or Recieve (dBi atGHz)	
Missouri City	Hub 2	1	Vertex Communication s	7.2 KPC	7.2	47.8 dBi at 3.950	
Missouri City	Hub 2	1	Vertex Communication s	7.2 KPC	7.2	51.2 dBi at 6.175	

Id			, ,	Height Above Ground Level	Input Power at	E39. Maximum Antenna Height Above Rooftop (meters)	EIRP for al
Hub 2	0.0/0.0	7.2	31.0	0.0	450.0	0.0	77.7

E43/44. Frequency Bands				E48. Maximum EIRP per Carrier	E49. Maximum ERIP Density per
(MHz)	1/11 (01) 1/1040	L,R)	2 congruence	(dBW)	Carrier
					(dBW/4kHz)

Hub 2	3700.0 4200.0	R	Horizontal and Vertical	205KG7W	0.0	0.0
E50. Modulation entirety.)	and Services (If the	ne complete description	on does not appear in	this box, please go to	o the end of the form	to view it in its
Digital Vo	ice and Data					
Hub 2	6242.0 6262.0	Т	Horizontal and Vertical	205KG7W	56.3	39.2
E50. Modulation entirety.) Digital Vo	and Services (If the	ne complete description	on does not appear in	this box, please go to	o the end of the form	to view it in its

FREQUENCY COORDINATION

E28. Antenna Id		Frequency Limits(MHz)	Range of Satellite Arc Eastern/West	Station	Antenna Elevation Angle Eastern Limit	Station Azimuth Angle	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
Hub 2	Geostationary	3700.0 4200.0	60.0/169.0	124.7	38.2	261.7	5.7	0.0

	Geostationary	6242.0 6262.0	60.0/169.0	124.7	38.2	261.7	5.7	-2.6	
REMOTE CO	NTROL POIN	T LOCATION		•	•	•	•	•	
E61. Call Si	gn			Е	66. Phone Num	ıber			
	NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.								
E62. Street A	Address			•					
E63. City E68. County E67/68. State/Country /									
			ATELLITE EAR' m 312 – Schedu FOR		al and Operation				

Location of Earth St	ration Site				
E1: Site Identifier:	Remote 1	E5. Call Sign:	E040163		
E2: Contact Name	Ronnie Waguespack	E6. Phone Number:	210-528-3802		
E3. Street:	Port Arthur (Keystone)	E7. City:	Sabine Pass		
	14615 Highway 87	E8. County:	Jefferson		
E4. State	TX	E9. Zip Code	77655		
E10. Area of Operat	tion:	Southeastern United	States and Gulf of l	Mexico	
E11. Latitude:	29 °41 '13.3 "N				
E12. Longitude:	93 °58 '51.5 "W				
E13. Lat/Lon Coord	linates are:	O NAD-27	● NAD-83	O N/A	
E14. Site Elevation	(AMSL):	1.0 meters			

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two–degree spacing policy.	O Yes	⊘ No	O N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes	O No	⊗ N/A

E17. Is the facility operated by remote control? If YES, provide the locat point.	ion and telephone number of the control	O Yes	No
E18. Is frequency coordination required? If YES, attach a frequency coordination	rdination report as Exhibit D	⊘ Yes	O No
E19. Is coordination with another country required? If YES, attach the national coordination contours as	ame of the country(ies) and plot of	O Yes	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.11 have you attached a copy of a completed FCC Form 854 and/or the FAA' the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RAPPLICATION.	's study regarding the potential hazard of	O Yes	No
POINTS OF COMMUNICATION			
	THER, please enter the following:		
E21. Common Name:	E22. ITU Name:		
E23. Orbit Location:	E24. Country:		
Satellite Name: AMC-6 AMC-6 72 W.L. If you selected OTHER, p	please enter the following:		
E21. Common Name:	E22. ITU Name:		
E23. Orbit Location:	E24. Country:		
POINTS OF COMMUNICATION (Destination Points)			
E25. Site Identifier:			

E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna Gain Transmint and/or Recieve (dBi atGHz)
Remote 1	Keystone	1	Channel Master	2.4M	2.4	38.0 dBi at 4.027
Remote 1	Keystone	1	Channel Master	2.4M	2.4	42.0 dBi at 6.252

Id	Diameter		, ,	Height Above Ground Level	Input Power at	E39. Maximum Antenna Height Above Rooftop (meters)	EIRP for al
Keystone	0.0/0.0	5.7	6.7	0.0	2.0	0.0	45.0

	E43/44. Frequency Bands (MHz)				EIRP per Carrier	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
Keystone	4017.0 4037.0	R	Horizontal and Vertical	205KG7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Voice and Data

Keystone	6242.0	Т	Horizontal and	205KG7W	45.0	27.9
	6262.0		Vertical			

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Voice and Data

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/West ern Limit	Station Azimuth Angle	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
Keystone	Geostationary	4017.0 4037.0	72.0/85.0	140.8	47.8	162.3	54.0	0.0
	Geostationary	6242.0 6262.0	72.0/85.0	140.8	47.8	162.3	54.0	-24.1

REMOTE CONTROL POINT LOCATION

E61. Call Sign		E66. Phone Number	
NOTE: Please enter the callsign of the callsign for which this application is being			
E62. Street Address			
E63. City	E68. County	E67/68	
		State/Cou	ntry
	I		I

SATELLITE EARTH STATION AUTHORIZATIONS

FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth St	tation Site				
E1: Site Identifier:	Remote 2	E5. Call Sign:	E040163		
E2: Contact Name	Ronnie Waguespack	E6. Phone Number:	210-528-3802		
E3. Street:	Port Arthur (Permcor Lucas)	E7. City:	Beaumont		
	9407 W. Port Arthur Road	E8. County:	Jefferson		
E4. State	TX	E9. Zip Code	77705		
E10. Area of Operat	tion:	Southeastern United	d States and the Gulf	of Mexico	
E11. Latitude:	29 °59 '46.8 "N				
E12. Longitude:	94 °3 '57.2 "W				
E13. Lat/Lon Coord	dinates are:	O NAD-27	● NAD-83	O N/A	
E14. Site Elevation	(AMSL):	5.4 meters			

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two–degree spacing policy.	O Yes	⊚ No	O N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes	O No	● N/A

E17. Is the facility operated by remote control? If YES, provide the locat point.	ion and telephone number of the control	O Yes	No
E18. Is frequency coordination required? If YES, attach a frequency coordination	rdination report as Exhibit E	Yes	O No
E19. Is coordination with another country required? If YES, attach the na coordination contours as	ame of the country(ies) and plot of	O Yes	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.11 have you attached a copy of a completed FCC Form 854 and/or the FAA' the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RAPPLICATION.	's study regarding the potential hazard of	O Yes	No
POINTS OF COMMUNICATION		•	
Satellite Name: AMC-6 AMC-6 72 W.L. If you selected OTHER, p	·		
E21. Common Name:	E22. ITU Name:		
E23. Orbit Location:	E24. Country:		
Satellite Name: AMSC-9 AMERICOM 9 85 W.L. If you selected O	THER, please enter the following:		
E21. Common Name:	E22. ITU Name:		
E23. Orbit Location:	E24. Country:		
POINTS OF COMMUNICATION (Destination Points)	1		
E25. Site Identifier:			

E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna Gain Transmint and/or Recieve (dBi atGHz)	
Remote 2	Permcor Lu	1	Channel Master	2.4M	2.4	38.0 dBi at 4.027	
Remote 2	Permcor Lu	1	Channel Master	2.4M	2.4	42.0 dBi at 6.252	

Id	Diameter		,	Height Above Ground Level	Input Power at antenna flange	E39. Maximum Antenna Height Above Rooftop (meters)	EIRP for al
Permcor Lu	0.0/0.0	5.7	11.1	0.0	2.0	0.0	45.0

	E43/44. Frequency Bands (MHz)				EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
Permcor Lu	4017.0 4037.0	R	Horizontal and Vertical	205KG7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Voice and Data

Permcor Lu	6242.0	Т	Horizontal and	205KG7W	45.0	27.9
	6262.0		Vertical			

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Voice and Data

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/West ern Limit	Station Azimuth Angle	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
Permcor Lu	Geostationary	4017.0 4037.0	72.0/85.0	141.0	47.5	162.3	53.6	0.0
	Geostationary	6242.0 6262.0	72.0/85.0	141.0	47.5	162.3	53.6	-24.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of callsign for which this application is		E66. Phone Number	
E62. Street Address			
E63. City	E68. County	E67/68. State/Country	E64. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS FCC Form 312 – Schedule B:(Technical and Operational Description) FOR OFFICIAL USE ONLY

Location of Earth St	ation Site				
E1: Site Identifier:	Remote 4	E5. Call Sign:	E040163		
E2: Contact Name	Ronnie Waguespack	E6. Phone Number:	210-528-3802		
E3. Street:	Port Arthur (Sun Meter)	E7. City:	Nederland		
	2304 N. Twin City Highway	E8. County:	Jefferson		
E4. State	TX	E9. Zip Code	77627		
E10. Area of Operat	tion:	Southeastern United	d States and Gulf of	Mexico	
E11. Latitude:	29 °59 '31.9 "N				
E12. Longitude:	93 °59 '58.9 "W				
E13. Lat/Lon Coord	linates are:	O NAD-27	⊚ NAD-83	O N/A	
E14. Site Elevation	(AMSL):	1.0 meters			

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two–degree spacing policy.	O Yes	⊚ No	O N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes	O No	● N/A

E17. Is the facility operated by remote control? If YES, provide the locat point.	tion and telephone number of the control	O Yes	● No
E18. Is frequency coordination required? If YES, attach a frequency coordination	rdination report as Exhibit F	Yes	O No
E19. Is coordination with another country required? If YES, attach the national contours as	ame of the country(ies) and plot of	O Yes	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.11 have you attached a copy of a completed FCC Form 854 and/or the FAA the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL FAPPLICATION.	's study regarding the potential hazard of	O Yes	⊚ No
POINTS OF COMMUNICATION	1	•	
Satellite Name: AMC-6 AMC-6 72 W.L. If you selected OTHER, p E21. Common Name:	please enter the following: E22. ITU Name:		
E23. Orbit Location:	E24. Country:		
Satellite Name: AMSC-9 AMERICOM 9 85 W.L. If you selected C	OTHER, please enter the following:		
E21. Common Name:	E22. ITU Name:		
E23. Orbit Location:	E24. Country:		
POINTS OF COMMUNICATION (Destination Points)			
E25. Site Identifier:			

E26. Common Name:	E27. Country:
-------------------	---------------

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna Gain Transmint and/or Recieve (dBi atGHz)
Remote 4	Sun Meter	1	Channel Master	2.4M	2.4	38.0 dBi at 4.027
Remote 4	Sun Meter	1	Channel Master	2.4M	2.4	42.0 dBi at 6.252

Id	Diameter		, ,	Height Above Ground Level	Input Power at antenna flange	E39. Maximum Antenna Height Above Rooftop (meters)	EIRP for al
Sun Meter	0.0/0.0	5.7	6.7	0.0	2.0	0.0	45.0

	E43/44. Frequency Bands (MHz)	E45. T/R Mode			E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
Sun Meter	4017.0 4037.0	Т	Horizontal and Vertical	205KG7D	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Voice and Data

Sun Meter	6242.0	Т	Horizontal and	205KG7D	45.0	27.9
	6262.0		Vertical			

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Voice and Data

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/West ern Limit	Station Azimuth Angle	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
Sun Meter	Geostationary	4017.0 4037.0	72.0/85.0	141.1	47.6	162.4	53.7	0.0
	Geostationary	6242.0 6262.0	72.0/85.0	141.1	47.6	162.4	53.7	-24.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign		E66. Phone Number	
NOTE: Please enter the callsign of callsign for which this application is b			
E62. Street Address			
E63. City	E68. County	E67/68. State/Country	E64. Zip Code
		/	

SATELLITE EARTH STATION AUTHORIZATIONS FCC Form 312 – Schedule B:(Technical and Operational Description) FOR OFFICIAL USE ONLY

Location of Earth St	tation Site				
E1: Site Identifier:	Remote 5	E5. Call Sign:	E040163		
E2: Contact Name	Ronnie Waguespack	E6. Phone Number:	210-528-3802		
E3. Street:	Port Arthur (Unocal Meter)	E7. City:	Nederland		
	3890 Pure Atlantic Road	E8. County:	Jefferson		
E4. State	TX	E9. Zip Code	77627		
E10. Area of Opera	tion:	Southeastern United	d States and Gulf of	Mexico	
E11. Latitude:	29 °59 '24.4 "N				
E12. Longitude:	93 °59 '14.8 "W				
E13. Lat/Lon Coord	linates are:	O NAD-27	NAD-83	O N/A	
E14. Site Elevation	(AMSL):	5.3 meters			

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two–degree spacing policy.	O Yes	⊚ No	O N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes	O No	⊚ N/A

E17. Is the facility operated by remote control? If YES, provide the loca point.	tion and telephone number of the control	O Yes	No
E18. Is frequency coordination required? If YES, attach a frequency coordination	ordination report as Exhibit G	● Yes	O No
E19. Is coordination with another country required? If YES, attach the n coordination contours as	ame of the country(ies) and plot of	O Yes	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.1) have you attached a copy of a completed FCC Form 854 and/or the FAA the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL I APPLICATION.	a's study regarding the potential hazard of	O Yes	No
POINTS OF COMMUNICATION	1 4 6 11 1		
Satellite Name: AMC-6 AMC-6 72 W.L. If you selected OTHER, E21. Common Name:	please enter the following: E22. ITU Name:		
E23. Orbit Location:	E24. Country:		
2201 01010 20100000	22.1. 000.000,1		
Satellite Name: AMSC-9 AMERICOM 9 85 W.L. If you selected 0	OTHER, please enter the following:		
E21. Common Name:	E22. ITU Name:		
E23. Orbit Location:	E24. Country:		
POINTS OF COMMUNICATION (Destination Points)			
E25. Site Identifier:			

E26. Common Name:	E27. Country:
-------------------	---------------

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna Gain Transmint and/or Recieve (dBi atGHz)
Remote 5	Unocal Met	1	Channel Master	2.4M	2.4	38.0 dBi at 4.027
Remote 5	Unocal Met	1	Channel Master	2.4M	2.4	42.0 dBi at 6.252

Id	Diameter		, ,	Height Above Ground Level	Input Power at	E39. Maximum Antenna Height Above Rooftop (meters)	EIRP for al
Unocal Met	0.0/0.0	5.7	11.0	0.0	2.0	0.0	45.0

	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)		EIRP per Carrier	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
Unocal Met	4017.0 4037.0	R	Horizontal and Vertical	205KG7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Voice and Data

Unocal Met	6242.0	T	Horizontal and	205KG7W	45.0	27.9
	6262.0		Vertical			

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Voice and Data

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/West ern Limit	Station Azimuth Angle	E57. Antenna Elevation Angle Eastern Limit	Station Azimuth Angle Western		E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
Unocal Met	Geostationary	4017.0 4037.0	72.0/85.0	141.1	47.6	162.4	53.7	0.0
	Geostationary	6242.0 6262.0	72.0/85.0	141.1	47.6	162.4	53.7	-24.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign		E66. Phone Number			
NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.					
E62. Street Address					
E63. City	E68. County		E67/68. State/Country	E64. Zip Code	

SATELLITE EARTH STATION AUTHORIZATIONS FCC Form 312 – Schedule B:(Technical and Operational Description) FOR OFFICIAL USE ONLY

Location of Earth Station Site E1: Site Identifier: Remote 6 E5. Call Sign: E040163 E2: Contact Name Ronnie E6. Phone 210-528-3802 Number: Waguespack E3. Street: Texas City (Bolivar E7. City: **Texas City** Spec) 4216 Highway 87 E8. County: Galveston E4. State TXE9. Zip Code 77650 Southeastern United States and the Gulf of Mexico E10. Area of Operation: E11. Latitude: 29 °25 '7.1 "N E12. Longitude: 94°42'17.8"W E13. Lat/Lon Coordinates are: NAD-27 **⋒** NAD-83 N/A E14. Site Elevation (AMSL): 3.05 meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two–degree spacing policy.	O Yes	⊚ No	O N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes	O No	⊚ N/A

E17. Is the facility operated by remote control? If YES, provide the locat point.	ion and telephone number of the control	O Yes	No
E18. Is frequency coordination required? If YES, attach a frequency coordination	rdination report as Exhibit H	⊘ Yes	O No
E19. Is coordination with another country required? If YES, attach the na coordination contours as	ame of the country(ies) and plot of	O Yes	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.11 have you attached a copy of a completed FCC Form 854 and/or the FAA' the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RAPPLICATION.	O Yes	No	
POINTS OF COMMUNICATION			
	THER, please enter the following:		
E21. Common Name:	E22. ITU Name:		
E23. Orbit Location:	E24. Country:		
Satellite Name: AMC-6 AMC-6 72 W.L. If you selected OTHER, p	olease enter the following:		
E21. Common Name:	E22. ITU Name:		
E23. Orbit Location:	E24. Country:		
POINTS OF COMMUNICATION (Destination Points)			
E25. Site Identifier:			

E26. Common Name:	E27. Country:
-------------------	---------------

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna Gain Transmint and/or Recieve (dBi atGHz)
Remote 6	Bolivar Sp	1	Channel Master	2.4M	2.4	38.0 dBi at 4.027
Remote 6	Bolivar Sp	1	Channel Master	2.4M	2.4	42.0 dBi at 6.252

Id	Diameter		, ,	Height Above Ground Level	Input Power at	E39. Maximum Antenna Height Above Rooftop (meters)	EIRP for al
Bolivar Sp	0.0/0.0	5.7	8.75	0.0	2.0	0.0	45.0

	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)		EIRP per Carrier	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
Bolivar Sp	4017.0 4037.0	R	Horizontal and Vertical	205KG7W	0.0	0.0

Digital Voice and Data

Bolivar Sp 6	5242.0 I	T	Horizontal and	205KG7W	45.0	27.9
1	6262.0		Vertical			

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Voice and Data

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/West ern Limit	Station Azimuth Angle	E57. Antenna Elevation Angle Eastern Limit	Station Azimuth Angle	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
Bolivar Sp	Geostationary	4017.0 4037.0	72.0/85.0	139.6	47.6	160.8	54.1	0.0
	Geostationary	6242.0 6262.0	72.0/85.0	139.6	47.6	160.8	54.1	-24.1

E61. Call Sign		E66. Phone Number		
NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.				
E62. Street Address		•		
E63. City	E68. County		E67/68. State/Country	E64. Zip Code

Location of Earth St	cation Site				
E1: Site Identifier:	Remote 7	E5. Call Sign:	E040163		
E2: Contact Name	Ronnie Waguespack	E6. Phone Number:	210-528-3802		
E3. Street:	Garden Banks Area (Oil Platform)	E7. City:			
	Block 72, Gulf of Mexico	E8. County:			
E4. State		E9. Zip Code			
E10. Area of Operat	tion:	Southeastern United	States and Gulf o	of Mexico	
E11. Latitude:	27 °55 '21.0 "N				
E12. Longitude:	92 °33 '14.0 "W				
E13. Lat/Lon Coord	linates are:	O NAD-27	● NAD-83	O N/A	
E14. Site Elevation	(AMSL):	0.0 meters			

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two–degree spacing policy.	O Yes	⊚ No	O N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes	O No	⊚ N/A

E17. Is the facility operated by remote control? If YES, provide the locat point.	ion and telephone number of the control	O Yes	No
E18. Is frequency coordination required? If YES, attach a frequency coordination	rdination report as Exhibit I	● Yes	O No
E19. Is coordination with another country required? If YES, attach the na coordination contours as	ame of the country(ies) and plot of	O Yes	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.11 have you attached a copy of a completed FCC Form 854 and/or the FAA' the structure to aviation? Exhibit J FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RAPPLICATION.	O Yes	No	
POINTS OF COMMUNICATION		•	
	THER, please enter the following:		
E21. Common Name:	E22. ITU Name:		
E23. Orbit Location:	E24. Country:		
Satellite Name: AMC-6 AMC-6 72 W.L. If you selected OTHER, p	please enter the following:		
E21. Common Name:	E22. ITU Name:		
E23. Orbit Location:	E24. Country:		
POINTS OF COMMUNICATION (Destination Points)			
E25. Site Identifier:			

E26. Common Name:	E27. Country:
-------------------	---------------

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna Gain Transmint and/or Recieve (dBi atGHz)
Remote 7	Gdn Banks	1	Channel Master	2.4M	2.4	38.0 dBi at 4.027
Remote 7	Gdn Banks	1	Channel Master	2.4M	2.4	42.0 dBi at 6.252

Id	Diameter		` ′	Height Above	Input Power at antenna flange	E39. Maximum Antenna Height Above Rooftop (meters)	EIRP for al
Gdn Banks	0.0/0.0	31.4	31.4	27.4	2.0	4.0	45.0

	E43/44. Frequency Bands (MHz)				EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
Gdn Banks	4017.0 4037.0	R	Horizontal and Vertical	205KG7W	0.0	0.0

Digital Voice and Data

Gdn Banks	6242.0	Т	Horizontal and	205KG7W	45.0	27.9
	6262.0		Vertical			

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Voice and Data

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/West ern Limit	Station Azimuth Angle	E57. Antenna Elevation Angle Eastern Limit	Station Azimuth Angle		E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
Gdn Banks	Geostationary	4017.0 4037.0	72.0/85.0	141.3	50.3	164.2	56.3	0.0
	Geostationary	6242.0 6262.0	72.0/85.0	141.3	50.3	164.2	56.3	-24.1

E61. Call Sign		E66. Phone Number		
NOTE: Please enter the callsign of the control callsign for which this application is being filed.				
E62. Street Address	1			
E63. City	E68. County		E67/68. State/Country	E64. Zip Code

Location of Earth Station Site

E1: Site Identifier:	Remote 8	E5. Call Sign:	E040163		
E2: Contact Name	Ronnie Waguespack	E6. Phone Number:	210-528-3802		
E3. Street:	Ship Shoal 332B (Oil Platform)	E7. City:			
	Block 332B, Gulf of Mexico	E8. County:			
E4. State		E9. Zip Code			
E10. Area of Operat	ion:	Southeastern United			
E11. Latitude:	28 °6 '16.0 "N				
E12. Longitude:	ide: 90 °47 '33.0 "W				
E13. Lat/Lon Coordinates are:		O NAD-27	NAD-83	O N/A	
E14. Site Elevation (AMSL):		0.0 meters			

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two–degree spacing policy.	O Yes	⊚ No	O N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes	O No	● N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	O Yes	•	No
E18. Is frequency coordination required? If YES, attach a frequency coordination report as Exhibit K	● Yes	٥	No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	O Yes	•	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA's study regarding the potential hazard of the structure to aviation? Exhibit L FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	O Yes	•	No
POINTS OF COMMUNICATION	•		
Satellite Name: AMC-6 AMC-6 72 W.L. If you selected OTHER, please enter the following:			

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

Satellite Name: AMSC-9 AMERICOM 9 85 W.L. If you see	If you selected OTHER, please enter the following:	
E21. Common Name:	E22. ITU Name:	
E23. Orbit Location:	E24. Country:	

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna Gain Transmint and/or Recieve (dBi atGHz)
Remote 8	Ship Shoal	1	Channel Master	2.4M	2.4	38.0 dBi at 4.027
Remote 8	Ship Shoal	1	Channel Master	2.4M	2.4	42.0 dBi at 6.252

Id	Diameter		` ′	Height Above Ground Level	E38. Total Input Power at antenna flange (Watts)	U	EIRP for al
Ship Shoal	0.0/0.0	31.4	31.4	27.4	2.0	4.0	45.0

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
Ship Shoal	4017.0 4037.0	R	Horizontal and Vertical	205KG7W	0.0	0.0
E50. Modulation entirety.)	and Services (If the	ne complete descripti	ion does not appear ir	this box, please go	to the end of the form	to view it in its
Digital Vo	oice and Data					
Ship Shoal	6242.0 6262.0	Т	Horizontal and Vertical	205KG7W	45.0	27.9
E50. Modulation entirety.)	and Services (If the	ne complete descripti	ion does not appear ir	this box, please go	to the end of the form	to view it in its
Digital Vo	pice and Data					

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/West ern Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
Ship Shoal	Geostationary	4017.0 4037.0	72.0/85.0	144.2	51.2	167.9	56.6	0.0
	Geostationary	6242.0 6262.0	72.0/85.0	144.2	51.2	167.9	56.6	-24.1

REMOTE CONTROL POINT LOCATION

E61. Call Sign	E66. Phone Number			
NOTE: Please enter the callsign of the contro callsign for which this application is being filed.				
E62. Street Address				
E63. City	E68. County		E67/68. State/Country	E64. Zip Code

Location of Earth St	ation Site					
E1: Site Identifier:	Remote 9	E5. Call Sign:	E040163			
E2: Contact Name	Ronnie Waguespack	E6. Phone Number:	210-528-3802			
E3. Street:	High Island A5C (Oil Platform)	E7. City:				
	Block A5C, Gulf of Mexico	E8. County:				
E4. State		E9. Zip Code				
E10. Area of Operat	ion:	Southeastern United	States and the Gulf	of Mexico		
E11. Latitude:	29 °8 '8.3 "N					
E12. Longitude:	93 °59 '56.9 "W					
E13. Lat/Lon Coord	linates are:	O NAD-27	● NAD-83	O N/A		
E14. Site Elevation	(AMSL):	0.0 meters				

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two–degree spacing policy.	O Yes	● No	O N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes	O No	⊚ N/A

E17. Is the facility operated by remote control? If YES, provide the locat point.	ion and telephone number of the control	O Yes	● No
E18. Is frequency coordination required? If YES, attach a frequency coordination	rdination report as Exhibit M	⊚ Yes	O No
E19. Is coordination with another country required? If YES, attach the national coordination contours as	ame of the country(ies) and plot of	O Yes	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.11 have you attached a copy of a completed FCC Form 854 and/or the FAA the structure to aviation? Exhibit N FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RAPPLICATION.	's study regarding the potential hazard of	O Yes	No
POINTS OF COMMUNICATION		•	
Satellite Name: AMC-6 AMC-6 72 W.L. If you selected OTHER, p	·		
E21. Common Name:	E22. ITU Name:		
E23. Orbit Location:	E24. Country:		
Satellite Name: AMSC-9 AMERICOM 9 85 W.L. If you selected O	THER, please enter the following:		
E21. Common Name:	E22. ITU Name:		
E23. Orbit Location:	E24. Country:		
POINTS OF COMMUNICATION (Destination Points)	ı		
E25. Site Identifier:			

E26. Common Name:	E27. Country:
-------------------	---------------

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna Gain Transmint and/or Recieve (dBi atGHz)	
Remote 9	High Islnd	1	Channel Master	2.4 Meter	2.4	38.0 dBi at 4.027	
Remote 9	High Islnd	1	Channel Master	2.4 Meter	2.4	42.0 dBi at 6.252	

Id	Diameter		` ′	Height Above Ground Level	Input Power at antenna flange	E39. Maximum Antenna Height Above Rooftop (meters)	EIRP for al
High Islnd	0.0/0.0	31.4	31.4	27.4	2.0	4.0	45.0

	E43/44. Frequency Bands (MHz)	E45. T/R Mode			EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
High Islnd	4017.0 4037.0	R	Horizontal and Vertical	205KG7W	0.0	0.0

Digital Voice and Data

High Islnd	6242.0	Т	Horizontal and	205KG7W	45.0	27.9
	6262.0		Vertical			

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Voice and Data

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/West ern Limit	Station Azimuth Angle	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
High Islnd	Geostationary	4017.0 4037.0	72.0/85.0	140.3	48.3	162.0	54.6	0.0
	Geostationary	6242.0 6262.0	72.0/85.0	140.3	48.3	162.0	54.6	-24.1

E61. Call Sign		E66. Phone Number		
NOTE: Please enter the callsign of the colcallsign for which this application is being fit				
E62. Street Address		•		
E63. City	E68. County		E67/68. State/Country	E64. Zip Code

Location of Earth Station Site E5. Call Sign: E1: Site Identifier: Remote 10 E2: Contact Name Ronnie E6. Phone 210-528-3802 Number: Waguespack Texas City (BP E7. City: Texas City E3. Street: Meter) Industrial Complex East 9th Street E8. County: Galveston E4. State TXE9. Zip Code 77590 E10. Area of Operation: Southeastern United States and the Gulf of Mexico E11. Latitude: 29 °21 '57.4 "N E12. Longitude: 94 °55 '8.7 "W E13. Lat/Lon Coordinates are: ● NAD-83 NAD-27 N/A E14. Site Elevation (AMSL): 1.8 meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two–degree spacing policy.	O Yes	● No	O N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes	O No	● N/A

E17. Is the facility operated by remote control? If YES, provide the locati point.	on and telephone number of the control	O Yes	No
E18. Is frequency coordination required? If YES, attach a frequency coordination	dination report as Exhibit O	⊚ Yes	O No
E19. Is coordination with another country required? If YES, attach the naticoordination contours as	me of the country(ies) and plot of	O Yes	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113 have you attached a copy of a completed FCC Form 854 and/or the FAA's the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RIAPPLICATION.	s study regarding the potential hazard of	O Yes	No
POINTS OF COMMUNICATION			
Satellite Name: AMC-6 AMC-6 72 W.L. If you selected OTHER, pl	lease enter the following:		
E21. Common Name:	E22. ITU Name:		
E23. Orbit Location:	E24. Country:		
POINTS OF COMMUNICATION (Destination Points)			
E25. Site Identifier:			
E26. Common Name:	E27. Country:		

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna Gain Transmint and/or Recieve (dBi atGHz)	
Remote 10	BP Meter	1	Channel Master	2.4M	2.4	38.0 dBi at 4.027	
Remote 10	BP Meter	1	Channel Master	2.4M	2.4	42.0 dBi at 6.252	

E28. Antenna Id			` ′	Height Above	Input Power at	E39. Maximum Antenna Height Above Rooftop (meters)	EIRP for al
BP Meter	0.0/0.0	4.0	5.8	0.0	2.0	0.0	45.0

	E43/44. Frequency Bands (MHz)				EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
BP Meter	4017.0 4037.0	R	Horizontal and Vertical	205KG7W	0.0	0.0

Digital Voice and Data

BP Meter	6242.0	T	Horizontal and	205KG7W	45.0	27.9
	6262.0		Vertical			

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Voice and Data

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/West ern Limit	Station Azimuth Angle	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
BP Meter	Geostationary	4017.0 4037.0	72.0/73.0	139.2	47.5	140.6	48.2	0.0
	Geostationary	6242.0 6262.0	72.0/73.0	139.2	47.5	140.6	48.2	-24.0

E61. Call Sign		E66. Phone Number		
NOTE: Please enter the callsign of the control callsign for which this application is being filed.				
E62. Street Address		•		
E63. City	E68. County		E67/68. State/Country	E64. Zip Code

Location of Earth Station Site E1: Site Identifier: Remote 11 E5. Call Sign: E2: Contact Name Ronnie E6. Phone 210-528-3802 Number: Waguespack E7. City: E3. Street: **Texas City Texas City** (Seaway Meter) Junction Intersection of E8. County: Galveston Texas Rts.3 and 146 E4. State TXE9. Zip Code 77590 E10. Area of Operation: Southeastern United States and the Gulf of Mexico E11. Latitude: 29°20'40.3"N E12. Longitude: 94 °56 '4.5 "W E13. Lat/Lon Coordinates are: NAD-27 **⋒** NAD-83 N/A E14. Site Elevation (AMSL): 2.7 meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two–degree spacing policy.	o Yes	● No	O N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes	O No	⊚ N/A

E17. Is the facility operated by remote control? If YES, provide the loc point.	ation and telephone number of the control	0	Yes	•	No
E18. Is frequency coordination required? If YES, attach a frequency co	oordination report as Exhibit P		Yes		No
		Ľ			
E19. Is coordination with another country required? If YES, attach the coordination contours as	name of the country(ies) and plot of	0	Yes	•	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25. have you attached a copy of a completed FCC Form 854 and/or the FA the structure to aviation? Exhibit T FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL APPLICATION.	A's study regarding the potential hazard of	٥	Yes	•	No
POINTS OF COMMUNICATION					
Satellite Name: AMC-6 AMC-6 72 W.L. If you selected OTHER	, please enter the following:				
E21. Common Name:	E22. ITU Name:				
E23. Orbit Location:	E24. Country:				
POINTS OF COMMUNICATION (Destination Points)					
E25. Site Identifier:					
E26. Common Name:	E27. Country:				
ANITENINIA					•

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna Gain Transmint and/or Recieve (dBi atGHz)
Remote 11	Seaway	1	Channel Master	2.4M	2.4	38.0 dBi at 4.027
Remote 11	Seaway	1	Channel Master	2.4M	2.4	42.0 dBi at 6.252

Id	Diameter		` ′	Height Above Ground Level	Input Power at antenna flange	E39. Maximum Antenna Height Above Rooftop (meters)	EIRP for al
Seaway	0.0/0.0	4.0	6.7	0.0	2.0	0.0	45.0

	E43/44. Frequency Bands (MHz)				E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
Seaway	4017.0 4037.0	R	Horizontal and Vertical	205KG7W	0.0	0.0

Digital Voice and Data

Seaway	6242.0	Т	Horizontal and	205KG7W	45.0	27.9
	6262.0		Vertical			

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Voice and Data

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/West ern Limit	Station Azimuth Angle	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
Seaway	Geostationary	4017.0 4037.0	72.0/73.0	139.2	47.5	140.6	48.2	0.0
	Geostationary	6242.0 6262.0	72.0/73.0	139.2	47.5	140.6	48.2	-24.0

E61. Call Sign		E66. Phone Number		
NOTE: Please enter the callsign of the contro callsign for which this application is being filed.				
E62. Street Address				
E63. City	E68. County		E67/68. State/Country	E64. Zip Code

FCC NOTICE REQUIRED BY THE PAPERWORK REDUCTION ACT

The public reporting for this collection of information is estimated to average 2 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the required data, and completing and reviewing the collection of information. If you have any comments on this burden estimate, or how we can improve the collection and reduce the burden it causes you, please write to the Federal Communications Commission, AMD–PERM, Paperwork Reduction Project (3060–0678), Washington, DC 20554. We will also accept your comments regarding the Paperwork Reduction Act aspects of this collection via the Internet if you send them to jboley@fcc.gov. PLEASE DO NOT SEND COMPLETED FORMS TO THIS ADDRESS.

Remember – You are not required to respond to a collection of information sponsored by the Federal government, and the government may not conduct or sponsor this collection, unless it displays a currently valid OMB control number or if we fail to provide you with this notice. This collection has been assigned an OMB control number of 3060–0678.

THE FOREGOING NOTICE IS REQUIRED BY THE PAPERWORK REDUCTION ACT OF 1995, PUBLIC LAW 104–13, OCTOBER 1, 1995, 44 U.S.C. SECTION 3507.