

RADIO STATION AUTHORIZATION

Name: Denali 20020, LLC Call Sign: KA294

Authorization Type: Modification of License File Number: SES-MOD-20090128-00079

Non Common Carrier Grant date: 07/23/2009 Expiration Date: 08/23/2018

Nature of Service: Fixed Satellite Service

Class of Station: Fixed Earth Stations

A) Site Location(s)

# Site ID	Address	Latitude	Longitude	Elevation (Meters)	Special Provisions NAD (Refer to Section H)
1) 1	1711 OLD HWY. 97 BREWSTER, OKANOGAN, WA	48°8'50.5"N	119°41'33.2"W	377	83

Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209

Subject to the provisions of the Communications Act of 1934, The Communications Satellite Act of 1962, subsequent acts and treaties, and all present and future regulations made by this Commission, and further subject to the conditions and requirements set forth in this license, the grantee is authorized to construct, use and operate the radio facilities described below for radio communications for the term beginning August 23, 2003 (3 AM Eastern Standard Time) and ending August 23, 2018 (3 AM Eastern Standard Time). The required date of completion of construction and commencement of operation is 00/00/0000. Grantee must file with the Commission a certification upon completion of construction and commencement of operation.

B) Particulars of Operations

The General Provision 1010 applies to all receiving frequency bands.

The General Provision 1900 applies to all transmitting frequency bands.

For the text of these provisions, refer to Section H.

For the text of these provisions, refer to Section H.					Max EIRP	Max EIRP Density	Special Provisions				
#	Frequency (MHz)	Polarizatio Code	on Emission	Tx/Rx Mode	/Carrier (dBW)	•	Associated Antenna	(Refer to Section H)	Modulation Services		
1) 6171	.6000-6175.8000	L,R	1M00F8W	Tx	81.90	57.92	1		TT&C		
2) 5850	.0000-6425.0000	H, V, L, E	R 36M0F8W	Tx	86.80	59.80	1	1900	Analog v	ideo audio	
3) 5850	.0000-6425.0000	H, V, L, E	R 36M0G7F	Tx	86.80	47.30	1	1900	Digital	Compressed	video
4) 5850	.0000-6425.0000	H, V, L, E	R 2M40G7D	Tx	81.90	54.10	1	1900	Data, FEC1/2	1855kbs,	QPSK,
5) 3951	.4200-3952.5800	L,R	144KG2D	Rx			1		TT&C		
6) 3625	.0000-4200.0000	H, V, L, E	R 36M0F8W	Rx			1	1010	Analog v	ideo audio	
7) 3625	.0000-4200.0000	H, V, L, E	R 36M0G7F	Rx			1	1010	Digital	Compressed	video
8) 3625	.0000-4200.0000	H, V, L, E	R 2M40G7D	Rx			1	1010	Data, FEC1/2	1855kbs,	QPSK,

(page 1 of 6) FCC Form 488



RADIO STATION AUTHORIZATION

Name: Denali 20020, LLC Call Sign: KA294

Authorization Type: Modification of License File Number: SES-MOD-20090128-00079

Non Common Carrier Grant date: 07/23/2009 Expiration Date: 08/23/2018

C) Frequency Coordination Limits

#	Frequency Limits (MHz)	Satellite Arc (Deg. Long.) East West Limit Limit	Elevation (Degrees) East West Limit Limit	Azimuth (Degrees) East West Limit Limit	Max EIRP Density toward Horizon (dBW/4kHz)	Associated Antenna(s)
1)	3700.0000-4200.0000	53.0W-188.0W	06.7-05.6	107.8-253.5	1	
2)	5925.0000-6425.0000	53.0W-188.0W	06.7-05.6	107.8-253.5	13.98 1	
3)	5925.0000-6425.0000	53.0W-191.0W	06.7-03.7	107.8-255.9	16.2 1	
4)	3700.0000-4200.0000	53.0W-191.0W	06.7-03.7	107.8-255.9	0 1	
5)	5850.0000-5925.0000	53.0W-53.0W	08.0-08.0	109.4-109.4	16.2 1	
6)	3625.0000-3700.0000	53.0W-53.0W	08.0-08.0	109.4-109.4	1	
7)	5850.0000-5925.0000	55.5W-55.5W	08.3-08.3	109.8-109.8	16.2 1	
8)	3625.0000-3700.0000	55.5W-55.5W	08.3-08.3	109.8-109.8	1	
9)	5850.0000-5925.0000	180.0W-180.0W	10.8-10.8	247.0-247.0	10.6 1	
10)	3625.0000-3700.0000	180.0W-180.0W	10.8-10.8	247.0-247.0	1	
11)	5850.0000-5925.0000	183.0W-183.0W	08.8-08.8	249.5-249.5	15.4 1	
12)	3625.0000-3700.0000	183.0W-183.0W	08.8-08.8	249.5-249.5	1	
13)	5850.0000-5925.0000	186.0W-186.0W	06.9-06.9	251.9-251.9	15.4 1	
14)	3625.0000-3700.0000	186.0W-186.0W	06.9-06.9	251.9-251.9	1	

D) Points of Communications

The following stations located in the Satellite orbits consistent with Sections B and C of this Entry:

- 1) 1 to Permitted Space Station List
- 2) 1 to INTELSAT 805 (S2404) @ 304.5 E.L. (U.S.-licensed)
- 3) 1 to INTELSAT AOR @ 307.0 E.L. satellite of the INTELSAT system (U.S.-licensed)
- 4) 1 to INTELSAT POR @ 177.0 E.L. satellite of the INTELSAT system (U.S.-licensed)
- 5) 1 to INTELSAT POR @ 180.0 E.L. (U.S.-licensed)
- 6) 1 to INTELSAT POR @ 174.0 E.L. satellite of the INTELSAT system (U.S.-licensed)
- 7) 1 to NSS- 9 (S2756) @ 177 W.L. (Netherlands-licensed)

(page 2 of 6) FCC Form 488



RADIO STATION AUTHORIZATION

Name: Denali 20020, LLC Call Sign: KA294

Authorization Type: Modification of License File Number: SES-MOD-20090128-00079

Non Common Carrier Grant date: 07/23/2009 Expiration Date: 08/23/2018

E) Antenna Facilities

	Site ID	Antenna ID	Units	Diameter (meters)	Manufacturer	Model number	Site Elevation (Meters)	Max Antenna Height (Meters)	Provisions (Refer to Section H)
1		1	1	13	VERTEX	13KPC	377	14 AGL/ 391.1 AMSL	_
	Max G	ains(s):	53.5	dBi @	4.0000 GHz	56.8 dBi @ 6.000	00 GHz		
	Maxim	um total inpu	t power	at antenr	na flange (Watts)	1,000.00			
	Maxim	um aggregate	output 1	EIRP for a	all carriers (dBW) = 86.80			

F) Remote Control Point:

Call Sign: KA294

G) Antenna Structure marking and lighting requirements:

None unless otherwise specified under Special and General Provisions

H) Special and General Provisions

- A) This RADIO STATION AUTHORIZATION is granted subject to the following special provisions and general conditions:
 - 493 --- The Commission granted New Skies a waiver of Section 25.202(g) of the Commission's rules to allow NSS-9 to operate its TT&C in the center of the C-band, on the condition that New Skies must accommodate future space station networks that are compliant with Section 25.202(g) and must operate NSS-9 pursuant to any existing or future coordination agreements for this location.
 - 1010 --- Applicable to all receiving frequency bands. Emission designator indicates the maximum bandwidth of received signal at associated station(s). Maximum EIRP and maximum EIRP density are not applicable to receive operations.
 - 1900 --- Applicable to all transmitting frequency bands. Authority is granted to transmit any number of RF carriers with the specified parameters on any discrete frequencies within associated band in accordance with the other terms and conditions of this authorization, subject to any additional limitations that may be required to avoid unacceptable levels of inter-satellite interference.
 - 2136 --- Use of the 3625-3700 MHz frequency band shall comply with the terms of footnotes US245 and NG185 to the Table of Frequency Allocations, 47 C.F.R. § 2.106, US245, NG185, and Section 2.108 of the Commission's rules, 47 C.F.R. § 2.108, which limit the use of these frequencies to international, intercontinental satellite systems, subject to case-by-case electromagnetic compatibility analysis with all users of the band.
 - 2137 --- The extended C-band frequencies 5850-5925 MHz and 3625-3700 MHz have been cleared with the National Telecommunications & Information Administration.

(page 3 of 6) FCC Form 488

Special



RADIO STATION AUTHORIZATION

Name: Denali 20020, LLC Call Sign: KA294

Authorization Type: Modification of License File Number: SES-MOD-20090128-00079

Non Common Carrier Grant date: 07/23/2009 Expiration Date: 08/23/2018

H) Special and General Provisions

- A) This RADIO STATION AUTHORIZATION is granted subject to the following special provisions and general conditions:
 - 2916 --- Transmitter(s) must be turned off during antenna maintenance to ensure compliance with the FCC-specified safety guidelines for human exposure to radiofrequency radiation in the region between the antenna feed and the reflector. Appropriate measures must also be taken to restrict access to other regions in which the earth station's power flux density levels exceed the specified guidelines.
 - 3219 --- All existing transmitting facilities, operations and devices regulated by the Commission must be in compliance with the Commission's radiofrequency (RF) exposure guidelines, pursuant to Section 1.1307(b)(1) through (b)(3) of the Commission's rules, or if not in compliance, file an Environmental Assessment (EA) as specified in Section 1.1311. See 47 CFR § 1.1307 (b) (5).
 - 5208 --- The licensee shall take all necessary measures to ensure that the antenna does not create potential exposure of humans to radiofrequency radiation in excess of the FCC exposure limits defined in 47 CFR 1.1307(b) and 1.1310 wherever such exposures might occur. Measures must be taken to ensure compliance with limits for both occupational/controlled exposure and for general population/uncontrolled exposure, as defined in these rule sections. Compliance can be accomplished in most cases by appropriate restrictions, such as fencing. Requirements for restrictions can be determined by predictions based on calculations, modeling, or by field measurements. The FCC's OET Bulletin 65 (available on-line at www.fcc.gov/oet/rfsafety) provides information on predicting exposure levels and on methods for ensuring compliance, including the use of warning and alerting signs and protective equipment for workers.
 - 5216 --- All operations shall be on a non-common carrier basis.
 - 5797 --- The EIRP and EIRP Density values for the digital carriers are the maximum permissible under the Section 25.212 of the Commission's Rules.
 - 5822 --- The 3600-3650 MHz band is shared on a co-primary basis in the U.S. and Possessions with Federal Government radiolocation systems. Unacceptable interference may be caused to this earth station from radiolocation systems, including high-powered, highly mobile, shipborne and airborne radar transmitters, operating in the frequency band. Consistent with the applicant's EMC analysis (as required by US245 and based on the NTIA TR-99-361 Report, Technical Characteristics of Radiolocation Systems operating in the 3.1-3.7 GHz Band and Procedures assessing **EMC** with Fixed Earth Station Receivers (available http://www.ntia.doc.gov/osmhome/reports.html), the licensee accepts this potential for unacceptable interference. In the case that out-of-band interference does occur, the licensee is further aware that use of a RF filter ahead of the low noise amplifier (LNA) will limit potential out-of-band interference to its receiving earth station. Additionally, per US 245, in the band 3600-3650 MHz, these fixed-satellite service operations are limited to international inter-continental satellite systems.

(page 4 of 6) FCC Form 488



RADIO STATION AUTHORIZATION

Name: Denali 20020, LLC Call Sign: KA294

Authorization Type: Modification of License File Number: SES-MOD-20090128-00079

Non Common Carrier Grant date: 07/23/2009 Expiration Date: 08/23/2018

H) Special and General Provisions

A) This RADIO STATION AUTHORIZATION is granted subject to the following special provisions and general conditions:

- 5823 --- The 5850-5925 MHz band is shared in the U.S. and Possessions on a co-primary basis with Federal Government radiolocation systems. Unacceptable interference may be caused to this earth station's communication links from radiolocation systems, including high-powered land-based transportable and shipborne radar transmitters, operating in the frequency band in accordance with footnote G2. (See, e.g., NTIA Report Federal Radar Spectrum Requirements, (http://www.ntia.doc.gov/osmhome/reports/ntia00-40/ntia00-40.pdf), NTIA Report 83-115. Spectrum Resource Assessment in the 5650-5925 MHz Band (http://www.fcc.gov/ib/srd/fedreg_ntiareport.html), and FCC Fifth Notice of Inquiry in Preparation for a General World Administrative Conference in 1979 (Docket No. 20271; FCC 77-349)). As required by US245, the earth station licensee is aware of the EMC environment and this sharing situation with the radiolocation service and accepts the potential for unacceptable interference. Additionally, this fixed-satellite service earth station is limited to operations over international inter-continental satellite systems.
- 5859 --- The 3650-3700 MHz band is shared on a co-primary basis in three Federal Government radiolocation systems identified in US348. Unacceptable interference may be caused to this earth station from these three radiolocation systems operating in the frequency band. Consistent with the applicant's EMC analysis (as required by US348 and based on the NTIA TR-99-361 Report, Technical Characteristics of Radiolocation Systems operating in the 3.1-3.7 GHz Band and Procedures for assessing EMC with Fixed Earth Station Receivers (available at http://www.ntia.doc.gov/osmhome/reports.html), the licensee accepts this potential for unacceptable interference from the three stations identified in US348. In the case that out-of-band interference does occur, the licensee is further aware that use of a RF filter ahead of the low noise amplifier (LNA) will limit potential out-of-band interference to its receiving earth station. Additionally, per US 245, in the band 3650-3700 MHz, these fixed-satellite service operations are limited to international inter-continental satellite systems.

(page 5 of 6) FCC Form 488



RADIO STATION AUTHORIZATION

Name: Denali 20020, LLC Call Sign: KA294

Authorization Type: Modification of License File Number: SES-MOD-20090128-00079

Non Common Carrier Grant date: 07/23/2009 Expiration Date: 08/23/2018

B) This RADIO STATION AUTHORIZATION is granted subject to the additional conditions specified below:

This authorization is issued on the grantee's representation that the statements contained in the application are true and that the undertakings described will be carried out in good faith.

This authorization shall not be construed in any manner as a finding by the Commission on the question of marking or lighting of the antenna system should future conditions require. The grantee expressly agrees to install such marking or lighting as the Commission may require under the provisions of Section 303(q) of the Communications Act. 47 U.S.C. § 303(q).

Neither this authorization nor the right granted by this authorization shall be assigned or otherwise transferred to any person, firm, company or corporation without the written consent of the Commission. This authorization is subject to the right of use or control by the government of the United States conferred by Section 706 of the Communications Act. 47 U.S.C. § 706. Operation of this station is governed by Part 25 of the Commission's Rules. 47 C.F.R. Part 25.

This authorization shall not vest in the licensee any right to operate this station nor any right in the use of the designated frequencies beyond the term of this license, nor in any other manner than authorized herein.

This authorization is issued on the grantee's representation that the station is in compliance with environmental requirements set forth in Section 1.1307 of the Commission's Rules. 47 C.F.R. § 1.1307.

This authorization is issued on the grantee's representation that the station is in compliance with the Federal Aviation Administration (FAA) requirements as set forth in Section 17.4 of the Commission's Rules. 47 C.F.R.§ 17.4.

The following condition applies when this authorization permits construction of or modifies the construction permit of a radio station.

This authorization shall be automatically forfeited if the station is not ready for operation by the required date of completion of construction unless an application for modification of authorization to request additional time to complete construction is filed by that date, together with a showing that failure to complete construction by the required date was due to factors not under control of the grantee.

Licensees are required to pay annual regulatory fees related to this authorization. The requirement to collect annual regulatory fees from regulates is contained in Public Law 103-66, "The Omnibus Budget Reconciliation Act of 1993." These regulatory fees, which are likely to change each fiscal year, are used to offset costs associated with the Commission's enforcement, public service, international and policy and rulemaking activities. The Commission issues a Report and Order each year, setting the new regulatory fee rates. Receive only earth stations are exempt from payment of regulatory fees.

(page 6 of 6) FCC Form 488