Date & Time Filed: Sep 23 2009 6:01:31:216PM File Number: SES-MOD-INTR2009-04712

FCC APPLICATION FOR SPACE AND EARTH STATION:MOD OR AMD – MAIN FORM	FCC Use Only
FCC 312 MAIN FORM FOR OFFICIAL USE ONLY	

APPLICANT INFORMATION

Enter a description of this application to identify it on the main menu: Comtech Mobile Datacom Corp Modification to Blanket License E090027

1–8. Legal Name of Ap	plicant		
Name:	COMTECH MOBILE DATACOM CORP.	Phone Number:	240-686-3300
DBA Name:		Fax Number:	240-686-3301
Street:	20430 Century Boulevard	E–Mail:	david.ulanow@comtechmobile.com
City:	Germantown	State:	MD
Country:	USA	Zipcode:	20874 –
Attention:	Mr David A Ulanow		

9–16. Name of Contact Representative

Name: Joan M. Griffin Phone Number: 202–342–8573

Company: Kelley Drye & Warren LLP **Fax Number:** 202–342–8451

Street: 3050 K Street E–Mail: jgriffin@kelleydrye.com

Suite 400

City: Washington State: DC

Country: USA Zipcode: 20007–

Attention: Relationship: Legal Counsel

CLASSIFICATION OF FILING

17. Choose the button next to the classification that applies to this filing for both questions a. and b. Choose only one for 17a and only one for 17b.

a1. Earth Station

a2. Space Station

(N/A) b1. Application for License of New Station

(N/A) b2. Application for Registration of New Domestic Receive-Only Station

b 3. Amendment to a Pending Application

b4. Modification of License or Registration

b5. Assignment of License or Registration

b6. Transfer of Control of License or Registration

b7. Notification of Minor Modification

(N/A) b8. Application for License of New Receive-Only Station Using Non-U.S. Licensed Satellite

(N/A) b9. Letter of Intent to Use Non-U.S. Licensed Satellite to Provide Service in the United States

(N/A) b10. Other (Please specify)

(N/A) b11. Application for Earth Station to Access a Non–U.S.satellite Not Currently Authorized to Provide the Proposed Service in the Proposed Frequencies in the United States

(N/A) b12. Application for Database Entry

b13. Amendment to a Pending Database Entry Application

b 14. Modification of Database Entry

17c. Is a fee submitted with this application If Yes, complete and attach FCC Form	on? 159. If No, indicate reason for fee exemption (s	ee 47 C.F.R.Section 1.1114).			
Governmental Entity Noncommercial educational licensee					
Other(please explain):					
17d.					
Fee Classification CGB – Mobile Satellite Earth Stations					
18. If this filing is in reference to an existing station, enter:	19. If this filing is an amendment to a pending a modification please enter only the file number:	pplication enter both fields, if this filing is a			
(a) Call sign of station: E090027	(a) Date pending application was filed:	(b) File number:			
L070021		SESLIC2009021100164			

TYPE OF SERVICE

20. NATURE OF SERVICE: This filing is for an authorization to provide	le or use the following type(s) of service(s): Select all that apply:
a. Fixed Satellite	
b. Mobile Satellite	
c. Radiodetermination Satellite	
d. Earth Exploration Satellite	
e. Direct to Home Fixed Satellite	
f. Digital Audio Radio Service	
g. Other (please specify)	
21. STATUS: Choose the button next to the applicable status. Choose	22. If earth station applicant, check all that apply.
only one.	Using U.S. licensed satellites
Common Carrier Non–Common Carrier	■ Using Non–U.S. licensed satellites
23. If applicant is providing INTERNATIONAL COMMON CARRIER facilities:	service, see instructions regarding Sec. 214 filings. Choose one. Are these
Connected to a Public Switched Network Not connected to a	Public Switched Network
24. FREQUENCY BAND(S): Place an 'X' in the box(es) next to all	applicable frequency band(s).
a. C–Band (4/6 GHz) b. Ku–Band (12/14 GHz)	
c.Other (Please specify upper and lower frequencies in MHz.)	
Frequency Lower: 9999999 Frequency Upper: 999999	9 (Please specify additional frequencies in an attachment)

TYPE OF STATION

25. CLASS OF STATION: Choose the button next to the class of station that applies. Choose only one.
a. Fixed Earth Station
b. Temporary–Fixed Earth Station
c. 12/14 GHz VSAT Network
d. Mobile Earth Station
e. Geostationary Space Station
f. Non–Geostationary Space Station
g. Other (please specify)
26. TYPE OF EARTH STATION FACILITY:
Transmit/Receive Transmit-Only Receive-Only N/A
"For Space Station applications, select N/A."

PURPOSE OF MODIFICATION

27. The purpose of this proposed modification is to: (Place an 'X' in the box(es) next to all that apply.)
a — authorization to add new emission designator and related service
b — authorization to change emission designator and related service
c — authorization to increase EIRP and EIRP density
d — authorization to replace antenna
e — authorization to add antenna
f — authorization to relocate fixed station
g — authorization to change frequency(ies)
h — authorization to add frequency
i — authorization to add Points of Communication (satellites & Double
j — authorization to change Points of Communication (satellites & tountries)
k — authorization for facilities for which environmental assessment and
radiation hazard reporting is required
1 — authorization to change orbit location
m — authorization to perform fleet management
n — authorization to extend milestones
o — Other (Please specify)

ENVIRONMENTAL POLICY

	28. Would a Commission grant of any proposal in this application or amendment have a significant environmental mpact as defined by 47 CFR 1.1307? If YES, submit the statement as required by Sections 1.1308 and 1.1311 of the Commission's rules, 47 C.F.R. 1.1308 and 1.1311, as an exhibit to this application. A Radiation Hazard Study must accompany all applications for new transmitting facilities, major modifications, or major amendments.	Yes No Exhibit B
--	---	------------------

ALIEN OWNERSHIP Earth station applicants not proposing to provide broadcast, common carrier, aeronautical en route or aeronautical fixed radio station services are not required to respond to Items 30–34.

29. Is the applicant a foreign government or the representative of any foreign government?	0	Yes	•	No		
30. Is the applicant an alien or the representative of an alien?	0	Yes	•	No	0	N/A
31. Is the applicant a corporation organized under the laws of any foreign government?	0	Yes	•	No	0	N/A
32. Is the applicant a corporation of which more than one—fifth of the capital stock is owned of record or voted by aliens or their representatives or by a foreign government or representative thereof or by any corporation organized under the laws of a foreign country?	٥	Yes	•	No	0	N/A

33. Is the applicant a corporation directly or indirectly controlled by any other corporation of which more than one–fourth of the capital stock is owned of record or voted by aliens, their representatives, or by a foreign government or representative thereof or by any corporation organized under the laws of a foreign country?	O Yes (No N/A
34. If any answer to questions 29, 30, 31, 32 and/or 33 is Yes, attach as an exhibit an identification of the aliens or foreign entities, their nationality, their relationship to the applicant, and the percentage of stock they own or vote.		
BASIC QUALIFICATIONS		
35. Does the Applicant request any waivers or exemptions from any of the Commission's Rules? If Yes, attach as an exhibit, copies of the requests for waivers or exceptions with supporting documents.	⊚ Ye	es o No
	Exhibit D	
36. Has the applicant or any party to this application or amendment had any FCC station authorization or license revoked or had any application for an initial, modification or renewal of FCC station authorization, license, or construction permit denied by the Commission? If Yes, attach as an exhibit, an explination of circumstances.	O Ye	es 👩 No

37. Has the applicant, or any party to this application or amendment, or any party directly or indirectly controlling the applicant ever been convicted of a felony by any state or federal court? If Yes, attach as an exhibit, an explination of circumstances.	• Yes	⊚ No
38. Has any court finally adjudged the applicant, or any person directly or indirectly controlling the applicant, guilty of unlawfully monopolizing or attempting unlawfully to monopolize radio communication, directly or indirectly, through control of manufacture or sale of radio apparatus, exclusive traffic arrangement or any other means or unfair methods of competition? If Yes, attach as an exhibit, an explanation of circumstances	• Yes	No
39. Is the applicant, or any person directly or indirectly controlling the applicant, currently a party in any pending matter referred to in the preceding two items? If yes, attach as an exhinit, an explanation of the circumstances.	• Yes	⊘ No
40. If the applicant is a corporation and is applying for a space station license, attach as an exhibit the names, address, and citizenship of those stockholders owning a record and/or voting 10 percent or more of the Filer's voting stock and the percentages so held. In the case of fiduciary control, indicate the beneficiary(ies) or class of beneficiaries. Also list the names and addresses of the officers and directors of the Filer.		

41. By checking Yes, the undersigned certifies, that neither applicant nor any other party to the application is subject to a denial of Federal benefits that includes FCC benefits pursuant to Section 5301 of the Anti–Drug Act of 1988, 21 U.S.C. Section 862, because of a conviction for possession or distribution of a controlled substance. See 47 CFR 1.2002(b) for the meaning of "party to the application" for these purposes.	Yes	O No
42a. Does the applicant intend to use a non–U.S. licensed satellite to provide service in the United States? If Yes, answer 42b and attach an exhibit providing the information specified in 47 C.F.R. 25.137, as appropriate. If No, proceed to question 43.	Yes Exhibit C	O No
42b. What administration has licensed or is in the process of licensing the space station? If no license will be issued, coordinated or is in the process of coordinating the space station? Canada	what administr	ration has
43. Description. (Summarize the nature of the application and the services to be provided). (If the complete descrip box, please go to the end of the form to view it in its entirety.) Description attached. See	tion does not a	ppear in this
Exhibit A (#24, 43)		

43a. Geographic Service Rule Certification By selecting A, the undersigned certifies that the applicant is not subject to the geographic service or geographic coverage requirements specified in 47 C.F.R. Part 25.	● A
By selecting B, the undersigned certifies that the applicant is subject to the geographic service or geographic coverage requirements specified in 47 C.F.R. Part 25 and will comply with such requirements.	O B
By selecting C, the undersigned certifies that the applicant is subject to the geographic service or geographic coverage requirements specified in 47 C.F.R. Part 25 and will not comply with such requirements because it is not feasible as a technical matter to do so, or that, while technically feasible, such services would require so many compromises in satellite design and operation as to make it economically unreasonable. A narrative description and technical analysis demonstrating this claim are attached.	o c

CERTIFICATION

The Applicant waives any claim to the use of any particular frequency or of the electromagnetic spectrum as against the regulatory power of the United States because of the previous use of the same, whether by license or otherwise, and requests an authorization in accordance with this application. The applicant certifies that grant of this application would not cause the applicant to be in violation of the spectrum aggregation limit in 47 CFR Part 20. All statements made in exhibits are a material part hereof and are incorporated herein as if set out in full in this application. The undersigned, individually and for the applicant, hereby certifies that all statements made in this application and in all attached exhibits are true, complete and correct to the best of his or her knowledge and belief, and are made in good faith.

4. Applicant is a (an): (Choose the button next to app	plicable response.)	
o Individual		
Unincorporated Association		
Partnership		
Corporation		
Governmental Entity		
Other (please specify)		
-		
		_
45. Name of Person Signing	46. Title of Person Signing	
Greg Handermann	SVP & CTO	
>	<u> </u>	

WILLFUL FALSE STATEMENTS MADE ON THIS FORM ARE PUNISHABLE BY FINE AND / OR IMPRISONMENT (U.S. Code, Title 18, Section 1001), AND/OR REVOCATION OF ANY STATION AUTHORIZATION (U.S. Code, Title 47, Section 312(a)(1)), AND/OR FORFEITURE (U.S. Code, Title 47, Section 503).

SATELLITE EARTH STATION AUTHORIZATIONS FCC Form 312 – Schedule B:(Technical and Operational Description) FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier: MSAT 1&2 -- E5. Call Sign: E090027

T&P

E2: Contact Name Greg Handermann E6. Phone 240–686–3300

Number:

E3. Street: 20430 Century E7. City: Germantown

Boulevard

E8. County: Montgomery

E4. State MD E9. Zip Code 20874

E10. Area of Operation: U.S. Territories & Possessions in the Footprint of the Satellite

E11. Latitude: 0 °0 '0.0 "

E12. Longitude: 0 °0 '0.0 "

E13. Lat/Lon Coordinates are: NAD-27 NAD-83 N/A

E14. Site Elevation (AMSL): 0.0 meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two–degree spacing policy.	O Yes O No ⊗ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes O No O N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	• Yes • No
	T
E18. Is frequency coordination required? If YES, attach a frequency coordination report as	O Yes O No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	O Yes O No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	Yes No
POINTS OF COMMUNICATION	.1
Satellite Name: MSAT-2 MSAT-2 100.95 W.L If you selected OTHER, please enter the following:	

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

Satellite Name: MSAT-1 MSAT-1 106.5 W.L.	If you selected OTHER, please enter the following:
E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna Gain Transmint and/or Recieve (dBi atGHz)
MSAT 1&2 T&P	1-2010/INT	0	SCI Systems	MT-2010 internal	0.15	2.9 dBi at 1.545
MSAT 1&2 T&P	1-2010/INT	0	SCI Systems	MT-2010 internal	0.15	2.9 dBi at 1.645
MSAT 1&2 T&P	2-2010/EXT	0	Sensor Systems	S65-8582-101	0.15	4.3 dBi at 1.545
MSAT 1&2 T&P	2-2010/EXT	0	Sensor Systems	S65-8582-101	0.15	4.8 dBi at 1.645
MSAT 1&2 T&P	2-2011/EXT	0	Sensor Systems	S65-8582-101	0.15	4.3 dBi at 1.545

MSAT 1&2 T&P	2–2011/EXT	0	Sensor Systems	S65-8582-101	0.15	4.8 dBi at 1.645
MSAT 1&2 T&P	3-2010/EXT	0	SCI Systems	MT-2010- external	0.06	4.0 dBi at 1.545
MSAT 1&2 T&P	3-2010/EXT	0	SCI Systems	MT-2010- external	0.06	4.0 dBi at 1.645
MSAT 1&2 T&P	4-2010/INT	0	SCI Systems	MT-2010 rl internal	0.15	5.0 dBi at 1.545
MSAT 1&2 T&P	4-2010/INT	0	SCI Systems	MT-2010 rl internal	0.15	5.0 dBi at 1.645
MSAT 1&2 T&P	5-202/EXT	0	Sensor Systems	S65-8282-301	0.27	3.5 dBi at 1.545
MSAT 1&2 T&P	5-202/EXT	0	Sensor Systems	S65-8282-301	0.27	3.9 dBi at 1.645
MSAT 1&2 T&P	5-203/EXT	0	Sensor Systems	S65-8282-301	0.27	3.5 dBi at 1.545
MSAT 1&2 T&P	5-203/EXT	0	Sensor Systems	S65-8282-301	0.27	3.9 dBi at 1.645
MSAT 1&2 T&P	5-2011/EXT	0	Sensor Systems	S65-8282-301	0.27	3.5 dBi at 1.545
MSAT 1&2 T&P	5-2011/EXT	0	Sensor Systems	S65-8282-301	0.27	3.9 dBi at 1.645
MSAT 1&2 T&P	5-2012/EXT	0	Sensor Systems	S65-8282-301	0.27	3.5 dBi at 1.545
MSAT 1&2 T&P	5-2012/EXT	0	Sensor Systems	S65-8282-301	0.27	3.9 dBi at 1.645
MSAT 1&2 T&P	6–2011/INT	0	PCTel	3481IZ-3	0.18	3.7 dBi at 1.545

MSAT 1&2 T&P	6-2011/INT	0	PCTel	3481IZ-3	0.18	3.7 dBi at 1.645
MSAT 1&2 T&P	6-2012/INT	0	PCTel	3481IZ-3	0.18	3.7 dBi at 1.545
MSAT 1&2 T&P	6-2012/INT	0	PCTel	3481IZ-3	0.18	3.7 dBi at 1.645
MSAT 1&2 T&P	6-203/INT	0	PCTel	3481IZ-3	0.18	3.7 dBi at 1.545
MSAT 1&2 T&P	6-203/INT	0	PCTel	3481IZ-3	0.18	3.7 dBi at 1.645
MSAT 1&2 T&P	7–2011/INT	0	PCTel	3491IZ-3	0.18	6.0 dBi at 1.545
MSAT 1&2 T&P	7–2011/INT	0	PCTel	3491IZ-3	0.18	6.0 dBi at 1.645
MSAT 1&2 T&P	7–2012/INT	0	PCTel	3491IZ-3	0.18	6.0 dBi at 1.545
MSAT 1&2 T&P	7–2012/INT	0	PCTel	3491IZ-3	0.18	6.0 dBi at 1.645
MSAT 1&2 T&P	8-203/EXT	0	PCTel	3561AW-1/A	0.19	3.7 dBi at 1.545
MSAT 1&2 T&P	8-203/EXT	0	PCTel	3561AW-1/A	0.19	3.7 dBi at 1.645

Id	Diameter		, ,	Height Above Ground Level	Input Power at antenna flange	E39. Maximum Antenna Height Above Rooftop (meters)	EIRP for al
1-2010/INT	0.15/0.15	0.0	0.0	0.0	5.3	0.0	10.2

2-2010/EXT	0.15/0.15	0.0	0.0	0.0	5.3	0.0	12.1
2-2011/EXT	0.15/0.15	0.0	0.0	0.0	5.3	0.0	12.1
3-2010/EXT	0.06/0.06	0.0	0.0	0.0	5.3	0.0	11.3
4-2010/INT	0.15/0.15	0.0	0.0	0.0	5.3	0.0	12.3
5-202/EXT	0.27/0.27	0.0	0.0	0.0	5.3	0.0	11.2
5-203/EXT	0.27/0.27	0.0	0.0	0.0	5.3	0.0	11.2
5-2011/EXT	0.27/0.27	0.0	0.0	0.0	5.3	0.0	11.2
5-2012/EXT	0.27/0.27	0.0	0.0	0.0	5.3	0.0	11.2
6-2011/INT	0.18/0.18	0.0	0.0	0.0	5.3	0.0	11.0
6-2012/INT	0.18/0.18	0.0	0.0	0.0	5.3	0.0	11.0
6-203/INT	0.18/0.18	0.0	0.0	0.0	5.3	0.0	11.0
7-2011/INT	0.18/0.18	0.0	0.0	0.0	5.3	0.0	13.3
7-2012/INT	0.18/0.18	0.0	0.0	0.0	5.3	0.0	13.3
8-203/EXT	0.19/0.19	0.0	0.0	0.0	5.3	0.0	11.0

FREQUENCY

	E43/44. Frequency Bands (MHz)	E45. T/R Mode			EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
1-2010/INT	1545.0 1559.0	R	Right Hand Circular	168KG1D	0.0	0.0

E50. Modulation	and Services (If the	ne complete description	on does not appear in	this box, please go t	o the end of the form	to view it in its			
entirety.)									
DSSS, BPSK	21,094 to 84	.,375 CPS, Data	, Marine & Lan	d Mobile					
1-2010/INT	1631.5 1645.5	Т	Right Hand Circular	168KG1D	10.2	4.4			
E50. Modulation entirety.)	and Services (If the	ne complete description	on does not appear in	this box, please go t	o the end of the form	to view it in its			
DSSS, BPSK	DSSS, BPSK, 21,094 to 84,375 CPS, Data, Marine & Land Mobile								
1-2010/INT	1646.5 1660.5	Т	Right Hand Circular	168KG1D	10.2	4.4			
E50. Modulation entirety.)	and Services (If the	ne complete description	on does not appear in	this box, please go t	o the end of the form	to view it in its			
DSSS, BPSK, 21,094 to 84,375 CPS, Data, Marine & Land Mobile									
1-2010/INT	1530.00 1544.00	R	Right Hand Circular	168KG1D	0.0	0.0			

E50. Modulation entirety.)	and Services (If the	ne complete descripti	on does not appear in	this box, please go	to the end of the form	to view it in its
DSSS, BPSK	2, 21,094 to 84	1,375 CPS, Data	a, Marine & Lar	nd Mobile		
2-2010/EXT	1530.0 1544.0	R	Right Hand Circular	168KG1D	0.0	0.0
E50. Modulation entirety.)	and Services (If the	he complete descripti	on does not appear in	this box, please go	to the end of the form	to view it in its
DSSS, BPSK	z, 21,094 to 84	1,375 CPS, Data	a, Aeronautical	L		
2-2010/EXT	1545.0 1559.0	R	Right Hand Circular	168KG1D	0.0	0.0
E50. Modulation entirety.)	and Services (If the	he complete descripti	on does not appear in	this box, please go	to the end of the form	to view it in its
DSSS, BPSK	Z, 21,094 to 84	1,375 CPS, Data	a, Aeronautical			
2-2010/EXT	1631.5 1645.5	Т	Right Hand Circular	168KG1D	12.1	6.3

E50. Modulation entirety.)	and Services (If the	e complete description	on does not appear in	this box, please go to	o the end of the form	to view it in its
DSSS, BPSK	, 21,094 to 84	,375 CPS, Data	, Aeronautical			
2-2010/EXT	1646.5 1660.5	Т	Right Hand Circular	168KG1D	12.1	6.3
E50. Modulation entirety.) DSSS, BPSK	and Services (If the particular of the particula				o the end of the form	to view it in its
2-2011/EXT	1530.0 1544.0	R	Right Hand Circular	168KG1D	0.0	0.0
E50. Modulation entirety.)	and Services (If the	e complete description	on does not appear in	this box, please go to	o the end of the form	to view it in its
DSSS, BPSK	, 21,094 to 84	,375 CPS, Data	, Aeronautical			
2-2011/EXT	1545.0 1559.0	R	Right Hand Circular	168KG1D	0.0	0.0

E50. Modulatio entirety.)	n and Services (If	the complete de	scription does not appear	r in this box, please	go to the end of t	the form to view it in its
DSSS, BPS	K, 21,094 to 8	4,375 CPS,	Data, Aeronautic	al		
2-2011/EXT	1631.5 1645.5	Т	Right Hand Circular	168KG1D	12.1	6.3
E50. Modulation entirety.)	n and Services (If	the complete de	scription does not appear	r in this box, please	go to the end of t	the form to view it in its
DSSS, BPS	K, 21,094 to 8	4,375 CPS,	Data, Aeronautio	al		
2-2011/EXT	1646.5 1660.5	Т	Right Hand Circular	168KG1D	12.1	6.3
E50. Modulatio entirety.)	n and Services (If	the complete de	scription does not appear	r in this box, please	go to the end of t	the form to view it in its
DSSS, BPS	K, 21,094 to 8	4,375 CPS,	Data, Aeronautio	al		
3-2010/EXT	1530.0 1544.0	R	Right Hand Circular	168KG1D	0.0	0.0

E50. Modulation entirety.)	and Services (If the	ne complete descripti	on does not appear in	this box, please go	to the end of the form	to view it in its
DSSS, BPSK	C, 21,094 to 84	1,375 CPS, Data	, Marine & Lar	nd Mobile		
3-2010/EXT	1545.0 1559.0	R	Right Hand Circular	168KG1D	0.0	0.0
E50. Modulation entirety.)	and Services (If the	ne complete descripti	on does not appear in	this box, please go	to the end of the form	to view it in its
DSSS, BPSK	Z, 21,094 to 84	1,375 CPS, Data	, Marine & Lar	nd Mobile		
3-2010/EXT	1631.5 1645.5	Т	Right Hand Circular	168KG1D	11.3	5.5
E50. Modulation entirety.)	and Services (If the	ne complete descripti	on does not appear in	this box, please go	to the end of the form	to view it in its
DSSS, BPSK	C, 21,094 to 84	1,375 CPS, Data	, Marine & Lar	nd Mobile		
3-2010/EXT	1646.5 1660.5	Т	Right Hand Circular	168KG1D	11.3	5.5

E50. Modulation entirety.)	and Services (If t	he complete descripti	on does not appear in	n this box, please go	to the end of the form	to view it in its
T	K, 21,094 to 84	4,375 CPS, Data	a, Marine & La	nd Mobile		
4–2010/INT	1530.0 1544.0	R	Right Hand Circular	168KG1D	0.0	0.0
E50. Modulation entirety.)	a and Services (If t	he complete descripti	on does not appear in	n this box, please go	to the end of the form	to view it in its
DSSS, BPSM	K, 21,094 to 84	4,375 CPS, Data	a, Marine & La	nd Mobile		
4–2010/INT	1545.0 1559.0	R	Right Hand Circular	168KG1D	0.0	0.0
E50. Modulation entirety.)	and Services (If t	he complete descripti	ion does not appear in	n this box, please go	to the end of the form	to view it in its
DSSS, BPSK	C, 21,094 to 8 ⁴	4,375 CPS, Data	a, Marine & La	nd Mobile		
4–2010/INT	1631.5 1645.5	Т	Right Hand Circular	168KG1D	12.3	6.5

E50. Modulation entirety.)	n and Services (If	the complete descrip	otion does not appea	r in this box, please	go to the end of t	the form to view it in its
DSSS, BPS	K, 21,094 to 8	4,375 CPS, Dat	ca, Marine & I	Land Mobile		
4–2010/INT	1646.5 1660.5	Т	Right Hand Circular	168KG1D	12.3	6.5
E50. Modulation entirety.)	n and Services (If	the complete descrip	otion does not appea	r in this box, please	go to the end of t	the form to view it in its
DSSS, BPS	K, 21,094 to 8	34,375 CPS, Dat	ca, Marine & I	Land Mobile		
5-202/EXT	1530.0 1544.0	R	Right Hand Circular	168KG1D	0.0	0.0
E50. Modulation entirety.)	n and Services (If	the complete descrip	otion does not appear	r in this box, please	go to the end of t	the form to view it in its
DSSS, BPS	K, 21,094 to 8	4,375 CPS, Dat	ta, Aeronautio	cal		
5-202/EXT	1545.0 1559.0	R	Right Hand Circular	168KG1D	0.0	0.0

E50. Modulation entirety.)	on and Services (If the complete d	lescription does not appear	r in this box, please	go to the end of t	he form to view it in its
DSSS, BPS	SK, 21,094 to	84,375 CPS,	, Data, Aeronautic	al		
5-202/EXT	1631.5 1645.5	Т	Right Hand Circular	168KG1D	11.2	5.4
E50. Modulation entirety.)	on and Services (If the complete d	lescription does not appear	r in this box, please	go to the end of t	he form to view it in its
DSSS, BPS	SK, 21,094 to	84,375 CPS,	, Data, Aeronautic	al		
5-202/EXT	1646.5 1660.5	Т	Right Hand Circular	168KG1D	11.2	5.4
E50. Modulation entirety.)	on and Services (If the complete d	lescription does not appear	r in this box, please	go to the end of t	the form to view it in its
DSSS, BPS	SK, 21,094 to	84,375 CPS,	, Data, Aeronautic	al		
5-203/EXT	1530.0 1544.0	R	Right Hand Circular	168KG1D	0.0	0.0

E50. Modulation entirety.)	n and Services (If the	he complete descripti	on does not appear in	this box, please go	to the end of the form	to view it in its
DSSS, BPS	K, 21,094 to 84	1,375 CPS, Data	a, Aeronautical			
5-203/EXT	1545.0 1559.0	R	Right Hand Circular	168KG1D	0.0	0.0
E50. Modulation entirety.)	n and Services (If the	he complete descripti	on does not appear in	n this box, please go t	to the end of the form	to view it in its
DSSS, BPSH	X, 21,094 to 84	1,375 CPS, Data	a, Aeronautical	L		
5-203/EXT	1631.5 1645.5	Т	Right Hand Circular	168KG1D	11.2	5.4
E50. Modulation entirety.)	n and Services (If the	he complete descripti	on does not appear in	this box, please go t	to the end of the form	to view it in its
DSSS, BPSI	X, 21,094 to 84	1,375 CPS, Data	a, Aeronautical			
5-203/EXT	1646.5 1660.5	Т	Right Hand Circular	168KG1D	11.2	5.4

E50. Modulation entirety.)	and Services (If t	he complete descripti	ion does not appear i	n this box, please go	to the end of the form	to view it in its
DSSS, BPSK	K, 21,094 to 8	4,375 CPS, Data	a, Aeronautica	1		
5-2011/EXT	1530.0 1544.0	R	Right Hand Circular	168KG1D	0.0	0.0
E50. Modulation entirety.)	a and Services (If t	he complete descripti	ion does not appear i	n this box, please go	to the end of the form	to view it in its
DSSS, BPSK	K, 21,094 to 8	4,375 CPS, Data	a, Aeronautica	1		
5-2011/EXT	1545.0 1559.0	R	Right Hand Circular	168KG1D	0.0	0.0
E50. Modulation entirety.)	and Services (If t	he complete descripti	ion does not appear i	n this box, please go	to the end of the form	to view it in its
DSSS, BPSK	Z, 21,094 to 8	4,375 CPS, Data	a, Aeronautica	1		
5-2011/EXT	1631.5 1645.5	Т	Right Hand Circular	168KG1D	11.2	5.4

E50. Modulation entirety.)	on and Services (I	f the complete d	lescription does not appear	in this box, please	go to the end of t	the form to view it in its
DSSS, BPS	K, 21,094 to	84,375 CPS,	, Data, Aeronautic	al		
5-2011/EXT	1646.5 1660.5	Т	Right Hand Circular	168KG1D	11.2	5.4
E50. Modulation entirety.)	on and Services (I	f the complete d	lescription does not appear	in this box, please	go to the end of t	the form to view it in its
DSSS, BPS	EK, 21,094 to	84,375 CPS	, Data, Aeronautic	al		
5-2012/EXT	1530.0 1544.0	R	Right Hand Circular	168KG1D	0.0	0.0
E50. Modulation entirety.)	on and Services (I	f the complete d	lescription does not appear	in this box, please	go to the end of t	the form to view it in its
DSSS, BPS	K, 21,094 to	84,375 CPS	, Data, Aeronautic	al		
5-2012/EXT	1545.0 1559.0	R	Right Hand Circular	168KG1D	0.0	0.0

E50. Modulation entirety.)	on and Services (If the complete d	escription does not appea	r in this box, please	go to the end of t	the form to view it in its
DSSS, BPS	SK, 21,094 to	84,375 CPS,	Data, Aeronautio	cal		
5-2012/EXT	1631.5 1645.5	Т	Right Hand Circular	168KG1D	11.2	5.4
E50. Modulation entirety.)	on and Services (If the complete d	escription does not appea	r in this box, please	go to the end of t	the form to view it in its
DSSS, BPS	SK, 21,094 to	84,375 CPS,	Data, Aeronautio	cal		
5-2012/EXT	1646.5 1660.5	Т	Right Hand Circular	168KG1D	11.2	5.4
E50. Modulation entirety.)	on and Services (If the complete d	escription does not appea	r in this box, please	go to the end of t	the form to view it in its
DSSS, BPS	SK, 21,094 to	84,375 CPS,	Data, Aeronautio	cal		
6-2011/INT	1530.0 1544.0	R	Right Hand Circular	168KG1D	0.0	0.0

E50. Modulation entirety.)	on and Services (If the complete d	escription does not appea	r in this box, please	go to the end of t	he form to view it in its
DSSS, BPS	SK, 21,094 to	84,375 CPS,	Data, Marine & I	and Mobile		
6-2011/INT	1545.0 1559.0	R	Right Hand Circular	168KG1D	0.0	0.0
E50. Modulation entirety.)	on and Services (If the complete d	escription does not appea	r in this box, please	go to the end of t	he form to view it in its
DSSS, BPS	SK, 21,094 to	84,375 CPS,	Data, Marine & I	and Mobile		
6–2011/INT	1631.5 1645.5	Т	Right Hand Circular	168KG1D	11.0	5.2
E50. Modulation entirety.)	on and Services (If the complete d	escription does not appea	r in this box, please	go to the end of t	he form to view it in its
DSSS, BPS	SK, 21,094 to	84,375 CPS,	Data, Marine & I	and Mobile		
6–2011/INT	1646.5 1660.5	Т	Right Hand Circular	168KG1D	11.0	5.2

E50. Modulation entirety.)	and Services (If the	ne complete description	on does not appear in	this box, please go to	o the end of the form	to view it in its	
DSSS, BPSK	z, 21,094 to 84	,375 CPS, Data	, Marine & Lan	d Mobile			
6-2012/INT	1530.0 1544.0	R	Right Hand Circular	168KG1D	0.0	0.0	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) DSSS, BPSK, 21,094 to 84,375 CPS, Data, Marine & Land Mobile							
6-2012/INT	1545.0 1559.0	R	Right Hand Circular	168KG1D	0.0	0.0	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) DSSS, BPSK, 21,094 to 84,375 CPS, Data, Marine & Land Mobile							
6-2012/INT	1631.5 1645.5	Т	Right Hand Circular	168KG1D	11.0	5.2	

E50. Modulation entirety.)	and Services (If the	e complete description	on does not appear in	this box, please go to	o the end of the form	to view it in its	
	, 21,094 to 84	,375 CPS, Data	, Marine & Lan	d Mobile			
6-2012/INT	1646.5 1660.5	Т	Right Hand Circular	168KG1D	11.0	5.2	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) DSSS, BPSK, 21,094 to 84,375 CPS, Data, Marine & Land Mobile							
6-203/INT	1530.0 1544.0	R	Right Hand Circular	168KG1D	0.0	0.0	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)							
DSSS, BPSK, 21,094 to 84,375 CPS, Data, Marine & Land Mobile							
6-203/INT	1545.0 1559.0	R	Right Hand Circular	168KG1D	0.0	0.0	

E50. Modulation entirety.)	and Services (If the	ne complete descripti	on does not appear in	this box, please go t	to the end of the form	to view it in its	
	, 21,094 to 84	,375 CPS, Data	ı, Marine & Lar	nd Mobile			
6-203/INT	1631.5 1645.5	Т	Right Hand Circular	168KG1D	11.0	5.2	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) DSSS, BPSK, 21,094 to 84,375 CPS, Data, Marine & Land Mobile							
6-203/INT	1646.5 1660.5	Т	Right Hand Circular	168KG1D	11.0	5.2	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) DSSS, BPSK, 21,094 to 84,375 CPS, Data, Marine & Land Mobile							
7–2011/INT	1530.0 1544.0	R	Right Hand Circular	168KG1D	0.0	0.0	

E50. Modulation entirety.)	n and Services (If the	he complete descripti	on does not appear ir	n this box, please go	to the end of the form	to view it in its	
DSSS, BPSF	K, 21,094 to 84	1,375 CPS, Data	a, Marine & Lar	nd Mobile			
7–2011/INT	1545.0 1559.0	R	Right Hand Circular	168KG1D	0.0	0.0	
E50. Modulation entirety.)	and Services (If the	he complete descripti	on does not appear ir	this box, please go	to the end of the form	to view it in its	
DSSS, BPSK, 21,094 to 84,375 CPS, Data, Marine & Land Mobile							
7–2011/INT	1631.5 1645.5	Т	Right Hand Circular	168KG1D	13.3	7.5	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)							
DSSS, BPSK, 21,094 to 84,375 CPS, Data, Marine & Land Mobile							
7–2011/INT	1646.5 1660.5	Т	Right Hand Circular	168KG1D	13.3	7.5	

E50. Modulation entirety.)	and Services (If t	he complete descripti	ion does not appear i	n this box, please go	to the end of the form	to view it in its	
T .	K, 21,094 to 84	4,375 CPS, Data	a, Marine & La	nd Mobile			
7–2012/INT	1530.0 1544.0	R	Right Hand Circular	168KG1D	0.0	0.0	
E50. Modulation entirety.)					to the end of the form	to view it in its	
DSSS, BPSK, 21,094 to 84,375 CPS, Data, Marine & Land Mobile							
7–2012/INT	1545.0 1559.0	R	Right Hand Circular	168KG1D	0.0	0.0	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)							
DSSS, BPSK, 21,094 to 84,375 CPS, Data, Marine & Land Mobile							
7–2012/INT	1631.5 1645.5	Т	Right Hand Circular	168KG1D	13.3	7.5	

E50. Modulation entirety.)	n and Services (If t	he complete descripti	on does not appear in	n this box, please go	to the end of the form	n to view it in its
DSSS, BPSI	X, 21,094 to 8	4,375 CPS, Data	a, Marine & Lan	nd Mobile		
7–2012/INT	1646.5 1660.5	Т	Right Hand Circular	168KG1D	13.3	7.5
E50. Modulation entirety.)	n and Services (If t	he complete descripti	on does not appear in	n this box, please go	to the end of the form	n to view it in its
DSSS, BPSI	X, 21,094 to 8	4,375 CPS, Data	a, Marine & Lam	nd Mobile		
8-203/EXT	1530.0 1544.0	R	Right Hand Circular	168KG1D	0.0	0.0
E50. Modulation entirety.)	n and Services (If t	he complete descripti	on does not appear in	n this box, please go	to the end of the form	n to view it in its
DSSS, BPSI	X, 21,094 to 8	4,375 CPS, Data	a, Marine & Lan	nd Mobile		
8-203/EXT	1545.0 1559.0	R	Right Hand Circular	168KG1D	0.0	0.0

ntirety.)	ion and Services	(If the complete d	escription does not appea	ar in this box, please	go to the end of the	ne form to view it in its
DSSS, BF	SK, 21,094 to	84,375 CPS,	Data, Marine & I	Land Mobile		
203/EXT	1631.5 1645.5	Т	Right Hand Circular	168KG1D	11.0	5.2
irety.)		· •	escription does not appea Data, Marine & I		go to the end of the	ne form to view it in its
-203/EXT	1646.5	Т	Right Hand	168KG1D	11.0	5.2
203/EXT	1646.5 1660.5	Т	Right Hand Circular	168KG1D	11.0	5.2
E50. Modulat	1660.5 ion and Services	(If the complete d	1 0	ar in this box, please		

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/West ern Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
1-2010/INT	Geostationary	1530.0 1544.0	100.95/106.5	0.0	0.0	0.0	0.0	0.0
	Geostationary	1545.0 1559.0	100.95/106.5	0.0	0.0	0.0	0.0	0.0
	Geostationary	1631.5 1645.5	100.95/106.5	0.0	0.0	0.0	0.0	-1.0
	Geostationary	1646.5 1660.5	100.95/106.5	0.0	0.0	0.0	0.0	-1.0
2-2010/EXT	Geostationary	1530.0 1544.0	100.95/106.5	0.0	0.0	0.0	0.0	0.0
	Geostationary	1545.0 1559.0	100.95/106.5	0.0	0.0	0.0	0.0	0.0
	Geostationary	1631.5 1645.5	100.95/106.5	0.0	0.0	0.0	0.0	1.5
	Geostationary	1646.5 1660.5	100.95/106.5	0.0	0.0	0.0	0.0	1.5
2-2011/EXT	Geostationary	1530.0 1544.0	100.95/106.5	0.0	0.0	0.0	0.0	0.0
	Geostationary	1545.0 1559.0	100.95/106.5	0.0	0.0	0.0	0.0	0.0
	Geostationary	1631.5 1645.5	100.95/106.5	0.0	0.0	0.0	0.0	1.5

	Geostationary	1646.5 1660.5	100.95/106.5	0.0	0.0	0.0	0.0	1.5
3-2010/EXT	Geostationary	1530.0 1544.0	100.95/106.5	0.0	0.0	0.0	0.0	0.0
	Geostationary	1545.0 1559.0	100.95/106.5	0.0	0.0	0.0	0.0	0.0
	Geostationary	1631.5 1645.5	100.95/106.5	0.0	0.0	0.0	0.0	-1.0
	Geostationary	1646.5 1660.5	100.95/106.5	0.0	0.0	0.0	0.0	-1.0
4-2010/INT	Geostationary	1530.0 1544.0	100.95/106.5	0.0	0.0	0.0	0.0	0.0
	Geostationary	1545.0 1559.0	100.95/106.5	0.0	0.0	0.0	0.0	0.0
	Geostationary	1631.5 1645.5	100.95/106.5	0.0	0.0	0.0	0.0	-1.0
	Geostationary	1646.5 1660.5	100.95/106.5	0.0	0.0	0.0	0.0	-1.0
5-202/EXT	Geostationary	1530.0 1544.0	100.95/106.5	0.0	0.0	0.0	0.0	0.0
	Geostationary	1545.0 1559.0	100.95/106.5	0.0	0.0	0.0	0.0	0.0
	Geostationary	1631.5 1645.5	100.95/106.5	0.0	0.0	0.0	0.0	1.9
	Geostationary	1646.5 1660.5	100.95/106.5	0.0	0.0	0.0	0.0	1.9
5-203/EXT	Geostationary	1530.0 1544.0	100.95/106.5	0.0	0.0	0.0	0.0	0.0

	Geostationary	1545.0 1559.0	100.95/106.5	0.0	0.0	0.0	0.0	0.0
	Geostationary	1631.5 1645.5	100.95/106.5	0.0	0.0	0.0	0.0	1.9
	Geostationary	1646.5 1660.5	100.95/106.5	0.0	0.0	0.0	0.0	1.9
5-2011/EXT	Geostationary	1530.0 1544.0	100.95/106.5	0.0	0.0	0.0	0.0	0.0
	Geostationary	1545.0 1559.0	100.95/106.5	0.0	0.0	0.0	0.0	0.0
	Geostationary	1631.5 1645.5	100.95/106.5	0.0	0.0	0.0	0.0	1.9
	Geostationary	1646.5 1660.5	100.95/106.5	0.0	0.0	0.0	0.0	1.9
5-2012/EXT	Geostationary	1530.0 1544.0	100.95/106.5	0.0	0.0	0.0	0.0	0.0
	Geostationary	1545.0 1559.0	100.95/106.5	0.0	0.0	0.0	0.0	0.0
	Geostationary	1631.5 1645.5	100.95/106.5	0.0	0.0	0.0	0.0	1.9
	Geostationary	1646.5 1660.5	100.95/106.5	0.0	0.0	0.0	0.0	1.9
6-2011/INT	Geostationary	1530.0 1544.0	100.95/106.5	0.0	0.0	0.0	0.0	0.0
	Geostationary	1545.0 1559.0	100.95/106.5	0.0	0.0	0.0	0.0	0.0
	Geostationary	1631.5 1645.5	100.95/106.5	0.0	0.0	0.0	0.0	-1.0

	Geostationary	1646.5 1660.5	100.95/106.5	0.0	0.0	0.0	0.0	-1.0
6-2012/INT	Geostationary	1530.0 1544.0	100.95/106.5	0.0	0.0	0.0	0.0	0.0
	Geostationary	1545.0 1559.0	100.95/106.5	0.0	0.0	0.0	0.0	0.0
	Geostationary	1631.5 1645.5	100.95/106.5	0.0	0.0	0.0	0.0	-1.0
	Geostationary	1646.5 1660.5	100.95/106.5	0.0	0.0	0.0	0.0	-1.0
6-203/INT	Geostationary	1530.0 1544.0	100.95/106.5	0.0	0.0	0.0	0.0	0.0
	Geostationary	1545.0 1559.0	100.95/106.5	0.0	0.0	0.0	0.0	0.0
	Geostationary	1631.5 1645.5	100.95/106.5	0.0	0.0	0.0	0.0	-1.0
	Geostationary	1646.5 1660.5	100.95/106.5	0.0	0.0	0.0	0.0	-1.0
7–2011/INT	Geostationary	1530.0 1544.0	100.95/106.5	0.0	0.0	0.0	0.0	0.0
	Geostationary	1545.0 1559.0	100.95/106.5	0.0	0.0	0.0	0.0	0.0
	Geostationary	1631.5 1645.5	100.95/106.5	0.0	0.0	0.0	0.0	-3.5
	Geostationary	1646.5 1660.5	100.95/106.5	0.0	0.0	0.0	0.0	-3.5
7–2012/INT	Geostationary	1530.0 1544.0	100.95/106.5	0.0	0.0	0.0	0.0	0.0

	Geostationary	1545.0 1559.0	100.95/106.5	0.0	0.0	0.0	0.0	0.0
	Geostationary	1631.5 1645.5	100.95/106.5	0.0	0.0	0.0	0.0	-3.5
	Geostationary	1646.5 1660.5	100.95/106.5	0.0	0.0	0.0	0.0	-3.5
8-203/EXT	Geostationary	1530.0 1544.0	100.95/106.5	0.0	0.0	0.0	0.0	0.0
	Geostationary	1545.0 1559.0	100.95/106.5	0.0	0.0	0.0	0.0	0.0
	Geostationary	1631.5 1645.5	100.95/106.5	0.0	0.0	0.0	0.0	-1.0
	Geostationary	1646.5 1660.5	100.95/106.5	0.0	0.0	0.0	0.0	-1.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the contro callsign for which this application is being filed.	E66. Phone Number 240–686–3389		
E62. Street Address 20430 Century Boulevard			
E63. City Germantown		E67/68. State/Country MD/ USA	E64. Zip Code 20874

SATELLITE EARTH STATION AUTHORIZATIONS

FCC Form 312 – Schedule B:(Technical and Operational Description) FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier: MSV-AK, HI, E5. Call Sign: E090027

T&P

E2: Contact Name Greg Handermann E6. Phone 240–686–3300

Number:

E3. Street: 20430 Century E7. City: Germantown

Boulevard

E8. County: Montgomery

E4. State MD E9. Zip Code 20874

E10. Area of Operation: AK, HI and US Territories & Possessions in the Footprint of the Satellite

E11. Latitude: 0 °0 '0.0 "

E12. Longitude: 0 °0 '0.0 "

E13. Lat/Lon Coordinates are: NAD-27 NAD-83 N/A

E14. Site Elevation (AMSL): 0.0 meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two–degree spacing policy.	O Yes	O No	● N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes	O No	● N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	⊗ Ye	s o	No
	•		
E18. Is frequency coordination required? If YES, attach a frequency coordination report as	O Yes	s 🔞	No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	O Yes	s 💿	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	O Yes	s 🐵	No
POINTS OF COMMUNICATION	-		
Satellite Name: MSV-1 MSV-1 101 W.L. If you selected OTHER, please enter the following:			

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna Gain Transmint and/or Recieve (dBi atGHz)	
MSV–AK, HI, T&P	1-2010/INT	0	SCI Systems	MT-2010 internal	0.15	2.9 dBi at 1.545	
MSV–AK, HI, T&P	1-2010/INT	0	SCI Systems	MT-2010 internal	0.15	2.9 dBi at 1.645	
MSV–AK, HI, T&P	2-2010/EXT	0	Sensor Systems	S65-8582-101	0.15	4.3 dBi at 1.545	
MSV–AK, HI, T&P	2-2010/EXT	0	Sensor Systems	S65-8582-101	0.15	4.8 dBi at 1.645	
MSV–AK, HI, T&P	2-2011/EXT	0	Sensor Systems	S65-8582-101	0.15	4.3 dBi at 1.545	
MSV–AK, HI, T&P	2-2011/EXT	0	Sensor Systems	S65-8582-101	0.15	4.8 dBi at 1.645	
MSV–AK, HI, T&P	3-2010/EXT	0	SCI Systems	MT-2010- external	0.06	4.0 dBi at 1.545	
MSV–AK, HI, T&P	3-2010/EXT	0	SCI Systems	MT-2010- external	0.06	4.0 dBi at 1.645	

MSV–AK, HI, T&P	4–2010/INT	0	SCI Systems	MT–2010 rl internal	0.15	5.0 dBi at 1.545
MSV–AK, HI, T&P	4–2010/INT	0	SCI Systems	MT–2010 rl internal	0.15	5.0 dBi at 1.645
MSV–AK, HI, T&P	5-202/EXT	0	Sensor Systems	S65-8282-301	0.27	3.5 dBi at 1.545
MSV-AK, HI, T&P	5-202/EXT	0	Sensor Systems	S65-8282-301	0.27	3.9 dBi at 1.645
MSV-AK, HI, T&P	5-203/EXT	0	Sensor Systems	S65-8282-301	0.27	3.5 dBi at 1.545
MSV-AK, HI, T&P	5-203/EXT	0	Sensor Systems	S65-8282-301	0.27	3.9 dBi at 1.645
MSV-AK, HI, T&P	5-2011/EXT	0	Sensor Systems	S65-8282-301	0.27	3.5 dBi at 1.545
MSV-AK, HI, T&P	5-2011/EXT	0	Sensor Systems	S65-8282-301	0.27	3.9 dBi at 1.645
MSV-AK, HI, T&P	5-2012/EXT	0	Sensor Systems	S65-8282-301	0.27	3.5 dBi at 1.545
MSV-AK, HI, T&P	5-2012/EXT	0	Sensor Systems	S65-8282-301	0.27	3.9 dBi at 1.645
MSV-AK, HI, T&P	6-2011/INT	0	PCTel	3481IZ-3	0.18	3.7 dBi at 1.545
MSV-AK, HI, T&P	6-2011/INT	0	PCTel	3481IZ-3	0.18	3.7 dBi at 1.645
MSV-AK, HI, T&P	6-2012/INT	0	PCTel	3481IZ-3	0.18	3.7 dBi at 1.545
MSV–AK, HI, T&P	6–2012/INT	0	PCTel	3481IZ-3	0.18	3.7 dBi at 1.645

MSV–AK, HI, T&P	6-203/INT	0	PCTel	3481IZ-3	0.18	3.7 dBi at 1.545
MSV–AK, HI, T&P	6-203/INT	0	PCTel	3481IZ-3	0.18	3.7 dBi at 1.645
MSV–AK, HI, T&P	7–2011/INT	0	PCTel	3491IZ-3	0.18	6.0 dBi at 1.545
MSV–AK, HI, T&P	7–2011/INT	0	PCTel	3491IZ-3	0.18	6.0 dBi at 1.645
MSV–AK, HI, T&P	7–2012/INT	0	PCTel	3491IZ-3	0.18	6.0 dBi at 1.545
MSV–AK, HI, T&P	7–2012/INT	0	PCTel	3491IZ-3	0.18	6.0 dBi at 1.645
MSV-AK, HI, T&P	8-203/EXT	0	PCTel	3561AW-1/A	0.19	3.7 dBi at 1.545
MSV–AK, HI, T&P	8-203/EXT	0	PCTel	3561AW-1/A	0.19	3.7 dBi at 1.645

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level(meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	Antenna Height	E40. Total EIRP for al carriers(dBW)
1-2010/INT	0.15/0.15	0.0	0.0	0.0	5.3	0.0	10.2
2-2010/EXT	0.15/0.15	0.0	0.0	0.0	5.3	0.0	12.1
2-2011/EXT	0.15/0.15	0.0	0.0	0.0	5.3	0.0	12.1
3-2010/EXT	0.06/0.06	0.0	0.0	0.0	5.3	0.0	11.3
4-2010/INT	0.15/0.15	0.0	0.0	0.0	5.3	0.0	12.3
5-202/EXT	0.27/0.27	0.0	0.0	0.0	5.3	0.0	11.2

5-203/EXT	0.27/0.27	0.0	0.0	0.0	5.3	0.0	11.2
5-2011/EXT	0.27/0.27	0.0	0.0	0.0	5.3	0.0	11.2
5-2012/EXT	0.27/0.27	0.0	0.0	0.0	5.3	0.0	11.2
6-2011/INT	0.18/0.18	0.0	0.0	0.0	5.3	0.0	11.0
6-2012/INT	0.18/0.18	0.0	0.0	0.0	5.3	0.0	11.0
6-203/INT	0.18/0.18	0.0	0.0	0.0	5.3	0.0	11.0
7-2011/INT	0.18/0.18	0.0	0.0	0.0	5.3	0.0	13.3
7-2012/INT	0.18/0.18	0.0	0.0	0.0	5.3	0.0	13.3
8-203/EXT	0.19/0.19	0.0	0.0	0.0	5.3	0.0	11.0

FREQUENCY

	E43/44. Frequency Bands (MHz)	E45. T/R Mode			EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
1-2010/INT	1530.0 1544.0	R	Right Hand Circular	168KG1D	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

DSSS, BPSK, 21,094 to 84,375 CPS, Data, Marine & Land Mobile

1-2010/INT	1545.0	R	Right Hand	168KG1D	0.0	0.0
	1559.0		Circular			

E50. Modulation entirety.)	on and Services (I	f the complete d	lescription does not appear	in this box, please	go to the end of t	the form to view it in its
DSSS, BPS	K, 21,094 to	84,375 CPS	, Data, Marine & L	and Mobile		
1-2010/INT	1631.5 1645.5	Т	Right Hand Circular	168KG1D	10.2	4.4
E50. Modulation entirety.)	on and Services (I	f the complete of	lescription does not appear	in this box, please	go to the end of t	the form to view it in its
DSSS, BPS	EK, 21,094 to	84,375 CPS	, Data, Marine & L	and Mobile		
1-2010/INT	1646.5 1660.5	Т	Right Hand Circular	168KG1D	10.2	4.4
E50. Modulation entirety.)	on and Services (I	f the complete d	lescription does not appear	in this box, please	go to the end of t	the form to view it in its
DSSS, BPS	K, 21,094 to	84,375 CPS	, Data, Marine & L	and Mobile		
2-2010/EXT	1530.0 1544.0	R	Right Hand Circular	168KG1D	0.0	0.0

E50. Modulation	and Services (If the	ne complete description	on does not appear in	this box, please go t	o the end of the form	to view it in its		
entirety.)								
DSSS, BPSK	, 21,094 to 84	,375 CPS, Data	., Aeronautical					
2-2010/EXT	1545.0 1559.0	R	Right Hand Circular	168KG1D	0.0	0.0		
E50. Modulation entirety.)	and Services (If the	ne complete description	on does not appear in	this box, please go t	o the end of the form	to view it in its		
DSSS, BPSK	, 21,094 to 84	,375 CPS, Data	., Aeronautical					
2-2010/EXT	1631.5 1645.5	Т	Right Hand Circular	168KG1D	12.1	6.3		
E50. Modulation entirety.)	and Services (If the	ne complete description	on does not appear in	this box, please go t	o the end of the form	to view it in its		
DSSS, BPSK, 21,094 to 84,375 CPS, Data, Aeronautical								
2-2010/EXT	1646.5 1660.5	Т	Right Hand Circular	168KG1D	12.1	6.3		

E50. Modulatio entirety.)	n and Services (f the complete d	lescription does not appear	in this box, please	go to the end of	the form to view it in its
DSSS, BPS	K, 21,094 to	84,375 CPS,	Data, Aeronautic	al		
2-2011/EXT	1530.0 1544.0	R	Right Hand Circular	168KG1D	0.0	0.0
E50. Modulatio entirety.)	n and Services (f the complete d	lescription does not appear	in this box, please	go to the end of	the form to view it in its
DSSS, BPS	K, 21,094 to	84,375 CPS,	Data, Aeronautic	al		
2-2011/EXT	1545.0 1559.0	R	Right Hand Circular	168KG1D	0.0	0.0
E50. Modulatio entirety.)	n and Services (1	f the complete d	lescription does not appear	in this box, please	go to the end of	the form to view it in its
DSSS, BPS	K, 21,094 to	84,375 CPS,	Data, Aeronautic	al		
2-2011/EXT	1631.5 1645.5	Т	Right Hand Circular	168KG1D	12.1	6.3

E50. Modulation entirety.)	and Services (If the	ne complete descripti	on does not appear in	this box, please go t	to the end of the form	to view it in its				
DSSS, BPSK	2, 21,094 to 84	,375 CPS, Data	a, Aeronautical	-						
2-2011/EXT	1646.5 1660.5	Т	Right Hand Circular	168KG1D	12.1	6.3				
E50. Modulation entirety.)	E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)									
DSSS, BPSK	Z, 21,094 to 84	.,375 CPS, Data	a, Aeronautical	-						
3-2010/EXT	1530.0 1544.0	R	Right Hand Circular	168KG1D	0.0	0.0				
E50. Modulation entirety.)	and Services (If the	ne complete descripti	on does not appear in	this box, please go t	to the end of the form	to view it in its				
DSSS, BPSK	Z, 21,094 to 84	1,375 CPS, Data	a, Marine & Lar	nd Mobile						
3-2010/EXT	1545.0 1559.0	R	Right Hand Circular	168KG1D	0.0	0.0				

E50. Modulation entirety.)	on and Services (I	f the complete d	lescription does not appear	in this box, please	go to the end of t	he form to view it in its
DSSS, BPS	K, 21,094 to	84,375 CPS	, Data, Marine & L	and Mobile		
3-2010/EXT	1631.5 1645.5	Т	Right Hand Circular	168KG1D	11.3	5.5
E50. Modulation entirety.)	on and Services (I	f the complete d	lescription does not appear	in this box, please	go to the end of t	he form to view it in its
DSSS, BPS	EK, 21,094 to	84,375 CPS	, Data, Marine & L	and Mobile		
3-2010/EXT	1646.5 1660.5	Т	Right Hand Circular	168KG1D	11.3	5.5
E50. Modulation entirety.)	on and Services (I	f the complete d	lescription does not appear	in this box, please	go to the end of t	the form to view it in its
DSSS, BPS	K, 21,094 to	84,375 CPS	, Data, Marine & L	and Mobile		
4–2010/INT	1530.0 1544.0	R	Right Hand Circular	168KG1D	0.0	0.0

E50. Modulation entirety.)	and Services (If the	ne complete description	on does not appear in	this box, please go t	to the end of the form	to view it in its
	1, 21,094 to 84	,375 CPS, Data	, Marine & Lan	d Mobile		
4–2010/INT	1545.0 1559.0	R	Right Hand Circular	168KG1D	0.0	0.0
E50. Modulation entirety.)	and Services (If the	ne complete descripti	on does not appear in	this box, please go t	to the end of the form	to view it in its
DSSS, BPSK	2, 21,094 to 84	,375 CPS, Data	, Marine & Lan	d Mobile		
4–2010/INT	1631.5 1645.5	Т	Right Hand Circular	168KG1D	12.3	6.5
E50. Modulation entirety.)	and Services (If the	ne complete description	on does not appear in	this box, please go t	to the end of the form	to view it in its
DSSS, BPSK	I, 21,094 to 84	,375 CPS, Data	, Marine & Lan	d Mobile		
4–2010/INT	1646.5 1660.5	Т	Right Hand Circular	168KG1D	12.3	6.5

E50. Modulation entirety.)	and Services (If t	he complete descripti	on does not appear in	this box, please go	to the end of the form	to view it in its
<u> </u>	K, 21,094 to 84	1,375 CPS, Data	a, Marine & Lar	nd Mobile		
5-202/EXT	1530.0 1544.0	R	Right Hand Circular	168KG1D	0.0	0.0
E50. Modulation entirety.)	and Services (If t	he complete descripti	on does not appear in	this box, please go	to the end of the form	to view it in its
DSSS, BPSK	(, 21,094 to 84	1,375 CPS, Data	a, Aeronautical	L		
5-202/EXT	1545.0 1559.0	R	Right Hand Circular	168KG1D	0.0	0.0
E50. Modulation entirety.)	and Services (If t	he complete descripti	on does not appear in	this box, please go	to the end of the form	to view it in its
DSSS, BPSK	X, 21,094 to 84	1,375 CPS, Data	a, Aeronautical	L		
5-202/EXT	1631.5 1645.5	Т	Right Hand Circular	168KG1D	11.2	5.4

E50. Modulation entirety.)	on and Services (I	f the complete d	lescription does not appear	in this box, please	go to the end of t	the form to view it in its
DSSS, BPS	SK, 21,094 to	84,375 CPS	, Data, Aeronautic	al		
5-202/EXT	1646.5 1660.5	Т	Right Hand Circular	168KG1D	11.2	5.4
E50. Modulation entirety.)	on and Services (I	f the complete d	lescription does not appear	in this box, please	go to the end of t	the form to view it in its
DSSS, BPS	SK, 21,094 to	84,375 CPS	, Data, Aeronautic	al		
5-203/EXT	1530.0 1544.0	R	Right Hand Circular	168KG1D	0.0	0.0
E50. Modulation entirety.)	on and Services (I	f the complete d	lescription does not appear	in this box, please	go to the end of t	the form to view it in its
DSSS, BPS	SK, 21,094 to	84,375 CPS	, Data, Aeronautic	al		
5-203/EXT	1545.0 1559.0	R	Right Hand Circular	168KG1D	0.0	0.0

E50. Modulation entirety.)	and Services (If	the complete de	scription does not appear	in this box, please	go to the end of t	he form to view it in	ı its
T	K, 21,094 to 8	4,375 CPS,	Data, Aeronautic	al			
5-203/EXT	1631.5 1645.5	Т	Right Hand Circular	168KG1D	11.2	5.4	
E50. Modulation entirety.) DSSS, BPSF			scription does not appear Data, Aeronautic		go to the end of t	he form to view it in	n its
5–203/EXT	1646.5 1660.5	Т	Right Hand Circular	168KG1D	11.2	5.4	
E50. Modulation entirety.)	and Services (If	the complete de	scription does not appear	in this box, please	go to the end of t	he form to view it in	n its
DSSS, BPSF	(, 21,094 to 8	4,375 CPS,	Data, Aeronautic	al			
5-2011/EXT	1530.0 1544.0	R	Right Hand Circular	168KG1D	0.0	0.0	

E50. Modulation entirety.)	and Services (If t	he complete descript	ion does not appear i	n this box, please go	to the end of the form	to view it in its
DSSS, BPSK	K, 21,094 to 84	1,375 CPS, Data	a, Aeronautica	1		
5-2011/EXT	1545.0 1559.0	R	Right Hand Circular	168KG1D	0.0	0.0
E50. Modulation entirety.)	and Services (If t	he complete descript	ion does not appear i	n this box, please go	to the end of the form	to view it in its
DSSS, BPSM	C, 21,094 to 84	1,375 CPS, Data	a, Aeronautica	1		
5-2011/EXT	1631.5 1645.5	Т	Right Hand Circular	168KG1D	11.2	5.4
E50. Modulation entirety.)	and Services (If t	he complete descript	ion does not appear i	n this box, please go	to the end of the form	to view it in its
DSSS, BPSK	Z, 21,094 to 84	4,375 CPS, Data	a, Aeronautica	1		
5-2011/EXT	1646.5 1660.5	Т	Right Hand Circular	168KG1D	11.2	5.4

E50. Modulation entirety.)	on and Services (If the complete d	escription does not appea	r in this box, please	go to the end of	the form to view it in its
DSSS, BPS	SK, 21,094 to	84,375 CPS,	Data, Aeronautic	al		
5-2012/EXT	1530.0 1544.0	R	Right Hand Circular	168KG1D	0.0	0.0
E50. Modulation entirety.)	on and Services (If the complete d	escription does not appea	r in this box, please	go to the end of	the form to view it in its
DSSS, BPS	SK, 21,094 to	84,375 CPS,	Data, Aeronautio	eal		
5-2012/EXT	1545.0 1559.0	R	Right Hand Circular	168KG1D	0.0	0.0
E50. Modulation entirety.)	on and Services (If the complete d	escription does not appea	r in this box, please	go to the end of	the form to view it in its
DSSS, BPS	SK, 21,094 to	84,375 CPS,	Data, Aeronautio	al		
5-2012/EXT	1631.5 1645.5	Т	Right Hand Circular	168KG1D	11.2	5.4

E50. Modulation entirety.)	and Services (If the	ne complete descripti	on does not appear in	this box, please go t	to the end of the form	to view it in its
DSSS, BPSK	2, 21,094 to 84	,375 CPS, Data	a, Aeronautical	-		
5-2012/EXT	1646.5 1660.5	Т	Right Hand Circular	168KG1D	11.2	5.4
E50. Modulation entirety.)	and Services (If the	ne complete descripti	on does not appear in	this box, please go t	to the end of the form	to view it in its
DSSS, BPSK	I, 21,094 to 84	1,375 CPS, Data	a, Aeronautical	-		
6-2011/INT	1530.0 1544.0	R	Right Hand Circular	168KG1D	0.0	0.0
E50. Modulation entirety.)	and Services (If the	ne complete descripti	on does not appear in	this box, please go t	to the end of the form	to view it in its
DSSS, BPSK	Z, 21,094 to 84	1,375 CPS, Data	a, Marine & Lar	nd Mobile		
6-2011/INT	1545.0 1559.0	R	Right Hand Circular	168KG1D	0.0	0.0

E50. Modulation entirety.)	and Services (If t	he complete descripti	on does not appear ir	this box, please go t	to the end of the form	to view it in its
DSSS, BPSK	C, 21,094 to 84	1,375 CPS, Data	a, Marine & Lar	nd Mobile		
6-2011/INT	1631.5 1645.5	Т	Right Hand Circular	168KG1D	11.0	5.2
E50. Modulation entirety.)	and Services (If t	he complete descripti	on does not appear ir	this box, please go t	to the end of the form	to view it in its
DSSS, BPSK	(, 21,094 to 84	1,375 CPS, Data	a, Marine & Lar	nd Mobile		
6-2011/INT	1646.5 1660.5	Т	Right Hand Circular	168KG1D	11.0	5.2
E50. Modulation entirety.)	and Services (If t	he complete descripti	on does not appear in	this box, please go t	to the end of the form	to view it in its
DSSS, BPSK	C, 21,094 to 84	1,375 CPS, Data	a, Marine & Lar	nd Mobile		
6-2012/INT	1530.0 1544.0	R	Right Hand Circular	168KG1D	0.0	0.0

E50. Modulation entirety.)	and Services (If t	he complete descripti	on does not appear ir	this box, please go	to the end of the form	to view it in its
T	K, 21,094 to 84	1,375 CPS, Data	a, Marine & Lar	nd Mobile		
6-2012/INT	1545.0 1559.0	R	Right Hand Circular	168KG1D	0.0	0.0
E50. Modulation entirety.)	and Services (If t	he complete descripti	on does not appear ir	this box, please go	to the end of the form	to view it in its
DSSS, BPSK	K, 21,094 to 84	1,375 CPS, Data	a, Marine & Lar	nd Mobile		
6-2012/INT	1631.5 1645.5	Т	Right Hand Circular	168KG1D	11.0	5.2
E50. Modulation entirety.)	and Services (If t	he complete descripti	on does not appear in	n this box, please go	to the end of the form	to view it in its
DSSS, BPSK	(, 21,094 to 84	1,375 CPS, Data	a, Marine & Lar	nd Mobile		
6-2012/INT	1646.5 1660.5	Т	Right Hand Circular	168KG1D	11.0	5.2

E50. Modulation entirety.)	on and Services	(If the complete d	lescription does not appea	r in this box, please	go to the end of t	the form to view it in its
DSSS, BP	SK, 21,094 to	84,375 CPS,	Data, Marine & I	and Mobile		
6-203/INT	1530.0 1544.0	R	Right Hand Circular	168KG1D	0.0	0.0
E50. Modulation entirety.)	on and Services	(If the complete d	lescription does not appea	r in this box, please	go to the end of t	the form to view it in its
DSSS, BP	SK, 21,094 to	84,375 CPS,	Data, Marine & I	and Mobile		
6-203/INT	1545.0 1559.0	R	Right Hand Circular	168KG1D	0.0	0.0
E50. Modulation entirety.)	on and Services	(If the complete d	description does not appea	r in this box, please	go to the end of t	the form to view it in its
DSSS, BP	SK, 21,094 to	84,375 CPS,	Data, Marine & I	and Mobile		
6-203/INT	1631.5 1645.5	Т	Right Hand Circular	168KG1D	11.0	5.2

E50. Modulation entirety.)	and Services (If	the complete descrip	tion does not appear	r in this box, please	go to the end of t	he form to view it in its	;
T	C, 21,094 to 8	4,375 CPS, Dat	a, Marine & I	and Mobile			
6-203/INT	1646.5 1660.5	Т	Right Hand Circular	168KG1D	11.0	5.2	
E50. Modulation entirety.) DSSS, BPSF		the complete descrip			go to the end of t	he form to view it in its	
7–2011/INT	1530.0 1544.0	R	Right Hand Circular	168KG1D	0.0	0.0	
E50. Modulation entirety.)	and Services (If	the complete descrip	tion does not appear	r in this box, please	go to the end of t	he form to view it in its	;
DSSS, BPSF	(, 21,094 to 8	4,375 CPS, Dat	a, Marine & I	and Mobile			
7–2011/INT	1545.0 1559.0	R	Right Hand Circular	168KG1D	0.0	0.0	

E50. Modulation entirety.)	on and Services (I	f the complete d	lescription does not appear	in this box, please	go to the end of t	he form to view it in its
DSSS, BPS	K, 21,094 to	84,375 CPS	, Data, Marine & L	and Mobile		
7–2011/INT	1631.5 1645.5	Т	Right Hand Circular	168KG1D	13.3	7.5
E50. Modulation entirety.)	on and Services (I	f the complete d	lescription does not appear	in this box, please	go to the end of t	he form to view it in its
DSSS, BPS	EK, 21,094 to	84,375 CPS	, Data, Marine & L	and Mobile		
7–2011/INT	1646.5 1660.5	Т	Right Hand Circular	168KG1D	13.3	7.5
E50. Modulation entirety.)	on and Services (1	f the complete d	lescription does not appear	in this box, please	go to the end of t	he form to view it in its
DSSS, BPS	K, 21,094 to	84,375 CPS	, Data, Marine & L	and Mobile		
7–2012/INT	1530.0 1544.0	R	Right Hand Circular	168KG1D	0.0	0.0

E50. Modulation	and Services (If the	ne complete description	on does not appear in	this box, please go to	o the end of the form	to view it in its
entirety.)						
DSSS, BPSK	, 21,094 to 84	,375 CPS, Data	, Marine & Lan	d Mobile		
7–2012/INT	1545.0 1559.0	R	Right Hand Circular	168KG1D	0.0	0.0
E50. Modulation entirety.)	and Services (If the	ne complete description	on does not appear in	this box, please go to	o the end of the form	to view it in its
DSSS, BPSK	, 21,094 to 84	,375 CPS, Data	, Marine & Lan	d Mobile		
7–2012/INT	1631.5 1645.5	Т	Right Hand Circular	168KG1D	13.3	7.5
E50. Modulation entirety.)	and Services (If the	ne complete description	on does not appear in	this box, please go to	o the end of the form	to view it in its
DSSS, BPSK	, 21,094 to 84	,375 CPS, Data	, Marine & Lan	d Mobile		
7–2012/INT	1646.5 1660.5	Т	Right Hand Circular	168KG1D	13.3	7.5

E50. Modulation entirety.)	and Services (If the	ne complete descripti	on does not appear in	this box, please go t	to the end of the form	to view it in its
	I, 21,094 to 84	,375 CPS, Data	, Marine & Lar	d Mobile		
8-203/EXT	1530.0 1544.0	R	Right Hand Circular	168KG1D	0.0	0.0
E50. Modulation entirety.)	and Services (If the	ne complete descripti	on does not appear in	this box, please go t	to the end of the form	to view it in its
DSSS, BPSK	I, 21,094 to 84	,375 CPS, Data	ı, Marine & Lar	d Mobile		
8-203/EXT	1545.0 1559.0	R	Right Hand Circular	168KG1D	0.0	0.0
E50. Modulation entirety.)	and Services (If the	ne complete descripti	on does not appear in	this box, please go t	to the end of the form	to view it in its
DSSS, BPSK	I, 21,094 to 84	.,375 CPS, Data	, Marine & Lar	d Mobile		
8-203/EXT	1631.5 1645.5	Т	Right Hand Circular	168KG1D	11.0	5.2

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

DSSS, BPSK, 21,094 to 84,375 CPS, Data, Marine & Land Mobile

8-203/EXT	1646.5	Т	Right Hand	168KG1D	11.0	5.2
	1660.5	•	Circular	10011012	11.0	5.2

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

DSSS, BPSK, 21,094 to 84,375 CPS, Data, Marine & Land Mobile

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/West ern Limit	Station Azimuth Angle	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
1-2010/INT	Geostationary	1530.0 1544.0	100.95/106.5	0.0	0.0	0.0	0.0	0.0
	Geostationary	1545.0 1559.0	100.95/106.5	0.0	0.0	0.0	0.0	0.0

	Geostationary	1631.5 1645.5	100.95/106.5	0.0	0.0	0.0	0.0	-1.0
	Geostationary	1646.5 1660.5	100.95/106.5	0.0	0.0	0.0	0.0	-1.0
2-2010/EXT	Geostationary	1530.0 1544.0	100.95/106.5	0.0	0.0	0.0	0.0	0.0
	Geostationary	1545.0 1559.0	100.95/106.5	0.0	0.0	0.0	0.0	0.0
	Geostationary	1631.5 1645.5	100.95/106.5	0.0	0.0	0.0	0.0	1.5
	Geostationary	1646.5 1660.5	100.95/106.5	0.0	0.0	0.0	0.0	1.5
2-2011/EXT	Geostationary	1530.0 1544.0	100.95/106.5	0.0	0.0	0.0	0.0	0.0
	Geostationary	1545.0 1559.0	100.95/106.5	0.0	0.0	0.0	0.0	0.0
	Geostationary	1631.5 1645.5	100.95/106.5	0.0	0.0	0.0	0.0	1.5
	Geostationary	1646.5 1660.5	100.95/106.5	0.0	0.0	0.0	0.0	1.5
3-2010/EXT	Geostationary	1530.0 1544.0	100.95/106.5	0.0	0.0	0.0	0.0	0.0
	Geostationary	1545.0 1559.0	100.95/106.5	0.0	0.0	0.0	0.0	0.0
	Geostationary	1631.5 1645.5	100.95/106.5	0.0	0.0	0.0	0.0	-1.0
	Geostationary	1646.5 1660.5	100.95/106.5	0.0	0.0	0.0	0.0	-1.0

4-2010/INT	Geostationary	1530.0 1544.0	100.95/106.5	0.0	0.0	0.0	0.0	0.0
	Geostationary	1545.0 1559.0	100.95/106.5	0.0	0.0	0.0	0.0	0.0
	Geostationary	1631.5 1645.5	100.95/106.5	0.0	0.0	0.0	0.0	-1.0
	Geostationary	1646.5 1660.5	100.95/106.5	0.0	0.0	0.0	0.0	-1.0
5-202/EXT	Geostationary	1530.0 1544.0	100.95/106.5	0.0	0.0	0.0	0.0	0.0
	Geostationary	1545.0 1559.0	100.95/106.5	0.0	0.0	0.0	0.0	0.0
	Geostationary	1631.5 1645.5	100.95/106.5	0.0	0.0	0.0	0.0	1.9
	Geostationary	1646.5 1660.5	100.95/106.5	0.0	0.0	0.0	0.0	1.9
5-203/EXT	Geostationary	1530.0 1544.0	100.95/106.5	0.0	0.0	0.0	0.0	0.0
	Geostationary	1545.0 1559.0	100.95/106.5	0.0	0.0	0.0	0.0	0.0
	Geostationary	1631.5 1645.5	100.95/106.5	0.0	0.0	0.0	0.0	1.9
	Geostationary	1646.5 1660.5	100.95/106.5	0.0	0.0	0.0	0.0	1.9
5-2011/EXT	Geostationary	1530.0 1544.0	100.95/106.5	0.0	0.0	0.0	0.0	0.0
	Geostationary	1545.0 1559.0	100.95/106.5	0.0	0.0	0.0	0.0	0.0

	Geostationary	1631.5 1645.5	100.95/106.5	0.0	0.0	0.0	0.0	1.9
	Geostationary	1646.5 1660.5	100.95/106.5	0.0	0.0	0.0	0.0	1.9
5-2012/EXT	Geostationary	1530.0 1544.0	100.95/106.5	0.0	0.0	0.0	0.0	0.0
	Geostationary	1545.0 1559.0	100.95/106.5	0.0	0.0	0.0	0.0	0.0
	Geostationary	1631.5 1645.5	100.95/106.5	0.0	0.0	0.0	0.0	1.9
	Geostationary	1646.5 1660.5	100.95/106.5	0.0	0.0	0.0	0.0	1.9
6-2011/INT	Geostationary	1530.0 1544.0	100.95/106.5	0.0	0.0	0.0	0.0	0.0
	Geostationary	1545.0 1559.0	100.95/106.5	0.0	0.0	0.0	0.0	0.0
	Geostationary	1631.5 1645.5	100.95/106.5	0.0	0.0	0.0	0.0	-1.0
	Geostationary	1646.5 1660.5	100.95/106.5	0.0	0.0	0.0	0.0	-1.0
6-2012/INT	Geostationary	1530.0 1544.0	100.95/106.5	0.0	0.0	0.0	0.0	0.0
	Geostationary	1545.0 1559.0	100.95/106.5	0.0	0.0	0.0	0.0	0.0
	Geostationary	1631.5 1645.5	100.95/106.5	0.0	0.0	0.0	0.0	-1.0
	Geostationary	1646.5 1660.5	100.95/106.5	0.0	0.0	0.0	0.0	-1.0

6-203/INT	Geostationary	1530.0 1544.0	100.95/106.5	0.0	0.0	0.0	0.0	0.0
	Geostationary	1545.0 1559.0	100.95/106.5	0.0	0.0	0.0	0.0	0.0
	Geostationary	1631.5 1645.5	100.95/106.5	0.0	0.0	0.0	0.0	-1.0
	Geostationary	1646.5 1660.5	100.95/106.5	0.0	0.0	0.0	0.0	-1.0
7–2011/INT	Geostationary	1530.0 1544.0	100.95/106.5	0.0	0.0	0.0	0.0	0.0
	Geostationary	1545.0 1559.0	100.95/106.5	0.0	0.0	0.0	0.0	0.0
	Geostationary	1631.5 1645.5	100.95/106.5	0.0	0.0	0.0	0.0	-3.5
	Geostationary	1646.5 1660.5	100.95/106.5	0.0	0.0	0.0	0.0	-3.5
7–2012/INT	Geostationary	1530.0 1544.0	100.95/106.5	0.0	0.0	0.0	0.0	0.0
	Geostationary	1545.0 1559.0	100.95/106.5	0.0	0.0	0.0	0.0	0.0
	Geostationary	1631.5 1645.5	100.95/106.5	0.0	0.0	0.0	0.0	-3.5
	Geostationary	1646.5 1660.5	100.95/106.5	0.0	0.0	0.0	0.0	-3.5
8-203/EXT	Geostationary	1530.0 1544.0	100.95/106.5	0.0	0.0	0.0	0.0	0.0
	Geostationary	1545.0 1559.0	100.95/106.5	0.0	0.0	0.0	0.0	0.0

Geostationary	1631.5 1645.5	100.95/106.5	0.0	0.0	0.0	0.0	-1.0
Geostationary	1646.5 1660.5	100.95/106.5	0.0	0.0	0.0	0.0	-1.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the contro callsign for which this application is being filed.	E66. Phone Number 240–686–3389			
E62. Street Address 20430 Century Boulevard	•			
E63. City Germantown	E68. County Montgomery		E67/68. State/Country MD/ USA	E64. Zip Code 20874

FCC NOTICE REQUIRED BY THE PAPERWORK REDUCTION ACT

The public reporting for this collection of information is estimated to average 2 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the required data, and completing and reviewing the collection of information. If you have any comments on this burden estimate, or how we can improve the collection and reduce the burden it causes you, please write to the Federal Communications Commission, AMD–PERM, Paperwork Reduction Project (3060–0678), Washington, DC 20554. We will also accept your comments regarding the Paperwork Reduction Act aspects of this collection via the Internet if you send them to PRA@fcc.gov. PLEASE DO NOT SEND COMPLETED FORMS TO THIS ADDRESS.

Remember – You are not required to respond to a collection of information sponsored by the Federal government, and the government may not conduct or sponsor this collection, unless it displays a currently valid OMB control number or if we fail to provide you with this notice. This collection has been assigned an OMB control number of 3060–0678.

THE FOREGOING NOTICE IS REQUIRED BY THE PAPERWORK REDUCTION ACT OF 1995, PUBLIC LAW 104–13, OCTOBER 1, 1995, 44 U.S.C. SECTION 3507.