Date & Time Filed: Jan 31 2011 11:40:11:300AM File Number: SES-MOD-INTR2011-00319

FCC APPLICATION FOR SPACE AND EARTH STATION:MOD OR AMD – MAIN FORM	FCC Use Only
FCC 312 MAIN FORM FOR OFFICIAL USE ONLY	

APPLICANT INFORMATION

Enter a description of this application to identify it on the main menu: CONUS (E090029) modification to add SkyTerra 1 and streamline ISAT

CONCES (LOSGOZS) inodification to add Sky Terra 1 and streamine 1571								
1–8. Legal Name of Applicant								
Name: COMTECH MOBILE Phone Number: 240–686–3300 DATACOM CORP.								
DBA Fax Number: 240–686–3301 Name:								
Street:	20430 Century Boulevard	E–Mail:	John.Fossaceca@comtechmobile.com					
City:	Germantown	State:	MD					
Country:	USA	Zipcode:	20874 –					
Attention:	John Fossaceca							

9–16. Name of Contact Representative

Name: Joan M. Griffin Phone Number: 202–342–8573

Company: Kelley Drye & Warren LLP **Fax Number:** 202–342–8451

Street: 3050 K Street NW E-Mail: jgriffin@kelleydrye.com

Suite 400

City: Washington State: DC

Country: USA Zipcode: 20007–

Attention: Relationship: Legal Counsel

CLASSIFICATION OF FILING

17. Choose the button next to the classification that applies to this filing for both questions a. and b. Choose only one for 17a and only one for 17b.

a1. Earth Station

a2. Space Station

(N/A) b1. Application for License of New Station

(N/A) b2. Application for Registration of New Domestic Receive-Only Station

b 3. Amendment to a Pending Application

b4. Modification of License or Registration

b5. Assignment of License or Registration

b6. Transfer of Control of License or Registration

b7. Notification of Minor Modification

(N/A) b8. Application for License of New Receive-Only Station Using Non-U.S. Licensed Satellite

(N/A) b9. Letter of Intent to Use Non-U.S. Licensed Satellite to Provide Service in the United States

(N/A) b10. Other (Please specify)

(N/A) b11. Application for Earth Station to Access a Non–U.S.satellite Not Currently Authorized to Provide the Proposed Service in the Proposed Frequencies in the United States

(N/A) b12. Application for Database Entry

b13. Amendment to a Pending Database Entry Application

b14. Modification of Database Entry

17c. Is a fee submitted with this application? If Yes, complete and attach FCC Form 159. If No, indicate reason for fee exemption (see 47 C.F.R.Section 1.1114).						
Governmental Entity Noncommercial educational licensee						
Other(please explain):						
17d.						
Fee Classification CGB – Mobile Satellite Earth Stations						
18. If this filing is in reference to an existing station, enter:	19. If this filing is an amendment to a pending modification please enter only the file number					
(a) Call sign of station: E090029	(a) Date pending application was filed:	(b) File number:				
L070027		SESMOD2009073100944				

TYPE OF SERVICE

20. NATURE OF SERVICE: This filing is for an authorization to provide	e or use the following type(s) of service(s): Select all that apply:
a. Fixed Satellite	
b. Mobile Satellite	
c. Radiodetermination Satellite	
d. Earth Exploration Satellite	
e. Direct to Home Fixed Satellite	
f. Digital Audio Radio Service	
g. Other (please specify)	
21. STATUS: Choose the button next to the applicable status. Choose	22. If earth station applicant, check all that apply.
only one.	■ Using U.S. licensed satellites
Common Carrier Non–Common Carrier	Using Non–U.S. licensed satellites
23. If applicant is providing INTERNATIONAL COMMON CARRIER so facilities:	ervice, see instructions regarding Sec. 214 filings. Choose one. Are these
Connected to a Public Switched Network Not connected to a l	Public Switched Network N/A
24. FREQUENCY BAND(S): Place an 'X' in the box(es) next to all ap	pplicable frequency band(s).
a. C–Band (4/6 GHz) b. Ku–Band (12/14 GHz)	
c.Other (Please specify upper and lower frequencies in MHz.)	
Frequency Lower: 99999 Frequency Upper: 99999	(Please specify additional frequencies in an attachment)

TYPE OF STATION

25. CLASS OF STATION: Choose the button next to the class of station that applies. Choose only one.
a. Fixed Earth Station
b. Temporary–Fixed Earth Station
c. 12/14 GHz VSAT Network
d. Mobile Earth Station
e. Geostationary Space Station
f. Non–Geostationary Space Station
g. Other (please specify)
26. TYPE OF EARTH STATION FACILITY:
Transmit/Receive Transmit-Only Receive-Only N/A
"For Space Station applications, select N/A."

PURPOSE OF MODIFICATION

27. The purpose of this proposed modification is to: (Place an 'X' in the box(es) next to all that apply.)
a — authorization to add new emission designator and related service
b — authorization to change emission designator and related service
c — authorization to increase EIRP and EIRP density
d — authorization to replace antenna
e — authorization to add antenna
f — authorization to relocate fixed station
g — authorization to change frequency(ies)
h — authorization to add frequency
i — authorization to add Points of Communication (satellites & mp; countries)
j — authorization to change Points of Communication (satellites & Double of Communication (satellites & Doub
k — authorization for facilities for which environmental assessment and
radiation hazard reporting is required
1 — authorization to change orbit location
m — authorization to perform fleet management
n — authorization to extend milestones
o — Other (Please specify)

ENVIRONMENTAL POLICY

under the laws of a foreign country?

the Commission's rules, 47 C.F.R. 1.1308 and 1.1311, as an exhibit to this application. A Radiation Hazard Study must accompany all applications for new transmitting facilities, major modifications, or major amendments.		Exhil	oit B			
ALIEN OWNERSHIP Earth station applicants not proposing to provide broadcast, common carrier, aeror aeronautical fixed radio station services are not required to respond to Items 30–34.	nautic	al en	rout	te or		
29. Is the applicant a foreign government or the representative of any foreign government?	0	Yes	•	No		
30. Is the applicant an alien or the representative of an alien?	0	Yes	0	No	•	N/A
31. Is the applicant a corporation organized under the laws of any foreign government?	0	Yes	0	No	•	N/A
32. Is the applicant a corporation of which more than one–fifth of the capital stock is owned of record or voted by		Yes		No	— ⊛	N/A

O Yes No

28. Would a Commission grant of any proposal in this application or amendment have a significant environmental

impact as defined by 47 CFR 1.1307? If YES, submit the statement as required by Sections 1.1308 and 1.1311 of

aliens or their representatives or by a foreign government or representative thereof or by any corporation organized

33. Is the applicant a corporation directly or indirectly controlled by any other corporation of which more than one–fourth of the capital stock is owned of record or voted by aliens, their representatives, or by a foreign government or representative thereof or by any corporation organized under the laws of a foreign country?	O Yes O	No 👩 N/A
34. If any answer to questions 29, 30, 31, 32 and/or 33 is Yes, attach as an exhibit an identification of the aliens or foreign entities, their nationality, their relationship to the applicant, and the percentage of stock they own or vote.		
BASIC QUALIFICATIONS		
35. Does the Applicant request any waivers or exemptions from any of the Commission's Rules? If Yes, attach as an exhibit, copies of the requests for waivers or exceptions with supporting documents.	o Yes	No
36. Has the applicant or any party to this application or amendment had any FCC station authorization or license revoked or had any application for an initial, modification or renewal of FCC station authorization, license, or construction permit denied by the Commission? If Yes, attach as an exhibit, an explination of circumstances.	O Yes	No

37. Has the applicant, or any party to this application or amendment, or any party directly or indirectly controlling the applicant ever been convicted of a felony by any state or federal court? If Yes, attach as an exhibit, an explination of circumstances.	• Yes	⊚ No
38. Has any court finally adjudged the applicant, or any person directly or indirectly controlling the applicant, guilty of unlawfully monopolizing or attempting unlawfully to monopolize radio communication, directly or indirectly, through control of manufacture or sale of radio apparatus, exclusive traffic arrangement or any other means or unfair methods of competition? If Yes, attach as an exhibit, an explanation of circumstances	• Yes	No
39. Is the applicant, or any person directly or indirectly controlling the applicant, currently a party in any pending matter referred to in the preceding two items? If yes, attach as an exhinit, an explanation of the circumstances.	• Yes	⊘ No
40. If the applicant is a corporation and is applying for a space station license, attach as an exhibit the names, address, and citizenship of those stockholders owning a record and/or voting 10 percent or more of the Filer's voting stock and the percentages so held. In the case of fiduciary control, indicate the beneficiary(ies) or class of beneficiaries. Also list the names and addresses of the officers and directors of the Filer.		

No
No
has
in this
n

Add SkyTerra 1 and consolidate/simplify licensing of MESs for operation on ISAT satellites

by adding 2 new Site IDs and deleting 1 existing Site ID.

Exhibit A

43a. Geographic Service Rule Certification By selecting A, the undersigned certifies that the applicant is not subject to the geographic service or geographic coverage requirements specified in 47 C.F.R. Part 25.	⊚ A
By selecting B, the undersigned certifies that the applicant is subject to the geographic service or geographic coverage requirements specified in 47 C.F.R. Part 25 and will comply with such requirements.	ОВ
By selecting C, the undersigned certifies that the applicant is subject to the geographic service or geographic coverage requirements specified in 47 C.F.R. Part 25 and will not comply with such requirements because it is not feasible as a technical matter to do so, or that, while technically feasible, such services would require so many compromises in satellite design and operation as to make it economically unreasonable. A narrative description and technical analysis demonstrating this claim are attached.	o c
	Exhibit A, Annex 2


CERTIFICATION

The Applicant waives any claim to the use of any particular frequency or of the electromagnetic spectrum as against the regulatory power of the United States because of the previous use of the same, whether by license or otherwise, and requests an authorization in accordance with this application. The applicant certifies that grant of this application would not cause the applicant to be in violation of the spectrum aggregation limit in 47 CFR Part 20. All statements made in exhibits are a material part hereof and are incorporated herein as if set out in full in this application. The undersigned, individually and for the applicant, hereby certifies that all statements made in this application and in all attached exhibits are true, complete and correct to the best of his or her knowledge and belief, and are made in good faith.

44. Applicant is a (an): (Choose the button next to appli	icable response.)						
O Individual							
Unincorporated Association							
O Partnership							
Corporation							
Governmental Entity							
Other (please specify)							
45. Name of Person Signing	46. Title of Person Signing						
Lajuana Johnson	VP Engineering						
>							
(U.S. Code, Title 18, Section 10	ON THIS FORM ARE PUNISHABLE BY FINE AND / OR IMPRISONMEN 001), AND/OR REVOCATION OF ANY STATION AUTHORIZATION (a)(1)), AND/OR FORFEITURE (U.S. Code, Title 47, Section 503).	NT					

SATELLITE EARTH STATION AUTHORIZATIONS FCC Form 312 – Schedule B:(Technical and Operational Description) FOR OFFICIAL USE ONLY

Location of Earth St	ation Site			
E1: Site Identifier:	ISATHalf Duplex	E5. Call Sign:	E090029	
E2: Contact Name	Lajuana Johnson	E6. Phone Number:	240-686-3300	
E3. Street:		E7. City:		
		E8. County:		
E4. State		E9. Zip Code		
E10. Area of Operation	tion:	Continental US, HI, ISAT satellites	AK, and all US territ	itories and possessions w/in footprint of
E11. Latitude:	0 °0 '0.0 "N			
E12. Longitude:	0 °0 '0.0 "W			
E13. Lat/Lon Coord	linates are:	NAD-27	O NAD-83	O N/A
E14. Site Elevation	(AMSL):	0.0 meters		



E16. If the proposed antenna(s) do not operate in the Fixed Satellite Set Satellite Service (FSS) with non–geostationary satellites, do(es) the progain patterns specified in Section 25.209(a2) and (b) as demonstrated by measurements?	posed antenna(s) comply with the antenna	O Yes	O No	● N/A
E17. Is the facility operated by remote control? If YES, provide the loca point.	ation and telephone number of the control	Yes	0	No
E18. Is frequency coordination required? If YES, attach a frequency coordination	ordination report as	O Yes	•	No
E19. Is coordination with another country required? If YES, attach the coordination contours as	name of the country(ies) and plot of	O Yes	•	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.1 have you attached a copy of a completed FCC Form 854 and/or the FAZ the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL APPLICATION.	A's study regarding the potential hazard of	O Yes	•	No
POINTS OF COMMUNICATION		•		
Satellite Name: ISAT List ISAT List If you selected OTHER, please	se enter the following:			
E21. Common Name:	E22. ITU Name:			
E23. Orbit Location:	E24. Country:			
POINTS OF COMMUNICATION (Destination Points)	•			
E25. Site Identifier:				

E26. Common Name:	E27. Country:
-------------------	---------------

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna Gain Transmint and/or Recieve (dBi atGHz)
ISAT—Half Duplex	3-2010/EXT	0	SCI Systems	MT-2010 external	0.06	4.0 dBi at 1.5450
ISAT—Half Duplex	3-2010/EXT	0	SCI Systems	MT-2010 external	0.06	4.0 dBi at 1.6450
ISAT—Half Duplex	4-2010/EXT	0	SCI Systems	MT-2010 r1 Internal	0.15	5.0 dBi at 1.5450
ISAT—Half Duplex	4-2010/EXT	0	SCI Systems	MT-2010 r1 Internal	0.15	5.0 dBi at 1.6450
ISAT—Half Duplex	2-2010/EXT	0	Sensor Systems	S65-8582-101	0.15	4.3 dBi at 1.5450
ISAT—Half Duplex	2-2010/EXT	0	Sensor Systems	S65-8582-101	0.15	4.8 dBi at 1.6450
ISAT—Half Duplex	7–2012/INT	0	PCTel	3491IZ-3	0.18	6.0 dBi at 1.5450

ISAT—Half Duplex	7–2012/INT	0	PCTel	3491IZ-3	0.18	6.0 dBi at 1.6450
ISAT—Half Duplex	5-2012/EXT	0	Sensor Systems	S65-8282-301	0.27	3.5 dBi at 1.5450
ISAT—Half Duplex	5-2012/EXT	0	Sensor Systems	S65-8282-301	0.27	3.9 dBi at 1.6450
ISAT—Half Duplex	6–2012/INT	0	PCTel	3481IZ-3	0.18	3.7 dBi at 1.5450
ISAT—Half Duplex	6–2012/INT	0	PCTel	3481IZ-3	0.18	3.7 dBi at 1.6450
ISAT—Half Duplex	8-203/EXT	0	PCTel	3561AW-1/A	0.19	3.7 dBi at 1.5450
ISAT—Half Duplex	8–203/EXT	0	PCTel	3561AW-1/A	0.19	3.7 dBi at 1.6450
ISAT—Half Duplex	11-C50/INT	0	PCTel	CMT-500	0.1524	4.5 dBi at 1.5450
ISAT—Half Duplex	11-C50/INT	0	PCTel	CMT-500	0.1524	4.5 dBi at 1.6450

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level(meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	Antenna Height	E40. Total EIRP for al carriers(dBW)
3-2010/EXT	0.06/0.06	0.0	0.0	0.0	5.3	0.0	11.3
4-2010/EXT	0.15/0.15	0.0	0.0	0.0	5.3	0.0	12.3
2-2010/EXT	0.15/0.15	0.0	0.0	0.0	5.3	0.0	12.1
7-2012/INT	0.18/0.18	0.0	0.0	0.0	5.3	0.0	13.3
5-2012/EXT	0.27/0.27	0.0	0.0	0.0	5.3	0.0	11.2
6-2012/INT	0.18/0.18	0.0	0.0	0.0	5.3	0.0	11.0
8-203/EXT	0.19/0.19	0.0	0.0	0.0	5.3	0.0	11.0
11-C50/INT	0.1524/0.1524	0.0	0.0	0.0	5.3	0.0	10.0

FREQUENCY

	E43/44. Frequency Bands (MHz)	E45. T/R Mode			E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
3-2010/EXT	1530 1544	R	Right Hand Circular	200KG7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

DSSS, BPSK, 21,094 to 84,375 CPS and Data, Marine, Land Mobile

3-2010/EXT	1545 1	1559 R	Right Hand Circular	200KG7W	0.0	0.0
E50. Modulatio entirety.)	n and Services	(If the complete	e description does not appear	r in this box, please	go to the end of the	he form to view it in its
DSSS, BPS	K, 21,094 t	.o 84,375 CPS	S and Data, Marine,	Land Mobile		
3-2010/EXT	1631.5 1645.5	Т	Right Hand Circular	200KG7W	11.3	5.5
DSSS, BPS	K, 21,094 t	:0 84,375 CPS	S and Data, Marine,	Land Mobile		
3-2010/EXT	1646.5 1660.5	Т	Right Hand Circular	200KG7W	11.3	5.5
E50. Modulatio entirety.)	n and Services	(If the complete	e description does not appear	r in this box, please	go to the end of the	he form to view it in its
DSSS, BPS	K, 21,094 t	.o 84,375 CPS	S and Data, Marine,	Land Mobile		

4–2010/EXT	1530	1544	R	Right Hand Circular	200KG7W	0.0	0.0
E50. Modulati entirety.)	on and Service	es (If the	he complete des	scription does not appea	r in this box, please	go to the end of t	he form to view it in its
DSSS, BP	SK, 21,094	: to 84	!,375 CPS a	nd Data, Marine,	Land Mobile		
4–2010/EXT	1545	1559	R	Right Hand Circular	200KG7W	0.0	0.0
1–2010/EXT	1631.5 1645.5		Т	Right Hand Circular	200KG7W	12.3	6.5
E50. Modulati	1645.5	es (If the		1 0			
entirety.)	1645.5 on and Service		he complete des	Circular	r in this box, please		

4–2010/EXT	1646.5 1660.5	Т	Right Hand Circular	200KG7W	12.3	6.5
E50. Modulation entirety.)	and Services (If the	he complete desc	cription does not appea	r in this box, please	go to the end of t	he form to view it in its
DSSS, BPSF	C, 21,094 to 84	1,375 CPS ar	nd Data, Marine,	Land Mobile		
2–2010/EXT	1530 1544	R	Right Hand Circular	200KG7W	0.0	0.0
DSSS, BPSF	C, 21,094 to 84	l,375 CPS ar	nd Data, Aeronau	ıtical		
2-2010/EXT	1545 1559	R	Right Hand Circular	200KG7W	0.0	0.0
E50. Modulation entirety.)	,		•		go to the end of the	he form to view it in its
DSSS, BPSI	., 21,094 to 84	1,375 CPS an	nd Data, Aeronau	iticai		

2-2010/EXT	1631.5 1645.5	Т	Right Hand Circular	200KG7W	12.1	6.3
E50. Modulation entirety.)	and Services (If the	he complete descripti	on does not appear in	n this box, please go t	o the end of the form	to view it in its
DSSS, BPSK	, 21,094 to 84	1,375 CPS and D	ata, Aeronaut	ical		
2-2010/EXT	1646.5 1660.5	Т	Right Hand Circular	200KG7W	12.1	6.3
entirety.) DSSS, BPSK	21,094 to 84	1,375 CPS and D	Data, Aeronaut	ical		
7–2012/INT	1530 1544	R	Right Hand Circular	200KG7W	0.0	0.0
E50. Modulation entirety.) DSSS, BPSK	`	he complete descripti		n this box, please go t	o the end of the form	to view it in its

7–2012/INT	1545	1559	R	Right Hand Circular	200KG7W	0.0	0.0
E50. Modulati entirety.)	ion and Services	(If th	ie complete de	escription does not appea	r in this box, please	go to the end of the	he form to view it in its
DSSS, BP	SK, 21,094	to 84	,375 CPS a	and Data, Marine,	Land Mobile		
7–2012/INT	1631.5 1645.5		Т	Right Hand Circular	200KG7W	13.3	7.5
				and Data, Marine,			
7–2012/INT	1646.5 1660.5		Т	Right Hand Circular	200KG7W	13.3	7.5
entirety.)	ion and Services			escription does not appea and Data, Marine,		go to the end of the	ne form to view it in its

5-2012/EXT	1530	1544	R	Right Hand Circular	200KG7W	0.0	0.0	
E50. Modulation entirety.)	on and Service	es (If the	ne complete d	escription does not appea	r in this box, please	go to the end of the	ne form to view it in its	;
DSSS, BPS	3K, 21,094	1 to 84	:,375 CPS	and Data, Aeronau	ıtical			
5-2012/EXT	1545	1559	R	Right Hand Circular	200KG7W	0.0	0.0	
				and Data, Aeronau	.0203.2			
5-2012/EXT	1631.5 1645.5		Т	Right Hand Circular	200KG7W	11.2	5.4	
E50. Modulation entirety.)				escription does not appea		go to the end of the	ne form to view it in its	;
D555, BF.	JR, 21,09-	1 00 05	:,3/3 CF3	and Data, Actoriat	reicai			

5-2012/EXT	1646.5 1660.5	Т	Right Hand Circular	200KG7W	11.2	5.4
E50. Modulation entirety.)	and Services (If the	ne complete descript	ion does not appea	r in this box, please	go to the end of the	he form to view it in its
DSSS, BPSK	, 21,094 to 84	,375 CPS and 1	Data, Aeronau	itical		
6–2012/INT	1530 1544	R	Right Hand Circular	200KG7W	0.0	0.0
DSSS, BPSK	, 21,094 to 84	,375 CPS and 1	Data, Marine	and Land Mobi	le	
6–2012/INT	1545 1559	R	Right Hand Circular	200KG7W	0.0	0.0
E50. Modulation entirety.) DSSS, BPSK	and Services (If the control of the					he form to view it in its

6-2012/INT	1631.5 1645.5	Т		Right Hand Circular	200KG7W	11.0	5.2
E50. Modulat entirety.)	tion and Services	(If the c	omplete descript	ion does not appea	r in this box, please	go to the end of the	ne form to view it in its
DSSS, BE	PSK, 21,094 t	o 84,3	75 CPS and	Data, Marine	and Land Mobi	le	
6–2012/INT	1646.5 1660.5	Т		Right Hand Circular	200KG7W	11.0	5.2
8-203/EXT	1530	1544 R		Right Hand Circular	200KG7W	0.0	0.0
E50. Modulat entirety.)	tion and Services	(If the c	omplete descript	ion does not appea	r in this box, please	go to the end of the	ne form to view it in its
DSSS, BE	PSK, 21,094 t	======================================	75 CPS and	Data, Marine	and Land Mobi	le	

8-203/EXT	1545	1559 R	Right Hand Circular	200KG7W	0.0	0.0
E50. Modulation entirety.)	and Services	(If the com	plete description does not appea	ar in this box, please	go to the end of t	he form to view it in its
DSSS, BPSK	, 21,094 t	84,375	CPS and Data, Marine	and Land Mobi	le	
8-203/EXT	1631.5 1645.5	Т	Right Hand Circular	200KG7W	11.0	5.2
DSSS, BPSK	, 21,094 t	20 84,375	CPS and Data, Marine	and Land Mobi	le	
8-203/EXT	1646.5 1660.5	Т	Right Hand Circular	200KG7W	11.0	5.2
E50. Modulation entirety.) DSSS, BPSK			plete description does not appear	•		he form to view it in its

11-C50/INT	1530	1544	R	Right Hand Circular	200KG7W	0.0	0.0
E50. Modulation entirety.)	and Services	s (If th	ne complete desc	cription does not appea	r in this box, please	go to the end of t	he form to view it in its
DSSS, BPSK	, 21,094	to 84	,375 CPS ar	nd Data, Marine	and Land Mobi	le	
11-C50/INT	1545	1559	R	Right Hand Circular	200KG7W	0.0	0.0
DSSS, BPSK	, 21,094	to 84	,375 CPS ar	nd Data, Marine	and Land Mobi	le	
11-C50/INT	1631.5 1645.5		Т	Right Hand Circular	200KG7W	10.0	4.2
E50. Modulation entirety.) DSSS, BPSK				cription does not appeared Data, Marine			he form to view it in its

11–C50/INT	1646.5	T	Right Hand	200KG7W	10.0	4.2
	1660.5		Circular			

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

DSSS, BPSK, 21,094 to 84,375 CPS and Data, Marine and Land Mobile

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/West ern Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
3-2010/EXT	Geostationary	1530 1544	0.0/360.0	0.0	0.0	0.0	0.0	0.0
	Geostationary	1545 1559	0.0/360.0	0.0	0.0	0.0	0.0	0.0
	Geostationary	1631.5 1645.5	0.0/360.0	0.0	0.0	0.0	0.0	-1.0
	Geostationary	1646.5 1660.5	0.0/360.0	0.0	0.0	0.0	0.0	-1.0
4-2010/EXT	Geostationary	1530 1544	0.0/360.0	0.0	0.0	0.0	0.0	0.0
	Geostationary	1545 1559	0.0/360.0	0.0	0.0	0.0	0.0	0.0

	Geostationary	1631.5 1645.5	0.0/360.0	0.0	0.0	0.0	0.0	-1.0
	Geostationary	1646.5 1660.5	0.0/360.0	0.0	0.0	0.0	0.0	-1.0
2-2010/EXT	Geostationary	1530 1544	0.0/360.0	0.0	0.0	0.0	0.0	0.0
	Geostationary	1545 1559	0.0/360.0	0.0	0.0	0.0	0.0	0.0
	Geostationary	1631.5 1645.5	0.0/360.0	0.0	0.0	0.0	0.0	1.5
	Geostationary	1646.5 1660.5	0.0/360.0	0.0	0.0	0.0	0.0	1.5
7–2012/INT	Geostationary	1530 1544	0.0/360.0	0.0	0.0	0.0	0.0	0.0
	Geostationary	1545 1559	0.0/360.0	0.0	0.0	0.0	0.0	0.0
	Geostationary	1631.5 1645.5	0.0/360.0	0.0	0.0	0.0	0.0	-3.5
	Geostationary	1646.5 1660.5	0.0/360.0	0.0	0.0	0.0	0.0	-3.5
5-2012/EXT	Geostationary	1530 1544	0.0/360.0	0.0	0.0	0.0	0.0	0.0
	Geostationary	1545 1559	0.0/360.0	0.0	0.0	0.0	0.0	0.0
	Geostationary	1631.5 1645.5	0.0/360.0	0.0	0.0	0.0	0.0	1.9
	Geostationary	1646.5 1660.5	0.0/360.0	0.0	0.0	0.0	0.0	1.9

6-2012/INT	Geostationary	1530 1544	0.0/360.0	0.0	0.0	0.0	0.0	0.0
	Geostationary	1545 1559	0.0/360.0	0.0	0.0	0.0	0.0	0.0
	Geostationary	1631.5 1645.5	0.0/360.0	0.0	0.0	0.0	0.0	-1.0
	Geostationary	1646.5 1660.5	0.0/360.0	0.0	0.0	0.0	0.0	-1.0
8-203/EXT	Geostationary	1530 1544	0.0/360.0	0.0	0.0	0.0	0.0	0.0
	Geostationary	1545 1559	0.0/360.0	0.0	0.0	0.0	0.0	0.0
	Geostationary	1631.5 1645.5	0.0/360.0	0.0	0.0	0.0	0.0	-1.0
	Geostationary	1646.5 1660.5	0.0/360.0	0.0	0.0	0.0	0.0	-1.0
11-C50/INT	Geostationary	1530 1544	0.0/360.0	0.0	0.0	0.0	0.0	0.0
	Geostationary	1545 1559	0.0/360.0	0.0	0.0	0.0	0.0	0.0
	Geostationary	1631.5 1645.5	0.0/360.0	0.0	0.0	0.0	0.0	-3.5
	Geostationary	1646.5 1660.5	0.0/360.0	0.0	0.0	0.0	0.0	-3.5

REMOTE CONTROL POINT LOCATION

E61. Call Sign N/A NOTE: Please enter the callsign of the contro callsign for which this application is being filed.	_	E66. Phone Number 240–686–3389		
E62. Street Address 20430 Century Blvd				
E63. City Germantown	E68. County Montgomery		E67/68. State/Country MD/ USA	E64. Zip Code 20874

SATELLITE EARTH STATION AUTHORIZATIONS

FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth St	ation Site			
E1: Site Identifier:	SkyTerra	E5. Call Sign:	E090029	
E2: Contact Name	Lajuana Johnson	E6. Phone Number:	240-686-3300	
E3. Street:		E7. City:		
		E8. County:		
E4. State		E9. Zip Code		
E10. Area of Operat	ion:	Continental US, HI, SkyTerra satellites	AK, and all US territ	ritories and possessions w/in footprint of
E11. Latitude:	0 °0 '0.0 "N			
E12. Longitude:	0 °0 '0.0 "W			
E13. Lat/Lon Coord	linates are:	● NAD-27	O NAD-83	O N/A
E14. Site Elevation	(AMSL):	0.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two–degree spacing policy.	O Yes	O No	⊚ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes	O No	⊘ N/A

E17. Is the facility operated by remote control? If YES, provide the locat point.	Yes	O No	
E18. Is frequency coordination required? If YES, attach a frequency coordination	rdination report as	O Yes	⊚ No
E19. Is coordination with another country required? If YES, attach the na coordination contours as	ame of the country(ies) and plot of	O Yes	⊚ No
the structure to aviation?	's study regarding the potential hazard of	O Yes	No
POINTS OF COMMUNICATION			
Satellite Name: SKYTERRA 1 SKYTERRA 1 101.3 W.L. If you sel	lected OTHER, please enter the following:		
E21. Common Name:	E22. ITU Name:		
Ave you attached a copy of a completed FCC Form 854 and/or the FAA's study regarding the potential hazard of e structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS PPLICATION. FOINTS OF COMMUNICATION Attellite Name: SKYTERRA 1 SKYTERRA 1 101.3 W.L. If you selected OTHER, please enter the following: 21. Common Name: E22. ITU Name: E24. Country:			
POINTS OF COMMUNICATION (Destination Points)			
E25. Site Identifier:			
E26. Common Name: ANTENNA	E27. Country:		

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna Gain Transmint and/or Recieve (dBi atGHz)	
SkyTerra	3-2010/EXT	0	SCI Systems	MT-2010 external	0.06	4.0 dBi at 1.5450	
SkyTerra	3-2010/EXT	0	SCI Systems	MT-2010 external	0.06	4.0 dBi at 1.6450	
SkyTerra	4-2010/EXT	0	SCI Systems	MT-2010r1 Internal	0.15	5.0 dBi at 1.5450	
SkyTerra	4-2010/EXT	0	SCI Systems	MT-2010r1 Internal	0.15	5.0 dBi at 1.6450	
SkyTerra	2-2010/EXT	0	Sensor Systems	S65-8582-101	0.15	4.3 dBi at 1.5450	
SkyTerra	2-2010/EXT	0	Sensor Systems	S65-8582-101	0.15	4.8 dBi at 1.6450	
SkyTerra	7–2012/INT	0	PCTel	3491IZ-3	0.18	6.0 dBi at 1.5450	
SkyTerra	7–2012/INT	0	PCTel	3491IZ-3	0.18	6.0 dBi at 1.6450	

SkyTerra	5-2012/EXT	0	Sensor Systems	S65-8582-301	0.27	3.5 dBi at 1.5450
SkyTerra	5-2012/EXT	0	Sensor Systems	S65-8582-301	0.27	3.9 dBi at 1.6450
SkyTerra	6–2012/INT	0	PCTel	3481IZ-3	0.18	3.7 dBi at 1.5450
SkyTerra	6–2012/INT	0	PCTel	3481IZ-3	0.18	3.7 dBi at 1.6450
SkyTerra	8-203/EXT	0	PCTel	3561AW-1/A	0.19	3.7 dBi at 1.5450
SkyTerra	8-203/EXT	0	PCTel	3561AW-1/A	0.19	3.7 dBi at 1.6450
SkyTerra	9–ASDR/INT	0	CMDC	CMDC-999- 2020-PA	0.315	11.0 dBi at 1.5450
SkyTerra	9–ASDR/INT	0	CMDC	CMDC-999- 2020-PA	0.315	11.0 dBi at 1.6450
SkyTerra	10-ASDO/IN	0	CMDC	CMDC-999- 2021-PA	0.047	2.5 dBi at 1.5450
SkyTerra	10–ASDO/IN	0	CMDC	CMDC-999- 2021-PA	0.047	2.5 dBi at 1.6450

SkyTerra	11-C50/INT	0	PCTel	CMT-500	0.1524	4.5 dBi at 1.5450	
SkyTerra	11-C50/INT	0	PCTel	CMT-500	0.1524	4.5 dBi at 1.6450	

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level(meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	
3-2010/EXT	0.06/0.06	0.0	0.0	0.0	5.3	0.0	11.3
4-2010/EXT	0.15/0.15	0.0	0.0	0.0	5.3	0.0	12.3
2-2010/EXT	0.15/0.15	0.0	0.0	0.0	5.3	0.0	12.1
7-2012/INT	0.18/0.18	0.0	0.0	0.0	5.3	0.0	13.3
5-2012/EXT	0.27/0.27	0.0	0.0	0.0	5.3	0.0	11.2
6-2012/INT	0.18/0.18	0.0	0.0	0.0	5.3	0.0	11.0
8-203/EXT	0.19/0.19	0.0	0.0	0.0	5.3	0.0	11.0
9-ASDR/INT	0.315/0.315	0.0	0.0	0.0	1.6	0.0	13.0
10-ASDO/IN	0.047/0.047	0.0	0.0	0.0	4.0	0.0	8.5
11-C50/INT	0.1524/0.1524	0.0	0.0	0.0	5.3	0.0	10.0

FREQUENCY

E28. Antenna Id	E43/44.	E45.	E46. Antenna	E47. Emission	E48. Maximum	E49. Maximum
	Frequency Bands	T/R Mode	Polarization(H,V,	Designator	EIRP per Carrier	ERIP Density per
	(MHz)		L , R)		(dBW)	Carrier
						(dBW/4kHz)

3-2010/EXT	1530 1:	544	R	Right Hand Circular	270KG7W	0.0	0.0
E50. Modulation entirety.)	and Services	(If th	e complete description	on does not appear	in this box, please go	to the end of the	ne form to view it in its
DSSS, BPSK	, 21,094 to	0 84	,375 CPS and D	ata, Marine,	Land Mobile		
3-2010/EXT	1545 1:	559	R	Right Hand Circular	270KG7W	0.0	0.0
DSSS, BPSK	, 21,094 to	0 84	,375 CPS and D	ata, Marine,	Land Mobile		
3-2010/EXT	1631.5 1645.5		T	Right Hand Circular	270KG7W	11.3	5.5
E50. Modulation entirety.) DSSS, BPSK			e complete description, 375 CPS and D			to the end of the	ne form to view it in its

3-2010/EXT	1646.5 1660.5	Т	Right Hand Circular	270KG7W	11.3	5.5
E50. Modulation entirety.)	and Services (If t	he complete description	on does not appear in	this box, please go to	o the end of the form	to view it in its
DSSS, BPSK	, 21,094 to 8 ⁴	1,375 CPS and D	ata, Marine, L	and Mobile		
4-2010/EXT	1530 1544	R	Right Hand Circular	270KG7W	0.0	0.0
DSSS, BPSK	, 21,094 to 84	1,375, CPS and	Data, Marine,	Land Mobile		
4-2010/EXT	1545 1559	R	Right Hand Circular	270KG7W	0.0	0.0
E50. Modulation entirety.) DSSS, BPSK		he complete description 4,375, CPS and			o the end of the form	to view it in its

4-2010/EXT	1631.5 1645.5	Т	Right Hand Circular	270KG7W	12.3	6.5
E50. Modulation entirety.)	and Services (If the	ne complete descripti	on does not appear	in this box, please g	go to the end of the	he form to view it in its
DSSS, BPSK	, 21,094 to 84	,375, CPS and	Data, Marine	, Land Mobile		
4–2010/EXT	1646.5 1660.5	Т	Right Hand Circular	270KG7W	12.3	6.5
DSSS, BPSK	, 21,094 to 84	,375, CPS and	Data, Marine	, Land Mobile		
2-2010/EXT	1530 1544	R	Right Hand Circular	270KG7W	0.0	0.0
E50. Modulation entirety.) DSSS, BPSK	and Services (If the contract of the contract				go to the end of the	he form to view it in its

2-2010/EXT	1545	1559 R	Right Hand Circular	270KG7W	0.0	0.0
E50. Modulation entirety.)	and Services	(If the comple	ete description does not appear	in this box, please	go to the end of t	he form to view it in its
DSSS, BPSK	, 21,094 t	:o 84,375 C	PS and Data, Aeronau	tical		
2-2010/EXT	1631.5 1645.5	Т	Right Hand Circular	270KG7W	12.1	6.3
entirety.) DSSS, BPSK	., 21,094 t		PS and Data, Aeronau	tical		
2-2010/EXT	1646.5 1660.5	Т	Right Hand Circular	270KG7W	12.1	6.3
E50. Modulation entirety.) DSSS, BPSK			ete description does not appear		go to the end of t	he form to view it in its

7–2012/INT	1530	1544	R	Right Hand Circular	270KG7W	0.0	0.0
E50. Modulation entirety.)	on and Servic	es (If the	he complete d	escription does not appea	r in this box, please	go to the end of t	he form to view it in its
DSSS, BPS	3K, 21,094	1 to 84	!,375 CPS	and Data, Marine,	Land Mobile		
7–2012/INT	1545	1559	R	Right Hand Circular	270KG7W	0.0	0.0
DSSS, BPS	3K, 21,094	4 to 84	1,375 CPS	and Data, Marine,	Land Mobile		
7–2012/INT	1631.5 1645.5		Т	Right Hand Circular	270KG7W	13.3	7.5
E50. Modulation entirety.)	on and Servic	es (If tl	he complete d	escription does not appea	r in this box, please	go to the end of t	he form to view it in its
DSSS, BPS	3K, 21,094	1 to 84	1,375 CPS	and Data, Marine,	Land Mobile		

7–2012/INT	1646.5 1660.5		T	Right Hand Circular	270KG7W	13.3	7.5
E50. Modulation entirety.)	on and Services	(If the	e complete de	escription does not appear	r in this box, please	go to the end of t	he form to view it in its
DSSS, BPS	3K, 21,094 to	o 84,	,375 CPS a	and Data, Marine,	Land Mobile		
5-2012/EXT	1530 1	544	R	Right Hand Circular	270KG7W	0.0	0.0
DSSS, BPS	3K, 21,094 t	0 84	,375 CPS a	and Data, Aeronau	tical		
5-2012/EXT	1545 1	.559	R	Right Hand Circular	270KG7W	0.0	0.0
entirety.)	on and Services SK, 21,094 to			escription does not appear and Data, Aeronau		go to the end of t	he form to view it in its

5-2012/EXT	1631.5 1645.5	Т	Right Hand Circular	270KG7W	11.2	5.4
E50. Modulation entirety.)	and Services (If the	ne complete description	on does not appear in	n this box, please go t	to the end of the form	to view it in its
DSSS, BPSK	., 21,094 to 84	1,375 CPS and D	Data, Aeronaut.	ical		
5–2012/EXT	1646.5 1660.5	Т	Right Hand Circular	270KG7W	11.2	5.4
DSSS, BPSK	., 21,094 to 84	1,375 CPS and D	Data, Aeronaut	ical		
6-2012/INT	1530 1544	R	Right Hand Circular	270KG7W	0.0	0.0
E50. Modulation entirety.) DSSS, BPSK	,	he complete description		n this box, please go t	o the end of the form	to view it in its

6-2012/INT	1545	1559 R	Right Hand Circular	270KG7W	0.0	0.0
E50. Modulate	ion and Services	(If the con	lete description does not appe	ear in this box, please	go to the end of t	he form to view it in its
DSSS, BP	SK, 21,094	to 84,37	CPS and Data, Marine	e, Land Mobile		
6–2012/INT	1631.5 1645.5	Т	Right Hand Circular	270KG7W	11.0	5.2
6–2012/INT	1646.5 1660.5	Т	Right Hand Circular	270KG7W	11.0	5.2
entirety.)	SK, 21,094		lete description does not appe CPS and Data, Marine		go to the end of t	he form to view it in its

8-203/EXT	1530	1544	R	Right Hand Circular	270KG7W	0.0	0.0
E50. Modulatentirety.)	tion and Servic	es (If the	he complete d	escription does not appear	r in this box, please	go to the end of t	he form to view it in its
DSSS, BI	PSK, 21,09	4 to 84	1,375 CPS	and Data, Marine,	Land Mobile		
8-203/EXT	1545	1559	R	Right Hand Circular	270KG7W	0.0	0.0
8-203/EXT	1631.5 1645.5		Т	Right Hand Circular	270KG7W	11.0	5.2
E50. Modulatentirety.)	tion and Servic	es (If the	he complete d	escription does not appea	r in this box, please	go to the end of t	he form to view it in its
DSSS, BI	PSK, 21,09	4 to 84	1,375 CPS	and Data, Marine,	Land Mobile		

8-203/EXT	1646.5 1660.5	Т	Right Hand Circular	270KG7W	11.0	5.2
E50. Modulation entirety.)	and Services (If t	the complete descripti	on does not appear in	this box, please go to	o the end of the form	to view it in its
DSSS, BPSK	, 21,094 to 8	4,375 CPS and D)ata, Marine, L	and Mobile		
9–ASDR/INT	1530 1544	R	Left Hand Circular	270KG7W	0.0	0.0
DSSS, BPSK	, 21,094 to 1	57,500 CPS and	Data, Land Mob	pile		
9–ASDR/INT	1545 1559	R	Right Hand Circular	270KG7W	0.0	0.0
E50. Modulation entirety.) DSSS, BPSK		the complete descripti			o the end of the form	to view it in its

9–ASDR/INT	1631.5 1645.5	Т	Right Hand Circular	270KG7W	13.0	7.2	
E50. Modulation entirety.)	on and Services (If t	he complete d	escription does not appea	r in this box, please	go to the end of the	ne form to view it in its	
DSSS, BPS	SK, 21,094 to 15	57,500 CPS	and Data, Land N	Mobile			
9–ASDR/INT	1646.5 1660.5	Т	Right Hand Circular	270KG7W	13.0	7.2	
DSSS, BPS	K, 21,094 to 15	57,500 CPS	and Data, Land M	Mobile			
10-ASDO/IN	1530 1544	R	Right Hand Circular	270KG7W	0.0	0.0	
E50. Modulation			escription does not appea		go to the end of the	ne form to view it in its	
DSSS, BPS	K, 21,094 to 15	57,500 CPS	and Data, Land N	Mobile			

10–ASDO/IN	1545	1559	R	Right Hand Circular	270KG7W	0.0	0.0
E50. Modulation entirety.)	n and Services	(If th	ne complete descrip	otion does not appea	r in this box, please	go to the end of t	the form to view it in its
DSSS, BPS	K, 21,094 t	to 15	7,500 CPS and	d Data, Land M	Mobile		
10-ASDO/IN	1631.5 1645.5		Т	Right Hand Circular	270KG7W	8.5	2.7
DSSS, BPS	K, 21,094 t	to 15	7,500 CPS and	d Data, Land M	Mobile		
10–ASDO/IN	1646.5 1660.5		Т	Right Hand Circular	270KG7W	8.5	2.7
E50. Modulation entirety.) DSSS, BPSI		•		otion does not appea		go to the end of t	the form to view it in its
DSSS, BPS	X, 21,094 t	to 15	7,500 CPS and	d Data, Land M	Mobile		

11-C50/INT	1530	1544	R	Right Hand Circular	270KG7W	0.0	0.0
E50. Modulati entirety.)	on and Services	s (If tl	ne complete d	escription does not appea	r in this box, please	go to the end of	the form to view it in its
DSSS, BP	SK, 21,094	to 84	1,375 CPS	and Data, Marine,	Land Mobile		
11–C50/INT	1545	1559	R	Right Hand Circular	270KG7W	0.0	0.0
DSSS, BP	SK, 21,094	to 84	1,375 CPS	and Data, Marine,	Land Mobile		
11-C50/INT	1631.5 1645.5		Т	Right Hand Circular	270KG7W	10.0	4.2
E50. Modulati entirety.)	on and Services	s (If tl	ne complete d	escription does not appea	r in this box, please	go to the end of	the form to view it in its
DSSS, BP	SK, 21,094	to 84	1,375 CPS	and Data, Marine,	Land Mobile		

11-C50/INT	1646.5	T	Right Hand	270KG7W	10.0	4.2
	1660.5		Circular			

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

DSSS, BPSK, 21,094 to 84,375 CPS and Data, Marine, Land Mobile

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/West ern Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
3-2010/EXT	Geostationary	1530 1544	0.0/360.0	0.0	0.0	0.0	0.0	0.0
	Geostationary	1545 1559	0.0/360.0	0.0	0.0	0.0	0.0	0.0
	Geostationary	1631.5 1645.5	0.0/360.0	0.0	0.0	0.0	0.0	-1.0
	Geostationary	1646.5 1660.5	0.0/360.0	0.0	0.0	0.0	0.0	-1.0
4-2010/EXT	Geostationary	1530 1544	0.0/360.0	0.0	0.0	0.0	0.0	0.0
	Geostationary	1545 1559	0.0/360.0	0.0	0.0	0.0	0.0	0.0

	Geostationary	1631.5 1645.5	0.0/360.0	0.0	0.0	0.0	0.0	-1.0
	Geostationary	1646.5 1660.5	0.0/360.0	0.0	0.0	0.0	0.0	-1.0
2-2010/EXT	Geostationary	1530 1544	0.0/360.0	0.0	0.0	0.0	0.0	0.0
	Geostationary	1545 1559	0.0/360.0	0.0	0.0	0.0	0.0	0.0
	Geostationary	1631.5 1645.5	0.0/360.0	0.0	0.0	0.0	0.0	1.5
	Geostationary	1646.5 1660.5	0.0/360.0	0.0	0.0	0.0	0.0	1.5
7–2012/INT	Geostationary	1530 1544	0.0/360.0	0.0	0.0	0.0	0.0	0.0
	Geostationary	1545 1559	0.0/360.0	0.0	0.0	0.0	0.0	0.0
	Geostationary	1631.5 1660.5	0.0/360.0	0.0	0.0	0.0	0.0	-3.5
	Geostationary	1646.5 1645.5	0.0/360.0	0.0	0.0	0.0	0.0	-3.5
5-2012/EXT	Geostationary	1530 1544	0.0/360.0	0.0	0.0	0.0	0.0	0.0
	Geostationary	1545 1559	0.0/360.0	0.0	0.0	0.0	0.0	0.0
	Geostationary	1631.5 1645.5	0.0/360.0	0.0	0.0	0.0	0.0	1.9
	Geostationary	1646.5 1660.5	0.0/360.0	0.0	0.0	0.0	0.0	1.9

6-2012/INT	Geostationary	1530 1544	0.0/360.0	0.0	0.0	0.0	0.0	0.0
	Geostationary	1545 1559	0.0/360.0	0.0	0.0	0.0	0.0	0.0
	Geostationary	1631.5 1645.5	0.0/360.0	0.0	0.0	0.0	0.0	-1.0
	Geostationary	1646.5 1660.5	0.0/360.0	0.0	0.0	0.0	0.0	-1.0
8-203/EXT	Geostationary	1530 1544	0.0/360.0	0.0	0.0	0.0	0.0	0.0
	Geostationary	1545 1559	0.0/360.0	0.0	0.0	0.0	0.0	0.0
	Geostationary	1631.5 1645.5	0.0/360.0	0.0	0.0	0.0	0.0	-1.0
	Geostationary	1646.5 1660.5	0.0/360.0	0.0	0.0	0.0	0.0	-1.0
9-ASDR/INT	Geostationary	1530 1544	0.0/360.0	0.0	0.0	0.0	0.0	0.0
	Geostationary	1545 1559	0.0/360.0	0.0	0.0	0.0	0.0	0.0
	Geostationary	1631.5 1645.5	0.0/360.0	0.0	0.0	0.0	0.0	4.2
	Geostationary	1646.5 1660.5	0.0/360.0	0.0	0.0	0.0	0.0	4.2
10-ASDO/IN	Geostationary	1530 1544	0.0/360.0	0.0	0.0	0.0	0.0	0.0
	Geostationary	1545 1559	0.0/360.0	0.0	0.0	0.0	0.0	0.0

	Geostationary	1631.5 1645.5	0.0/360.0	0.0	0.0	0.0	0.0	-3.0
	Geostationary	1646.5 1660.5	0.0/360.0	0.0	0.0	0.0	0.0	-3.0
11-C50/INT	Geostationary	1530 1544	0.0/360.0	0.0	0.0	0.0	0.0	0.0
	Geostationary	1545 1559	0.0/360.0	0.0	0.0	0.0	0.0	0.0
	Geostationary	1631.5 1645.5	0.0/360.0	0.0	0.0	0.0	0.0	-3.5
	Geostationary	1646.5 1660.5	0.0/360.0	0.0	0.0	0.0	0.0	-3.5

REMOTE CONTROL POINT LOCATION

E61. Call Sign N/A NOTE: Please enter the callsign of the contro callsign for which this application is being filed.		E66. Phone Number 240–686–3389		
E62. Street Address 20430 Century Blvd				
E63. City Germantown	E68. County Montgomery		E67/68. State/Country MD/ USA	E64. Zip Code 20874

FCC NOTICE REQUIRED BY THE PAPERWORK REDUCTION ACT

The public reporting for this collection of information is estimated to average 2 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the required data, and completing and reviewing the collection of information. If you have any comments on this burden estimate, or how we can improve the collection and reduce the burden it causes you, please write to the Federal Communications Commission, AMD–PERM, Paperwork Reduction Project (3060–0678), Washington, DC 20554. We will also accept your comments regarding the Paperwork Reduction Act aspects of this collection via the Internet if you send them to PRA@fcc.gov. PLEASE DO NOT SEND COMPLETED FORMS TO THIS ADDRESS.

Remember – You are not required to respond to a collection of information sponsored by the Federal government, and the government may not conduct or sponsor this collection, unless it displays a currently valid OMB control number or if we fail to provide you with this notice. This collection has been assigned an OMB control number of 3060–0678.

THE FOREGOING NOTICE IS REQUIRED BY THE PAPERWORK REDUCTION ACT OF 1995, PUBLIC LAW 104–13, OCTOBER 1, 1995, 44 U.S.C. SECTION 3507.