Date & Time Filed: Mar 18 2011 11:52:58:976PM File Number: SES-MOD-INTR2011-00839

FCC APP	ICATION FOR SPACE AND EARTH STATION:MOD OR AMD – MAIN FORM	FCC Use Only
	FCC 312 MAIN FORM FOR OFFICIAL USE ONLY	

## APPLICANT INFORMATION

Enter a description of this application to identify it on the main menu:

WB36 update 4003/06, 5009 & 6006 data & add 4009/4010, 5010, 6009 & V110 Antennas to ESV Authorization

egal Name of A <sub>l</sub>	pplicant		
Name:	Vizada, Inc.	Phone Number:	301-838-7807
DBA Name:		Fax Number:	301-838-7824
Street:	2600 Tower Oaks Boulevard	E–Mail:	rob.swanson@vizada.com
City:	Rockville	State:	MD
Country:	USA	Zipcode:	20852 –
Attention:	Mr Robert W Swanson		

9–16. Name of Contact Representative

Name: Vizada, Inc. Phone Number: 301–838–7909

**Company: Fax Number:** 301–838–7824

Street: 2600 Tower Oaks Boulevard E-Mail: james.lovelace@vizada.com

City: Rockville State: MD

Country: USA Zipcode: 20852–

**Attention:** James G. Lovelace **Relationship:** Other

#### **CLASSIFICATION OF FILING**

17. Choose the button next to the classification that applies to this filing for both questions a. and b. Choose only one for 17a and only one for 17b.

a1. Earth Station

a2. Space Station

(N/A) b1. Application for License of New Station

(N/A) b2. Application for Registration of New Domestic Receive-Only Station

**o** b3. Amendment to a Pending Application

**b**4. Modification of License or Registration

b5. Assignment of License or Registration

b6. Transfer of Control of License or Registration

**b**7. Notification of Minor Modification

(N/A) b8. Application for License of New Receive-Only Station Using Non-U.S. Licensed Satellite

(N/A) b9. Letter of Intent to Use Non-U.S. Licensed Satellite to Provide Service in the United States

(N/A) b10. Other (Please specify)

(N/A) b11. Application for Earth Station to Access a Non–U.S.satellite Not Currently Authorized to Provide the Proposed Service in the Proposed Frequencies in the United States

(N/A) b12. Application for Database Entry

b13. Amendment to a Pending Database Entry Application

**b** 14. Modification of Database Entry

17c. Is a fee submitted with this application?					
o If Yes, complete and attach FCC Form 159. If No, indicate reason for fee exemption (see 47 C.F.R.Section 1.1114).					
Governmental Entity Noncommercial educational licensee					
Other(please explain):					
17d.					
Fee Classification					
18. If this filing is in reference to an existing station, enter:	19. If this filing is an amendment to a pending apmodification please enter only the file number:	oplication enter both fields, if this filing is a			
(a) Call sign of station: WB36	(a) Date pending application was filed:	(b) File number:			
		SESMOD2010051700615			

# TYPE OF SERVICE

20. NATURE OF SERVICE: This filing is for an authorization to provide or use the following type(s) of service(s): Select all that apply:
a. Fixed Satellite
b. Mobile Satellite
c. Radiodetermination Satellite
d. Earth Exploration Satellite
e. Direct to Home Fixed Satellite
f. Digital Audio Radio Service
g. Other (please specify)  Earth Station on Vessel
21. STATUS: Choose the button next to the applicable status. Choose   22. If earth station applicant, check all that apply.
only one. Using U.S. licensed satellites
Common Carrier Vising Non–U.S. licensed satellites
23. If applicant is providing INTERNATIONAL COMMON CARRIER service, see instructions regarding Sec. 214 filings. Choose one. Are these facilities:
Connected to a Public Switched Network  Not connected to a Public Switched Network  N/A
24. FREQUENCY BAND(S): Place an 'X' in the box(es) next to all applicable frequency band(s).
a. C–Band (4/6 GHz) <b>b</b> Ku–Band (12/14 GHz)
c.Other (Please specify upper and lower frequencies in MHz.)
Frequency Lower: Frequency Upper: (Please specify additional frequencies in an attachment)

## TYPE OF STATION

25. CLASS OF STATION: Choose the button next to the class of station that applies. Choose only one.
a. Fixed Earth Station
<b>b.</b> Temporary–Fixed Earth Station
c. 12/14 GHz VSAT Network
d. Mobile Earth Station
e. Geostationary Space Station
f. Non-Geostationary Space Station
g. Other (please specify) Earth Station on Vessel
26. TYPE OF EARTH STATION FACILITY:
Transmit/Receive Transmit-Only Receive-Only N/A
"For Space Station applications, select N/A."

# PURPOSE OF MODIFICATION

27. The purpose of this proposed modification is to: (Place an 'X' in the box(es) next to all that apply.)
a — authorization to add new emission designator and related service
b — authorization to change emission designator and related service
c — authorization to increase EIRP and EIRP density
d — authorization to replace antenna
e — authorization to add antenna
f — authorization to relocate fixed station
g — authorization to change frequency(ies)
h — authorization to add frequency
i — authorization to add Points of Communication (satellites & Double
j — authorization to change Points of Communication (satellites & Samp; countries)
k — authorization for facilities for which environmental assessment and
radiation hazard reporting is required
1 — authorization to change orbit location
m — authorization to perform fleet management
n — authorization to extend milestones
o — Other (Please specify)

### **ENVIRONMENTAL POLICY**

28. Would a Commission grant of any proposal in this application or amendment have a significant environmental impact as defined by 47 CFR 1.1307? If YES, submit the statement as required by Sections 1.1308 and 1.1311 of the Commission's rules, 47 C.F.R. 1.1308 and 1.1311, as an exhibit to this application. A Radiation Hazard Study must accompany all applications for new transmitting facilities, major modifications, or major amendments.	O Yes  No SeaTel RadHaz Exhib

ALIEN OWNERSHIP Earth station applicants not proposing to provide broadcast, common carrier, aeronautical en route or aeronautical fixed radio station services are not required to respond to Items 30–34.

29. Is the applicant a foreign government or the representative of any foreign government?	0	Yes	•	No		
30. Is the applicant an alien or the representative of an alien?	0	Yes	•	No	0	N/A
31. Is the applicant a corporation organized under the laws of any foreign government?	0	Yes	•	No	0	N/A
32. Is the applicant a corporation of which more than one—fifth of the capital stock is owned of record or voted by aliens or their representatives or by a foreign government or representative thereof or by any corporation organized under the laws of a foreign country?	0	Yes	•	No	٥	N/A

33. Is the applicant a corporation directly or indirectly controlled by any other corporation of which more than one–fourth of the capital stock is owned of record or voted by aliens, their representatives, or by a foreign government or representative thereof or by any corporation organized under the laws of a foreign country?	Yes No No N/A
34. If any answer to questions 29, 30, 31, 32 and/or 33 is Yes, attach as an exhibit an identification of the aliens or foreign entities, their nationality, their relationship to the applicant, and the percentage of stock they own or vote.	Ownership Statement
BASIC QUALIFICATIONS	
35. Does the Applicant request any waivers or exemptions from any of the Commission's Rules? If Yes, attach as an exhibit, copies of the requests for waivers or exceptions with supporting documents.	O Yes O No
	Blaney Declaration
36. Has the applicant or any party to this application or amendment had any FCC station authorization or license revoked or had any application for an initial, modification or renewal of FCC station authorization, license, or construction permit denied by the Commission? If Yes, attach as an exhibit, an explination of circumstances.	Yes No
	Intellian Declaratio

37. Has the applicant, or any party to this application or amendment, or any party directly or indirectly controlling the applicant ever been convicted of a felony by any state or federal court? If Yes, attach as an exhibit, an explination of circumstances.		No
		Dec
38. Has any court finally adjudged the applicant, or any person directly or indirectly controlling the applicant, guilty of unlawfully monopolizing or attempting unlawfully to monopolize radio communication, directly or indirectly, through control of manufacture or sale of radio communication, which are the control of manufacture or sale of radio communication, which are the control of manufacture or sale of radio communication, are the control of manufacture or sale of radio communication.	O Yes	No     No
indirectly, through control of manufacture or sale of radio apparatus, exclusive traffic arrangement or any other means or unfair methods of competition? If Yes, attach as an exhibit, an explanation of circumstances		larat
39. Is the applicant, or any person directly or indirectly controlling the applicant, currently a party in any pending matter referred to in the preceding two items? If yes, attach as an exhinit, an explanation of the circumstances.		No
	Exhibits 2 – 4	
40. If the applicant is a corporation and is applying for a space station license, attach as an exhibit the names, address, and citizenship of those stockholders owning a record and/or voting 10 percent or more of the Filer's voting stock and the percentages so held. In the case of fiduciary control, indicate the beneficiary(ies) or class of beneficiaries. Also list the names and addresses of the officers and directors of the Filer.	Exhibits 5 – 7	

e Yes	O No
Yes  Exhibits 8 – 10	O No
	f T

43. Description. (Summarize the nature of the application and the services to be provided). (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

By this application Vizada, Inc. seeks to update the Particulars of Operation (Section B of the license) and the Antenna Facilities Specifications (Section E of the license) listed in its authorization to provide ESV service via its Southbury, CT. teleport, call sign WB36 for the Sea Tel model 4003A and 4006 1.0 meter Ku-band remote Earth Station on

25.222 Compliance

43a. Geographic Service Rule Certification By selecting A, the undersigned certifies that the applicant is not subject to the geographic service or geographic coverage requirements specified in 47 C.F.R. Part 25.	<b>⊚</b> A
By selecting B, the undersigned certifies that the applicant is subject to the geographic service or geographic coverage requirements specified in 47 C.F.R. Part 25 and will comply with such requirements.	O <sup>B</sup>
By selecting C, the undersigned certifies that the applicant is subject to the geographic service or geographic coverage requirements specified in 47 C.F.R. Part 25 and will not comply with such requirements because it is not feasible as a technical matter to do so, or that, while technically feasible, such services would require so many compromises in satellite design and operation as to make it economically unreasonable. A narrative description and technical analysis demonstrating this claim are attached.	<b>o</b> c
	Exhibits 11 – 13

### **CERTIFICATION**

The Applicant waives any claim to the use of any particular frequency or of the electromagnetic spectrum as against the regulatory power of the United States because of the previous use of the same, whether by license or otherwise, and requests an authorization in accordance with this application. The applicant certifies that grant of this application would not cause the applicant to be in violation of the spectrum aggregation limit in 47 CFR Part 20. All statements made in exhibits are a material part hereof and are incorporated herein as if set out in full in this application. The undersigned, individually and for the applicant, hereby certifies that all statements made in this application and in all attached exhibits are true, complete and correct to the best of his or her knowledge and belief, and are made in good faith.

44. Applicant is a (an): (Choose the button next to app		
o Individual		
<ul> <li>Unincorporated Association</li> </ul>		
• Partnership		
O Governmental Entity		
Other (please specify)		
-		
	46. Title of Person Signing	
45. Name of Person Signing	Security Officer	
45. Name of Person Signing James G. Lovelace	Security Officer	
	Security Officer	
James G. Lovelace	Security Officer	

(U.S. Code, Title 47, Section 312(a)(1)), AND/OR FORFEITURE (U.S. Code, Title 47, Section 503).

### SATELLITE EARTH STATION AUTHORIZATIONS FCC Form 312 – Schedule B:(Technical and Operational Description) FOR OFFICIAL USE ONLY

Location of Earth St	ection Cita					
Location of Earth St	ation site					
E1: Site Identifier:	Ku-band ESV Remotes	E5. Call Sign:	WB36			
E2: Contact Name	Guy White	E6. Phone Number:	203-262-5000			
E3. Street:		E7. City:				
		E8. County:				
E4. State		E9. Zip Code				
E10. Area of Operat	tion:	U.S. and internation	al waters			
E11. Latitude:	0 °0 '0.0 "					
E12. Longitude:	0 °0 '0.0 "					
E13. Lat/Lon Coord	linates are:	<b>●</b> NAD-27	O NAD-83	O N/A		
E14. Site Elevation	(AMSL):	0.0 meters				

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two–degree spacing policy.

E16. If the proposed antenna(s) do not operate in the Fixed Satellite Set Satellite Service (FSS) with non–geostationary satellites, do(es) the progain patterns specified in Section 25.209(a2) and (b) as demonstrated b measurements?	O Yes	O No	<b>⊚</b> N/A	
E17. Is the facility operated by remote control? If YES, provide the local point.	ation and telephone number of the control		0	No
E18. Is frequency coordination required? If YES, attach a frequency coordination	ordination report as Ex 16 No Freq Coord	O Yes	•	No
E19. Is coordination with another country required? If YES, attach the coordination contours as	name of the country(ies) and plot of	O Yes	•	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.1 have you attached a copy of a completed FCC Form 854 and/or the FA. the structure to aviation?  FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL APPLICATION.	A's study regarding the potential hazard of	O Yes	•	No
POINTS OF COMMUNICATION				
Satellite Name: ALSAT   ALL AUTHORIZED U.S.   ALSAT   If you s	selected OTHER, please enter the following:			
E21. Common Name:	E22. ITU Name:			
E23. Orbit Location:	E24. Country:			
POINTS OF COMMUNICATION (Destination Points)	•			
E25. Site Identifier:				

E26. Common Name:	E27. Country:

# ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna Gain Transmint and/or Recieve (dBi atGHz)	
Ku-band ESV Remotes	SeaTel4003	500	Sea Tel	4003A	1.0	39.39 dBi at 12.20	
Ku-band ESV Remotes	SeaTel4003	500	Sea Tel	4003A	1.0	40.5 dBi at 14.25	
Ku-band ESV Remotes	SeaTel4006	500	Sea Tel	4006	1.0	39.59 dBi at 12.20	
Ku-band ESV Remotes	SeaTel4006	500	Sea Tel	4006	1.0	40.6 dBi at 14.25	
Ku-band ESV Remotes	ST4009/10	500	Sea Tel	4009/4010	1.0	39.59 dBi at 12.20	
Ku-band ESV Remotes	ST4009/10	500	Sea Tel	4009/4010	1.0	40.6 dBi at 14.25	
Ku-band ESV Remotes	SeaTel5009	500	Sea Tel	5009	1.2	41.39 dBi at 12.20	
Ku-band ESV Remotes	SeaTel5009	500	Sea Tel	5009	1.2	43.0 dBi at 14.25	
Ku-band ESV Remotes	SeaTel5010	500	Sea Tel	5010	1.2	41.39 dBi at 12.20	
Ku-band ESV Remotes	SeaTel5010	500	Sea Tel	5010	1.2	43.0 dBi at 14.25	

Ku-band ESV Remotes	SeaTel6006	500	Sea Tel	6006	1.5	43.79 dBi at 12.20	
Ku-band ESV Remotes	SeaTel6006	500	Sea Tel	6006	1.5	45.1 dBi at 14.25	
Ku-band ESV Remotes	SeaTel6009	500	Sea Tel	6009	1.5	43.79 dBi at 12.20	
Ku-band ESV Remotes	SeaTel6009	500	Sea Tel	6009	1.5	45.1 dBi at 14.25	
Ku-band ESV Remotes	Intl V110	500	Intellian	V110	1.05	39.59 dBi at 12.20	
Ku-band ESV Remotes	Intl V110	500	Intellian	V110	1.05	41.7 dBi at 14.25	

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level(meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	Antenna Height	E40. Total EIRP for al carriers(dBW)
SeaTel4003	1.0/1.0	0.0	0.0	0.0	5.7	0.0	48.1
SeaTel4006	1.0/1.0	0.0	0.0	0.0	6.7	0.0	48.9
ST4009/10	1.0/1.0	0.0	0.0	0.0	6.7	0.0	48.9
SeaTel5009	1.2/1.2	0.0	0.0	0.0	6.7	0.0	51.3
SeaTel5010	1.2/1.2	0.0	0.0	0.0	6.7	0.0	51.3
SeaTel6006	1.5/1.5	0.0	0.0	0.0	6.73	0.0	53.38
SeaTel6009	1.5/1.5	0.0	0.0	0.0	6.73	0.0	53.38
Intl V110	1.05/1.05	0.0	0.0	0.0	6.97	0.0	49.83

FREQUENCY

	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
SeaTel4003	10950 11200	R	Horizontal and Vertical	151KG7W	0.0	0.0
E50. Modulation entirety.)  DIGITAL T	RAFFIC USING QE			i tilis box, piease ge	to the end of the form	to view it in its
	T	R	Horizontal and	2M60G7W	0.0	0.0
SeaTel4003 E50. Modulation	10950 11200 n and Services (If the		Vertical	this box, please go	to the end of the form	

E50. Modular entirety.)	tion and Services	(If the complete do	escription does not appear	in this box, please	go to the end of t	the form to view it in its
DIGITAL	TRAFFIC USING	G QPSK AND BP	SK MODULATION			
SeaTel4003	10950 11200	R	Horizontal and Vertical	54M0G7W	0.0	0.0
E50. Modular entirety.)	tion and Services	(If the complete de	escription does not appear	in this box, please	go to the end of t	the form to view it in its
			SK MODULATION			
SeaTel4003	10950 11200	R	Horizontal and Vertical	717KG1W	0.0	0.0
E50. Modular entirety.)	tion and Services	(If the complete de	escription does not appear	in this box, please	go to the end of t	the form to view it in its
DIGITAL	TRAFFIC USING	G QPSK AND BP	SK MODULATION			
SeaTel4003	11450	R	Horizontal and	151KG7W	0.0	0.0

E50. Modulatior entirety.)	and Services (If the	ne complete description	on does not appear is	n this box, please go t	o the end of the form	to view it in its
	RAFFIC USING QP	SK AND BPSK MO	DULATION			
SeaTel4003	11450 12200	R	Horizontal and Vertical	2M60G7W	0.0	0.0
entirety.)  DIGITAL TE	RAFFIC USING QP	SK AND BPSK MO	DULATION			
SeaTel4003	11450 12200	R	Horizontal and Vertical	44K8G1W	0.0	0.0
E50. Modulation entirety.)  DIGITAL TE	a and Services (If the			n this box, please go t	o the end of the form	to view it in its
SeaTel4003	11450 12200	R	Horizontal and Vertical	54M0G7W	0.0	0.0

E50. Modula entirety.)	tion and Services	(If the complete d	escription does not appear	in this box, please	go to the end of t	the form to view it in its
DIGITAL	TRAFFIC USIN	IG QPSK AND BE	SK MODULATION			
SeaTel4003	11450 12200	R	Horizontal and Vertical	717KG1W	0.0	0.0
E50. Modula entirety.)	tion and Services	(If the complete d	escription does not appear	in this box, please	go to the end of t	the form to view it in its
	TRAFFIC ODIN	C ALOK WAN DE	SK MODULATION			
SeaTel4003	11450 12200	R	Horizontal and Vertical	89K6G1W	0.0	0.0
E50. Modula entirety.)	tion and Services	(If the complete d	escription does not appear	in this box, please	go to the end of t	the form to view it in its
DIGITAL	TRAFFIC USIN	IG QPSK AND BE	SK MODULATION			

E50. Modulation entirety.)	on and Services (I	f the complete d	escription does not appear i	n this box, please	go to the end of t	he form to view it in	its
	RAFFIC USING	QPSK AND BE	SK MODULATION				
SeaTel4003	14000 14500	Т	Horizontal and Vertical	1M16G7W	48.1	23.4	
E50. Modulation entirety.)  DIGITAL T			escription does not appear i		8		
SeaTel4003	14000 14500	Т	Horizontal and Vertical	1M36G7W	48.1	22.8	
E50. Modulation entirety.)			escription does not appear i	n this box, please	go to the end of t	he form to view it in	its
SeaTel4003	14000 14500	Т	Horizontal and Vertical	1M55G7W	48.1	22.2	

E50. Modulation entirety.)	n and Services (If	the complete descript	ion does not appear	in this box, please	go to the end of the	he form to view it in its		
	RAFFIC USING Q	PSK AND BPSK MO	ODULATION					
SeaTel4003	14000 14500	Т	Horizontal and Vertical	291KG7W	42.8	24.2		
entirety.)  DIGITAL THE	RAFFIC USING Q	PSK AND BPSK MO	ODULATION					
SeaTel4003	14000 14500	Т	Horizontal and Vertical	388KG7W	44.1	24.2		
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)  DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION								
SeaTel4003	14000 14500	Т	Horizontal and Vertical	44K8G1W	34.6	24.2		

E50. Modulatior entirety.)	and Services (If the	he complete descripti	on does not appear i	n this box, please go	to the end of the form	to view it in its		
	RAFFIC USING QE	PSK AND BPSK MC	DULATION					
SeaTel4003	14000 14500	Т	Horizontal and Vertical	485KG7W	45.1	24.2		
entirety.)  DIGITAL TE	RAFFIC USING QE	PSK AND BPSK MC	DULATION					
SeaTel4003	14000 14500	Т	Horizontal and Vertical	538KG1W	45.5	24.2		
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)  DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION								
SeaTel4003	14000 14500	Т	Horizontal and Vertical	582KG7W	45.8	24.2		

E50. Modulation	and Services (If t	he complete descripti	on does not appear i	n this box, please go	to the end of the form	to view it in its		
entirety.)  DIGITAL TI	RAFFIC USING QE	PSK AND BPSK MC	DULATION					
SeaTel4003	14000 14500	Т	Horizontal and Vertical	64K0G7W	36.3	24.2		
E50. Modulation entirety.)  DIGITAL TI	RAFFIC USING QE			ii iiiis oox, piease go	to the end of the form	to view it in its		
SeaTel4003	14000 14500	Т	Horizontal and Vertical	679KG7W	46.5	24.2		
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)  DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION								
SeaTel4003	14000 14500	Т	Horizontal and Vertical	776KG7W	47.0	24.2		

E50. Modulatior entirety.)	and Services (If the	he complete descripti	on does not appear i	n this box, please go	to the end of the form	to view it in its		
	RAFFIC USING QE	PSK AND BPSK MC	DULATION					
SeaTel4003	14000 14500	Т	Horizontal and Vertical	89K6G1W	37.7	24.2		
entirety.)  DIGITAL TE	RAFFIC USING QE	PSK AND BPSK MC	DULATION					
SeaTel4003	14000 14500	Т	Horizontal and Vertical	970KG7W	48.1	24.2		
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)  DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION								
SeaTel4003	14000 14500	Т	Horizontal and Vertical	97K0G7W	38.1	24.2		

E50. Modulation	n and Services (If	the complete descript	tion does not appear	in this box, please	go to the end of t	the form to view it in its		
entirety.)  DIGITAL T	RAFFIC USING Ç	PSK AND BPSK M	ODULATION					
SeaTel4003	10950 11200	R	Horizontal and Vertical	89K6G1W	0.0	0.0		
E50. Modulation entirety.)  DIGITAL T		the complete descript QPSK AND BPSK		in this box, please	go to the end of t	the form to view it in its		
SeaTel4006	10950 11200	R	Horizontal and Vertical	151KG7W	0.0	0.0		
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)  DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION								
SeaTel4006	10950 11200	R	Horizontal and Vertical	2M60G7W	0.0	0.0		

E50. Modulatentirety.)	tion and Services	(If the complete d	escription does not appear	in this box, please	go to the end of t	the form to view it in its
DIGITAL	TRAFFIC USING	G QPSK AND BE	SK MODULATION			
SeaTel4006	10950 11200	R	Horizontal and Vertical	44K8G1W	0.0	0.0
entirety.)			escription does not appear	in this box, please	go to the end of t	the form to view it in its
SeaTel4006	10950 11200	R	Horizontal and Vertical	54M0G7W	0.0	0.0
E50. Modulatentirety.)	tion and Services	(If the complete d	escription does not appear	in this box, please	go to the end of t	the form to view it in its
DIGITAL	TRAFFIC USING	G QPSK AND BE	SK MODULATION			
SeaTel4006	10950 11200	R	Horizontal and	717KG1W	0.0	0.0

E50. Modulation entirety.)	n and Services (If the	ne complete description	on does not appear in	n this box, please go t	o the end of the form	to view it in its		
	RAFFIC USING QF	SK AND BPSK MC	DULATION					
SeaTel4006	10950 11200	R	Horizontal and Vertical	89K6G1W	0.0	0.0		
entirety.)  DIGITAL TI	RAFFIC USING QF	SK AND BPSK MC	DULATION					
SeaTel4006	11450 12200	R	Horizontal and Vertical	151KG7W	0.0	0.0		
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)  DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION								
SeaTel4006	11450 12200	R	Horizontal and Vertical	2M60G7W	0.0	0.0		

E50. Modulatio entirety.)	n and Services (If	the complete descript	ion does not appear	in this box, please	go to the end of	the form to view it in its		
Ţ.	RAFFIC USING Q	PSK AND BPSK M	ODULATION					
SeaTel4006	11450 12200	R	Horizontal and Vertical	44K8G1W	0.0	0.0		
entirety.)  DIGITAL T		PSK AND BPSK M				the form to view it in its		
SeaTel4006	11450 12200	R	Horizontal and Vertical	54M0G7W	0.0	0.0		
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)  DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION								
SeaTel4006	11450 12200	R	Horizontal and Vertical	717KG1W	0.0	0.0		

	on and Services	(If the complete de	escription does not appear	in this box, please	go to the end of t	he form to view it in	its	
DIGITAL T	TRAFFIC USING	QPSK AND BP	SK MODULATION					
SeaTel4006	11450 12200	R	Horizontal and Vertical	89K6G1W	0.0	0.0		
entirety.)  DIGITAL 7	TRAFFIC USING	QPSK AND BP	SK MODULATION					
SeaTel4006	14000 14500	Т	Horizontal and Vertical	194KG7W	41.2	24.3		
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)  DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION								
SeaTel4006	14000 14500	Т	Horizontal and Vertical	1M16G7W	48.9	24.2		

	on and Services	(If the complete de	escription does not appear	in this box, please	go to the end of t	he form to view it in i	its
DIGITAL 7	FRAFFIC USING	QPSK AND BP	SK MODULATION				
SeaTel4006	14000 14500	Т	Horizontal and Vertical	1M36G7W	48.9	23.6	
entirety.)			escription does not appear	/1			
SeaTel4006	14000 14500	Т	Horizontal and Vertical	1M55G7W	48.9	23.0	
entirety.)		· •	escription does not appear	in this box, please	go to the end of t	he form to view it in i	ts
SeaTel4006	14000 14500	Т	Horizontal and Vertical	291KG7W	42.9	24.3	

E50. Modulatio entirety.)	on and Services (	If the complete d	escription does not appear	in this box, please	go to the end of the	he form to view it in	its	
	TRAFFIC USING	QPSK AND BP	SK MODULATION					
SeaTel4006	14000 14500	Т	Horizontal and Vertical	388KG7W	44.2	24.3		
entirety.)  DIGITAL T	RAFFIC USING	QPSK AND BE	SK MODULATION					
SeaTel4006	14000 14500	Т	Horizontal and Vertical	44K8G1W	34.7	24.3		
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)  DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION								
SeaTel4006	14000 14500	Т	Horizontal and Vertical	485KG7W	45.2	24.3		

E50. Modulation	n and Services (If	the complete description	ion does not appear	in this box, please	go to the end of the	he form to view it in its
entirety.)  DIGITAL T	RAFFIC USING Q	PSK AND BPSK MO	DDULATION			
SeaTel4006	14000 14500	Т	Horizontal and Vertical	582KG7W	45.9	24.3
E50. Modulation entirety.)  DIGITAL T		PSK AND BPSK MO		in this box, please	go to the end of the	he form to view it in its
SeaTel4006	14000 14500	Т	Horizontal and Vertical	64K0G7W	36.4	24.3
E50. Modulation entirety.)  DIGITAL T		the complete description		in this box, please	go to the end of the	he form to view it in its
SeaTel4006	14000 14500	Т	Horizontal and Vertical	679KG7W	46.6	24.3

E50. Modulatio	n and Services (If	the complete of	lescription does not appear i	n this box, please	go to the end of the	he form to view it in its
entirety.)  DIGITAL T	RAFFIC USING (	QPSK AND BI	PSK MODULATION			
SeaTel4006	14000 14500	Т	Horizontal and Vertical	717KG1W	46.8	24.3
entirety.)  DIGITAL T	RAFFIC USING (	QPSK AND BI	PSK MODULATION			
SeaTel4006	14000 14500	Т	Horizontal and Vertical	776KG7W	47.1	24.3
E50. Modulatio entirety.)  DIGITAL T			lescription does not appear i	n this box, please	go to the end of the	he form to view it in its
SeaTel4006	14000 14500	Т	Horizontal and Vertical	89K6G1W	37.8	24.3

E50. Modulatio	n and Services (If	the complete descri	ption does not appear	in this box, please	go to the end of t	he form to view it in its	
entirety.)  DIGITAL T	RAFFIC USING (	PSK AND BPSK	MODULATION				
SeaTel4006	14000 14500	Т	Horizontal and Vertical	970KG7W	48.2	24.3	
E50. Modulatio entirety.)  DIGITAL T	RAFFIC USING (			in this con, preuse	go to the one of	he form to view it in its	
SeaTel4006	14000 14500	Т	Horizontal and Vertical	97K0G7W	38.2	24.3	
E50. Modulatio entirety.)  DIGITAL T	n and Services (If			in this box, please	go to the end of t	he form to view it in its	
ST4009/10	10950 11200	R	Horizontal and Vertical	151KG7W	0.0	0.0	

E50. Modulatio	n and Services (If	the complete descrip	otion does not appear	in this box, please	go to the end of t	the form to view it in its
entirety.)  DIGITAL T	RAFFIC USING Ç	PSK AND BPSK I	MODULATION			
ST4009/10	10950 11200	R	Horizontal and Vertical	2M60G7W	0.0	0.0
E50. Modulatio entirety.)  DIGITAL T	RAFFIC USING Q			in this box, please	go to the end of t	the form to view it in its
ST4009/10	10950 11200	R	Horizontal and Vertical	44K8G1W	0.0	0.0
E50. Modulatio entirety.)  DIGITAL T	n and Services (If			in this box, please	go to the end of t	the form to view it in its
ST4009/10	10950 11200	R	Horizontal and Vertical	54M0G7W	0.0	0.0

E50. Modulation entirety.)	n and Services (If	the complete descripti	ion does not appear	in this box, please g	go to the end of t	he form to view it in its		
	RAFFIC USING Ç	PSK AND BPSK MO	DDULATION					
ST4009/10	10950 11200	R	Horizontal and Vertical	717KG1W	0.0	0.0		
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)  DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION								
ST4009/10	10950 11200	R	Horizontal and Vertical	89K6G1W	0.0	0.0		
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)  DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION								
ST4009/10	11450 12200	R	Horizontal and Vertical	151KG7W	0.0	0.0		

E50. Modulation	n and Services (If the	he complete descripti	on does not appear in	n this box, please go	to the end of the form	to view it in its		
DIGITAL T	RAFFIC USING QE	PSK AND BPSK MC	DULATION					
ST4009/10	11450 12200	R	Horizontal and Vertical	2M60G7W	0.0	0.0		
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)  DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION								
ST4009/10	11450 12200	R	Horizontal and Vertical	44K8G1W	0.0	0.0		
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)  DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION								
ST4009/10	11450 12200	R	Horizontal and Vertical	54M0G7W	0.0	0.0		

E50. Modulation	n and Services (If the	ne complete description	on does not appear in	this box, please go	to the end of the form	to view it in its		
DIGITAL TE	RAFFIC USING QE	SK AND BPSK MC	DULATION					
ST4009/10	11450 12200	R	Horizontal and Vertical	717KG1W	0.0	0.0		
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)  DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION								
ST4009/10	11450 12200	R	Horizontal and Vertical	89K6G1W	0.0	0.0		
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)  DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION								
ST4009/10	14000 14500	Т	Horizontal and Vertical	194KG7W	41.2	24.3		

E50. Modulation	and Services (If the	e complete description	on does not appear in	this box, please go t	o the end of the form	to view it in its		
DIGITAL TR	RAFFIC USING QP	SK AND BPSK MO	DULATION					
ST4009/10	14000 14500	Т	Horizontal and Vertical	1M16G7W	48.9	24.2		
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)  DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION								
ST4009/10	14000 14500	Т	Horizontal and Vertical	1M36G7W	48.9	23.6		
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)  DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION								
ST4009/10	14000 14500	Т	Horizontal and Vertical	1M55G7W	48.9	23.0		

E50. Modulation entirety.)	n and Services (	If the complete d	escription does not appear i	n this box, please	go to the end of the	he form to view it in	its	
	RAFFIC USING	QPSK AND BE	SK MODULATION					
ST4009/10	14000 14500	Т	Horizontal and Vertical	291KG7W	42.9	24.3		
DIGITAL T	RAFFIC USING	QPSK AND BE	SK MODULATION					
ST4009/10	14000 14500	Т	Horizontal and Vertical	388KG7W	44.2	24.3		
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)  DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION								
ST4009/10	14000 14500	Т	Horizontal and Vertical	44K8G1W	34.7	24.3		

E50. Modulation	and Services (If the	e complete description	on does not appear in	this box, please go t	o the end of the form	to view it in its
entirety.)						
DIGITAL TR	RAFFIC USING QP	SK AND BPSK MO	DULATION			
ST4009/10	14000 14500	Т	Horizontal and Vertical	485KG7W	45.2	24.3
E50. Modulation entirety.)	and Services (If the	e complete description	on does not appear ir	this box, please go t	o the end of the form	to view it in its
DIGITAL TR	RAFFIC USING QP	SK AND BPSK MO	DULATION			
ST4009/10	14000 14500	Т	Horizontal and Vertical	582KG7W	45.9	24.3
E50. Modulation entirety.)	and Services (If the	e complete description	on does not appear ir	this box, please go t	o the end of the form	to view it in its
DIGITAL TR	RAFFIC USING QP	SK AND BPSK MO	DULATION			
ST4009/10	14000 14500	Т	Horizontal and Vertical	64K0G7W	36.4	24.3

E50. Modulation entirety.)	n and Services (I	f the complete c	description does not appear i	n this box, please	go to the end of the	he form to view it in	its	
	RAFFIC USING	QPSK AND BI	PSK MODULATION					
ST4009/10	14000 14500	Т	Horizontal and Vertical	679KG7W	46.6	24.3		
entirety.)  DIGITAL T	RAFFIC USING	QPSK AND BI	PSK MODULATION					
ST4009/10	14000	Т	Horizontal and	717KG1W	46.8	24.3		
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)  DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION								
ST4009/10	14000 14500	Т	Horizontal and Vertical	776KG7W	47.1	24.3		

E50. Modulation entirety.)	n and Services (If	the complete descript	ion does not appear	in this box, please	go to the end of the	he form to view it in its		
	RAFFIC USING Q	PSK AND BPSK M	ODULATION					
ST4009/10	14000 14500	Т	Horizontal and Vertical	89K6G1W	37.8	24.3		
entirety.)  DIGITAL TI	RAFFIC USING Q	PSK AND BPSK M	ODULATION					
ST4009/10	14000 14500	Т	Horizontal and Vertical	970KG7W	48.2	24.3		
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)  DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION								
ST4009/10	14000 14500	Т	Horizontal and Vertical	97K0G7W	38.2	24.3		

E50. Modulatio	on and Services (If	the complete descrip	tion does not appear	in this box, please	go to the end of t	the form to view it in its		
DIGITAL T	RAFFIC USING Ç	PSK AND BPSK M	MODULATION					
SeaTel5009	10950 11200	R	Horizontal and Vertical	45M0G1W	0.0	0.0		
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its intirety.)  DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION								
SeaTel5009	10950 11200	R	Horizontal and Vertical	45M0G7W	0.0	0.0		
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)  DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION								
SeaTel5009	10950 11200	R	Horizontal and Vertical	64K0G1W	0.0	0.0		

E50. Modulatio entirety.)	on and Services (If	the complete descript	ion does not appear	in this box, please	go to the end of t	the form to view it in i	lts	
DIGITAL T	RAFFIC USING Q	PSK AND BPSK M	ODULATION					
SeaTel5009	10950 11200	R	Horizontal and Vertical	64K0G7W	0.0	0.0		
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its ntirety.)  DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION								
SeaTel5009	11450 12200	R	Horizontal and Vertical	45M0G1W	0.0	0.0		
E50. Modulatio entirety.)	on and Services (If	the complete descript	ion does not appear	in this box, please	go to the end of t	the form to view it in i	lts	
DIGITAL T	RAFFIC USING Q	PSK AND BPSK M	ODULATION					
SeaTel5009	11450 12200	R	Horizontal and Vertical	45M0G7W	0.0	0.0		

E50. Modulation entirety.)	on and Services (	If the complete of	description does not appear	n this box, please	go to the end of t	the form to view it in	its	
	TRAFFIC USING	QPSK AND B	PSK MODULATION					
SeaTel5009	11450 12200	R	Horizontal and Vertical	64K0G1W	0.0	0.0		
entirety.) DIGITAL 7	TRAFFIC USING	QPSK AND B	PSK MODULATION					
SeaTel5009	11450 12200	R	Horizontal and Vertical	64K0G7W	0.0	0.0		
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)  DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION								
SeaTel5009	14000 14500	Т	Horizontal and Vertical	194KG1W	45.9	29.0		

E50. Modulation	n and Services (If t	he complete descripti	on does not appear i	n this box, please go	to the end of the form	n to view it in its		
entirety.)  DIGITAL T	RAFFIC USING QI	PSK AND BPSK MO	DDULATION					
SeaTel5009	14000 14500	Т	Horizontal and Vertical	194KG7W	45.9	25.0		
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)  DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION								
SeaTel5009	14000 14500	Т	Horizontal and Vertical	222KG1W	46.4	29.0		
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)  DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION								
SeaTel5009	14000 14500	Т	Horizontal and Vertical	222KG7W	46.4	29.0		

E50. Modulation entirety.)	n and Services (If t	he complete descripti	on does not appear i	n this box, please go	to the end of the form	to view it in its		
	RAFFIC USING QI	PSK AND BPSK MC	DULATION					
SeaTel5009	14000 14500	Т	Horizontal and Vertical	263KG1W	47.2	29.0		
entirety.)  DIGITAL TI	RAFFIC USING QI	PSK AND BPSK MC	DULATION					
SeaTel5009	14000 14500	Т	Horizontal and Vertical	263KG7W	47.2	29.0		
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)  DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION								
SeaTel5009	14000 14500	Т	Horizontal and Vertical	291KG1W	47.6	29.0		

E50. Modulatio entirety.)	n and Services (If	the complete descript	ion does not appear	in this box, please	go to the end of the	he form to view it in its
	RAFFIC USING Ç	PSK AND BPSK M	ODULATION			
SeaTel5009	14000 14500	Т	Horizontal and Vertical	291KG7W	47.6	29.0
E50. Modulatio entirety.)  DIGITAL T		PSK AND BPSK M		in this box, please	go to the end of the	he form to view it in its
SeaTel5009	14000 14500	Т	Horizontal and Vertical	296KG1W	47.7	29.0
E50. Modulatio entirety.)  DIGITAL T		the complete descript		in this box, please	go to the end of the	he form to view it in its
SeaTel5009	14000 14500	Т	Horizontal and Vertical	296KG7W	47.7	29.0

E50. Modulation entirety.)	n and Services (If the	he complete description	on does not appear in	n this box, please go	to the end of the form	to view it in its
	RAFFIC USING QF	SK AND BPSK MC	DULATION			
SeaTel5009	14000 14500	Т	Horizontal and Vertical	345KG1W	48.4	29.0
E50. Modulation entirety.)  DIGITAL TI	RAFFIC USING QE			Tuns box, picase go	to the end of the form	to view it in its
SeaTel5009	14000 14500	Т	Horizontal and Vertical	345KG7W	48.4	29.0
E50. Modulation entirety.)  DIGITAL TI	n and Services (If the RAFFIC USING QE			n this box, please go	to the end of the form	to view it in its
SeaTel5009	14000 14500	Т	Horizontal and Vertical	388KG1W	48.9	29.0

E50. Modulation entirety.)	n and Services (If	the complete descrip	ption does not appear	in this box, please	go to the end of t	he form to view it in its
	RAFFIC USING (	PSK AND BPSK	MODULATION			
SeaTel5009	14000 14500	Т	Horizontal and Vertical	388KG7W	48.9	29.0
E50. Modulation entirety.)  DIGITAL T	RAFFIC USING (			iii tiiis oox, picase	go to the end of t	he form to view it in its
SeaTel5009	14000 14500	Т	Horizontal and Vertical	417KG1W	49.2	29.0
E50. Modulation entirety.)  DIGITAL T	n and Services (If			in this box, please	go to the end of t	he form to view it in its
SeaTel5009	14000 14500	Т	Horizontal and Vertical	417KG7W	49.2	29.0

E50. Modulatio entirety.)	n and Services (	If the complete d	escription does not appear i	n this box, please	go to the end of t	he form to view it in	its
Ţ.	RAFFIC USING	QPSK AND BE	PSK MODULATION				
SeaTel5009	14000 14500	Т	Horizontal and Vertical	445KG1W	49.5	29.0	
entirety.)  DIGITAL T	RAFFIC USING	QPSK AND BE	SK MODULATION				
SeaTel5009	14000 14500	Т	Horizontal and Vertical	445KG7W	49.5	29.0	
E50. Modulatio entirety.)	n and Services (1		escription does not appear i	n this box, please	go to the end of t	he form to view it in	its
SeaTel5009	14000 14500	Т	Horizontal and Vertical	452KG1W	49.5	29.0	

E50. Modulation	n and Services (If t	he complete descripti	on does not appear i	n this box, please g	go to the end of the	he form to view it in its
entirety.)  DIGITAL T	RAFFIC USING Q	PSK AND BPSK MO	DDULATION			
SeaTel5009	14000 14500	Т	Horizontal and Vertical	452KG7W	49.5	29.0
E50. Modulation entirety.)  DIGITAL T	`	PSK AND BPSK MO		n this box, please g	go to the end of the	he form to view it in its
SeaTel5009	14000 14500	Т	Horizontal and Vertical	518KG1W	50.1	29.0
E50. Modulation entirety.)  DIGITAL T		he complete descripti		n this box, please g	go to the end of the	he form to view it in its
SeaTel5009	14000 14500	Т	Horizontal and Vertical	518KG7W	50.1	29.0

E50. Modulation	n and Services (If	the complete descr	iption does not appear	in this box, please	go to the end of the	he form to view it in its
entirety.)  DIGITAL T	RAFFIC USING Ç	PSK AND BPSK	MODULATION			
SeaTel5009	14000 14500	Т	Horizontal and Vertical	64K0G1W	41.0	29.0
E50. Modulation entirety.)  DIGITAL T	n and Services (If			in this box, please	go to the end of t	he form to view it in its
SeaTel5009	14000 14500	Т	Horizontal and Vertical	64K0G7W	41.0	29.0
E50. Modulation entirety.)  DIGITAL T	n and Services (If			in this box, please	go to the end of the	he form to view it in its
SeaTel5009	14000 14500	Т	Horizontal and Vertical	776KG1W	51.2	28.3

E50. Modulatio	on and Services (I	the complete d	lescription does not appear i	n this box, please	go to the end of t	he form to view it in i	ts
DIGITAL T	RAFFIC USING	QPSK AND BE	PSK MODULATION				
SeaTel5009	14000 14500	Т	Horizontal and Vertical	776KG7W	51.2	28.3	
E50. Modulation entirety.)  DIGITAL T			lescription does not appear i	, F			
SeaTel5009	14000 14500	Т	Horizontal and Vertical	97K0G1W	42.8	29.0	
E50. Modulation entirety.)			lescription does not appear i	n this box, please	go to the end of t	he form to view it in i	ts
SeaTel5009	14000 14500	Т	Horizontal and Vertical	97K0G7W	42.8	29.0	

E50. Modulatio	on and Services (If	the complete descrip	tion does not appear	in this box, please	go to the end of t	the form to view it in its	
entirety.)	RAFFIC USING Ç	PSK AND BPSK M	ODULATION				
SeaTel5010	10950 11200	R	Horizontal and Vertical	45M0G1W	0.0	0.0	
E50. Modulation entirety.)  DIGITAL T		PSK AND BPSK M		in this box, pieuse	go to the end of t	the form to view it in its	
SeaTel5010	10950 11200	R	Horizontal and Vertical	45M0G7W	0.0	0.0	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)  DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION							
SeaTel5010	10950 11200	R	Horizontal and Vertical	64K0G1W	0.0	0.0	

E50. Modulatio	on and Services (If	the complete descr	iption does not appear	in this box, please	go to the end of t	the form to view it in its		
entirety.)  DIGITAL T	RAFFIC USING (	PSK AND BPSK	MODULATION					
SeaTel5010	10950 11200	R	Horizontal and Vertical	64K0G7W	0.0	0.0		
E50. Modulation entirety.)  DIGITAL T	RAFFIC USING (			in this box, please	go to the chu of t	the form to view it in its		
SeaTel5010	11450 12200	R	Horizontal and Vertical	45M0G1W	0.0	0.0		
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)  DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION								
SeaTel5010	11450 12200	R	Horizontal and Vertical	45M0G7W	0.0	0.0		

E50. Modulation entirety.)	n and Services (If t	he complete descripti	on does not appear i	n this box, please go	to the end of the form	to view it in its		
	RAFFIC USING QI	PSK AND BPSK MC	DULATION					
SeaTel5010	11450 12200	R	Horizontal and Vertical	64K0G1W	0.0	0.0		
entirety.)  DIGITAL TI	RAFFIC USING QE	PSK AND BPSK MC	DULATION					
SeaTel5010	11450 12200	R	Horizontal and Vertical	64K0G7W	0.0	0.0		
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)  DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION								
SeaTel5010	14000 14500	Т	Horizontal and Vertical	194KG1W	45.9	29.0		

E50. Modulation	n and Services (If the	ne complete description	on does not appear in	this box, please go t	to the end of the form	to view it in its
entirety.)  DIGITAL TI	RAFFIC USING QF	SK AND BPSK MC	DULATION			
SeaTel5010	14000 14500	Т	Horizontal and Vertical	194KG7W	45.9	29.0
E50. Modulation entirety.)  DIGITAL TI	RAFFIC USING QE			Tuns oox, preuse go	to the end of the form	
SeaTel5010	14000 14500	Т	Horizontal and Vertical	222KG1W	46.4	29.0
E50. Modulation entirety.)  DIGITAL TI	n and Services (If the RAFFIC USING QF			n this box, please go t	to the end of the form	to view it in its
SeaTel5010	14000 14500	Т	Horizontal and Vertical	222KG7W	46.4	29.0

E50. Modulatior entirety.)	and Services (If t	he complete descripti	on does not appear i	n this box, please go	to the end of the form	to view it in its
1	RAFFIC USING QI	PSK AND BPSK MC	DULATION			
SeaTel5010	14000 14500	Т	Horizontal and Vertical	263KG1W	47.2	29.0
DIGITAL TE	RAFFIC USING QE	PSK AND BPSK MC	DULATION			
SeaTel5010	14000 14500	Т	Horizontal and Vertical	263KG7W	47.2	29.0
E50. Modulation entirety.)		He complete descripti		n this box, please go	to the end of the form	to view it in its
SeaTel5010	14000 14500	Т	Horizontal and Vertical	291KG1W	47.6	29.0

E50. Modulation entirety.)	and Services (If the	ne complete description	on does not appear ir	n this box, please go t	o the end of the form	to view it in its
	AFFIC USING QP	SK AND BPSK MO	DULATION			
SeaTel5010	14000 14500	Т	Horizontal and Vertical	291KG7W	47.6	29.0
DIGITAL TR	AFFIC USING QP	SK AND BPSK MO	DULATION			
SeaTel5010	14000 14500	Т	Horizontal and Vertical	296KG1W	47.7	29.0
	AFFIC USING QP	SK AND BPSK MO	DULATION		o the end of the form	
SeaTel5010	14000 14500	Т	Horizontal and Vertical	296KG7W	47.7	29.0

E50. Modulation entirety.)	and Services (If the	e complete description	on does not appear ir	n this box, please go to	o the end of the form	to view it in its
	AFFIC USING QP	SK AND BPSK MO	DULATION			
SeaTel5010	14000 14500	Т	Horizontal and Vertical	345KG1W	48.4	29.0
DIGITAL TR	AFFIC USING QP	SK AND BPSK MO	DULATION			
SeaTel5010	14000 14500	Т	Horizontal and Vertical	345KG7W	48.4	29.0
	AFFIC USING QP		DULATION		o the end of the form	
SeaTel5010	14000 14500	Т	Horizontal and Vertical	388KG1W	48.9	29.0

E50. Modulatio	n and Services (If	the complete descri	ption does not appear	in this box, please	go to the end of t	he form to view it in its	
entirety.)  DIGITAL T	RAFFIC USING Ç	PSK AND BPSK	MODULATION				
SeaTel5010	14000 14500	Т	Horizontal and Vertical	388KG7W	48.9	29.0	
E50. Modulatio entirety.)  DIGITAL T	RAFFIC USING Q			in this box, please	go to the chu or t	he form to view it in its	
SeaTel5010	14000 14500	Т	Horizontal and Vertical	417KG1W	49.2	29.0	
E50. Modulatio entirety.)  DIGITAL T	n and Services (If			in this box, please	go to the end of t	he form to view it in its	
SeaTel5010	14000 14500	Т	Horizontal and Vertical	417KG7W	49.2	29.0	

E50. Modulation	n and Services (If the	he complete descripti	on does not appear i	n this box, please go	to the end of the form	to view it in its
entirety.)  DIGITAL TI	RAFFIC USING QE	PSK AND BPSK MO	DULATION			
SeaTel5010	14000 14500	Т	Horizontal and Vertical	445KG1W	49.5	29.0
E50. Modulation entirety.)  DIGITAL TI	RAFFIC USING QE			n this box, please go	to the end of the form	to view it in its
SeaTel5010	14000 14500	Т	Horizontal and Vertical	445KG7W	49.5	29.0
E50. Modulation entirety.)  DIGITAL TI	n and Services (If the			n this box, please go	to the end of the form	to view it in its
SeaTel5010	14000 14500	Т	Horizontal and Vertical	452KG1W	49.5	29.0

E50. Modulation entirety.)	and Services (If the	ne complete description	on does not appear is	n this box, please go t	to the end of the form	to view it in its
<u> </u>	RAFFIC USING QF	SK AND BPSK MC	DULATION			
SeaTel5010	14000 14500	Т	Horizontal and Vertical	452KG7W	49.5	29.0
entirety.)  DIGITAL TF	RAFFIC USING QE	SK AND BPSK MC	DULATION			
SeaTel5010	14000 14500	Т	Horizontal and Vertical	518KG1W	50.1	29.0
	RAFFIC USING QF	SK AND BPSK MC	DULATION		to the end of the form	
SeaTel5010	14000 14500	Т	Horizontal and Vertical	518KG7W	50.1	29.0

E50. Modulation entirety.)	and Services (If the	ne complete description	on does not appear in	n this box, please go t	to the end of the form	to view it in its
<u> </u>	RAFFIC USING QP	SK AND BPSK MO	DULATION			
SeaTel5010	14000 14500	Т	Horizontal and Vertical	64K0G1W	41.0	29.0
entirety.)  DIGITAL TF	RAFFIC USING QF	SK AND BPSK MO	DULATION			
SeaTel5010	14000 14500	Т	Horizontal and Vertical	64K0G7W	41.0	29.0
E50. Modulation entirety.)	In and Services (If the RAFFIC USING QF			In this box, please go t	to the end of the form	to view it in its
SeaTel5010	14000 14500	Т	Horizontal and Vertical	776KG1W	51.2	28.3

E50. Modulation entirety.)	and Services (If the	ne complete description	on does not appear in	n this box, please go t	to the end of the form	to view it in its
	RAFFIC USING QE	SK AND BPSK MC	DULATION			
SeaTel5010	14000 14500	Т	Horizontal and Vertical	776KG7W	51.2	28.3
E50. Modulation entirety.)  DIGITAL TR	RAFFIC USING QE				to the end of the form	
SeaTel5010	14000 14500	Т	Horizontal and Vertical	97K0G1W	42.8	29.0
E50. Modulation entirety.)  DIGITAL TE	n and Services (If the RAFFIC USING QF			n this box, please go t	to the end of the form	to view it in its
SeaTel5010	14000 14500	Т	Horizontal and Vertical	97K0G7W	42.8	29.0

E50. Modula entirety.)	tion and Services	(If the complete de	escription does not appear	in this box, please	go to the end of t	he form to view it in its
DIGITAL	TRAFFIC USING	G QPSK AND BP	SK MODULATION			
SeaTel6006	10950 11200	R	Horizontal and Vertical	81K0G7	0.0	0.0
E50. Modula entirety.)	tion and Services	(If the complete de	escription does not appear	in this box, please	go to the end of t	he form to view it in its
		C & 2.514 1142 DI	SK MODULATION			
SeaTel6006	10950 11200	R	Horizontal and Vertical	1M43G1W	0.0	0.0
E50. Modula entirety.)	tion and Services	(If the complete de	escription does not appear	in this box, please	go to the end of t	he form to view it in its
entirety.)			escription does not appear	in this box, please	go to the end of t	he form to view it in its

	on and Services	(If the complete de	escription does not appear	in this box, please	go to the end of	the form to view it in i	its
DIGITAL 1	TRAFFIC USING	QPSK AND BP	SK MODULATION				
SeaTel6006	10950 11200	R	Horizontal and Vertical	44K8G1W	0.0	0.0	
entirety.)			SK MODULATION	in this box, please	go to the end of	me form to view it in i	
SeaTel6006	10950 11200	R	Horizontal and Vertical	54M0G7W	0.0	0.0	
entirety.)		· •	escription does not appear	in this box, please	go to the end of	the form to view it in i	ts
SeaTel6006	10950 11200	R	Horizontal and Vertical	717KG1W	0.0	0.0	

E50. Modulatentirety.)	tion and Services	(If the complete d	escription does not appear	in this box, please	go to the end of	the form to view it in its
DIGITAL	TRAFFIC USING	G QPSK AND BE	SK MODULATION			
SeaTel6006	10950 11200	R	Horizontal and Vertical	89K6G1W	0.0	0.0
entirety.)	tion and Services TRAFFIC USING		escription does not appear	in this box, please	go to the end of	the form to view it in its
SeaTel6006	11450 12200	R	Horizontal and Vertical	1M43G1W	0.0	0.0
E50. Modulatentirety.)	tion and Services	(If the complete d	escription does not appear	in this box, please	go to the end of	the form to view it in its
DIGITAL	TRAFFIC USING	G QPSK AND BE	PSK MODULATION			

E50. Modulat entirety.)	ion and Services	(If the complete d	escription does not appear	in this box, please	go to the end of t	the form to view it in its
DIGITAL	TRAFFIC USING	G QPSK AND BE	SK MODULATION			
SeaTel6006	11450 12200	R	Horizontal and Vertical	44K8G1W	0.0	0.0
entirety.)			escription does not appear  SK MODULATION	in this box, please	go to the end of t	the form to view it in its
DIGITAL	TRAFFIC USING	A CLOV WIND PE	SK MODULATION			
SeaTel6006	11450 12200	R	Horizontal and Vertical	54M0G7W	0.0	0.0
E50. Modulat entirety.)	ion and Services	(If the complete d	escription does not appear	in this box, please	go to the end of t	the form to view it in its
DIGITAL	TRAFFIC USING	G QPSK AND BF	SK MODULATION			
SeaTel6006	11450 12200	R	Horizontal and Vertical	717KG1W	0.0	0.0

E50. Modulatio entirety.)	n and Services (If	the complete de	scription does not appear i	n this box, please	go to the end of t	the form to view it in	its
Ţ.	RAFFIC USING (	PSK AND BPS	SK MODULATION				
SeaTel6006	11450 12200	R	Horizontal and Vertical	81K0G7W	0.0	0.0	
entirety.)  DIGITAL T	RAFFIC USING (	PSK AND BPS	SK MODULATION				
SeaTel6006	11450 12200	R	Horizontal and Vertical	89K6G1W	0.0	0.0	
E50. Modulatio entirety.)  DIGITAL T	n and Services (If		scription does not appear i	n this box, please	go to the end of t	he form to view it in	its
SeaTel6006	14000 14500	Т	Horizontal and Vertical	151KG7W	46.9	31.1	

E50. Modulatio	on and Services (If	the complete des	cription does not appear	in this box, please	go to the end of the	he form to view it in its	3
entirety.)  DIGITAL T	RAFFIC USING (	PSK AND BPS	K MODULATION				
SeaTel6006	14000 14500	Т	Horizontal and Vertical	194KG7W	48.0	31.1	
E50. Modulation entirety.)  DIGITAL T	RAFFIC USING (		cription does not appear  K MODULATION	in this box, pieuse	go to the end of t	ne form to view it in its	
SeaTel6006	14000 14500	Т	Horizontal and Vertical	1M43G1W	53.3	27.8	
E50. Modulation entirety.)	n and Services (If		cription does not appear  K MODULATION	in this box, please	go to the end of the	he form to view it in its	;
SeaTel6006	14000 14500	Т	Horizontal and Vertical	291KG7W	49.7	31.1	

E50. Modulation	n and Services (If	he complete descripti	on does not appear i	n this box, please g	go to the end of the	he form to view it in its
DIGITAL T	RAFFIC USING Q	PSK AND BPSK MO	DDULATION			
SeaTel6006	14000 14500	Т	Horizontal and Vertical	2M35G1W	53.3	25.6
E50. Modulation entirety.)  DIGITAL T		PSK AND BPSK MO		n uns box, piease g	go to the end of the	he form to view it in its
SeaTel6006	14000 14500	T	Horizontal and Vertical	388KG7W	51.0	31.1
E50. Modulation entirety.)  DIGITAL T		he complete descripti		n this box, please g	go to the end of the	he form to view it in its
SeaTel6006	14000 14500	Т	Horizontal and Vertical	445KG7W	51.6	31.1

E50. Modulatio	n and Services (If	the complete of	description does not appear i	n this box, please	go to the end of t	he form to view it in i	ts
entirety.)  DIGITAL T	RAFFIC USING (	QPSK AND B	PSK MODULATION				
SeaTel6006	14000 14500	Т	Horizontal and Vertical	44K8G1W	41.6	31.1	
E50. Modulation entirety.)  DIGITAL T			description does not appear i	in this box, pieuse	go to the cha of t	To fill to view it in i	
SeaTel6006	14000 14500	Т	Horizontal and Vertical	452KG7W	51.6	31.1	
E50. Modulatio entirety.)			description does not appear i	n this box, please	go to the end of t	he form to view it in i	ts
SeaTel6006	14000 14500	Т	Horizontal and Vertical	717KG1W	53.3	30.8	

E50. Modulatio entirety.)	n and Services (If	the complete descri	ription does not appear	in this box, please	go to the end of the	he form to view it in	its
DIGITAL T	RAFFIC USING (	PSK AND BPSK	MODULATION				
SeaTel6006	14000 14500	Т	Horizontal and Vertical	81K0G7W	44.2	31.1	
E50. Modulatio entirety.)  DIGITAL T	RAFFIC USING Q		ription does not appear  MODULATION	in this box, picase	go to the cha of t	ile form to view it in	
SeaTel6006	14000 14500	Т	Horizontal and Vertical	89K6G1W	44.6	31.1	
E50. Modulatio entirety.)	n and Services (If	the complete descri	ription does not appear	in this box, please	go to the end of the	he form to view it in	its
DIGITAL T	RAFFIC USING (	PSK AND BPSK	MODULATION				
SeaTel6006	14000 14500	Т	Horizontal and Vertical	97K0G7W	44.9	31.1	

E50. Modulatio	n and Services (If	the complete descript	ion does not appear	in this box, please g	go to the end of t	he form to view it in its
entirety.)  DIGITAL T	RAFFIC USING Q	PSK AND BPSK MO	ODULATION			
SeaTel6009	10950 11200	R	Horizontal and Vertical	1M43G1W	0.0	0.0
E50. Modulatio entirety.)  DIGITAL T		PSK AND BPSK MO		in this box, please g	go to the end of t	he form to view it in its
SeaTel6009	10950 11200	R	Horizontal and Vertical	2M35G1W	0.0	0.0
E50. Modulatio entirety.)  DIGITAL T		the complete descript		in this box, please g	go to the end of t	he form to view it in its
SeaTel6009	10950 11200	R	Horizontal and Vertical	44K8G1W	0.0	0.0

E50. Modulatio	n and Services (If	the complete descripti	ion does not appear	in this box, please g	go to the end of t	the form to view it in its
entirety.)  DIGITAL T	RAFFIC USING Q	PSK AND BPSK MO	ODULATION			
SeaTel6009	10950 11200	R	Horizontal and Vertical	54M0G7W	0.0	0.0
E50. Modulation entirety.)  DIGITAL T	`	PSK AND BPSK MO		in this box, please g	go to the end of t	the form to view it in its
SeaTel6009	10950 11200	R	Horizontal and Vertical	717KG1W	0.0	0.0
E50. Modulatio entirety.)  DIGITAL T	<u> </u>	the complete descripti		in this box, please g	go to the end of t	the form to view it in its
SeaTel6009	10950 11200	R	Horizontal and Vertical	81K0G7W	0.0	0.0

E50. Modulation entirety.)	on and Services (If	the complete desc	ription does not appear	in this box, please	go to the end of t	the form to view it in its
	RAFFIC USING (	PSK AND BPSK	MODULATION			
SeaTel6009	10950 11200	R	Horizontal and Vertical	89K6G1W	0.0	0.0
E50. Modulation entirety.)  DIGITAL T	RAFFIC USING (			in this box, please	go to the chu of t	the form to view it in its
SeaTel6009	11450 12200	R	Horizontal and Vertical	1M43G1W	0.0	0.0
E50. Modulation entirety.)	on and Services (If			in this box, please	go to the end of t	the form to view it in its
SeaTel6009	11450 12200	R	Horizontal and Vertical	2M35G1W	0.0	0.0

E50. Modulatio entirety.)	n and Services (If	the complete descrip	ption does not appear	in this box, please	go to the end of t	the form to view it in its
<u> </u>	RAFFIC USING (	PSK AND BPSK	MODULATION			
SeaTel6009	11450 12200	R	Horizontal and Vertical	44K8G1W	0.0	0.0
E50. Modulation entirety.)  DIGITAL T	RAFFIC USING (			in this box, please	go to the chit of t	the form to view it in its
SeaTel6009	11450 12200	R	Horizontal and Vertical	54M0G7W	0.0	0.0
E50. Modulatio entirety.)  DIGITAL T	n and Services (If			in this box, please	go to the end of t	the form to view it in its
SeaTel6009	11450 12200	R	Horizontal and Vertical	717KG1W	0.0	0.0

	on and Services (	If the complete of	lescription does not appear	in this box, please	go to the end of t	he form to view it in its	s
DIGITAL 7	TRAFFIC USING	QPSK AND BI	PSK MODULATION				
SeaTel6009	11450 12200	R	Horizontal and Vertical	81K0G7W	0.0	0.0	
entirety.)			lescription does not appear	in this box, picase	go to the end of t	ne form to view it in it.	
SeaTel6009	11450 12200	R	Horizontal and Vertical	89K6G1W	0.0	0.0	
entirety.)			lescription does not appear	in this box, please	go to the end of t	he form to view it in its	s
SeaTel6009	14000 14500	Т	Horizontal and Vertical	151KG7W	46.9	31.1	

E50. Modulatio	n and Services (It	the complete d	lescription does not appear	n this box, please	go to the end of the	he form to view it in i	its
entirety.)  DIGITAL T	RAFFIC USING	QPSK AND BE	PSK MODULATION				
SeaTel6009	14000 14500	Т	Horizontal and Vertical	194KG7W	48.0	31.1	
E50. Modulatio entirety.)  DIGITAL T			lescription does not appear	n tins box, piease	go to the end of the	ne form to view it in i	its
SeaTel6009	14000 14500	Т	Horizontal and Vertical	1M43G1W	53.3	27.8	
E50. Modulatio entirety.)  DIGITAL T			lescription does not appear i	n this box, please	go to the end of the	he form to view it in i	ts
SeaTel6009	14000 14500	Т	Horizontal and Vertical	291KG7W	49.7	31.1	

E50. Modulatio	n and Services (If	the complete des	scription does not appear i	n this box, please	go to the end of the	he form to view it in i	ts
entirety.)  DIGITAL T	RAFFIC USING (	OPSK AND BPS	K MODULATION				
SeaTel6009	14000 14500	Т	Horizontal and Vertical	2M35G1W	53.3	25.6	
E50. Modulation entirety.)  DIGITAL T	RAFFIC USING (		scription does not appear i	in this box, pieuse	go to the end of t	To fill to view it in f	
SeaTel6009	14000 14500	Т	Horizontal and Vertical	388KG7W	51.0	31.1	
E50. Modulatio entirety.)  DIGITAL T	n and Services (If		scription does not appear in SK MODULATION	in this box, please	go to the end of the	he form to view it in i	ts
SeaTel6009	14000 14500	Т	Horizontal and Vertical	445KG7W	51.6	31.1	

E50. Modulatio	on and Services (I	f the complete d	lescription does not appear i	n this box, please	go to the end of the	he form to view it in i	its
DIGITAL T	RAFFIC USING	QPSK AND BE	PSK MODULATION				
SeaTel6009	14000 14500	Т	Horizontal and Vertical	44K8G1W	41.6	31.1	
E50. Modulation entirety.)  DIGITAL T			lescription does not appear i	in tins box, pieuse	go to the end of t	TOTAL TO VIEW IT III I	
SeaTel6009	14000 14500	Т	Horizontal and Vertical	452KG7W	51.6	31.1	
E50. Modulation entirety.)			lescription does not appear i	in this box, please	go to the end of the	he form to view it in i	ts
SeaTel6009	14000 14500	Т	Horizontal and Vertical	717KG1W	53.3	30.8	

E50. Modulatio	on and Services (If	the complete des	scription does not appear	in this box, please	go to the end of t	he form to view it in it	is
entirety.)  DIGITAL T	RAFFIC USING (	PSK AND BPS	K MODULATION				
SeaTel6009	14000 14500	Т	Horizontal and Vertical	81K0G7W	44.2	31.1	
E50. Modulatio entirety.)  DIGITAL T	RAFFIC USING		cription does not appear	in this box, please	go to the end of t	ne form to view it in it	
SeaTel6009	14000 14500	Т	Horizontal and Vertical	89K6G1W	44.6	31.1	
E50. Modulatio entirety.)  DIGITAL T	n and Services (If		cription does not appear	in this box, please	go to the end of t	he form to view it in it	is .s
SeaTel6009	14000 14500	Т	Horizontal and Vertical	97K0G7W	44.9	31.1	

E50. Modulation	n and Services (If the	ne complete description	on does not appear in	this box, please go t	o the end of the form	to view it in its		
entirety.)  DIGITAL TI	RAFFIC USING QP	SK AND BPSK MO	DULATION					
Intl V110	10950 11200	R	Horizontal and Vertical	151KG7W	0.0	0.0		
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)  DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION								
Intl V110	10950 11200	R	Horizontal and Vertical	2M60G7W	0.0	0.0		
E50. Modulation entirety.)  DIGITAL TI	n and Services (If the			this box, please go t	o the end of the form	to view it in its		
Intl V110	10950 11200	R	Horizontal and Vertical	44K8G1W	0.0	0.0		

E50. Modulation	n and Services (If the	ne complete description	on does not appear in	this box, please go t	o the end of the form	to view it in its		
entirety.)  DIGITAL TE	RAFFIC USING QP	SK AND BPSK MO	DULATION					
Intl V110	10950 11200	R	Horizontal and Vertical	54M0G7W	0.0	0.0		
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)  DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION								
Intl V110	10950 11200	R	Horizontal and Vertical	717KG1W	0.0	0.0		
E50. Modulation entirety.)  DIGITAL TR	n and Services (If the			n this box, please go t	o the end of the form	to view it in its		
Intl V110	10950 11200	R	Horizontal and Vertical	89K6G1W	0.0	0.0		

E50. Modulation entirety.)	and Services (If the	ne complete description	on does not appear in	this box, please go t	o the end of the form	to view it in its			
DIGITAL TR	AFFIC USING QP	SK AND BPSK MO	DULATION						
Intl V110	11450 12200	R	Horizontal and Vertical	151KG7W	0.0	0.0			
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)  DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION									
Intl V110	11450 12200	R	Horizontal and Vertical	2M60G7W	0.0	0.0			
E50. Modulation entirety.)	and Services (If the	ne complete description	on does not appear ir	this box, please go t	o the end of the form	to view it in its			
DIGITAL TR	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION								
Intl V110	11450 12200	R	Horizontal and Vertical	44K8G1W	0.0	0.0			

E50. Modulation entirety.)	and Services (If the	e complete description	on does not appear in	this box, please go to	o the end of the form	to view it in its		
	RAFFIC USING QP	SK AND BPSK MO	DULATION					
Intl V110	11450 12200	R	Horizontal and Vertical	54M0G7W	0.0	0.0		
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)  DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION								
Intl V110	11450 12200	R	Horizontal and Vertical	717KG1W	0.0	0.0		
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)  DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION								
Intl V110	11450 12200	R	Horizontal and Vertical	89K6G1W	0.0	0.0		

E50. Modulation entirety.)	and Services (If the	e complete description	on does not appear in	this box, please go t	o the end of the form	to view it in its			
DIGITAL TR	AFFIC USING QP	SK AND BPSK MO	DULATION						
Intl V110	14000 14500	Т	Horizontal and Vertical	194KG7W	42.4	25.5			
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)  DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION									
Intl V110	14000 14500	Т	Horizontal and Vertical	1M16G7W	49.8	25.2			
E50. Modulation entirety.)	and Services (If the	ne complete description	on does not appear ir	this box, please go t	o the end of the form	to view it in its			
DIGITAL TR	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION								
Intl V110	14000 14500	Т	Horizontal and Vertical	1M36G7W	49.8	24.5			

E50. Modulation entirety.)	and Services (If the	e complete description	on does not appear in	this box, please go to	o the end of the form	to view it in its			
DIGITAL TR	AFFIC USING QP	SK AND BPSK MO	DULATION						
Intl V110	14000 14500	Т	Horizontal and Vertical	1M55G7W	49.8	23.9			
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)  DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION									
Intl V110	14000 14500	Т	Horizontal and Vertical	291KG7W	44.1	25.5			
E50. Modulation entirety.)	and Services (If the	e complete description	on does not appear in	this box, please go to	o the end of the form	to view it in its			
DIGITAL TR	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION								
Intl V110	14000 14500	Т	Horizontal and Vertical	388KG7W	45.4	22.5			

E50. Modulation entirety.)	and Services (If the	ne complete description	on does not appear in	this box, please go t	o the end of the form	to view it in its			
DIGITAL TR	AFFIC USING QP	SK AND BPSK MO	DULATION						
Intl V110	14000 14500	Т	Horizontal and Vertical	44K8G1W	36.0	25.5			
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)  DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION									
Intl V110	14000 14500	Т	Horizontal and Vertical	485KG7W	46.3	25.5			
E50. Modulation entirety.)	and Services (If the	ne complete description	on does not appear in	n this box, please go t	o the end of the form	to view it in its			
DIGITAL TR	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION								
Intl V110	14000 14500	Т	Horizontal and Vertical	582KG7W	47.1	25.5			

E50. Modulation entirety.)	and Services (If the	ne complete description	on does not appear in	n this box, please go t	to the end of the form	to view it in its			
DIGITAL TR	RAFFIC USING QP	SK AND BPSK MO	DULATION						
Intl V110	14000 14500	Т	Horizontal and Vertical	64K0G7W	37.5	25.5			
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)  DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION									
Intl V110	14000 14500	Т	Horizontal and Vertical	679KG7W	47.8	25.5			
E50. Modulation entirety.)	and Services (If the	ne complete description	on does not appear in	n this box, please go t	o the end of the form	to view it in its			
DIGITAL TR	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION								
Intl V110	14000 14500	Т	Horizontal and Vertical	717KG1W	48.0	25.5			

E50. Modulation entirety.)	and Services (If the	e complete description	on does not appear ir	this box, please go t	o the end of the form	to view it in its			
DIGITAL TR	AFFIC USING QP	SK AND BPSK MO	DULATION						
Intl V110	14000 14500	Т	Horizontal and Vertical	776KG7W	48.4	25.5			
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)  DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION									
Intl V110	14000 14500	Т	Horizontal and Vertical	89K6G1W	39.0	25.5			
E50. Modulation entirety.)	and Services (If the	ne complete description	on does not appear ir	this box, please go t	o the end of the form	to view it in its			
DIGITAL TR	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION								
Intl V110	14000 14500	Т	Horizontal and Vertical	970KG7W	49.3	25.5			

## FREQUENCY COORDINATION

E28.	E51. Satellite	E52/53.	E54/55.	E56. Earth	E57.	E58. Earth	E59.	E60.
Antenna Id	Orbit Type	Frequency	Range of	Station	Antenna	Station	Antenna	Maximum
		Limits(MHz)	Satellite Arc	Azimuth	Elevation	Azimuth	Elevation	EIRP Density
			Eastern/West	Angle	Angle	Angle	Angle	toward the
			ern Limit	Eastern Limit	Eastern Limit	Western	Western	Horizon
						Limit	Limit	(dBW/4kHz)
			/					

REMOTE CONTROL POINT LOCATION

E61. Call Sign WB36 NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E66. Phone Number 203−262−5000		
E62. Street Address 2120 River Road	•			
E63. City Southbury	E68. County New Haven		E67/68. State/Country CT/ USA	E64. Zip Code 06488

## FCC NOTICE REQUIRED BY THE PAPERWORK REDUCTION ACT

The public reporting for this collection of information is estimated to average 2 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the required data, and completing and reviewing the collection of information. If you have any comments on this burden estimate, or how we can improve the collection and reduce the burden it causes you, please write to the Federal Communications Commission, AMD–PERM, Paperwork Reduction Project (3060–0678), Washington, DC 20554. We will also accept your comments regarding the Paperwork Reduction Act aspects of this collection via the Internet if you send them to PRA@fcc.gov. PLEASE DO NOT SEND COMPLETED FORMS TO THIS ADDRESS.

Remember – You are not required to respond to a collection of information sponsored by the Federal government, and the government may not conduct or sponsor this collection, unless it displays a currently valid OMB control number or if we fail to provide you with this notice. This collection has been assigned an OMB control number of 3060–0678.

THE FOREGOING NOTICE IS REQUIRED BY THE PAPERWORK REDUCTION ACT OF 1995, PUBLIC LAW 104–13, OCTOBER 1, 1995, 44 U.S.C. SECTION 3507.

## 43. Description. (Summarize the nature of the application and the services to be provided).

By this application Vizada, Inc. seeks to update the Particulars of Operation (Section B of the license) and the Antenna Facilities Specifications (Section E of the license) listed in its authorization to provide ESV service via its Southbury, CT. teleport, call sign WB36 for the Sea Tel model 4003A and 4006 1.0 meter Ku-band remote Earth Station on Vessel (ESV) antennas; the Sea Tel model 5009 1.2 meter Ku-band remote ESV antennas; and the Sea Tel model 6006 1.5 meter Ku-band remote ESV antennas. The application is also to add up to 500 Sea Tel model 4009/4010 1.0 meter Ku-band remote ESV antennas; up to 500 Sea Tel model 5010 1.2 meter Ku-band remote ESV antennas; up to 500 Sea Tel model 6009 1.5 meter Ku-band remote ESV antennas; and up to 500 Intellian model V110 1.05 Meter Ku-band remote ESV antennas to the authorization. Finally, Exhibit 15 of the application is a notification of intent to operate carriers used for transmissions from WB36 hub antenna SBY30/VER 9 up to the Telstar 11N satellite (T11N) in the 13.75-14.0 GHz band below 68 dBW.